


STATUS REPORT ON MISSOURI'S SUBSTANCE USE AND MENTAL HEALTH

Twenty-third Edition -- 2017



MISSOURI DEPARTMENT OF MENTAL HEALTH
Division of Behavioral Health

STATUS REPORT ON MISSOURI'S SUBSTANCE USE AND MENTAL HEALTH

TWENTY-THIRD EDITION — 2017

Randall Smith, M.P.A., M.Ed.

Christie Lundy, Ph.D.

Renee Rothermich, M.A.

Mark Stringer Director, Missouri Department of Mental Health

Richard Gowdy, Ph.D. Director, Division of Behavioral Health

Rikki Wright Deputy Director, Division of Behavioral Health

Shumei Yun, M.D., Ph.D. Director of Research and Statistics

MISSOURI DEPARTMENT OF MENTAL HEALTH

Division of Behavioral Health

1706 East Elm Street; P.O. Box 687

Jefferson City, MO 65102

573-751-9499

Website: <https://dmh.mo.gov>



ERIC R. GREITENS
GOVERNOR



MARK STRINGER
DIRECTOR

RICHARD N. GOWDY, PH.D.
DIRECTOR
DIVISION OF
BEHAVIORAL HEALTH
(573) 751-9499
(573) 751-7814 FAX

STATE OF MISSOURI
DEPARTMENT OF MENTAL HEALTH

1706 EAST ELM STREET
P.O. BOX 687
JEFFERSON CITY, MISSOURI 65102
(573) 751-4122
(573) 751-8224 FAX
www.dmh.mo.gov

PREFACE

Nearly every day in the national or local news, we learn about tragic events stemming from untreated mental illness. Mental disorders and substance use disorders can precipitate distress, hopelessness, violence, death, injury, family disintegration, and an array of other human consequences. One-half of out-of-home placements of children by juvenile authorities result from parental substance use disorders, and two-thirds of individuals entering emergency rooms and hospitals for a mental disorder have a primary diagnosis of serious mental illness.

Hospitals, mental health agencies, police departments, the criminal justice system, social services agencies, and other organizations assist individuals with mental and substance use disorders. Missouri state agencies provide summary data from these encounters for the annual *Status Report on Missouri's Substance Use and Mental Health*. The *Status Report* presents the data in county and region profiles to facilitate community problem analysis and prevention planning. The profiles also summarize the populations served in clinical treatment programs supported by the Missouri Division of Behavioral Health. These programs annually provide psychiatric services to more than 75,000 Missouri residents and substance intervention or treatment services to more than 50,000.

The *Status Report* also highlights behavioral trends measured by national and state surveys. Among these surveys are the National Survey on Drug Use and Health, the Missouri Student Survey, and the Missouri Assessment of College Health Behaviors.

Aside from the human costs, serious mental illness and substance use disorders have economic costs in Missouri totaling over \$18 billion annually. I encourage you to use data from the *Status Report* and our other resources to promote efforts to reduce the stigma, consequences, and societal costs of mental illness and substance use disorders. Please direct inquiries and comments regarding this publication to the Division's Research and Statistics office at dbhmail@dmh.mo.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard N. Gowdy".

Richard N. Gowdy, Ph.D.

ACKNOWLEDGMENTS

The Department of Mental Health appreciates the contributions of data provided by these individuals and their agencies to produce the 2017 Status Report:

Sruti Banerjee, Missouri Department of Health and Senior Services
Shilo Bender, Missouri Department of Health and Senior Services
Carol Bontempo, Missouri Department of Health and Senior Services
Whitney Coffey, Missouri Department of Health and Senior Services
Avera Daniels, Missouri Department of Corrections
Susan Depue, Missouri Institute of Mental Health
Russell Dunwiddie, Missouri Department of Public Safety
Cassie Eickelmann, Missouri Department of Health and Senior Services
Venkata Garikapaty, Missouri Department of Health and Senior Services
Jacob Hopkins, Missouri Office of State Courts Administrator
Andrew Hunter, Missouri Department of Health and Senior Services
Robert Mackenzie, Missouri Department of Public Safety
David McBride, Missouri Department of Health and Senior Services
Rick McElfresh, Missouri Office of State Courts Administrator
Angela McKee, Missouri Department of Health and Senior Services
Doug Middleton, Missouri Department of Public Safety
Richard Morrissey, Missouri Office of State Courts Administrator
Mary Mosley, Missouri Department of Health and Senior Services
Doug Phillips, Missouri Department of Health and Senior Services
Angela Plunkett, Missouri Office of State Courts Administrator
Guy Provencal, Missouri Office of State Courts Administrator
Dan Reilly, University of Missouri—Columbia
Mark Ritchey, Missouri Department of Public Safety
DeWayne Sprenger, Missouri Department of Public Safety
Michael Teel, Missouri Department of Transportation
Michael Traver, Missouri Department of Social Services
Tanner Turley, Missouri Department of Health and Senior Services
Margaret Tyler, Missouri Department of Health and Senior Services
Loise Wambuguh, Missouri Department of Health and Senior Services
Bradley Wing, Office of State Courts Administrator

2017 STATUS REPORT TABLE OF CONTENTS

SECTION A: INTRODUCTION	PAGE NUMBER
Report Front Cover	A-1
Title Page	A-2
Director's Preface	A-3
Acknowledgments	A-4
Table of Contents	A-5
Data Highlights	A-9
 SECTION B: UNITED STATES AND MISSOURI PREVALENCE SURVEYS	
 <i>National Survey on Drug Use and Health (NSDUH) — Alcohol and Drug Tables and Charts</i>	
Alcohol, Tobacco, Illicit Drugs — Overview of Lifetime and Past-Month Use: U.S. Ages 12 & Older	B-1
Alcohol, Tobacco, Illicit Drugs — Overview of Lifetime and Past-Month Use: U.S. Ages 12-17	B-2
Alcohol, Tobacco, Illicit Drugs — Overview of Lifetime and Past-Month Use: U.S. Ages 18-25	B-3
Alcohol, Tobacco, Illicit Drugs — Overview of Lifetime and Past-Month Use: U.S. Ages 26 & Older	B-4
Alcohol — Past-Month Use: U.S. and Missouri Age Groups	B-5
Alcohol — Past-Month Binge Use: U.S. and Missouri Age Groups	B-6
Alcohol — Perceived Risk in Binge Use: U.S. and Missouri Age Groups	B-7
Alcohol — Past-Month, Binge, and Perceived Risk: Missouri Age Groups	B-8
Alcohol — Past-Month, Binge, and Perceived Risk: Missouri Planning Regions	B-9
Alcohol — Past-Year Use Disorder: U.S. and Missouri Age Groups	B-10
Tobacco — Past-Month Tobacco Product Use: U.S. and Missouri Age Groups	B-11
Tobacco — Past-Month Cigarette Use: U.S. and Missouri Age Groups	B-12
Tobacco — Perceived Risk in Cigarette Use: U.S. and Missouri Age Groups	B-13
Tobacco — Past-Month Tobacco and Cigarette Use and Perceived Risk: Missouri Age Group Comparisons	B-14
Tobacco — Past-Month Tobacco and Cigarette Use and Perceived Risk: Missouri Planning Regions	B-15
Illicit Drugs — Past-Month Use of Any Illicit Drug: U.S. and Missouri Age Groups	B-16
Illicit Drugs — Past-Month Use of Any Illicit Drug Except Marijuana: U.S. and Missouri Age Groups	B-17
Illicit Drugs — Past-Month Use of Illicit Drugs: Missouri Planning Regions	B-18
Illicit Drugs — Past-Year Use Disorder: U.S. and Missouri Age Groups	B-19
Marijuana — Past-Month Use: U.S. and Missouri Age Groups	B-20
Marijuana — Past-Year Use: U.S. and Missouri Age Groups	B-21
Marijuana — Perceived Risk in Use: U.S. and Missouri Age Groups	B-22
Marijuana — Past-Month, First-Use in Past Year, and Perceived Risk: Missouri Age Groups	B-23
Marijuana — Past-Month, First-Use in Past Year, and Perceived Risk: Missouri Planning Regions	B-24
Cocaine — Past-Year Use: U.S. and Missouri Age Groups	B-25
Pain Relievers — Past-Year Use: U.S. and Missouri Age Groups	B-26
Marijuana, Cocaine, Pain Relievers — Missouri Planning Regions	B-27
Alcohol, Illicit Drugs — Past-Year Use Disorder: U.S. and Missouri Age Groups	B-28
Alcohol, Illicit Drugs — Past-Year Use Disorder: Missouri Population Estimates	B-29
Alcohol, Illicit Drugs — Past-Year Use Disorder: Missouri Planning Regions	B-30
Alcohol, Illicit Drugs — Past-Year Use Disorder: Missouri Age Groups and Planning Regions	B-31
Alcohol, Illicit Drugs — Past-Year Unmet Need for Substance Disorder Treatment: Missouri Population Estimates	B-32
Alcohol, Illicit Drugs — Past-Year Unmet Need for Substance Disorder Treatment: Missouri Regions	B-33
Alcohol, Illicit Drugs — Past-Year Unmet Need for Substance Disorder Treatment: Missouri Age Groups and Regions	B-34
 <i>National Survey on Drug Use and Health (NSDUH) — Mental Health Charts</i>	
Mental Illness — Any Mental Illness in Past Year: U.S. and Missouri Age Groups	B-35
Mental Illness — Serious Mental Illness in Past Year: U.S. and Missouri Age Groups	B-36
Mental Illness — Any Mental Illness and Serious Mental Illness: Missouri Age Groups and Planning Regions	B-37
Mental Illness — Serious Mental Illness in Past Year: Missouri Age Groups and Planning Regions	B-38
Depression — Major Past-Year Episode: U.S. and Missouri Age Groups	B-39
Depression — Major Past-Year Episode: Missouri Age Groups and Planning Regions	B-40
Suicide — Serious Thoughts of Suicide in Past Year: U.S. and Missouri Age Groups	B-41
Suicide — Serious Thoughts of Suicide in Past Year: Missouri Age Groups and Planning Regions	B-42

SECTION B: UNITED STATES AND MISSOURI PREVALENCE SURVEYS (continued)

Missouri Student Survey (MSS) — Tables and Charts

Alcohol, Tobacco, Illicit Drugs — Overview of Lifetime Use: Missouri Students in Grades 6-12	B-43
Alcohol, Tobacco, Illicit Drugs — Overview of Past 30-Day Use: Missouri Students in Grades 6-12	B-44
Alcohol — Lifetime, Past 30-Day, and Binge Use: Missouri Students in Grades 6-12	B-45
Tobacco — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B-46
Marijuana — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B-47
Cocaine, Methamphetamine, and Heroin — Lifetime Use: Missouri Students in Grades 6-12	B-48
Hallucinogens Synthetics, and Club Drugs — Lifetime Use: Missouri Students in Grades 6-12	B-49
Pharmaceutical Drugs — Lifetime and Past 30-Day Non-Medical Use: Missouri Students in Grades 6-12	B-50
Inhalants and Over-the-Counter Drugs — Lifetime and Past 30-Day Non-Medical Use: Missouri Students in Grades 6-12	B-51

Youth Risk Behavior Survey (YRBS) — Tables and Charts

Alcohol, Tobacco, Marijuana — Overview of Use among U.S. and Missouri Students in Grades 9-12	B-52
Alcohol — Past 30-Day Use: U.S. and Missouri Students in Grades 9-12	B-53
Alcohol — Past 30-Day Binge Use: U.S. and Missouri Students in Grades 9-12	B-54
Alcohol — Use Before Age 13: U.S. and Missouri Students in Grades 9-12	B-55
Tobacco — Past 30-Day Cigarette Use: U.S. and Missouri Students in Grades 9-12	B-56
Marijuana — Past 30-Day Use: U.S. and Missouri Students in Grades 9-12	B-57

Behavioral Risk Factor Survey — Tables

Alcohol, Tobacco, and Mental Health — Use among U.S. and Missouri Adults Ages 18 and Older	B-58
--------------------------------------------------------------------------------------------	------

Monitoring The Future Survey (MTF) — Tables

Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Students in Grade 8	B-59
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Students in Grade 10	B-60
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Students in Grade 12	B-61
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. College Students	B-62
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Adults Ages 19-28	B-63

Missouri Assessment of College Health Behaviors — Tables and Charts

Alcohol, Tobacco, Illicit Drugs — Use and Related Problems: Missouri College Students	B-64
Mental Health — Past-Year Problems: Missouri College Students	B-65
Alcohol — Past Year, Past 30-Day, and Binge Use: Missouri College Students	B-66
Pharmaceutical Drugs — Past Year Non-Prescription Use: Missouri College Students	B-67
Illicit Drugs — Past Year Use: Missouri College Students	B-68

Pregnancy Risk Assessment Monitoring System (PRAMS) — Tables

Alcohol, Tobacco, and Mental Health Involvement with Pregnancy: Missouri	B-69
--------------------------------------------------------------------------	------

SECTION C: SUBSTANCE USE INDICATORS IN TABLES AND CHARTS

Economic Costs of Mental Illness and Substance Use Disorders: U.S. and Missouri	C-1
Births and Fetal Exposure to Alcohol, Tobacco, and Other Drugs: Missouri	C-2
Substance Use Related Hospitalizations and Emergency Department Episodes: Missouri	C-3
Mental Illness Related Hospitalizations and Emergency Department Episodes: Missouri	C-4
Diseases Associated with Substance Use: Missouri	C-5
Suicide, Homicide, and Substance Related Deaths: Missouri	C-6
Alcohol Involved Traffic Crashes: Missouri	C-7
Drug Involved Traffic Crashes: Missouri	C-8
Alcohol and Drug Involved Recreational Boating Crashes: Missouri	C-9
Alcohol and Drug Arrests: Missouri	C-10
Out-of-Home Placements and Juvenile Court Referrals: Missouri	C-11
Criminal Justice Interventions for Alcohol and Drug Offenses: Missouri	C-12
Per Capita Consumption of Beverage Alcohol Based on Sales: U.S. and Missouri	C-13
Liquor Licenses: Missouri Planning Regions	C-14
Cigarette Sales Based on Tax Revenue: Missouri	C-15
Prescription Opioid Sales and Opioid Overdose Deaths: Missouri	C-16
Unemployment: United States, Missouri, and Planning Regions	C-17

SECTION D: DIVISION OF BEHAVIORAL HEALTH STATEWIDE SUBSTANCE ABUSE TREATMENT SERVICES

Substance Use Treatment Admissions Overview: Missouri	D-1
Age and Ethnicity Profile for Male Treatment Admissions	D-2
Age and Ethnicity Profile for Female Treatment Admissions	D-3
Profile Charts for All Division of Behavioral Health Substance Treatment Admissions	D-4
Profile Charts for Alcohol Treatment Admissions	D-5
Profile Charts for Marijuana Treatment Admissions	D-6
Profile Charts for Cocaine Treatment Admissions	D-7
Profile Charts for Methamphetamine Treatment Admissions	D-8
Profile Charts for Heroin Treatment Admissions	D-9
Profile Charts for Prescription Drug Treatment Admissions	D-10
Profile Charts for All Other Substance Treatment Admissions	D-11
Age Distributions for Substance Treatment Modalities	D-12

SECTION E: INDICATORS AND TREATMENT SERVICES BY GEOGRAPHIC AREA

Missouri

Statewide Missouri	E1-E4
--------------------	-------

Missouri Counties

Adair	E5-E8	Andrew	E9-E12	Atchison	E13-E16
Audrain	E17-E20	Barry	E21-E24	Barton	E25-E28
Bates	E29-E32	Benton	E33-E36	Bollinger	E37-E40
Boone	E41-E44	Buchanan	E45-E48	Butler	E49-E52
Caldwell	E53-E56	Callaway	E57-E60	Camden	E61-E64
Cape Girardeau	E65-E68	Carroll	E69-E72	Carter	E73-E76
Cass	E77-E80	Cedar	E81-E84	Chariton	E85-E88
Christian	E89-E92	Clark	E93-E96	Clay	E97-E100
Clinton	E101-E104	Cole	E105-E108	Cooper	E109-E112
Crawford	E113-E116	Dade	E117-E120	Dallas	E121-E124
Daviess	E125-E128	DeKalb	E129-E132	Dent	E133-E136
Douglas	E137-E140	Dunklin	E141-E144	Franklin	E145-E148
Gasconade	E149-E152	Gentry	E153-E156	Greene	E157-E160
Grundy	E161-E164	Harrison	E165-E168	Henry	E169-E172
Hickory	E173-E176	Holt	E177-E180	Howard	E181-E184
Howell	E185-E188	Iron	E189-E192	Jackson	E193-E196
Jasper	E197-E200	Jefferson	E201-E204	Johnson	E205-E208
Knox	E209-E211	Laclede	E213-E216	Lafayette	E217-E220
Lawrence	E221-E224	Lewis	E225-E228	Lincoln	E229-E232
Linn	E233-E236	Livingston	E237-E240	McDonald	E241-E243
Macon	E245-E248	Madison	E249-E252	Maries	E253-E255
Marion	E257-E260	Mercer	E261-E264	Miller	E265-E268
Mississippi	E269-E272	Moniteau	E273-E276	Monroe	E276-E280
Montgomery	E281-E284	Morgan	E285-E288	New Madrid	E289-E292
Newton	E293-E296	Nodaway	E297-E300	Oregon	E301-E304
Osage	E305-E308	Ozark	E309-E312	Pemiscot	E313-E316
Perry	E317-E320	Pettis	E321-E324	Phelps	E325-E328
Pike	E329-E332	Platte	E333-E336	Polk	E337-E340
Pulaski	E341-E344	Putnam	E345-E348	Ralls	E349-E351
Randolph	E353-E356	Ray	E357-E360	Reynolds	E361-E364
Ripley	E365-E368	Saint Charles	E369-E372	Saint Clair	E373-E376
Sainte Genevieve	E377-E379	Saint Francois	E381-E384	Saint Louis County	E385-E388
Saline	E389-E392	Schuyler	E393-E395	Scotland	E397-E400
Scott	E401-E404	Shannon	E405-E408	Shelby	E409-E411
Stoddard	E413-E416	Stone	E417-E420	Sullivan	E421-E424
Taney	E425-E428	Texas	E429-E432	Vernon	E433-E436
Warren	E437-E440	Washington	E441-E444	Wayne	E445-E448
Webster	E449-E452	Worth	E453-E455	Wright	E457-E460
Saint Louis City	E461-E464				

SECTION E: INDICATORS AND TREATMENT SERVICES BY GEOGRAPHIC AREA (continued)***Division of Behavioral Health (DBH) Planning Regions***

DBH Western Region	E465-E468	DBH Central Region	E468-E472	DBH Eastern Region	E473-E476
DBH Southwest Region	E477-E480	DBH Southeast Region	E481-E484		

DBH Substance Use Service Areas (SA)

Substance Use SA 1	E485-E487	Substance Use SA JC	E488-E490	Substance Use SA 6	E490-E493
Substance Use SA 7	E494-E496	Substance Use SA 8	E497-E499	Substance Use SA 9	E500-E502
Substance Use SA 10	E503-E505	Substance Use SA 11	E506-E508	Substance Use SA 12	E509-E511
Substance Use SA 13	E512-E514	Substance Use SA 14	E515-E517	Substance Use SA 15	E518-E520
Substance Use SA 16	E521-E523	Substance Use SA 17	E524-E526	Substance Use SA 18	E527-E529
Substance Use SA 19	E530-E532	Substance Use SA 20	E533-E535	Substance Use SA 21	E536-E538
Substance Use SA 22	E539-E541	Substance Use SA SL	E542-E544		

DBH Adult Mental Health Service Areas (SA)

Mental Health SA 1	E545-E546	Mental Health SA 2-5	E547-E548	Mental Health SA 6	E549-E550
Mental Health SA 7	E551-E552	Mental Health SA 8A	E553-E554	Mental Health SA 8B	E555-E556
Mental Health SA 9	E557-E558	Mental Health SA 10	E559-E560	Mental Health SA 11	E561-E562
Mental Health SA 12	E563-E564	Mental Health SA 13	E565-E566	Mental Health SA 14	E567-E568
Mental Health SA 15	E569-E570	Mental Health SA 16	E571-E572	Mental Health SA 17A	E573-E574
Mental Health SA 17B	E575-E576	Mental Health SA 18	E577-E578	Mental Health SA 19	E579-E580
Mental Health SA 20	E581-E582	Mental Health SA 21	E583-E584	Mental Health SA 22	E585-E586
Mental Health SA 23	E587-E588	Mental Health SA 24-25	E589-E590		

SECTION F: APPENDIX


Missouri Population Estimates by Age, Gender, Race, and Hispanic Origin for Years 2010-2016	F-1
Illustration of Missouri DBH Regions included in Estimates from the National Survey on Drug Use and Health	F-2
Illustration of DBH Substance Use Service Areas included in Status Report Profiles	F-3
Illustration of DBH Adult Mental Health Service Areas included in Status Report Profiles	F-4

LATE-BREAKING PREVALENCE UPDATES

Recently released state-level data from the National Survey on Drug Use and Health (NSDUH) indicate the following numbers of Missouri adults had these disorders during the past year: ¹

- Any mental illness: 847,000
- Serious mental illness: 196,000
- Major depressive episode: 328,000
- Serious thoughts of suicide: 163,000
- Substance use disorder: 376,000
- Alcohol use disorder: 290,000
- Pain reliever use disorder: 37,000
- Illicit drug use disorder: 125,000

Figure 1: Age Group Estimates for Past-Year Mental Illness and Substance Use Disorders, Missouri 2015-2016




¹ The percentages presented in these updates are two-year average estimates from the National Survey on Drug Use and Health (NSDUH). The estimates, released in December 2017, combine data from surveys conducted among Missouri residents during years 2015 and 2016. Population projections, rounded to the nearest thousand individuals, are approximations produced by the Missouri Division of Behavioral Health based on the state percentage estimates and Missouri population estimates for years 2015 and 2016.

MISSOURI ADOLESCENTS 12-17 YEARS OF AGE:

- More than 14% of Missouri adolescents—67,000—experienced a past-year major depressive episode (MDE).
- Nearly 4.5% of Missouri adolescents—21,000—had a past-year substance use disorder (SUD). About one-third of these adolescents—7,000—are among the 67,000 who experienced a past-year MDE.²
- Among the 21,000 adolescents with a past-year SUD are approximately 10,000 with alcohol use disorders and 15,000 with illicit drug use disorders, including at least 2,000 with both disorders.
- Most of the 10,000 adolescents with alcohol use disorders have an unmet need for specialized treatment for their disorders.
- Among the 15,000 adolescents with illicit drug use disorders, more than 13,000 need specialized treatment.
- Nearly 10% of adolescents—47,000—used alcohol in the past month and 27,000 engaged in binge drinking. During the past year, 12.5% of adolescents—59,000—used marijuana. During the past month, more than 6% of adolescents—29,000—used marijuana.
- More than 4% of adolescents—20,000—used an illicit drug other than marijuana.
- During the past year, 5% of adolescents—22,000—misused pharmaceutical pain relievers and less than one percent—about 2,000—used cocaine.
- More than 8% of adolescents—40,000—used any tobacco product in the past month and 6% or 29,000 used cigarettes.

Figure 2: Missouri Adolescent Major Depressive Episodes and Substance Use Disorders, 2016



² The Missouri Department of Mental Health, Division of Behavioral Health (DBH) calculated co-occurrence of disorders based on Missouri and U.S. disorder rates from the 2015 and 2016 NSDUH and U.S. co-occurrence findings from *Key Substance Use and Mental Health Indicators in the United States: Results from the 2016 National Survey on Drug Use and Health*. DBH calculated the co-occurrence of adolescent Substance Use Disorder (SUD) and Major Depressive Episode (MDE) as follows: (MO Adolescent SUD rate * MO Adolescent MDE rate) / (U.S. Adolescent SUD rate * U.S. Adolescent MDE rate) * U.S. Adolescent SUD-MDE Co-occurring rate of 1.40% * 1/2 (2015 MO Adolescent Population + 2016 MO Adolescent Population).

MISSOURI ADULTS AGES 18 AND OLDER:


- Eighteen percent of Missouri adults—847,000—experienced past-year Any Mental Illness (AMI). They include 130,000 young adults 18-25 years of age and 717,000 adults older than age 25.
- More than four percent of adults—196,000—experienced past year Serious Mental Illness (SMI). They include 37,000 young adults and 159,000 older than age 25.
- Seven percent of adults—328,000—experienced a major depressive episode during the past year. They include 69,000 young adults and 259,000 older than age 25.
- Approximately 3.5% of adults contemplated suicide in the past year. They include 48,000 young adults and 115,000 older than age 25.
- Eight percent of adults—376,000—had a past-year substance use disorder (SUD). They include 101,000 young adults and 275,000 older than age 25.
- Among the 376,000 adults with a past-year SUD, 160,000 had co-occurring AMI.³ They include 52,000 with co-occurring SMI.⁴
- The 101,000 young adults with a substance use disorder include 79,000 with an alcohol use disorder and 42,000 with an illicit drug use disorder. The overlapping count results from some young adults having both alcohol and illicit drug use disorders.
- The 275,000 adults older than age 25 with substance use disorders includes 211,000 with alcohol use disorders and 83,000 with illicit drug use disorders, including some older adults with both disorders.
- Among the 290,000 adults with an alcohol use disorder, 267,000 have an unmet need for specialized substance use treatment. They include 71,000 young adults and 196,000 older than age 25.
- Among the 125,000 adults with illicit drug use disorders, 110,000 have an unmet need for specialized substance use treatment. They include 38,000 young adults and 72,000 adults older than age 25.
- Fifty-nine percent of young adults and 55% of adults older than age 25 are past-month users of alcohol. Nearly 41% of young adults—272,000—and 25% of those older than age 25—almost one million—have binged with five or more drinks (for males) and four or more drinks (for females) on the same occasion.
- More than 32% of young adults—217,000—and 10% of older adults—407,000—are past-year users of marijuana. More than 18% of young adults—123,000—and nearly 7% of older adults—268,000—are past-month marijuana users.
- Three percent of adults—145,000—have used an illicit drug other than marijuana during the past month. They include 40,000 young adults and 105,000 older than age 25.

³ The Missouri Department of Mental Health, Division of Behavioral Health (DBH) calculated the co-occurrence of adult SUD and Any Mental Illness (AMI) as follows: (MO Adult SUD rate * MO Adult AMI rate) / (U.S. Adult SUD rate * U.S. Adult AMI rate) * U.S. Adult SUD-AMI Co-occurring rate of 3.40% * 1/2 (2015 MO Adult Population + 2016 MO Adult Population).

⁴ DBH calculated the co-occurrence of adult SUD and Serious Mental Illness (SMI) as follows: (MO Adult SUD rate * MO Adult SMI rate) / (U.S. Adult SUD rate * U.S. Adult SMI rate) * U.S. Adult SUD-SMI Co-occurring rate of 1.10% * 1/2 (2015 MO Adult Population + 2016 MO Adult Population).

- Nearly 4% of young adults—26,000—and 1% of older adults—38,000—are past-year users of cocaine.
- An estimated 5,000 young adults and 12,000 adults older than age 25 are past-year users of heroin.
- Approximately 4.5% of Missouri adults—212,000—have misused pain relievers during the past year. They include 7,000 young adults and 30,000 older than age 25 who have a use disorder.
- Nearly 32% of Missouri adults are past-month users of tobacco products. They include 39% of young adults—261,000—and 30% of older adults—more than 1.2 million.
- Twenty-five percent of Missouri adults are past-month cigarette smokers. The smoking rate is 31% for young adults 18-25 years of age—205,000—and 24% for older adults—956,000.

Figure 3: Missouri Adult Mental Illness and Substance Use Disorders, 2016



NEED FOR TREATMENT:


- More than 2% of Missouri adolescents—10,000—and almost 6% of Missouri adults—267,000—needed treatment for past-year alcohol use disorders.
- Nearly 3% of Missouri adolescents—13,000—and more than 2% of Missouri adults—110,000—needed treatment for past-year illicit drug use disorders.
- A projected 71% of the 67,000 adolescents—48,000—and 64% of the 328,000 adults—210,000—with past-year major depressive episodes needed treatment for severe impairment.⁵
- Aside from the 210,000 Missouri adults who needed treatment for severe depression, at least one-fourth of the 196,000 adults with Serious Mental Illness—49,000—needed treatment for non-mood disorders.

⁵ This projection uses percentages of U.S. adolescents and adults with severe impairment resulting from past-year major depressive episodes from findings in *Key Substance Use and Mental Health Indicators in the United States: Results from the 2016 National Survey on Drug Use and Health*.

HOSPITAL AND EMERGENCY ROOM ENCOUNTERS


- During 2015, Missouri residents had more than 116,000 emergency room visits with a principal diagnosis of a mental or substance use disorder.⁶

Figure 4: Missouri Resident Admissions to E.R. with Principal Diagnosis of Mental or Substance Use Disorder, 2015



- Among nearly 31,000 Missouri residents who entered hospitals or emergency rooms with a principal diagnosis of a mental or substance use disorder during a recent 3-month period, nearly three-fourths—22,693—had a mental illness diagnosis and 8,075 had a substance use disorder.⁷

Figure 5: Mental Illness and Substance Use Diagnoses among Missouri Residents Admitted to Hospitals and Emergency Rooms, October 1 – December 31, 2015




⁶ The data exclude 55,000 hospitalizations that did not involve emergency room services and emergency room episodes with only a secondary diagnosis of a mental or substance use disorder. The Missouri Department of Health and Senior Services queried principal diagnosis in discharge records using sets of ICD-9 and ICD-10 codes for mental disorders, alcohol use disorders, and drug use disorders selected by the Healthcare Cost and Utilization Program (HCUP).

⁷ The data represent the number of individuals hospitalized or treated in emergency rooms for mental or substance use disorders during the most recent reporting period available—October 1, 2015 through December 31, 2015. The Missouri Department of Health and Senior Services unduplicated records to count each individual only once for each type of disorder (alcohol, drug, or mental illness) diagnosed.


- Among the individuals with a mental illness diagnosis, two-thirds or 15,283 had Serious Mental Illness (SMI).⁸
- More than 72% of those with SMI sought help for mood disorders and 9% for anxiety disorders. Nearly 15% had psychotic disorders.

Figure 5: Types of Serious Mental Illness Diagnoses among Missouri Residents Admitted to Hospitals and Emergency Rooms, October 1 – December 31, 2015



- Among the individuals with a substance use disorder, 53% or 4,299 had an alcohol use disorder and 47% or 3,776 had an illicit drug use disorder.
- Thirty-nine percent—1,475—of those with illicit drug use disorders had an opioid use disorder and 19% had a stimulant use disorder.

Figure 6: Types of Substance Use Disorder Diagnoses among Missouri Residents Admitted to Hospitals and Emergency Rooms, October 1 – December 31, 2015




⁸ The Missouri Department of Mental Health, Division of Behavioral Health identified a subset of the HCUP mental disorder codes as Serious Mental Illness (SMI). The SMI determination included ICD-10 codes that qualified for services in the Department's Comprehensive Psychiatric Rehabilitation (CPR) program; SMI-qualifying codes used by several large insurance and medical care providers, and designation of Severe Mental Illness in comparable ICD-9 codes in the HCUP 2011 Analysis Project. Serious mental illness encompasses disorders such as schizophrenia, depressive psychosis, and bipolar depression that result in serious functional impairment.

TREATMENT EPISODE DATA


- In fiscal year 2016, mental health centers provided psychiatric treatment services to 78,000 Missouri adults and children through funding from the Missouri Division of Behavioral Health (DBH). They also admitted 33,000 for DBH-funded substance use treatment services.⁹
- Females comprised 53% of those treated for mental disorders, whereas males comprised 63% of the admissions for substance treatment. Mental illness and substance treatment rates were similar for the age group 25-34. In other age groups, treatment rates were considerably higher for mental disorders.

Figure 6: DBH Treatment Rates per 1,000 Population for Mental Disorders and Substance Use Disorders, Fiscal Year 2016



- The 78,000 treated for mental illnesses had more than 120,000 disorders, most indicating a serious mental illness. Sixty percent or 47,000 needed help for mood disorders, 36% for anxiety disorders, 19% for schizophrenia and other psychotic disorders, 17% for impulse control disorders, 7% for personality disorders, and 4% for adjustment disorders.


Figure 7: Types of Mental Disorders among Consumers Receiving DBH-Funded Treatment, Fiscal Year 2016



⁹ The Missouri Division of Behavioral Health treatment data summarized in this report were retrieved from the Missouri Department of Mental Health's Customer Information Management, Outcomes, & Reporting (CIMOR) system.


- Nearly one-third of the individuals who began substance use treatment in fiscal year 2016 identified alcohol as their primary problem. Marijuana and stimulants were each the primary problems for 21%. Heroin was the primary drug identified by 14% and nearly 7% had a primary problem with analgesics other than heroin. Cocaine was the primary drug problem for less than 4%, and hallucinogens, tranquilizers, and other drugs and medications accounted for less than 1% each.

Figure 8: Primary Drug Disorders among Consumers Receiving DBH-Funded Treatment, Fiscal Year 2016



- Among the five Division of Behavioral Health (DBH) regions, the overall DBH treatment rates for mental disorders are highest in the Southeast Region with a rate of 202.9 per 10,000 population and lowest in the Eastern Region with a rate of 96.9 per 10,000. Treatment rates for substance use disorders are also highest in the Southeast Region with a rate of 72.5 per 10,000 and lowest in the Eastern Region with a rate of 46.7 per 10,000 population.


Figure 9: Primary Mental and Substance Use Disorders among Consumers Receiving DBH-Funded Treatment, FY 2016



OTHER BEHAVIORAL IMPACTS

- Missouri suicide, homicide, and drug related deaths reached record highs in 2016.
- The number of suicides reached 1,333 with a rate of 18.6 per 100,000 population.
- In 2016, 570 homicides set a record rate of 9.35 per 100,000.
- Deaths with an underlying cause of drug use totaled 1,418 with a rate of 23.27 per 100,000.
- Traffic crashes involving alcohol or drug-impaired drivers or pedestrians claimed 273 deaths (29% of total traffic deaths) and 4,024 injuries (7% of total traffic injuries).


Figure 10: Trends in Missouri Deaths Due to Behavioral Causes, with 2016 Totals¹⁰



¹⁰ Traffic data were provided by the Missouri State Highway Patrol, Statistical Analysis Center. Suicide, homicide, and underlying cause of death data were retrieved from the WONDER online database maintained by the U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics. WONDER query for underlying cause of death due to Mental Disorders used ICD-10 codes F01-F99 except F10-F19.


- During the 10-year period from 2006-2015, substance-related deaths in Missouri have averaged 27.36 per 100,000 population.

Figure 11: Alcohol and Drug Induced Deaths and Traffic Crash Deaths Resulting from Alcohol and Drug Impaired Drivers and Pedestrians, by County, 2006-2015.



- Juvenile authorities separated 7,300 children from their parents and placed them in alternate care in 2016. One-half of those removals were due to substance use.¹¹

Figure 13: Missouri Out-of-Home Placements of Children by Removal Reason, 2016



¹¹ Data are provided by the Missouri Department of Social Services.

- Each year, more than 100,000 people in Missouri encounter arrest, probation, drug court, prison, or parole for drug and alcohol offenses.¹²

Figure 12: Criminal Justice Involvement in Alcohol and Drug Offenses, 2008-2016





Figure 13: Criminal Justice Involvement in Alcohol and Drug Offenses by County, 2016



¹² Individuals may be in more than one category. Dept of Corrections FY 2017 data are used for 2016, FY 2016 data are used for 2015, etc.

- Impaired driving crashes, and arrests for impaired driving, are declining. There were 3.5 DWI arrests per impaired driver crash in Missouri in 2016.¹³

Figure 14: Impaired Driving Crashes and Arrests in Missouri, and Ratio of Arrests to Crashes, 2006-2016 Combined





Figure 15: Ratio of Impaired Driving Arrests to Impaired Driving Crashes, by County of Occurrence, 2006-2016 Combined



¹³ Impaired driving arrest data are from the Driving While Intoxicated Tracking System (DWITS) developed by the Missouri State Highway Patrol Statistical Analysis Center, beginning with the inception of DWITS in 2006. Impaired driving crashes include fatal, personal injury, and property damage crashes involving drivers impaired by alcohol and/or drugs.

**NATIONAL SURVEY ON DRUG USE AND HEALTH
U.S. ADOLESCENTS AND ADULTS AGES 12 AND OLDER, 2005-2016**

Estimated Past-Month Substance Use (%)

	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
Alcohol	50.7	51.7	52.7	52.2	52.1	51.8	51.8	51.9	51.6	51.2	51.0	51.8
Binge Alcohol Use *	24.2	‡ 24.9	23.0	22.9	23.0	22.6	23.1	23.7	23.4	23.3	23.0	22.7
Heavy Alcohol Use **	6.0	‡ 6.5	6.2	6.3	6.5	6.2	6.7	6.8	7.0	6.9	6.9	6.6
Any Tobacco	23.5	23.9	25.2	25.5	26.7	26.5	27.5	27.7	28.4	28.7	29.6	29.4
Cigarettes	19.1	19.4	20.8	21.3	22.1	22.1	23.0	23.3	24.0	24.3	25.0	24.9
Smokeless Tobacco	3.3	‡ 3.4	3.3	3.4	3.5	3.2	3.5	3.4	3.5	3.3	3.3	3.2
Any Illicit Drug	10.6	‡ 10.1	10.2	9.4	9.2	8.7	8.9	8.7	8.1	8.0	8.3	8.1
Marijuana	8.9	8.3	8.4	7.5	7.3	7.0	6.9	6.7	6.1	5.8	6.0	6.0
Inhalant	0.2	‡ 0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.3
Hallucinogen	0.5	‡ 0.5	0.4	0.5	0.4	0.4	0.5	0.5	0.4	0.4	0.4	0.4
LSD	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0
PCP	0.0	0.0	***	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.2	‡ 0.2	0.2	0.3	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2
Cocaine (any form)	0.7	0.7	0.6	0.6	0.6	0.5	0.6	0.7	0.7	0.8	1.0	1.0
Crack Cocaine	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.3
Methamphetamine	0.2	‡ 0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2
Opioids (Heroin or Pain Reliever Misuse)	1.4	1.5										
Heroin	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Psychotherapeutics (Rx-type, non-medical use)	2.3	‡ 2.4	2.5	2.5	2.6	2.4	2.7	2.8	2.5	2.8	2.9	2.7
Pain Reliever	1.2	‡ 1.4	1.6	1.7	1.9	1.7	2.0	2.1	1.9	2.1	2.1	1.9
OxyContin®			0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1
Stimulant	0.6	‡ 0.6	0.6	0.5	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4
Sedative	0.2	‡ 0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1
Tranquilizer	0.7	‡ 0.7	0.7	0.6	0.8	0.7	0.9	0.8	0.7	0.7	0.7	0.7

Estimated Lifetime Substance Use (%)

	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
Alcohol	80.2	81.0	82.1	81.5	82.3	82.2	82.5	82.8	82.2	82.3	82.7	82.9
Any Tobacco	62.9	63.9	66.2	66.8	66.8	67.5	68.7	69.1	69.6	69.5	70.7	70.8
Cigarettes	57.4	58.5	61.0	61.8	61.9	62.8	64.2	64.6	65.1	65.3	66.3	66.6
Smokeless Tobacco	16.1	‡ 16.3	17.1	17.6	17.7	18.0	17.7	17.8	18.4	18.2	18.6	18.4
Any Illicit Drug	48.5	‡ 48.8	49.2	48.6	48.0	47.0	47.3	47.4	47.2	46.2	45.4	46.1
Marijuana	44.0	44.0	44.2	43.7	42.8	41.9	42.0	41.7	41.2	40.6	39.7	40.1
Inhalant	9.1	‡ 9.6	8.0	8.0	8.1	8.0	8.6	9.0	9.0	9.1	9.3	9.4
Hallucinogen	15.4	‡ 15.3	15.0	15.1	14.6	14.1	14.8	14.9	14.4	13.8	14.3	13.9
LSD	9.6	9.5	9.4	9.4	9.1	8.9	9.2	9.4	9.4	9.2	9.5	9.2
PCP	2.4	2.4	2.4	2.5	2.5	2.4	2.5	2.5	2.7	2.5	2.7	2.7
Ecstasy	6.9	‡ 6.8	6.6	6.8	6.2	5.7	6.3	5.7	5.2	5.0	5.0	4.7
Cocaine (any form)	14.4	14.5	14.8	14.3	14.5	14.3	14.7	14.6	14.8	14.5	14.3	13.8
Crack Cocaine	3.3	3.4	3.6	3.4	3.5	3.2	3.6	3.3	3.4	3.5	3.5	3.3
Methamphetamine	5.4	‡ 5.4	4.9	4.7	4.7	4.6	5.1	5.1	5.1	5.3	5.8	4.3
Heroin	1.8	1.9	1.8	1.8	1.8	1.6	1.6	1.5	1.5	1.5	1.5	1.5
Psychotherapeutics (Rx-type, non-medical use)	***	***	20.5	20.3	20.9	19.9	20.4	20.6	20.9	20.4	20.7	20.4
Pain Reliever	***	***	13.6	13.5	14.2	13.3	13.8	14.0	14.0	13.4	13.6	13.4
OxyContin®			2.7	2.7	2.5	2.3	2.4	2.3	1.9	1.8	1.7	1.4
Stimulant	***	***	8.5	8.3	8.3	7.9	8.6	8.7	8.5	8.7	8.2	7.8
Sedative	***	***	3.0	2.9	3.1	2.9	3.0	3.4	3.6	3.4	3.6	3.7
Tranquilizer	***	***	9.4	9.0	9.1	8.4	8.7	8.7	8.6	8.2	8.7	8.7
Needle/Injection Drug Use	1.7	‡ 1.7	1.6	1.7	1.6	1.4	1.4	1.5	1.6	1.6	1.6	1.5

* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

** "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

*** No estimate reported due to low precision or measurement issues.

‡ Data not comparable to prior years due to methodological change.

Data Source: U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

**NATIONAL SURVEY ON DRUG USE AND HEALTH
U.S. ADOLESCENTS AGES 12-17, 2005-2016**

Estimated Past-Month Substance Use (%)

	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
Alcohol	9.2	9.6	11.5	11.6	12.9	13.3	13.6	14.8	14.7	16.0	16.7	16.5
Binge Alcohol Use *	4.9	‡ 5.8	6.1	6.2	7.2	7.4	7.9	8.9	8.9	9.7	10.3	9.9
Heavy Alcohol Use **	0.8	‡ 0.9	1.0	1.2	1.3	1.5	1.7	2.1	2.0	2.3	2.4	2.4
Any Tobacco	5.3	6.0	7.0	7.8	8.6	10.0	10.7	11.8	11.5	12.4	12.9	13.1
Cigarettes	3.4	4.2	4.9	5.6	6.6	7.8	8.4	9.0	9.2	9.9	10.4	10.8
Smokeless Tobacco	1.4	‡ 1.5	2.0	2.0	2.1	2.1	2.3	2.4	2.2	2.5	2.4	2.1
Any Illicit Drug	7.9	‡ 8.8	9.4	8.8	9.5	10.1	10.1	10.1	9.3	9.5	9.8	9.9
Marijuana	6.5	7.0	7.4	7.1	7.2	7.9	7.4	7.4	6.7	6.7	6.7	6.8
Inhalant	0.6	‡ 0.7	0.6	0.5	0.8	0.9	1.1	1.0	1.1	1.2	1.3	1.2
Hallucinogen	0.5	‡ 0.5	0.5	0.6	0.6	0.9	0.9	0.9	1.0	0.7	0.7	0.8
LSD	0.2	0.2	0.3	0.2	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1
PCP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1
Ecstasy	0.1	‡ 0.1	0.2	0.2	0.3	0.4	0.5	0.5	0.4	0.3	0.3	0.3
Cocaine (any form)	0.1	0.2	0.2	0.2	0.1	0.3	0.2	0.3	0.4	0.4	0.4	0.6
Crack Cocaine	0.0	0.0	0.0	0.0	***	0.0	0.0	0.0	0.0	0.1	0.0	0.1
Methamphetamine	0.0	‡ 0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3
Opioids (Heroin or Pain Reliever Misuse)	1.0	1.1										
Heroin	0.0	0.0	0.1	0.1	***	0.1	0.0	0.1	0.1	0.0	0.1	0.1
Psychotherapeutics (Rx-type, non-medical use)	1.6	‡ 2.0	2.6	2.2	2.8	2.8	3.0	3.1	2.9	3.3	3.3	3.3
Pain Reliever	1.0	‡ 1.1	1.9	1.7	2.2	2.3	2.5	2.7	2.3	2.7	2.7	2.7
OxyContin®			0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1
Stimulant	0.4	‡ 0.5	0.7	0.3	0.5	0.4	0.4	0.5	0.5	0.5	0.7	0.7
Sedative	0.1	‡ 0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1
Tranquilizer	0.5	‡ 0.7	0.4	0.4	0.6	0.6	0.5	0.6	0.6	0.7	0.5	0.6

Estimated Lifetime Substance Use (%)

	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
Alcohol	27.0	28.4	29.6	30.8	32.4	34.5	35.2	38.1	38.3	39.4	40.4	40.6
Any Tobacco	15.3	17.3	18.5	19.8	21.5	23.2	24.9	26.9	27.2	27.8	29.7	30.7
Cigarettes	11.6	13.2	14.2	15.7	17.4	19.1	20.3	22.2	22.9	23.7	25.8	26.7
Smokeless Tobacco	4.7	‡ 5.5	5.7	6.0	6.4	6.8	7.2	7.6	7.2	7.7	7.1	7.1
Any Illicit Drug	23.0	‡ 25.3	23.3	23.3	24.2	25.5	25.8	26.9	26.4	26.3	27.6	27.7
Marijuana	14.8	15.7	16.4	16.4	17.0	17.5	17.1	17.1	16.6	16.2	17.3	17.4
Inhalant	8.3	‡ 9.1	5.3	5.3	6.5	7.5	8.3	9.3	9.3	9.6	10.1	10.5
Hallucinogen	2.7	‡ 3.1	2.5	2.8	3.3	3.7	4.1	4.1	3.9	3.6	3.9	3.9
LSD	1.2	1.3	1.2	0.9	1.0	0.9	0.9	1.0	1.1	0.8	0.9	1.1
PCP	0.2	0.2	0.2	0.2	0.4	0.3	0.3	0.4	0.4	0.4	0.5	0.7
Ecstasy	1.2	‡ 1.4	1.2	1.5	2.0	2.4	2.5	2.3	2.1	1.8	1.9	1.6
Cocaine (any form)	0.9	0.8	0.9	0.9	1.1	1.3	1.5	1.6	1.9	2.2	2.2	2.3
Crack Cocaine	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.2	0.3	0.4	0.5	0.4
Methamphetamine	0.3	‡ 0.3	0.7	0.5	0.6	0.7	0.6	0.8	0.8	0.9	1.3	1.3
Heroin	0.1	0.1	0.1	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2
Psychotherapeutics (Rx-type, non-medical use)	***	***	9.2	8.8	10.0	10.1	10.6	11.4	11.2	11.7	12.5	11.9
Pain Reliever	***	***	7.3	7.3	8.3	8.6	9.2	9.7	9.5	9.7	10.4	9.9
OxyContin®			1.0	1.1	1.3	1.5	1.5	1.4	1.4	1.4	1.4	1.1
Stimulant	***	***	2.1	1.8	2.0	2.0	2.2	2.4	2.7	2.9	3.7	3.4
Sedative	***	***	0.8	0.5	0.7	0.6	0.7	0.9	0.8	0.8	0.9	0.9
Tranquilizer	***	***	2.7	2.3	2.8	2.8	3.0	2.8	2.9	3.0	2.9	3.0
Needle/Injection Drug Use	0.1	‡ 0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2

* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

** "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

*** No estimate reported due to low precision or measurement issues.

‡ Data not comparable to prior years due to methodological change.

Data Source: U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

**NATIONAL SURVEY ON DRUG USE AND HEALTH
U.S. YOUNG ADULTS AGES 18-25, 2005-2016**

Estimated Past-Month Substance Use (%)

	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
Alcohol	57.1	58.3	59.6	59.6	60.2	60.7	61.4	61.8	61.1	61.3	62.0	60.9
Binge Alcohol Use *	38.4	‡ 39.0	37.7	37.9	39.5	39.8	40.5	41.8	41.2	41.9	42.3	41.9
Heavy Alcohol Use **	10.1	‡ 10.9	10.8	11.3	12.7	12.1	13.5	13.8	14.6	14.8	15.6	15.3
Any Tobacco	30.0	33.0	35.0	37.0	38.1	39.5	40.9	41.6	41.4	41.9	44.0	44.3
Cigarettes	23.5	26.7	28.4	30.6	31.8	33.5	34.3	35.8	35.7	36.2	38.5	39.0
Smokeless Tobacco	5.2	‡ 5.4	5.6	5.8	5.5	5.4	6.4	6.1	5.3	5.2	5.2	5.1
Any Illicit Drug	23.2	‡ 22.3	22.0	21.5	21.3	21.4	21.6	21.4	19.7	19.8	19.8	20.1
Marijuana	20.8	19.8	19.6	19.1	18.7	19.0	18.5	18.2	16.6	16.5	16.3	16.6
Inhalant	0.4	‡ 0.4	0.2	0.3	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.5
Hallucinogen	1.9	‡ 1.8	1.4	1.8	1.7	1.6	2.0	1.8	1.7	1.5	1.7	1.5
LSD	0.6	0.6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2
PCP	***	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.9	‡ 0.9	0.8	0.9	1.0	0.9	1.2	1.1	0.9	0.7	1.0	0.8
Cocaine (any form)	1.6	1.7	1.4	1.1	1.1	1.4	1.5	1.4	1.6	1.7	2.2	2.6
Crack Cocaine	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.3
Methamphetamine	0.2	‡ 0.4	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.6	0.7
Opioids (Heroin or Pain Reliever Misuse)	2.0	2.5										
Heroin	0.3	0.3	0.2	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.2	0.2
Psychotherapeutics (Rx-type, non-medical use)	4.6	‡ 5.1	4.4	4.8	5.3	5.0	5.9	6.4	5.9	5.9	6.5	6.3
Pain Reliever	1.8	‡ 2.4	2.8	3.3	3.8	3.6	4.4	4.8	4.5	4.6	5.0	4.7
OxyContin®			0.3	0.3	0.4	0.5	0.7	0.5	0.4	0.5	0.4	0.4
Stimulant	2.2	‡ 2.2	1.2	1.3	1.2	1.0	1.2	1.3	1.1	1.1	1.4	1.4
Sedative	0.1	‡ 0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2
Tranquilizer	1.5	‡ 1.7	1.2	1.2	1.6	1.6	1.7	1.9	1.7	1.7	2.0	1.9

Estimated Lifetime Substance Use (%)

	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
Alcohol	81.3	82.4	83.4	83.8	84.4	84.3	85.7	85.8	85.6	85.2	86.5	85.7
Any Tobacco	59.3	61.7	63.8	65.1	66.3	67.9	68.6	69.6	70.2	70.3	71.8	72.3
Cigarettes	50.5	53.3	56.1	57.9	59.5	61.0	62.1	63.7	64.2	64.7	66.6	67.3
Smokeless Tobacco	18.2	‡ 19.6	19.4	20.3	19.9	20.4	20.9	21.0	20.3	20.1	20.2	20.8
Any Illicit Drug	56.3	‡ 57.5	57.9	57.0	57.8	56.9	57.3	58.5	57.0	57.5	59.0	59.2
Marijuana	51.8	52.7	52.6	51.9	52.2	51.9	51.4	52.6	50.8	50.9	52.5	52.4
Inhalant	9.8	‡ 9.9	7.0	7.5	8.4	9.1	10.0	10.8	10.5	11.3	12.5	13.3
Hallucinogen	17.2	‡ 18.6	16.6	17.6	17.6	17.6	18.5	19.1	17.8	19.2	20.2	21.0
LSD	8.3	7.7	7.0	6.5	5.9	6.0	6.4	6.9	6.6	7.3	8.9	10.5
PCP	0.7	0.8	0.9	0.9	1.0	1.0	1.3	1.4	1.6	1.6	1.9	2.2
Ecstasy	11.6	‡ 13.1	12.0	12.8	12.9	12.3	12.4	12.5	12.2	12.8	13.4	13.7
Cocaine (any form)	11.3	11.7	11.1	11.6	12.3	12.4	13.4	14.9	14.5	15.0	15.7	15.1
Crack Cocaine	1.1	1.5	1.6	1.6	1.9	2.1	2.6	2.9	2.8	3.0	3.6	3.5
Methamphetamine	2.4	‡ 3.3	3.0	3.0	3.1	3.4	4.0	4.5	4.7	5.6	6.4	6.7
Heroin	1.6	1.8	2.0	1.8	1.9	1.7	1.8	1.7	1.4	1.5	1.6	1.5
Psychotherapeutics (Rx-type, non-medical use)	***	***	26.3	26.6	28.1	27.3	28.9	29.5	29.4	30.0	30.7	30.8
Pain Reliever	***	***	20.2	20.8	22.4	22.2	23.9	24.5	24.6	24.9	25.5	25.5
OxyContin®			5.1	5.4	5.8	6.1	6.2	6.2	5.3	5.2	5.1	5.0
Stimulant	***	***	9.0	9.4	9.8	9.2	10.4	10.7	10.6	10.9	12.0	12.3
Sedative	***	***	1.3	1.3	1.2	1.4	1.4	1.6	1.6	1.8	1.9	2.0
Tranquilizer	***	***	12.5	12.0	12.8	12.3	13.1	12.8	12.2	12.7	13.1	13.4
Needle/Injection Drug Use	1.1	‡ 1.1	1.3	1.4	1.3	1.2	1.1	1.3	0.9	1.3	1.2	1.4

* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

** "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

*** No estimate reported due to low precision or measurement issues.

‡ Data not comparable to prior years due to methodological change.

Data Source: U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

**NATIONAL SURVEY ON DRUG USE AND HEALTH
U.S. ADULTS AGES 26 AND OLDER, 2005-2016**

Estimated Past-Month Substance Use (%)

	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
Alcohol	54.6	55.6	56.5	55.9	55.6	55.1	54.9	54.9	54.7	54.1	53.7	55.1
Binge Alcohol Use *	24.2	‡ 24.8	22.5	22.4	22.1	21.6	21.9	22.4	22.2	22.0	21.4	21.0
Heavy Alcohol Use **	6.0	‡ 6.4	6.0	6.1	6.1	5.7	6.1	6.2	6.3	6.1	6.0	5.6
Any Tobacco	24.6	24.5	25.8	25.7	27.0	26.3	27.2	27.3	28.4	28.6	29.4	29.0
Cigarettes	20.2	20.0	21.5	21.6	22.4	21.9	22.8	23.0	23.8	24.1	24.7	24.3
Smokeless Tobacco	3.1	‡ 3.2	3.0	3.1	3.3	3.0	3.1	3.1	3.3	3.0	3.1	3.0
Any Illicit Drug	8.9	‡ 8.2	8.3	7.3	7.0	6.3	6.6	6.3	5.9	5.8	6.1	5.8
Marijuana	7.2	6.5	6.6	5.6	5.3	4.8	4.8	4.6	4.2	3.9	4.2	4.1
Inhalant	0.2	‡ 0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1
Hallucinogen	0.3	‡ 0.2	0.3	0.3	0.2	0.1	0.2	0.2	0.1	0.2	0.1	0.2
LSD	0.1	0.0	0.1	0.0	0.0	0.0	***	0.0	***	0.0	0.0	0.0
PCP	0.0	0.0	***	0.0	0.0	***	0.0	0.0	***	0.0	0.0	0.0
Ecstasy	0.1	‡ 0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Cocaine (any form)	0.6	0.6	0.5	0.5	0.6	0.4	0.5	0.6	0.7	0.7	0.8	0.8
Crack Cocaine	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.3
Methamphetamine	0.3	‡ 0.4	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.3	0.2
Opioids (Heroin or Pain Reliever Misuse)	1.3	1.3										
Heroin	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0
Psychotherapeutics (Rx-type, non-medical use)	2.0	‡ 2.0	2.1	2.1	2.1	1.9	2.2	2.1	1.9	2.2	2.2	1.9
Pain Reliever	1.2	‡ 1.3	1.4	1.5	1.5	1.4	1.5	1.6	1.4	1.6	1.5	1.3
OxyContin®			0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Stimulant	0.4	‡ 0.4	0.5	0.4	0.3	0.3	0.3	0.4	0.2	0.3	0.4	0.3
Sedative	1.3	‡ 0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1
Tranquillizer	0.6	‡ 0.5	0.7	0.6	0.7	0.6	0.7	0.7	0.6	0.6	0.5	0.6

Estimated Lifetime Substance Use (%)

	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
Alcohol	86.4	87.1	88.3	87.3	88.1	87.9	87.9	88.0	87.3	87.5	87.7	88.2
Any Tobacco	69.1	69.9	72.3	72.9	72.5	73.0	74.2	74.4	75.0	75.0	76.0	76.0
Cigarettes	64.0	64.7	67.5	68.1	67.9	68.6	70.0	70.1	70.7	70.9	71.7	71.9
Smokeless Tobacco	17.1	‡ 17.0	18.1	18.5	18.7	18.9	18.5	18.5	19.5	19.3	19.9	19.5
Any Illicit Drug	50.2	‡ 50.1	50.8	50.2	49.3	48.0	48.2	48.0	48.2	46.9	45.5	46.3
Marijuana	46.2	46.0	46.1	45.7	44.4	43.2	43.5	42.9	42.7	42.1	40.6	41.1
Inhalant	9.0	‡ 9.6	8.5	8.4	8.3	7.8	8.3	8.6	8.6	8.6	8.6	8.5
Hallucinogen	16.6	‡ 16.2	16.2	16.2	15.4	14.8	15.5	15.4	15.2	14.2	14.7	14.0
LSD	10.8	10.7	10.9	11.0	10.7	10.4	10.7	10.9	11.0	10.6	10.8	10.1
PCP	2.9	2.9	2.9	3.0	3.0	2.9	2.9	2.9	3.1	2.9	3.1	3.1
Ecstasy	6.7	‡ 6.5	6.4	6.4	5.6	4.9	5.7	4.9	4.4	4.1	3.9	3.6
Cocaine (any form)	16.6	16.6	17.1	16.5	16.5	16.3	16.6	16.2	16.5	16.1	15.7	15.2
Crack Cocaine	4.0	4.1	4.3	4.1	4.2	3.7	4.2	3.8	3.9	4.0	3.9	3.6
Methamphetamine	6.5	‡ 6.4	5.7	5.5	5.5	5.3	5.9	5.8	5.7	5.8	6.3	5.5
Heroin	2.1	2.1	2.0	2.0	1.9	1.8	1.8	1.6	1.7	1.7	1.7	1.6
Psychotherapeutics (Rx-type, non-medical use)	***	***	20.9	20.6	21.0	19.8	20.2	20.3	20.7	19.9	20.1	19.7
Pain Reliever	***	***	13.3	13.0	13.6	12.4	12.6	12.7	12.8	11.9	12.0	11.8
OxyContin®			2.4	2.4	2.1	1.7	1.9	1.7	1.4	1.2	1.1	0.9
Stimulant	***	***	9.2	8.8	8.8	8.4	9.1	9.2	8.9	9.1	9.4	8.7
Sedative	***	***	3.5	3.4	3.7	3.5	3.6	4.1	4.3	4.0	4.3	4.4
Tranquillizer	***	***	9.7	9.2	9.2	8.4	8.7	8.7	8.7	8.1	8.7	8.6
Needle/Injection Drug Use	2.0	‡ 1.9	1.8	1.9	1.8	1.6	1.6	1.7	2.0	1.9	1.8	1.7

* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

** "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.


*** No estimate reported due to low precision or measurement issues.

‡ Data not comparable to prior years due to methodological change.

Data Source: U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.


ALCOHOL — PAST-MONTH ALCOHOL USE: U.S. AND MISSOURI AGE GROUP COMPARISONS

Past-Month Alcohol Use (%): U.S. and Missouri Ages 12 and Older, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Month Alcohol Use (%): U.S. and Missouri Ages 12-17, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Month Alcohol Use (%): U.S. and Missouri Ages 18-25, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


Past-Month Alcohol Use (%): U.S. and Missouri Ages 26 & Older, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


ALCOHOL — PAST-MONTH BINGE USE: U.S. AND MISSOURI AGE GROUP COMPARISONS

Past-Month Binge Drinking (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Past-Month Binge Drinking (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Past-Month Binge Drinking (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


Past-Month Binge Drinking (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


ALCOHOL — PERCEIVED RISK OF BINGE USE: U.S. AND MISSOURI AGE GROUP COMPARISONS

Perceive Great Risk in Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Perceive Great Risk in Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Perceive Great Risk in Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


Perceive Great Risk in Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


ALCOHOL — PAST-MONTH USE, BINGE USE, AND PERCEIVED RISK: MISSOURI AGE GROUP COMPARISONS

Past-Month Alcohol Use (%): Missouri Age Group Comparisons, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


Past-Month Binge Drinking (%): Missouri Age Group Comparisons, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Perceive Great Risk in Binge Drinking (%): Missouri Age Group Comparisons, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


ALCOHOL — PAST-MONTH USE: MISSOURI DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Past-Month Alcohol Use (%): Missouri and DBH Regions, 2004-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.

Past-Month Binge Drinking (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


Perceive Great Risk in Binge Drinking (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


ALCOHOL — PAST-YEAR ALCOHOL USE DISORDER: U.S. AND MISSOURI AGE GROUP COMPARISONS

Past-Year Alcohol Use Disorder (%), U.S. and Missouri Ages 12 & Older, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Year Alcohol Use Disorder (%): U.S. and Missouri Ages 12-17, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Year Alcohol Use Disorder (%): U.S. and Missouri Ages 18-25, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


Past-Year Alcohol Use Disorder (%): U.S. and Missouri Ages 26 & Older, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


TOBACCO — PAST-MONTH TOBACCO PRODUCT USE: U.S. AND MISSOURI AGE GROUP COMPARISONS

Past-Month Tobacco Product Use (%): U.S. and Missouri Ages 12 & Older, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Month Tobacco Product Use (%): U.S. and Missouri Ages 12-17, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Month Tobacco Product Use (%): U.S. and Missouri Ages 18-25, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


Past-Month Tobacco Product Use (%): U.S. and Missouri Ages 26 & Older, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


TOBACCO — PAST-MONTH CIGARETTE USE: U.S. AND MISSOURI AGE GROUP COMPARISONS

Past-Month Cigarette Use (%): U.S. and Missouri Ages 12 & Older, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Month Cigarette Use (%): U.S. and Missouri Ages 12-17, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Month Cigarette Use (%): U.S. and Missouri Ages 18-25, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


Past-Month Cigarette Use (%): U.S. and Missouri Ages 26 & Older, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


TOBACCO — PERCEIVED RISK IN CIGARETTE USE: U.S. AND MISSOURI AGE GROUP COMPARISONS

Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


Perceive Great Risk in Smoking 1+ Packs of Cigarettes Daily (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

TOBACCO — PAST-MONTH USE AND PERCEIVED RISK, MISSOURI AGE GROUP COMPARISONS

Past-Month Tobacco Product Use (%): Missouri Age Group Comparisons, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Month Cigarette Use (%): Missouri Age Group Comparisons, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Perceive Great Risk Smoking One or More Packs of Cigarettes Daily (%): Missouri Age Group Comparisons, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


TOBACCO — PAST-MONTH USE: MISSOURI DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Past-Month Tobacco Use (%): Missouri and DBH Regions, 2004-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.

Past-Month Cigarette Use (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


Perceive Great Risk in Smoking One or More Packs of Cigarettes Per Day (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


ILLICIT DRUGS — PAST-MONTH ILLICIT DRUG USE, U.S. AND MISSOURI AGE GROUP COMPARISONS

Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

ILLICIT DRUGS — PAST-MONTH USE EXCEPT MARIJUANA: U.S. AND MISSOURI AGE GROUP COMPARISONS


Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 12 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 12-17, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 26 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


ILLICIT DRUGS — PAST-MONTH USE: MISSOURI DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Past-Month Illicit Drug Use (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


Past-Month Use of Illicit Drugs Other Than Marijuana (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


ILLICIT DRUGS — PAST-YEAR DRUG USE DISORDER: U.S. AND MISSOURI AGE GROUP COMPARISONS

Past-Year Illicit Drug Use Disorder (%), U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines

Past-Year Illicit Drug Use Disorder (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines

Past-Year Illicit Drug Use Disorder (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines


Past-Year Illicit Drug Use Disorder (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines


MARIJUANA — PAST-MONTH USE: U.S. AND MISSOURI AGE GROUP COMPARISONS

Past-Month Marijuana Use (%): U.S. and Missouri Ages 12 & Older, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Month Marijuana Use (%): U.S. and Missouri Ages 12-17, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Month Marijuana Use (%): U.S. and Missouri Ages 18-25, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


Past-Month Marijuana Use (%): U.S. and Missouri Ages 26 & Older, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


MARIJUANA — PAST-YEAR USE: U.S. AND MISSOURI AGE GROUP COMPARISONS

Past-Year Marijuana Use (%): U.S. and Missouri Ages 12 & Older, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Year Marijuana Use (%): U.S. and Missouri Ages 12-17, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Year Marijuana Use (%): U.S. and Missouri Ages 18-25, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


Past-Year Marijuana Use (%): U.S. and Missouri Ages 26 & Older, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


MARIJUANA — PERCEIVED RISK IN USE: U.S. AND MISSOURI AGE GROUP COMPARISONS

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


MARIJUANA — PAST MONTH USE, FIRST-TIME USE, AND PERCEIVED RISK: MISSOURI AGE GROUPS

Past-Month Marijuana Use (%): Missouri Age Groups, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

First Use of Marijuana in Past Year (%): Missouri Age Groups, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Perceive Great Risk in Smoking Marijuana Once Per Month (%): Missouri Age Groups, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


MARIJUANA — PAST-MONTH USE, FIRST-TIME USE, AND PERCEIVED RISK: MISSOURI DBH REGIONS

Past-Month Marijuana Use (%): Missouri and DBH Regions, 2004-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.

First-time Use of Marijuana in Past Year (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


Perceive Great Risk in Smoking Marijuana Once a Month (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


COCAINE — PAST-YEAR USE: U.S. AND MISSOURI AGE GROUP COMPARISONS

Past-Year Cocaine Use (%): U.S. and Missouri Ages 12 & Older, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Year Cocaine Use (%): U.S. and Missouri Ages 12-17, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Year Cocaine Use (%): U.S. and Missouri Ages 18-25, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


Past-Year Cocaine Use (%): U.S. and Missouri Ages 26 & Older, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

PAIN RELIEVERS — PAST-YEAR NON-MEDICAL USE: U.S. AND MISSOURI AGE GROUP COMPARISONS


Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 12 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 12-17, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 26 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


MARIJUANA, COCAINE, AND PAIN RELIEVERS — PAST-YEAR USE: MISSOURI DBH REGIONS

Past-Year Marijuana Use (%): Missouri and DBH Regions, 2004-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.

Past-Year Cocaine Use (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


Past-Year Nonmedical Use of Pain Relievers (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


ALCOHOL & ILLICIT DRUGS — PAST-YEAR USE DISORDER: U.S. & MISSOURI AGE GROUP COMPARISONS

Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%), U.S. and Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.

Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
This measure was not included in the 2015 NSDUH questionnaire due to the establishment of several new data baselines.


SUBSTANCE USE DISORDER: MISSOURI AGE GROUPS

Number of Individuals with Past-Year Alcohol or Illicit Drug Use Disorder: Missouri Ages 12 & Older, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Due to 2015 NSDUH questionnaire design changes, 2014/15 estimates are not available for Illicit Drug Use Disorder.

Number of Individuals with Past-Year Alcohol or Illicit Drug Use Disorder: Missouri Ages 12-17, 2003-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Due to 2015 NSDUH questionnaire design changes, 2014/15 estimates are not available for Illicit Drug Use Disorder.

Number of Individuals with Past-Year Alcohol or Illicit Drug Use Disorder: Missouri Ages 18-25, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Due to 2015 NSDUH questionnaire design changes, 2014/15 estimates are not available for Illicit Drug Use Disorder.


Number of Individuals with Past-Year Alcohol or Illicit Drug Use Disorder: Missouri Ages 26 & Older, 2003-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Due to 2015 NSDUH questionnaire design changes, 2014/15 estimates are not available for Illicit Drug Use Disorder.


SUBSTANCE USE DISORDER: MISSOURI DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Past-Year Alcohol Use Disorder (%): Missouri and DBH Regions, 2004-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.

Past-Year Illicit Drug Use Disorder (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


Past-Year Alcohol and/or Illicit Drug Use Disorder (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


SUBSTANCE USE DISORDER BY AGE GROUP: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Past-Year Substance Use Disorder (%): Missouri and DBH Regions Ages 12-17, 2012-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).
Estimates are 3-year average rates for survey years 2012-2014.

Past-Year Substance Dependence or Use Disorder (%): Missouri and DBH Regions Ages 18-25, 2012-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).
Estimates are 3-year average rates for survey years 2012-2014.


Past-Year Substance Dependence or Use Disorder (%): Missouri and DBH Regions Ages 26 and Older, 2012-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).
Estimates are 3-year average rates for survey years 2012-2014.


PAST-YEAR UNMET NEED FOR SUBSTANCE USE DISORDER TREATMENT: MISSOURI AGE GROUPS

Number of Individuals Needing but Not Receiving Treatment for Alcohol and Illicit Drug Use: Missouri Ages 12 & Older, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Due to 2015 NSDUH questionnaire design changes, 2014/15 estimates are not available for this measure.

Number of Individuals Needing but Not Receiving Treatment for Alcohol and Illicit Drug Use: Missouri Ages 12-17, 2003-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Due to 2015 NSDUH questionnaire design changes, 2014/15 estimates are not available for this measure.

Number of Individuals Needing but Not Receiving Treatment for Alcohol and Illicit Drug Use: Missouri Ages 18-25, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Due to 2015 NSDUH questionnaire design changes, 2014/15 estimates are not available for this measure.


Number of Individuals Needing but Not Receiving Treatment for Alcohol and Illicit Drug Use: Missouri Ages 26 & Older, 2003-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Due to 2015 NSDUH questionnaire design changes, 2014/15 estimates are not available for this measure.


NEED FOR SUBSTANCE USE DISORDER TREATMENT: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Unmet Need for Specialized Treatment for Alcohol Use Disorder in Past Year (%): Missouri and DBH Regions, 2004-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.

Number with Unmet Need for Specialized Treatment for Alcohol Use Disorder in Past Year: Missouri and DBH Regions, 2010-2014




Data Source: Compiled by Missouri Dept of Mental Health, Division of Behavioral Health. Figures are approximate annual averages based on the NSDUH percentages and the most recent annual population estimates.

Unmet Need for Specialized Treatment for Drug Use Disorder in Past Year (%): Missouri and DBH Regions, 2004-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


Number with Unmet Need for Specialized Treatment for Drug Use Disorder in Past Year: Missouri and DBH Regions, 2010-2014



Data Source: Compiled by Missouri Dept of Mental Health, Division of Behavioral Health. Figures are approximate annual averages based on the NSDUH percentages and the most recent annual population estimates.


UNMET NEED FOR SUBSTANCE TREATMENT BY AGE GROUP: DIVISION OF BEHAVIORAL HEALTH REGIONS

Past-Year Unmet Need for Substance Use Disorder Treatment (%): Missouri & DBH Regions Ages 12 & Older, 2012-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).
Estimates are average annual rates for years 2012-2014.

Past-Year Unmet Need for Substance Use Disorder Treatment (%): Missouri & DBH Regions Ages 12-17, 2012-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).
Estimates are average annual rates for years 2012-2014.

Past-Year Unmet Need for Substance Use Disorder Treatment (%): Missouri & DBH Regions Ages 18-25, 2012-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).
Estimates are average annual rates for years 2012-2014.


Past-Year Unmet Need for Substance Use Disorder Treatment (%): Missouri & DBH Regions Ages 26 & Older, 2012-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).
Estimates are average annual rates for years 2012-2014.


ANY MENTAL ILLNESS IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Past-Year Any Mental Illness (%): U.S. and Missouri Ages 18 & Older, 2009-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Data for all time periods reflect the 2013 revised SAMHSA methodology for estimating Any Mental Illness.

Past-Year Any Mental Illness (%): U.S. and Missouri Ages 18-25, 2009-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Data for all time periods reflect the 2013 revised SAMHSA methodology for estimating Any Mental Illness.


Past-Year Any Mental Illness (%): U.S. and Missouri Ages 26 and Older, 2009-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Data for all time periods reflect the 2013 revised SAMHSA methodology for estimating Any Mental Illness.


SERIOUS MENTAL ILLNESS IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Past-Year Serious Mental Illness (%): U.S. and Missouri Ages 18 & Older, 2009-2015




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Data for all time periods reflect the 2013 revised SAMHSA methodology for estimating Serious Mental Illness.

Past-Year Serious Mental Illness (%): U.S. and Missouri Ages 18-25, 2009-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Data for all time periods reflect the 2013 revised SAMHSA methodology for estimating Serious Mental Illness.


Past-Year Serious Mental Illness (%): U.S. and Missouri Ages 26 and Older, 2009-2015



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.
Data for all time periods reflect the 2013 revised SAMHSA methodology for estimating Serious Mental Illness.


MENTAL ILLNESS IN PAST YEAR: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Past-Year Any Mental Illness (%): Missouri and DBH Regions Ages 18-25, 2010-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.

Number of Individuals with Past-Year Any Mental Illness: Missouri and DBH Regions Ages 18-25, 2010-2014




Data Source: Missouri Dept of Mental Health, Division of Behavioral Health. Figures are approximate annual averages based on NSDUH percentages.

Past-Year Any Mental Illness (%): Missouri and DBH Regions Ages 26 and Older, 2010-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


Number of Individuals with Past-Year Any Mental Illness: Missouri and DBH Regions Ages 26 and Older, 2010-2014



Data Source: Missouri Dept of Mental Health, Division of Behavioral Health. Figures are approximate annual averages based on NSDUH percentages.


MENTAL ILLNESS IN PAST YEAR: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Past-Year Serious Mental Illness (%): Missouri and DBH Regions Ages 18-25, 2010-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.

Number of Individuals with Past-Year Serious Mental Illness: Missouri and DBH Regions Ages 18-25, 2010-2014




Data Source: Missouri Dept of Mental Health, Division of Behavioral Health. Figures are approximate annual averages based on NSDUH percentages.

Past-Year Serious Mental Illness (%): Missouri and DBH Regions Ages 26 and Older, 2010-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


Number of Individuals with Past-Year Serious Mental Illness: Missouri and DBH Regions Ages 26 and Older, 2010-2014



Data Source: Missouri Dept of Mental Health, Division of Behavioral Health. Figures are approximate annual averages based on NSDUH percentages.


DEPRESSION — MAJOR PAST-YEAR EPISODE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Past-Year Major Depressive Episode (MDE) Percent: U.S. and Missouri Ages 12-17, 2006-2015



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).


Past-Year Major Depressive Episode (MDE) Percent: U.S. and Missouri Ages 18 and Older, 2006-2015



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.


Past-Year Major Depressive Episode (MDE) Percent: U.S. and Missouri Ages 18-25, 2006-2015



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.

Past-Year Major Depressive Episode (MDE) Percent: U.S. and Missouri Ages 26 and Older, 2006-2015




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.


MAJOR DEPRESSIVE EPISODE IN PAST YEAR: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Past-Year Major Depressive Episode (MDE) Percent: Missouri and DBH Regions Ages 12-17, 2008-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.

Past-Year Major Depressive Episode (MDE) Percent: Missouri and DBH Regions Ages 18-25, 2008-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


Past-Year Major Depressive Episode (MDE) Percent: Missouri and DBH Regions Ages 26 and Older, 2008-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.


SERIOUS THOUGHTS OF SUICIDE IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 18 and Older, 2009-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.

Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 18-25, 2009-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 26 and Older, 2009-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 2-year averages.


SERIOUS THOUGHTS OF SUICIDE IN PAST YEAR: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Past-Year Serious Thoughts of Suicide (%): Missouri and DBH Regions Ages 18-25, 2010-2014




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.

Number of Individuals with Past-Year Serious Thoughts of Suicide: Missouri and DBH Regions Ages 18-25, 2010-2014




Data Source: Missouri Dept of Mental Health, Division of Behavioral Health. Figures are approximate annual averages based on NSDUH percentages.

Past-Year Serious Thoughts of Suicide (%): Missouri and DBH Regions Ages 26 and Older, 2010-2014



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH). Estimates are 3-year averages.

Number of Individuals with Past-Year Serious Thoughts of Suicide: Missouri and DBH Regions Ages 26 and Older, 2010-2014



Data Source: Missouri Dept of Mental Health, Division of Behavioral Health. Figures are approximate annual averages based on NSDUH percentages.

MISSOURI STUDENT SURVEY: LIFETIME USE OF ALCOHOL, TOBACCO, AND OTHER DRUGS

Students reporting "ever used" (%)

	Survey Year	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	2016	11.24	17.48	19.36	36.19	51.42	55.49	55.78
	2014	10.44	16.42	26.60	33.60	46.28	56.31	57.49
	2012	13.25	19.96	31.97	42.76	52.80	59.30	64.53
	2010	15.09	24.39	36.49	47.99	55.42	63.20	65.33
Cigarettes	2016	4.50	9.87	13.10	18.73	23.60	28.54	24.72
	2014	4.59	9.15	16.15	19.92	26.44	29.89	36.17
	2012	7.23	10.78	19.02	25.02	31.07	37.94	41.20
	2010	8.35	12.54	22.11	28.62	36.42	43.43	45.46
Chewing Tobacco	2016	2.02	3.26	4.71	11.48	13.93	14.46	16.19
	2014	3.02	4.25	7.35	11.00	12.48	15.03	19.75
	2012	3.72	4.12	9.03	11.79	14.24	17.78	18.04
	2010	3.79	4.89	9.98	12.73	15.11	17.70	17.60
Marijuana	2016	1.16	5.53	10.59	12.54	16.10	30.76	30.51
	2014	1.10	3.86	10.50	14.90	22.79	30.17	32.97
	2012	1.73	4.49	10.56	18.17	25.64	31.74	40.66
	2010	1.85	4.42	10.44	18.76	28.73	35.35	38.86
Inhalants	2016	1.89	2.81	3.63	2.42	3.03	2.66	3.04
	2014	2.24	3.17	3.28	2.70	3.12	3.25	2.93
	2012	5.02	4.69	5.78	5.69	5.11	5.13	4.28
	2010	5.67	6.57	6.92	6.79	6.50	6.23	6.09
Heroin	2016	0.24	0.03	0.03	0.17	0.45	0.13	0.00
	2014	0.27	0.31	0.24	0.28	0.38	0.42	0.42
	2012	0.56	0.56	1.04	0.84	1.09	1.25	1.83
	2010	0.26	0.50	0.50	0.64	0.85	0.90	1.08
Cocaine	2016	0.02	0.06	0.06	1.45	1.46	2.05	0.96
	2014	0.36	0.49	0.64	0.98	1.25	2.11	2.49
	2012	0.62	0.80	1.65	1.49	2.60	3.33	3.76
	2010	0.47	0.80	0.99	1.45	2.27	3.65	4.16
Methamphetamine	2016	0.19	0.16	0.08	0.18	0.46	0.70	0.14
	2014	0.15	0.33	0.48	0.58	0.64	0.69	0.90
	2012	0.93	0.73	1.23	1.18	1.39	1.95	2.00
	2010	0.42	0.78	0.71	0.84	1.11	1.35	1.22
Hallucinogen	2016	0.04	0.19	0.65	0.80	0.50	3.38	2.50
	2014	0.25	0.50	1.36	1.64	2.93	3.37	4.51
	2012	0.62	1.14	2.18	2.66	4.10	5.29	7.52
	2010	0.46	0.97	1.85	3.19	4.43	6.36	5.90
Club Drug	2016	0.00	0.42	0.39	1.33	0.40	1.94	1.47
	2014	0.24	0.72	0.78	1.41	1.99	2.92	3.98
	2012	0.76	0.70	1.68	2.03	3.22	3.99	5.23
	2010	0.42	0.66	1.37	2.28	3.05	4.79	5.25
Steroid: non-prescribed	2016	—	—	—	—	—	—	—
	2014	0.59	0.78	0.86	0.77	1.40	0.80	1.09
	2012	1.07	1.08	1.83	1.39	1.34	1.62	1.71
	2010	0.92	0.86	0.99	1.24	1.28	1.14	0.85
Pharmaceutical Drug: non-prescribed	2016	7.37	12.60	16.39	16.94	13.54	17.44	15.88
	2014	3.42	4.55	6.07	7.88	9.60	10.74	12.44
	2012	3.06	4.20	6.77	9.28	11.93	14.16	16.12
	2010	5.23	6.56	9.08	12.13	13.96	16.93	15.96
Over-the-Counter Drug: non-medical use	2016	2.98	4.43	5.03	4.66	4.78	4.90	5.84
	2014	1.73	2.31	2.78	2.84	3.43	3.60	4.65
	2012	2.23	3.30	5.53	6.51	8.39	8.73	9.35
	2010	3.33	4.63	6.65	8.91	9.87	10.89	9.32
Synthetic Drug	2016	1.67	1.62	0.76	1.19	0.50	2.34	4.96
	2014	0.62	1.04	2.36	3.16	4.20	6.06	7.17
	2012	2.37	2.68	4.55	6.77	9.17	11.31	12.97
	2010	—	—	—	—	—	—	—

A dash (—) indicates question not included in survey. Data are weighted.

Data Source: Missouri Institute of Mental Health. 2010-2016 Missouri Student Surveys.

MISSOURI STUDENT SURVEY: PAST 30-DAY USE OF ALCOHOL, TOBACCO, AND OTHER DRUGS
Students reporting use in past 30 days (%)


	Survey Year	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	2016	0.84	4.27	7.75	15.31	21.84	24.57	24.85
	2014	2.36	4.76	8.89	12.94	21.88	24.66	30.69
	2012	3.64	6.38	12.18	18.56	25.63	29.51	35.54
	2010	4.43	8.30	14.44	22.13	28.29	33.35	36.72
Alcohol: binge use (5 or more drinks on one occasion in past two weeks)	2016	0.49	0.96	2.24	3.43	9.20	11.28	12.08
	2014	0.51	1.31	2.75	5.66	9.40	11.82	16.00
	2012	1.02	2.44	5.65	10.56	17.07	22.40	25.25
	2010	—	—	—	—	—	—	—
Cigarettes	2016	0.49	3.65	4.28	6.22	7.79	12.17	8.90
	2014	1.52	3.87	5.61	8.11	12.17	12.59	17.10
	2012	2.57	4.36	8.23	11.38	15.13	20.06	21.84
	2010	4.00	5.92	10.94	14.80	18.68	22.95	24.99
Chewing Tobacco	2016	0.49	1.65	1.65	3.26	7.82	6.12	4.70
	2014	1.07	1.90	3.10	5.58	7.27	7.40	11.08
	2012	1.63	2.18	4.45	6.48	7.63	9.75	10.01
	2010	2.01	2.54	5.03	7.30	7.79	9.28	8.89
Marijuana	2016	0.42	3.60	4.04	5.95	5.29	17.01	13.11
	2014	0.56	2.29	4.61	7.24	11.88	15.71	15.55
	2012	1.00	2.32	5.97	9.55	13.05	15.51	21.35
	2010	0.99	2.29	5.50	10.25	15.64	18.31	19.52
Inhalant	2016	1.23	0.81	1.61	0.21	1.80	0.72	0.67
	2014	1.19	1.61	1.40	1.05	1.00	0.59	1.02
	2012	2.49	2.57	2.90	2.38	1.64	1.43	1.28
	2010	3.71	3.87	3.51	3.06	2.54	1.80	1.55
Pharmaceutical Drug: non-prescribed	2016	5.71	10.47	13.25	12.41	6.95	10.12	10.80
	2014	1.89	2.10	3.54	4.40	4.34	4.92	5.56
	2012	1.63	2.57	3.77	5.27	6.59	7.04	7.61
	2010	3.33	3.97	5.55	7.50	8.38	9.82	8.28
Over-the-Counter Drug: non-medical use	2016	1.92	2.52	3.78	1.89	1.64	1.00	2.69
	2014	1.10	1.60	1.81	1.59	1.79	1.73	1.76
	2012	1.31	2.18	3.50	4.08	5.08	4.68	3.81
	2010	2.11	2.86	4.26	5.76	5.69	6.10	4.78
Synthetic Drug	2016	0.08	0.81	0.44	0.39	0.00	0.65	0.00
	2014	0.31	0.57	1.17	0.94	0.82	0.87	0.83
	2012	1.49	1.67	2.41	3.31	3.95	4.26	3.52
	2010	—	—	—	—	—	—	—

A dash (—) indicates question not included in survey. Data are weighted.

Data Source: Missouri Institute of Mental Health. 2010-2016 Missouri Student Surveys.


ALCOHOL USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Alcohol (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Alcohol (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Binge Alcohol: 5 or More Drinks on Same Occasion in Past 2 Weeks (%): Missouri Students in Grades 6-12, 2012-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


TOBACCO USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Cigarettes (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Cigarettes (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Chewing Tobacco (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Past 30-Day Use of Chewing Tobacco (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


MARIJUANA USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Marijuana (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Past 30-Day Use of Marijuana (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


COCAINE, METHAMPHETAMINE, AND HEROIN USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Cocaine (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Methamphetamine (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Lifetime Use of Heroin (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


HALLUCINOGEN, SYNTHETIC, AND CLUB DRUG USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Hallucinogens such as LSD, PCP, Mescaline, Peyote (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Club Drugs such as MDMA (Ecstasy), GHB, Rohypnol (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Lifetime Use of Synthetic Drugs such as K2, Bath Salts, Spice (%): Missouri Students in Grades 6-12, 2012-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


PHARMACEUTICAL DRUG USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Non-Prescribed Pharmaceutical Drugs (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Non-Prescribed Pharmaceutical Drugs (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Lifetime Use of Non-Prescribed Steroids (%): Missouri Students in Grades 6-12, 2010-2014



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted. Item not included on 2016 survey.


INHALANT AND OVER-THE-COUNTER MEDICATION USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Inhalants (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Inhalants (%): Missouri Students in Grades 6-12, 2010-2016




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Non-medical Use of Over-the-Counter Medicines (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Non-medical Use of Over-the-Counter Medicines (%): Missouri Students in Grades 6-12, 2010-2016



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

YOUTH RISK BEHAVIOR SURVEY

MISSOURI AND U.S. HIGH SCHOOL ESTIMATES FOR ALCOHOL, TOBACCO, AND DRUG USE

	2015		2013		2011		2009		2007		2005		2003		2001		1999		1997		1995	
	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.
Alcohol Use in Past 30 Days (%)																						
Overall Grades 9-12	34.5	32.8	35.6	34.9	NA	38.7	39.3	41.8	44.4	44.7	40.8	43.3	49.2	44.9	47.6	47.1	49.9	50.0	51.4	50.8	55.7	51.6
Grade 9	26.4	23.4	25.9	24.4	NA	29.8	28.6	31.5	38.5	35.7	30.4	36.2	44.4	36.2	43.2	41.1	45.4	40.6	42.6	44.2	49.8	45.6
Grade 10	27.7	29.0	37.4	30.9	NA	35.7	37.7	40.6	44.7	41.8	41.5	42.0	46.1	43.5	47.7	45.2	43.3	49.7	50.9	47.2	54.9	49.5
Grade 11	35.3	38.0	39.5	39.2	NA	42.7	48.4	45.7	46.7	49.0	44.3	46.0	50.9	47.0	48.4	49.3	55.5	50.9	52.3	53.2	60.5	53.7
Grade 12	48.6	42.4	39.6	46.8	NA	48.4	45.8	51.7	48.6	54.9	48.8	50.8	57.3	55.9	52.2	55.2	57.2	61.7	62.2	57.3	59.4	56.5
Binge Drinking in Past 30 Days (%)																						
Overall Grades 9-12	19.5	17.7	22.5	20.8	NA	21.9	25.3	24.2	29.1	26.0	24.9	25.5	30.5	28.3	34.1	29.9	32.0	31.5	37.9	33.4	39.9	32.6
Grade 9	11.4	10.4	15.4	13.5	NA	14.0	15.2	15.3	22.3	17.0	13.6	19.0	25.3	19.8	28.0	24.5	23.5	21.1	28.4	25.7	34.2	24.5
Grade 10	13.9	15.1	20.3	17.4	NA	18.4	24.0	22.3	26.8	23.7	26.3	24.6	27.6	27.4	33.0	28.2	28.2	32.2	35.5	29.9	37.0	30.3
Grade 11	20.2	22.1	29.0	24.6	NA	25.2	32.1	28.3	33.0	29.9	29.0	27.6	32.0	31.8	36.5	32.2	40.8	34.0	39.1	37.5	46.8	34.9
Grade 12	32.6	24.6	25.4	29.2	NA	31.5	32.7	33.5	35.3	36.5	32.4	32.8	38.9	37.2	40.0	36.7	38.7	41.6	51.3	39.3	43.7	39.0
Alcohol Use Before Age 13 (%)																						
Overall Grades 9-12	17.3	17.2	19.5	18.6	NA	20.5	20.4	21.1	20.9	23.8	24.2	25.6	25.4	27.8	30.0	29.1	33.5	32.2	33.6	31.1	39.9	32.4
Grade 9	21.2	20.3	23.7	22.2	NA	26.6	23.9	28.1	30.5	30.9	34.1	33.9	38.2	36.4	38.7	39.7	40.2	40.4	42.4	41.9	51.3	41.0
Grade 10	20.1	18.6	22.2	19.2	NA	21.1	22.9	22.2	20.5	24.4	22.5	26.2	26.4	28.5	31.2	28.8	38.0	35.6	32.6	32.0	41.3	34.1
Grade 11	14.7	15.2	16.1	17.2	NA	17.6	18.2	17.9	17.8	19.6	23.8	20.5	20.3	23.0	26.5	23.4	30.6	26.2	29.1	29.9	35.2	29.6
Grade 12	13.0	13.5	14.5	14.7	NA	15.1	15.3	14.2	11.8	18.0	14.4	19.3	14.0	20.3	21.3	21.2	21.4	24.3	27.3	22.8	27.9	25.8
Cigarette Use in Lifetime (%)																						
Overall Grades 9-12	34.5	32.3	39.2	41.1	NA	44.7	46.5	46.3	50.9	50.3	49.6	54.3	63.3	58.4	68.5	63.9	69.8	70.4	74.0	70.2	75.0	71.3
Grade 9	24.9	25.1	31.2	31.7	NA	37.6	34.0	37.7	47.2	42.7	40.7	48.7	60.8	52.0	62.5	58.4	67.7	61.8	72.3	67.7	73.1	63.4
Grade 10	32.5	29.1	35.0	39.0	NA	41.0	44.1	44.0	45.9	48.8	51.2	52.5	59.7	58.3	68.9	62.6	70.8	73.9	73.7	70.0	73.5	71.1
Grade 11	36.5	37.5	41.2	47.0	NA	47.1	52.9	50.0	57.4	53.4	53.4	57.5	66.6	60.0	68.4	65.9	69.5	69.9	73.0	68.8	77.6	75.8
Grade 12	45.6	38.3	50.2	48.1	NA	54.5	57.9	55.5	53.7	59.3	54.3	60.3	66.9	65.4	75.9	71.1	72.1	78.0	77.4	73.7	76.3	73.8
Cigarette Use in Past 30 Days (%)																						
Overall Grades 9-12	11.0	10.8	14.9	15.7	NA	18.1	18.9	19.5	23.8	20.0	21.3	23.0	24.8	21.9	30.3	28.5	32.8	34.8	40.3	36.4	39.8	34.8
Grade 9	8.0	7.6	8.8	10.2	NA	13.0	9.4	13.5	22.2	14.3	14.1	19.7	25.6	17.4	27.0	23.9	27.1	27.6	34.9	33.4	39.9	31.2
Grade 10	8.2	8.8	12.1	13.2	NA	15.6	19.0	18.3	17.8	19.6	21.4	21.4	23.5	21.8	29.8	26.9	33.9	34.7	39.1	35.3	37.6	33.1
Grade 11	10.7	13.1	15.9	21.1	NA	19.3	22.8	22.3	30.6	21.6	24.3	24.3	28.2	23.6	29.6	29.8	38.1	36.0	40.1	36.6	41.9	35.9
Grade 12	16.8	14.1	22.9	19.2	NA	25.1	26.7	25.2	25.4	26.5	26.5	27.6	21.4	26.2	35.4	35.2	33.5	42.8	48.2	39.6	40.1	38.2
Cigarette Use Before Age 13 (%)																						
Overall Grades 9-12	8.0	6.6	8.6	9.3	NA	10.3	9.9	10.7	13.4	14.2	14.8	16.0	20.2	18.3	25.7	22.1	25.2	24.7	27.4	24.8	32.2	24.9
Grade 9	10.0	7.2	9.2	9.5	NA	12.1	8.2	12.1	15.7	16.3	15.9	18.6	28.1	19.3	31.1	26.2	30.4	27.0	34.2	32.0	38.5	28.1
Grade 10	7.7	7.6	8.9	9.2	NA	10.1	13.3	11.2	12.6	14.3	14.2	16.0	21.9	20.1	26.5	22.9	27.2	28.5	24.3	27.5	32.5	25.6
Grade 11	6.7	5.6	8.6	10.9	NA	9.8	8.3	10.3	14.3	12.0	16.6	14.4	17.4	16.0	22.2	18.5	23.2	21.1	25.4	22.2	28.9	25.0
Grade 12	7.0	5.2	7.4	7.3	NA	8.2	9.7	8.6	10.1	13.3	12.3	13.9	11.3	16.5	21.1	19.0	17.8	20.7	23.3	18.6	26.2	21.5
Smokeless Tobacco Use in Past 30 Days (%)																						
Overall Grades 9-12	10.0	7.3	10.4	8.8	NA	7.7	9.3	8.9	9.1	7.9	6.9	8.0	5.7	6.7	10.4	8.2	8.1	7.8	9.1	9.3	16.0	11.4
Grade 9	8.8	5.9	9.2	7.3	NA	5.9	6.5	7.2	7.6	6.3	3.6	7.6	6.6	6.6	9.4	6.6	8.3	6.8	5.8	9.7	15.5	11.2
Grade 10	8.9	6.3	10.1	8.1	NA	7.4	9.5	8.1	9.1	8.7	8.1	7.5	6.8	5.4	11.1	8.7	7.5	7.1	9.5	6.8	15.5	9.7
Grade 11	10.7	9.3	8.1	10.5	NA	8.6	10.4	10.7	8.4	7.6	9.1	8.4	4.8	7.8	10.4	9.0	8.5	8.4	9.5	10.0	18.7	13.0
Grade 12	11.4	7.5	12.8	9.4	NA	8.8	10.5	10.0	10.5	8.9	7.0	8.4	4.1	7.1	10.2	8.7	6.9	8.9	12.4	10.5	14.1	11.2
Marijuana Use in Past 30 Days (%)																						
Overall Grades 9-12	16.3	21.7	20.5	23.4	NA	23.1	20.6	20.8	19.0	19.7	18.1	20.2	21.8	22.4	24.4	23.9	25.6	26.7	28.2	26.2	21.8	25.3
Grade 9	11.4	15.2	14.2	17.7	NA	18.0	13.7	15.5	12.5	14.7	11.7	17.4	20.7	18.5	25.8	19.4	22.3	21.7	23.4	23.6	22.8	20.9
Grade 10	14.8	20.0	19.7	23.5	NA	21.6	17.6	21.1	16.7	19.3	22.2	20.2	18.0	22.0	21.9	24.8	24.5	27.8	26.2	25.0	22.4	25.5
Grade 11	17.5	24.8	21.9	25.5	NA	25.5	27.6	23.2	26.6	21.4	23.2	21.0	23.0	24.1	24.8	25.8	31.8	26.7	29.9	29.3	21.9	27.6
Grade 12	22.1	27.6	26.4	27.7	NA	28.0	25.0	24.6	21.2	25.1	15.5	22.8	25.4	25.8	24.6	26.9	24.5	31.5	34.9	26.6	19.5	26.2

Values shown are weighted estimates based on sampling. Apparent differences in values may not be statistically significant.


NA: Data not available for specified year.

2011 Missouri data are not displayed due to insufficient survey response rate.

Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.


PAST 30-DAY ALCOHOL USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 9, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 10, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 11, 1995-2015



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 12, 1995-2015




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient survey response rate.


PAST 30-DAY BINGE ALCOHOL USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 9, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 10, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 11, 1995-2015



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 12, 1995-2015




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient survey response rate.


ALCOHOL USE BEFORE AGE 13: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 9, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 10, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 11, 1995-2015



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 12, 1995-2015




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient survey response rate.


PAST 30-DAY CIGARETTE USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 9, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 10, 1995-2015




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 11, 1995-2015



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 12, 1995-2015




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient survey response rate.


PAST 30-DAY MARIJUANA USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 9, 1995-2015




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 10, 1995-2015




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 11, 1995-2015



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 12, 1995-2015



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient survey response rate.

BEHAVIORAL RISK FACTOR SURVEY
MISSOURI AND U.S. ESTIMATES FOR AGES 18 AND OLDER FOR ALCOHOL, TOBACCO, AND MENTAL HEALTH

	Current data weighting methodology				Pre-2011 data weighting methodology					
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005
Alcohol Use in Past 30 Days (%)										
Missouri	45.5	48.5	48.5	52.5	47.7	50.1	51.9	51.9	50.7	51.8
U.S. (Median of the States)		54.5	55.3	57.1	54.6	54.3	54.4	54.8	55.4	56.2
Binge Drinking * in Past 30 Days (%)										
Missouri	15.1	17.2	17.3	19.2	15.6	17.2	15.3	16.2	16.5	14.9
— Males (5 or more drinks on one occasion)	20.7	23.5	23.5	26.1	21.5	22.5	20.7	20.3	24.2	
— Females (4 or more drinks on one occasion)	9.8	11.3	11.5	12.9	10.1	12.3	10.3	12.8	10.4	
U.S. (Median of the States)		16.8	16.9	18.3	15.1	15.7	15.6	15.8	15.4	14.4
Heavy Drinking ** in Past 30 Days (%)										
Missouri	5.2	6.0	6.3	7.3	5.5	4.2	5.4	4.6	6.2	5.0
— Males (More than 2 drinks per day)	6.8	7.6	8.2	9.6	8.0	4.7	5.5	5.6	7.6	
— Females (More than 1 drink per day)	3.7	4.5	4.5	5.1	3.1	3.7	5.3	3.6	5.1	
U.S. (Median of the States)		6.2	6.1	6.6	5.0	5.1	5.1	5.2	4.9	4.9
Current Tobacco Smoking (%)										
Missouri	20.6	22.1	23.9	25.0	21.1	23.1	24.9	24.5	23.2	23.4
U.S. (Median of the States)		19.0	19.6	21.2	17.3	17.9	18.3	19.8	20.1	20.6
Former Smokers (%)										
Missouri	24.4	25.2	23.9	25.0	26.1	24.7	25.0	23.4	26.8	24.2
U.S. (Median of the States)		25.3	25.2	25.1	25.1	25.5	25.2	24.6	24.7	24.8
Limited in Activities Due to Physical, Mental, or Emotional Problems										
Missouri	23.2	24.2	23.7	28.1	24.8	22.1	25.0	20.9		20.9
U.S. (Median of the States)		19.7	20.1	24.3	21.2	18.9	20.6	18.9		18.6
Depressive Disorder Identified by Health or Mental Health Professional in Lifetime (%)										
Missouri	21.7	21.3	20.1	20.1						
U.S. (Median of the States)		18.7	18.0	17.5						

Notes:

Percentages are estimates based on Behavioral Risk Factor Survey responses, and demographic weighting to represent the Missouri and U.S. adult populations.

Data weighting methodology was revised beginning in 2011, and recent data should not be compared to pre-2011 data.

Small year-to-year Missouri changes, and small differences between Missouri and U.S. estimates, might not be statistically significant.

Data Sources:

U.S. Department of Health and Human Services, Centers for Disease Control and Prevention: Behavioral Risk Factor Surveillance System.

Missouri Department of Health and Senior Services, Office of Epidemiology.

MONITORING THE FUTURE SURVEY: U.S. STUDENTS IN GRADE 8

Estimated Daily Substance Use

during Past 30 Days (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	0.2	0.2	0.3	0.3	0.3	0.4	0.5	0.5	0.7	0.6	0.5	0.5	0.6	0.8	0.7
Been Drunk Daily	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
Cigarettes	0.9	1.3	1.4	1.8	1.9	2.4	2.9	2.7	3.1	3.0	4.0	4.0	4.4	4.5	5.1
Smokeless Tobacco	0.6	0.8	0.5	0.5	0.5	0.8	0.9	0.8	0.8	0.8	0.7	0.7	1.0	0.8	0.8
Marijuana/Hashish	0.7	1.1	1.0	1.1	1.1	1.3	1.2	1.0	0.9	0.8	1.0	1.0	0.8	1.0	1.2

Estimated Past-30 Day

Substance Use (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	7.3	9.7	9.0	10.2	11.0	12.7	13.8	14.9	15.9	15.9	17.2	17.1	18.6	19.7	19.6
Been Drunk (past 30 days)	1.8	3.1	2.7	3.5	3.6	4.4	5.0	5.4	5.4	5.5	6.2	6.0	6.2	6.7	6.7
Binge Alcohol Use (past 2 weeks)*	3.4	4.6	4.1	5.1	5.1	6.4	7.2	7.8	8.1	8.3	8.7	8.4	9.4	9.8	10.3
Cigarettes	2.6	3.6	4.0	4.5	4.9	6.1	7.1	6.5	6.8	7.1	8.7	9.3	9.2	10.2	10.7
Smokeless Tobacco	2.5	3.2	3.0	2.8	2.8	3.5	4.1	3.7	3.5	3.2	3.7	3.3	4.1	4.1	3.3
Any Illicit Drug	6.9	8.1	8.3	8.7	‡ 7.7	8.5	9.5	8.1	7.6	7.4	8.1	8.5	8.4	9.7	10.4
Any Illicit Drug other than Marijuana	2.7	3.1	3.3	3.6	‡ 2.6	3.4	3.5	3.5	3.8	3.6	3.8	4.1	4.1	4.7	4.7
Marijuana/Hashish	5.4	6.5	6.5	7.0	6.5	7.2	8.0	6.5	5.8	5.7	6.5	6.6	6.4	7.5	8.3
Inhalants	1.8	2.0	2.2	2.3	2.7	3.2	3.6	3.8	4.1	3.9	4.1	4.2	4.5	4.1	3.8
Hallucinogens	0.6	0.6	0.5	0.8	0.6	1.0	1.0	0.9	0.9	1.0	0.9	1.1	1.0	1.2	1.2
LSD	0.4	0.4	0.3	0.5	0.3	0.5	0.6	0.5	0.5	0.5	0.4	0.5	0.5	0.6	0.7
MDMA "Ecstasy"	0.3	0.5	‡ 0.7	0.5	0.5	0.6	1.1	0.6	0.8	0.6	0.7	0.6	0.8	0.7	1.4
Cocaine (all forms)	0.3	0.5	0.5	0.5	0.5	0.8	0.6	0.8	0.8	0.9	1.0	1.0	0.9	0.9	1.1
Crack Cocaine	0.2	0.3	0.3	0.3	0.3	0.5	0.4	0.5	0.5	0.6	0.6	0.6	0.6	0.7	0.8
Amphetamines	1.7	1.9	2.1	2.3	‡ 1.3	1.8	1.8	1.9	2.2	2.0	2.1	2.3	2.3	2.7	2.8
Methamphetamine	0.3	0.3	0.2	0.4	0.5	0.4	0.7	0.5	0.7	0.6	0.6	0.7	0.6	1.2	1.1
Heroin	0.2	0.1	0.3	0.3	0.2	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.5	0.4	0.5
Tranquilizers	0.8	0.8	0.8	0.9	0.8	1.0	1.2	1.2	1.2	1.1	1.3	1.3	1.2	1.4	1.2
Rohypnol	0.2	0.1	0.2	0.1	0.1	0.6	0.2	0.2	0.1	0.3	0.4	0.2	0.2	0.1	0.2
Steroids	0.3	0.3	0.2	0.3	0.3	0.4	0.3	0.4	0.5	0.4	0.5	0.5	0.5	0.7	0.8
Injection Drug Use	0.2	0.2	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3

Estimated Lifetime

Substance Use (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	22.8	26.1	26.8	27.8	29.5	33.1	35.8	36.6	38.9	38.9	40.5	41.0	43.9	45.6	47.0
Ever Been Drunk	8.6	10.9	10.8	12.2	12.8	14.8	16.3	17.4	18.0	17.9	19.5	19.5	19.9	20.3	21.3
Cigarettes	9.8	13.3	13.5	14.8	15.5	18.4	20.0	20.1	20.5	22.1	24.6	25.9	27.9	28.4	31.4
Smokeless Tobacco	6.9	8.6	8.0	7.9	8.1	9.7	9.9	9.6	9.8	9.1	10.2	10.1	11.0	11.3	11.2
Any Illicit Drug	17.2	20.5	20.3	21.1	‡ 18.5	20.1	21.4	19.9	19.6	19.0	20.9	21.4	21.5	22.8	24.5
Any Illicit Drug other than Marijuana	8.9	10.3	10.0	10.4	‡ 8.7	9.8	10.6	10.4	11.2	11.1	12.2	11.1	12.2	13.6	13.7
Marijuana/Hashish	12.8	15.5	15.6	16.5	15.2	16.4	17.3	15.7	14.6	14.2	15.7	16.5	16.3	17.5	19.2
Inhalants	7.7	9.4	10.8	10.8	11.8	13.1	14.5	14.9	15.7	15.6	16.1	17.1	17.3	15.8	15.2
Hallucinogens	1.9	2.0	2.0	2.5	2.8	3.3	3.4	3.0	3.3	3.1	3.4	3.8	3.5	4.0	4.1
LSD	1.2	1.3	1.1	1.4	1.3	1.7	1.8	1.7	1.9	1.6	1.6	1.9	1.8	2.1	2.5
MDMA "Ecstasy"	1.7	2.3	‡ 2.4	1.8	2.0	2.6	3.3	2.2	2.4	2.3	2.5	2.8	2.8	3.2	4.3
Cocaine (all forms)	1.4	1.6	1.8	1.7	1.9	2.2	2.6	2.6	3.0	3.1	3.4	3.7	3.4	3.6	3.6
Crack Cocaine	0.9	1.0	1.2	1.2	1.0	1.5	1.5	1.7	2.0	2.1	2.3	2.4	2.4	2.5	2.5
Amphetamines	5.7	6.8	6.7	6.9	‡ 4.5	5.2	5.7	6.0	6.8	6.5	7.3	7.4	7.5	8.4	8.7
Methamphetamine	0.6	0.8	1.0	1.4	1.3	1.3	1.8	1.6	2.3	1.8	2.7	3.1	2.5	3.9	3.5
Heroin	0.5	0.5	0.9	1.0	0.8	1.2	1.3	1.3	1.4	1.3	1.4	1.5	1.6	1.6	1.6
Tranquilizers	3.0	3.0	2.9	2.9	3.0	3.4	4.4	3.9	3.9	3.9	4.3	4.1	4.0	4.4	4.3
Rohypnol	0.9	0.8	0.6	0.7	1.0	2.0	0.9	0.7	0.7	1.0	1.0	1.1	1.0	1.0	0.8
Steroids	0.9	1.0	1.0	1.1	1.2	1.2	1.1	1.3	1.4	1.5	1.6	1.7	1.9	2.5	2.5
Injection Drug Use	0.3	0.3	0.8	0.6	0.6	0.8	0.9	0.9	0.9	0.9	1.0	1.0	1.1	1.0	1.0

* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

‡ Survey question was re-worded and/or estimate was revised beginning with year indicated

Data Source: Johnston, L.D., O'Malley, P.M., Miech, R.A., Bachman, J.G., & Schulenberg, J.E. (2017).

Monitoring the Future: National Survey Results on Drug Use 1975-2016: Key Findings on Adolescent Drug Use

The University of Michigan Institute for Social Research. Ann Arbor, MI

MONITORING THE FUTURE SURVEY: U.S. STUDENTS IN GRADE 10

Estimated Daily Substance Use

during Past 30 Days (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	0.5	0.5	0.8	0.9	1.0	0.8	1.1	1.1	1.0	1.4	1.4	1.3	1.3	1.5	1.8
Been Drunk Daily	0.1	0.1	0.3	0.3	0.4	0.2	0.3	0.4	0.3	0.5	0.5	0.4	0.4	0.5	0.5
Cigarettes	1.9	3.0	3.2	4.4	5.0	5.5	6.6	6.3	5.9	7.2	7.6	7.5	8.3	8.9	10.1
Smokeless Tobacco	1.0	1.6	1.8	1.9	2.0	1.7	2.5	1.9	1.4	1.6	1.7	1.9	1.6	1.8	1.7
Marijuana/Hashish	2.5	3.0	3.4	4.0	3.5	3.6	3.3	2.8	2.7	2.8	2.8	3.1	3.2	3.6	3.9

Estimated Past-30 Day

Substance Use (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	19.9	21.5	23.5	25.7	27.6	27.2	28.9	30.4	28.8	33.4	33.8	33.2	35.2	35.4	35.4
Been Drunk (past 30 days)	9.0	10.3	11.2	12.8	14.5	13.7	14.7	15.5	14.4	18.1	18.8	17.6	18.5	18.2	18.3
Binge Alcohol Use (past 2 weeks)*	9.7	10.9	12.6	13.7	15.6	14.7	16.3	17.5	16.0	19.6	19.9	19.0	19.9	20.0	20.3
Cigarettes	4.9	6.3	7.2	9.1	10.8	11.8	13.6	13.1	12.3	14.0	14.5	14.9	16.0	16.7	17.7
Smokeless Tobacco	3.5	4.9	5.3	6.4	6.4	6.6	7.5	6.5	5.0	6.1	5.7	5.6	4.9	5.3	6.1
Any Illicit Drug	15.9	16.5	18.5	19.2	18.6	19.2	18.5	17.8	15.8	16.9	16.8	17.3	18.3	19.5	20.8
Any Illicit Drug other than Marijuana	4.4	4.9	5.6	4.9	‡ 5.0	5.4	5.8	5.7	5.3	6.9	6.3	6.4	6.9	6.9	8.1
Marijuana/Hashish	14.0	14.8	16.6	18.0	17.0	17.6	16.7	15.9	13.8	14.2	14.2	15.2	15.9	17.0	17.8
Inhalants	1.0	1.2	1.1	1.3	1.4	1.7	2.0	2.2	2.1	2.5	2.3	2.2	2.4	2.2	2.4
Hallucinogens	0.9	0.9	1.2	1.1	1.2	1.4	1.6	1.4	1.3	1.7	1.5	1.5	1.6	1.5	1.6
LSD	0.7	0.6	0.6	0.6	0.5	0.7	0.7	0.5	0.7	0.7	0.7	0.6	0.6	0.6	0.7
MDMA "Ecstasy"	0.5	0.9	‡ 1.1	1.2	1.0	1.6	1.9	1.3	1.1	1.2	1.2	1.0	0.8	1.1	1.8
Cocaine (all forms)	0.4	0.8	0.6	0.8	0.8	0.7	0.9	0.9	1.2	1.3	1.5	1.5	1.7	1.3	1.6
Crack Cocaine	0.2	0.3	0.3	0.4	0.4	0.4	0.5	0.4	0.5	0.5	0.7	0.7	0.8	0.7	1.0
Heroin	0.2	0.2	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.3	0.5
Amphetamines	2.7	3.1	3.7	3.3	‡ 2.8	3.1	3.3	3.3	2.8	4.0	3.5	3.7	4.0	4.3	5.2
Methamphetamine	0.2	0.3	0.3	0.4	0.6	0.5	0.7	0.6	0.7	0.4	0.7	1.1	1.3	1.4	1.8
Tranquilizers	1.5	1.7	1.6	1.6	1.7	1.9	2.2	2.0	1.9	2.6	2.4	2.3	2.3	2.4	2.9
Rohypnol	0.3	0.1	0.4	0.1	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.4
Steroids	0.3	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.8	0.8	1.0
Injection Drug Use	0.2	0.1	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3

Estimated Lifetime

Substance Use (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	43.4	47.1	49.3	52.1	54.0	56.0	58.2	59.1	58.3	61.7	61.5	63.2	64.2	66.0	66.9
Ever Been Drunk	26.0	28.6	30.2	33.5	34.6	35.9	36.9	38.6	37.2	41.2	41.4	42.1	42.3	42.4	44.0
Cigarettes	17.5	19.9	22.6	25.7	27.7	30.4	33.0	32.7	31.7	34.6	36.1	38.9	40.7	43.0	47.4
Smokeless Tobacco	10.2	12.3	13.6	14.0	15.4	15.6	16.8	15.2	12.2	15.1	15.0	14.5	13.8	14.6	16.9
Any Illicit Drug	33.7	34.7	37.4	39.1	‡ 36.8	37.7	37.0	36.0	34.1	35.6	36.1	38.2	39.8	41.4	44.6
Any Illicit Drug other than Marijuana	14.0	14.6	15.9	16.4	‡ 14.9	15.6	16.8	16.7	15.9	18.2	17.5	18.0	18.8	19.7	22.1
Marijuana/Hashish	29.7	31.1	33.7	35.8	33.8	34.5	33.4	32.3	29.9	31.0	31.8	34.1	35.1	36.4	38.7
Inhalants	6.6	7.2	8.7	8.7	9.9	10.1	12.0	12.3	12.8	13.6	13.3	13.1	12.4	12.7	13.5
Hallucinogens	4.4	4.6	5.0	5.4	5.2	6.0	6.1	6.1	5.5	6.4	6.1	5.8	6.4	6.9	7.8
LSD	3.2	3.0	2.6	2.7	2.6	2.8	3.0	3.0	2.6	3.0	2.7	2.5	2.8	3.5	5.0
MDMA "Ecstasy"	2.8	3.8	‡ 5.2	5.7	5.0	6.6	6.4	5.5	4.3	5.2	4.5	4.0	4.3	5.4	6.6
Cocaine (all forms)	2.1	2.7	2.6	3.3	3.3	3.3	3.7	4.6	4.5	5.3	4.8	5.2	5.4	5.1	6.1
Crack Cocaine	0.8	1.1	1.0	1.5	1.4	1.6	1.8	2.1	2.0	2.3	2.2	2.5	2.6	2.7	3.6
Amphetamines	8.8	9.7	10.6	11.2	‡ 8.9	9.0	10.6	10.3	9.0	11.1	11.2	11.1	11.9	13.1	14.9
Methamphetamine	0.7	1.3	1.4	1.6	1.8	2.1	2.5	2.8	2.4	2.8	3.2	4.1	5.3	5.2	6.1
Heroin	0.6	0.7	0.9	1.0	1.1	1.2	1.3	1.5	1.2	1.5	1.4	1.5	1.5	1.5	1.8
Tranquilizers	6.1	5.8	5.8	5.5	6.3	6.8	7.3	7.0	6.8	7.4	7.2	7.1	7.3	7.8	8.8
Rohypnol	1.0	0.5	1.0	1.1	0.8	1.2	1.4	0.7	0.9	1.3	0.8	1.0	1.2	1.0	1.3
Steroids	1.3	1.2	1.4	1.3	1.3	1.4	1.6	1.3	1.4	1.8	1.8	2.0	2.4	3.0	3.5
Injection Drug Use	0.5	0.5	0.6	0.7	0.7	0.8	0.8	0.9	0.7	0.9	0.9	0.8	0.8	0.9	1.0

* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

‡ Survey question was re-worded and/or estimate was revised beginning with year indicated.

Data Source: Johnston, L.D., O'Malley, P.M., Miech, R.A., Bachman, J.G., & Schulenberg, J.E. (2017).

Monitoring the Future: National Survey Results on Drug Use 1975-2016: Key Findings on Adolescent Drug Use

The University of Michigan Institute for Social Research. Ann Arbor, MI

MONITORING THE FUTURE SURVEY: U.S. STUDENTS IN GRADE 12

Estimated Daily Substance Use

during Past 30 Days (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	1.3	1.9	1.9	2.2	2.5	2.1	2.7	2.5	2.8	3.1	3.0	3.1	2.8	3.2	3.5
Been Drunk Daily	0.8	0.8	1.1	1.3	1.5	1.3	1.6	1.1	1.4	1.3	1.6	1.5	1.8	1.6	1.2
Cigarettes	4.8	5.5	6.7	8.5	9.3	10.3	10.7	11.2	11.4	12.3	12.2	13.6	15.6	15.8	16.9
Smokeless Tobacco	2.7	2.9	3.4	3.0	3.2	3.1	3.1	2.9	2.7	2.8	2.2	2.5	2.8	2.2	2.0
Marijuana/Hashish	6.0	6.0	5.8	6.5	6.5	6.6	6.1	5.2	5.4	5.1	5.0	5.0	5.6	6.0	6.0

Estimated Past-30 Day

Substance Use (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	33.2	35.3	37.4	39.2	41.5	40.0	41.2	43.5	43.1	44.4	45.3	47.0	48.0	47.5	48.6
Been Drunk (past 30 days)	20.4	20.6	23.5	26.0	28.1	25.0	26.8	27.4	27.6	28.7	30.0	30.2	32.5	30.9	30.3
Binge Alcohol Use (past 2 weeks)*	15.5	17.2	19.4	22.1	23.7	21.6	23.2	25.2	24.6	25.9	25.4	27.1	29.2	27.9	28.6
Cigarettes	10.5	11.4	13.6	16.3	17.1	18.7	19.2	20.1	20.4	21.6	21.6	23.2	25.0	24.4	26.7
Smokeless Tobacco	6.6	6.1	8.4	8.1	7.9	8.3	8.5	8.4	6.5	6.6	6.1	7.6	6.7	6.7	6.5
Any Illicit Drug	24.4	23.6	23.7	25.2	‡ 25.2	25.2	23.8	23.3	22.3	21.9	21.5	23.1	23.4	24.1	25.4
Any Illicit Drug other than Marijuana	6.9	7.6	7.7	8.2	‡ 8.4	8.9	8.6	8.6	9.3	9.5	9.8	10.3	10.8	10.4	11.3
Marijuana/Hashish	22.5	21.3	21.2	22.7	22.9	22.6	21.4	20.6	19.4	18.8	18.3	19.8	19.9	21.2	21.5
Inhalants	0.8	0.7	0.7	1.0	0.9	1.0	1.4	1.2	1.4	1.2	1.5	2.0	1.5	1.5	1.5
Hallucinogens	1.4	1.6	1.5	1.4	1.6	1.6	1.9	1.6	2.2	1.7	1.5	1.9	1.9	1.8	2.3
LSD	1.0	1.1	1.0	0.8	0.8	0.8	0.8	0.5	1.1	0.6	0.6	0.7	0.7	0.6	0.7
MDMA "Ecstasy"	0.9	1.1	‡ 1.5	1.5	0.9	2.3	1.4	1.8	1.8	1.6	1.3	1.0	1.2	1.3	2.4
Cocaine (all forms)	0.9	1.1	1.0	1.1	1.1	1.1	1.3	1.3	1.9	2.0	2.5	2.3	2.3	2.1	2.3
Crack Cocaine	0.5	0.6	0.7	0.6	0.6	0.5	0.7	0.6	0.8	0.9	0.9	1.0	1.0	0.9	1.2
Amphetamines	3.0	3.2	3.8	4.2	‡ 3.3	3.7	3.3	3.0	2.9	3.7	3.7	3.9	4.6	5.0	5.5
Methamphetamine	0.3	0.4	0.5	0.4	0.5	0.6	0.5	0.5	0.6	0.6	0.9	0.9	1.4	1.7	1.7
Crystal Methamphetamine "Ice"	0.4	0.3	0.4	0.8	0.4	0.6	0.6	0.5	0.6	0.6	0.7	0.9	0.8	0.8	1.2
Heroin	0.2	0.3	0.4	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.4	0.5
Other Narcotics	1.7	2.1	2.2	2.8	3.0	3.6	3.6	4.1	3.8	3.8	3.8	3.9	4.3	4.1	4.0
Barbiturates	1.5	1.7	2.0	2.2	2.0	1.8	2.2	2.5	2.8	2.7	3.0	3.3	2.9	2.9	3.2
Tranquilizers	1.9	2.0	2.1	2.0	2.1	2.3	2.5	2.7	2.6	2.6	2.7	2.9	3.1	2.8	3.3
Steroids	0.7	1.0	0.9	1.0	0.9	0.7	1.1	1.0	1.0	1.0	1.1	0.9	1.6	1.3	1.4
Any Rx Drug non-medical use	5.4	5.9	6.4	7.1	‡ 7.0	7.2	6.9	7.3	7.2	7.8	8.1	8.6	—	—	—
Injection Drug Use	0.2	0.2	0.3	0.2	0.3	0.4	0.4	0.1	0.2	0.2	0.3	0.3	0.2	0.3	0.3

Estimated Lifetime

Substance Use (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	61.2	64.0	66.0	68.2	69.4	70.0	71.0	72.3	71.9	72.2	72.7	75.1	76.8	76.6	78.4
Ever Been Drunk	46.3	46.7	49.8	52.3	54.2	51.0	54.1	56.5	54.7	55.1	56.4	57.5	60.3	58.1	61.6
Cigarettes	28.3	31.1	34.4	38.1	39.5	40.0	42.2	43.6	44.7	46.2	47.1	50.0	52.8	53.7	57.2
Smokeless Tobacco	14.2	13.2	15.1	17.2	17.4	16.9	17.6	16.3	15.6	15.1	15.2	17.5	16.7	17.0	18.3
Any Illicit Drug	48.3	48.9	49.1	49.8	‡ 49.1	49.9	48.2	46.7	47.4	46.8	48.2	50.4	51.1	51.1	53.0
Any Illicit Drug other than Marijuana	20.7	21.1	22.6	24.8	‡ 24.1	24.9	24.7	24.0	24.9	25.5	26.9	27.4	28.7	27.7	29.5
Marijuana/Hashish	44.5	44.7	44.4	45.5	45.2	45.5	43.8	42.0	42.6	41.8	42.3	44.8	45.7	46.1	47.8
Inhalants	5.0	5.7	6.5	6.9	7.9	8.1	9.0	9.5	9.9	10.5	11.1	11.4	10.9	11.2	11.7
Hallucinogens	6.7	6.4	6.3	7.6	7.5	8.3	8.6	7.4	8.7	8.4	8.3	8.8	9.7	10.6	12.0
LSD	4.9	4.3	3.7	3.9	3.8	4.0	4.0	3.1	4.0	3.4	3.3	3.5	4.6	5.9	8.4
MDMA "Ecstasy"	4.9	5.9	‡ 7.9	7.1	7.2	8.0	7.3	6.5	6.2	6.5	6.5	5.4	7.5	8.3	10.5
Cocaine (all forms)	3.7	4.0	4.6	4.5	4.9	5.2	5.5	6.0	7.2	7.8	8.5	8.0	8.1	7.7	7.8
Crack Cocaine	1.4	1.7	1.8	1.8	2.1	1.9	2.4	2.4	2.8	3.2	3.5	3.5	3.9	3.6	3.8
Amphetamines	10.0	10.8	12.1	13.8	‡ 12.0	12.2	11.1	9.9	10.5	11.4	12.4	13.1	15.0	14.4	16.8
Methamphetamine	1.2	1.0	1.9	1.5	1.7	2.1	2.3	2.4	2.8	3.0	4.4	4.5	6.2	6.2	6.7
Crystal Methamphetamine "Ice"	1.4	1.2	1.3	2.0	1.7	2.1	1.8	2.1	2.8	3.4	3.4	4.0	4.0	3.9	4.7
Heroin	0.7	0.8	1.0	1.0	1.1	1.4	1.6	1.2	1.3	1.5	1.4	1.5	1.5	1.5	1.7
Other Narcotics	7.8	8.4	9.5	11.1	12.2	13.0	13.0	13.2	13.2	13.1	13.4	12.8	13.5	13.2	13.5
Barbiturates	5.2	5.9	6.8	7.5	6.9	7.0	7.5	8.2	8.5	9.3	10.2	10.5	9.9	8.8	9.5
Tranquilizers	7.6	6.9	7.4	7.7	8.5	8.7	8.5	9.3	8.9	9.5	10.3	9.9	10.6	10.2	11.4
Steroids	1.6	2.3	1.9	2.1	1.8	1.8	2.0	2.2	2.2	2.2	2.7	2.6	3.4	3.5	4.0
Any Rx Drug non-medical use	18.0	18.3	19.9	22.2	‡ 21.2	21.7	21.6	20.9	21.5	22.2	23.9	24.0	—	—	—
Injection Drug Use	0.5	0.6	0.8	0.7	0.7	0.9	1.1	0.6	0.7	0.7	0.8	0.9	0.7	0.7	0.8

* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

‡ Survey question was re-worded and/or estimate was revised beginning with year indicated.

Data Source: Johnston, L.D., O'Malley, P.M., Miech, R.A., Bachman, J.G., & Schulenberg, J.E. (2017).

Monitoring the Future: National Survey Results on Drug Use 1975-2016: Key Findings on Adolescent Drug Use

The University of Michigan Institute for Social Research. Ann Arbor, MI

MONITORING THE FUTURE SURVEY: U.S. COLLEGE STUDENTS

Estimated Daily Substance Use

during Past 30 Days (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	4.3	3.1	4.3	3.6	3.9	3.8	3.6	4.3	4.0	4.3	4.8	4.6	3.7	4.3	5.0
Been Drunk Daily	0.4	0.7	0.4	0.5	0.4	1.3	0.3	0.7	0.5	0.7	0.6	0.5	0.8	1.1	0.8
Cigarettes	2.6	4.2	5.2	5.6	5.2	7.3	7.6	8.0	9.2	9.3	9.2	12.4	13.8	13.8	15.9
Marijuana/Hashish	4.9	4.6	5.9	5.1	4.8	4.7	4.4	4.9	3.9	3.5	4.3	4.0	4.5	4.7	4.1

Estimated Past-30 Day

Substance Use (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	63.2	63.2	63.1	63.1	67.7	63.5	65.0	65.8	69.0	66.6	65.4	67.9	67.7	66.2	68.9
Been Drunk (past 30 days)	40.8	38.4	42.6	40.2	40.1	39.9	43.6	42.4	45.3	46.8	47.6	43.1	47.4	40.4	44.4
Binge Alcohol Use (past 2 weeks)*	32.4	31.9	35.4	35.2	37.4	36.1	37.0	36.9	40.0	41.1	40.2	40.1	41.7	38.5	40.1
Cigarettes	8.9	11.3	12.9	14.0	12.5	15.2	16.4	17.9	17.9	19.9	19.2	23.8	24.3	22.5	26.7
Any Illicit Drug	24.3	23.4	22.7	22.8	‡ 22.3	21.4	19.2	20.7	18.9	19.3	19.2	19.5	21.2	21.4	21.5
Any Illicit Drug other than Marijuana	8.4	9.2	10.0	8.8	‡ 7.8	8.2	8.1	8.4	7.3	8.1	8.2	8.2	9.1	8.2	7.8
Marijuana/Hashish	22.2	21.1	20.8	20.6	20.5	19.4	17.5	18.5	17.0	16.8	16.7	17.1	18.9	19.3	19.7
Inhalants	0.0	0.2	0.3	0.1	0.2	0.3	0.5	0.1	0.4	0.1	0.4	0.3	0.4	0.4	0.7
Hallucinogens	0.8	1.4	1.0	1.0	1.1	1.2	1.4	1.0	1.7	1.3	0.9	1.2	1.3	1.8	1.2
LSD	0.4	0.7	0.5	0.4	0.4	0.5	0.7	0.3	0.8	0.3	0.3	0.1	0.2	0.2	0.2
MDMA "Ecstasy"	1.0	0.7	‡ 1.0	0.8	1.4	0.7	1.0	0.5	0.6	0.4	0.6	0.8	0.7	1.0	0.7
Cocaine (all forms)	1.4	1.5	1.8	0.9	1.1	1.2	1.0	1.3	1.2	1.7	1.8	1.8	2.4	1.9	1.6
Crack Cocaine	0.0	0.1	0.1	0.3	0.0	0.1	0.1	0.1	0.1	0.1	**	0.1	0.4	0.4	0.3
Amphetamines	3.8	4.2	4.8	5.0	‡ 4.6	4.5	4.1	3.4	2.8	3.1	2.5	2.9	3.2	3.1	3.0
Methamphetamine	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.1	0.2	0.6	0.2
Crystal Methamphetamine "Ice"	0.0	0.0	0.0	0.0	0.3	0.0	0.2	0.0	0.0	0.1	**	0.2	0.1	0.3	0.0
Heroin	0.2	0.0	0.0	0.2	0.1	0.0	0.0	0.1	**	0.1	0.2	0.1	0.1	0.0	0.0
Other Narcotics	1.1	1.3	1.2	1.5	2.2	2.1	2.3	2.7	2.3	2.2	3.1	3.1	3.0	2.3	1.6
Barbiturates	0.9	1.0	0.7	0.9	0.8	0.8	0.6	1.2	1.4	1.4	1.3	1.3	1.5	1.7	1.7
Tranquilizers	1.8	1.6	1.7	1.2	1.1	1.6	1.3	2.2	1.6	1.8	2.1	2.2	2.7	2.8	3.0
Steroids	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.2	**	0.1	**	**	**	0.1	**
Injection Drug Use	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.0	**	0.1	0.1	0.1	0.1	**

Estimated Lifetime

Substance Use (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	81.3	81.4	79.4	78.0	81.0	80.5	82.3	82.6	85.3	83.1	84.7	86.6	84.6	86.2	86.0
Ever Been Drunk	66.7	68.6	68.8	66.5	70.0	67.9	70.5	69.1	72.5	71.6	73.1	72.9	73.4	74.9	75.1
Any Illicit Drug	54.4	53.4	52.4	53.3	‡ 50.5	49.2	49.1	51.4	49.5	50.5	50.6	52.3	52.2	53.9	51.8
Any Illicit Drug other than Marijuana	26.5	26.4	29.0	28.3	‡ 23.8	24.3	24.8	25.6	22.6	25.3	26.3	26.5	28.0	27.6	26.9
Marijuana/Hashish	51.0	50.4	48.5	47.7	49.1	46.6	46.8	47.5	46.8	47.5	46.9	49.1	49.1	50.7	49.5
Inhalants	3.2	3.1	3.5	4.3	5.7	3.7	5.5	6.9	4.9	6.3	7.4	7.1	8.5	9.7	7.7
Hallucinogens	7.7	6.5	7.6	7.8	7.6	7.4	7.8	8.0	8.5	9.1	10.6	11.0	12.0	14.5	13.6
LSD	5.1	4.8	4.5	4.4	3.1	3.7	4.0	3.3	4.3	3.3	3.5	3.7	5.6	8.7	8.6
MDMA "Ecstasy"	8.4	8.9	‡ 8.1	8.1	8.7	6.8	6.2	6.5	6.2	5.4	6.9	8.3	10.2	12.9	12.7
Cocaine (all forms)	5.3	6.1	6.2	5.1	5.2	5.5	6.6	8.1	7.2	8.5	7.7	8.8	9.5	9.2	8.2
Crack Cocaine	0.4	0.5	1.4	0.7	0.7	0.8	1.2	1.0	1.4	1.3	2.3	1.7	2.0	3.1	1.9
Amphetamines	13.6	13.9	15.0	16.1	‡ 14.4	13.4	12.1	11.8	9.1	11.2	10.7	12.3	12.7	12.3	11.9
Methamphetamine	0.6	0.8	0.7	0.9	0.3	0.6	1.1	1.0	1.9	1.9	2.9	4.1	5.2	5.8	5.0
Crystal Methamphetamine "Ice"	0.6	0.3	0.3	0.0	0.6	0.2	0.8	0.7	1.1	1.3	1.7	2.4	2.2	2.9	2.0
Heroin	0.5	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.7	0.5	0.7	0.5	0.9	1.0	1.0
Other Narcotics	7.4	6.6	9.9	10.8	10.3	12.4	12.2	14.0	12.4	14.1	14.6	14.4	13.8	14.2	12.2
Barbiturates	3.3	4.4	5.9	5.4	‡ 3.5	3.6	5.3	6.0	6.4	5.9	6.3	8.5	7.2	5.7	5.9
Tranquilizers	6.5	7.8	6.9	7.8	6.4	7.1	8.1	9.2	8.6	9.1	10.0	11.9	10.6	11.0	10.7
Steroids	0.8	0.6	0.9	0.8	0.4	1.1	0.7	1.3	1.6	0.6	1.9	1.0	1.6	1.2	1.2
Injection Drug Use	0.0	0.3	0.0	0.1	0.2	0.3	0.1	0.1	0.0	0.1	0.3	0.3	0.1	0.1	0.3

* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

‡ Survey question was re-worded beginning with year indicated.

Data Source: Schulenberg, JE; Johnston, LD; O'Malley, PM; Bachman, JG; & Miech, RA; & Patrick, ME (2017).

Monitoring the Future national survey results on drug use, 1975-2016: Volume II, College students and adults ages 19-55

Ann Arbor: Institute for Social Research, The University of Michigan

MONITORING THE FUTURE SURVEY: U.S. YOUNG ADULTS AGES 19-28

Estimated Daily Substance Use

during Past 30 Days (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	5.4	4.7	5.0	5.1	5.5	5.2	4.6	5.3	5.3	5.6	5.4	5.2	4.5	5.1	4.7
Been Drunk Daily	0.3	0.4	0.6	0.5	0.4	0.7	0.7	1.0	0.5	0.6	0.6	0.5	0.7	0.8	0.6
Cigarettes	8.2	9.7	10.7	12.1	12.8	13.8	14.8	15.0	16.7	17.3	18.6	19.6	20.8	20.3	21.2
Marijuana/Hashish	7.6	6.8	6.9	6.2	5.6	6.1	5.3	5.4	5.1	5.0	5.0	4.9	5.0	5.3	4.5

Estimated Past-30 Day

Substance Use (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	68.4	66.9	68.4	68.7	69.5	68.8	68.4	69.4	68.9	69.5	68.7	68.6	68.4	67.0	68.3
Been Drunk (past 30 days)	36.6	34.2	39.3	37.7	39.1	39.5	39.4	40.5	40.7	41.4	42.1	39.0	39.0	37.8	37.1
Binge Alcohol Use (past 2 weeks)*	32.3	31.9	33.5	35.1	35.5	36.5	35.9	36.7	37.9	37.8	37.6	37.0	37.1	35.8	35.9
Cigarettes	14.2	16.6	17.5	20.0	19.7	21.3	22.4	23.3	24.6	26.2	27.0	28.6	29.2	28.4	29.2
Any Illicit Drug	23.5	23.2	22.3	21.6	‡ 19.9	20.6	18.9	19.8	19.3	18.9	18.5	18.6	19.1	19.9	18.9
Any Illicit Drug other than Marijuana	9.2	8.7	9.9	8.3	‡ 7.8	8.4	8.6	8.5	8.9	8.6	8.1	8.2	8.5	8.3	7.7
Marijuana/Hashish	21.6	20.1	19.2	19.0	17.7	18.3	16.1	17.0	16.0	16.0	15.7	15.8	16.5	17.3	16.9
Inhalants	0.3	0.2	0.3	0.1	0.3	0.1	0.1	0.2	0.4	0.2	0.3	0.2	0.3	0.3	0.5
Hallucinogens	0.8	1.1	0.9	1.0	0.6	0.9	1.0	0.8	0.9	0.9	0.7	0.8	0.9	1.2	0.9
LSD	0.6	0.7	0.4	0.4	0.3	0.3	0.4	0.2	0.4	0.2	0.2	0.1	0.1	0.2	0.3
PCP	0.1	0.0	0.1	0.2	0.0	0.1	0.0	**	0.1	**	**	0.0	0.1	0.1	0.1
MDMA "Ecstasy"	1.3	0.8	‡ 1.4	1.1	1.0	0.7	0.8	0.6	0.6	0.5	0.7	0.6	0.6	0.8	1.3
Cocaine (all forms)	1.8	1.7	1.8	1.5	1.3	1.5	1.4	1.8	1.9	2.1	2.3	2.2	2.2	2.4	2.2
Crack Cocaine	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.4	0.3	0.3	0.3	0.3	0.3	0.3
Amphetamines	2.9	3.1	3.5	3.0	‡ 3.2	3.0	2.9	2.5	2.2	2.3	2.2	2.1	2.4	2.5	2.5
Methamphetamine	0.2	0.0	0.3	0.2	0.4	0.3	0.2	0.3	0.3	0.6	0.5	0.7	0.6	0.7	1.0
Crystal Methamphetamine "Ice"	0.1	0.3	0.1	0.4	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.6	0.4	0.4	0.5
Heroin	0.3	0.3	0.2	0.3	0.2	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	**
Other Narcotics	1.9	1.8	2.1	2.6	2.7	2.9	3.4	3.2	3.6	3.4	3.2	3.5	3.0	2.9	2.9
Barbiturates	1.1	0.9	1.0	1.2	1.1	1.1	1.1	1.2	1.9	1.6	1.5	1.7	1.8	1.5	1.5
Tranquilizers	1.9	1.7	1.9	1.9	1.9	2.3	2.2	2.8	2.7	2.8	2.3	2.6	2.7	2.4	2.8
Steroids	0.2	0.1	0.3	0.1	0.1	0.2	0.5	0.3	0.2	0.4	0.1	0.1	0.1	0.1	0.1
Injection Drug Use	0.3	0.2	0.1	0.3	0.2	0.2	0.1	0.1	**	**	0.1	0.1	0.1	**	**

Estimated Lifetime

Substance Use (%)	2016	2015	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	85.9	85.7	86.3	86.2	86.5	87.4	87.5	87.9	88.4	87.9	88.9	89.1	89.4	89.3	90.2
Ever Been Drunk	75.2	76.4	78.3	77.4	78.9	78.9	79.0	78.2	80.1	80.1	80.9	79.9	80.1	80.9	81.2
Any Illicit Drug	62.8	62.9	62.2	60.0	‡ 58.9	59.1	58.4	59.3	59.3	59.8	59.7	60.4	60.5	60.2	59.0
Any Illicit Drug other than Marijuana	36.2	36.8	37.3	34.2	32.8	33.2	33.3	32.8	34.7	34.2	34.8	34.0	35.2	33.9	32.8
Marijuana/Hashish	58.7	58.5	57.5	57.1	56.5	56.3	55.9	56.0	55.9	56.7	56.7	57.0	57.4	57.2	56.8
Inhalants	6.3	6.4	6.7	6.5	7.2	7.2	7.9	8.9	9.5	9.1	10.9	10.3	11.6	12.2	12.4
Hallucinogens	12.2	11.7	11.9	12.4	12.2	13.0	13.9	14.2	14.8	16.0	17.2	17.6	19.3	19.7	19.6
LSD	8.0	7.0	6.6	6.3	6.2	6.1	7.2	7.3	8.1	9.6	10.1	11.2	13.4	14.6	15.1
PCP	1.9	1.2	0.6	1.4	1.1	1.7	1.6	1.6	2.2	2.1	2.4	2.0	2.7	3.0	2.5
MDMA "Ecstasy"	12.5	12.9	‡ 12.5	11.6	11.4	11.3	12.3	11.5	13.1	13.1	14.4	14.9	16.0	15.3	14.6
Cocaine (all forms)	10.4	12.1	11.7	12.2	11.9	12.5	13.6	13.9	14.8	14.7	15.2	14.3	15.2	14.7	13.5
Crack Cocaine	1.2	1.8	2.1	2.6	2.7	2.9	3.6	3.3	4.3	3.9	4.4	4.1	4.2	4.7	4.3
Amphetamines	18.7	18.8	18.7	18.8	‡ 17.4	16.5	16.1	14.9	14.6	15.3	15.6	14.6	15.9	15.2	14.8
Methamphetamine	2.2	2.4	2.3	3.1	3.5	3.2	4.3	4.7	6.3	6.7	7.3	8.3	9.0	8.9	9.1
Crystal Methamphetamine "Ice"	1.8	2.2	1.7	2.8	2.6	3.1	2.8	3.4	3.6	3.7	4.7	4.4	4.7	4.7	4.1
Heroin	1.6	1.6	1.4	1.6	1.6	1.7	1.8	1.6	1.9	1.6	1.9	1.7	1.9	1.9	1.8
Other Narcotics	14.3	15.0	16.3	17.4	17.6	18.2	19.0	18.5	19.5	18.8	18.7	17.8	17.6	16.8	13.9
Barbiturates	7.4	8.3	9.0	9.5	‡ 7.2	7.9	8.6	9.5	10.6	9.8	9.5	10.0	9.7	8.7	8.0
Tranquilizers	12.4	12.8	12.5	13.2	13.3	13.8	14.3	13.8	15.8	14.5	15.0	14.5	14.9	13.8	13.4
Steroids	1.4	1.6	1.7	1.2	1.7	1.3	1.7	1.8	1.8	1.7	1.8	1.8	1.9	1.8	1.6
Injection Drug Use	0.7	0.7	0.7	1.0	0.5	0.7	0.8	0.5	0.5	0.5	0.6	0.6	0.4	0.5	0.4

* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

‡ Survey question was re-worded beginning with year indicated.

Data Source: Schulenberg, JE; Johnston, LD; O'Malley, PM; Bachman, JG; & Miech, RA; & Patrick, ME (2017).

Monitoring the Future national survey results on drug use, 1975-2016: Volume II, College students and adults ages 19-55

Ann Arbor: Institute for Social Research, The University of Michigan

MISSOURI ASSESSMENT OF COLLEGE HEALTH BEHAVIORS
(Formerly Missouri College Health Behavior Survey)

Reported Substance Use among Missouri College Students

	2017	2016	2015	2014	2013	2012	2011	2010	2009
ALCOHOL AND DRUG USE (%)									
Alcohol Use in Past Year	75.9	74.7	74.8	76.3	77.0	79.3	77.8	79.9	79.5
Alcohol Use in Past 30 Days	63.5	58.7	60.1	70.9	63.5	62.6	66.2	67.2	66.7
Binge Alcohol Use in One Sitting in Past 2 Weeks	26.9	25.0	24.7	28.3	27.2	27.9	32.8	33.8	35.7
Binge Alcohol Use in 2-Hour Period in Past 2 Weeks	26.6	24.5	23.9	26.9	25.6	26.3	31.2	31.7	33.5
Tobacco Use in Past Year	26.6	33.5	36.1	37.6	38.2	48.5	43.6	43.4	30.3
Cigarette Use in Past Year	14.6	16.5	16.5	17.8	20.5	18.1	18.9	19.5	15.4
Marijuana Use in Past Year	30.1	23.3	22.2	22.3	22.1	21.0	23.4	21.6	23.1
Cocaine Use in Past Year	5.0	3.3	2.7	—	2.2	—	2.4	2.3	2.9
Amphetamine Use in Past Year	4.4	4.7	3.8	—	1.9	—	3.3	2.4	2.2
Methamphetamine Use in Past Year	1.9	—	1.2	—	1.0	—	0.8	0.5	0.7
Inhalant Use in Past Year	2.1	—	1.2	—	1.1	—	1.2	0.9	0.7
Club Drug Use in Past Year	3.5	—	3.0	—	2.9	—	2.8	2.5	2.6
K2 (Synthetic Marijuana) Use in Past Year	4.5	—	1.2	—	1.9	3.2	—	—	—
Bath Salts Use in Past Year	—	—	0.8	—	1.1	1.0	—	—	—
Prescription Stimulant Use without Rx in Past Year	8.1	7.9	7.4	7.5	6.6	5.4	5.5	4.6	5.3
Prescription Pain Medication Use without Rx in Past Year	4.4	6.5	6.7	7.4	7.6	4.5	6.6	6.5	8.4
Prescription Sedative Use without Rx in Past Year	0.7	3.5	3.1	3.1	2.7	2.1	2.8	2.6	3.8
Prescription Sleep Medication Use without Rx in Past Year	1.3	1.7	1.7	4.4	2.0	1.0	1.8	2.0	2.5
AMONG ALL STUDENTS, DRINKING RELATED RISKS AND CONSEQUENCES EXPERIENCED (%)									
Hangover	49.4	47.4	47.9	50.3	50.8	48.6	51.4	52.4	53.0
Rode with Someone who Drove After Drinking	23.1	24.9	26.9	28.5	30.6	29.8	33.6	36.3	36.9
Blackout or Memory Loss	25.8	25.6	24.8	27.0	35.6	26.2	26.1	25.1	25.7
Driven After Consumption	17.0	21.2	21.4	23.5	25.2	25.5	27.3	30.0	30.5
Missed Class	16.5	15.1	15.4	17.4	16.9	16.5	18.3	20.4	21.5
Engaged in Risky Sexual Behavior	13.4	13.6	14.4	15.8	16.2	16.5	16.9	17.2	18.3
Forced or Coerced to Drink More than Desired	14.9	16.1	14.3	16.2	17.3	16.1	13.5	12.6	13.9
Hurt or Injured	9.9	9.9	9.2	11.0	11.5	11.4	11.6	11.6	11.6
Performed Poorly on Test or Assignment	9.6	8.8	9.4	11.0	10.4	10.0	11.0	12.2	12.5
Taken Advantage of Sexually	5.3	5.4	5.0	5.9	7.1	6.3	6.3	5.7	6.3
Trouble with Campus Administration	2.9	3.2	3.1	3.3	3.7	3.0	3.5	2.0	2.9
Took Advantage of Someone Sexually	0.9	0.7	1.0	2.1	2.6	2.4	2.2	2.0	2.3
Received Medical Attention	2.0	1.7	2.1	2.9	2.6	2.2	2.1	2.2	2.5
Arrested by Campus Police or Other Law Enforcement	1.1	1.3	1.3	2.0	2.3	1.9	1.8	2.3	2.3
Arrested for DUI or DWI	0.7	0.7	0.7	1.1	1.6	0.8	1.1	1.4	1.2
AMONG PAST-YEAR DRINKERS, THOSE RESPONDING "ALWAYS" OR "USUALLY" TO USE OF THESE PROTECTIVE FACTORS (%)									
Know Where One's Drink Has Been At All Times	—	90.1	85.4	81.1	80.9	81.2	82.1	83.4	—
Eat Before and/or During Alcohol Consumption	83.6	82.8	81.1	77.1	76.6	77.5	75.5	76.4	77.2
Go Home with a Friend	—	71.4	70.4	66.1	65.3	65.0	65.1	65.5	—
Use a Designated Driver	—	65.9	66.2	65.2	64.3	64.8	66.3	69.9	70.7
Purposefully Limit the Amount of Money Spent on Alcohol	—	71.4	65.8	61.7	61.4	61.2	60.3	63.8	61.0
Avoid Trying to "Keep-up or "Out-drink" Others	—	66.4	62.8	60.4	60.1	58.4	59.7	59.1	—
Drink Slowly, Rather than Gulp or Chug	61.4	59.6	53.4	53.2	53.6	48.4	49.1	49.2	—
Determine Not to Exceed a Set Number of Drinks	46.6	42.8	43.4	41.8	40.6	40.9	43.0	45.0	44.4
Avoid Mixing Different Types of Alcohol	—	44.3	44.0	40.7	41.7	38.3	38.4	39.4	—
Drink Water While Drinking Alcohol	52.5	46.4	43.5	40.6	36.6	35.9	34.4	33.2	—
Avoid Drinking Games	33.8	30.9	31.6	28.8	31.5	33.5	32.5	37.2	34.8
Alternate Alcoholic and Non-alcoholic Drinks	41.7	35.4	36.0	33.4	31.4	30.4	30.4	30.1	29.2
Have a Friend Tell You When You Have Had Enough	—	23.4	31.0	29.5	28.3	29.1	29.0	32.6	34.8
Leave the Bar or Party at Predetermined Time	36.9	34.0	32.4	27.8	28.6	29.1	28.2	30.0	—
Stop Drinking at a Predetermined Time	—	30.7	29.7	26.6	27.7	26.4	26.1	26.1	—
Put Extra Ice in Drink	—	20.4	24.6	21.3	21.8	20.4	20.0	20.3	—
Received free, non-alcoholic drinks at a bar or restaurant for being a designated sober driver	16.8								

— Question not included on survey or data not available for specified year.

Data are unweighted. 2017 Missouri Assessment of College Health Behaviors survey respondents consist of 10,781 students at 21 Missouri colleges.

Data Source: Partners in Prevention Statewide Coalition.

MISSOURI ASSESSMENT OF COLLEGE HEALTH BEHAVIORS
(Formerly Missouri College Health Behavior Survey)

Reported Mental Health Problems among Missouri College Students

	2017	2016	2015	2014	2013	2012	2011	2010	2009
LEVEL OF STRESS EXPERIENCED IN PAST TWO WEEKS (%)									
None	—	2.4	—	1.1	1.9	1.9	1.7	2.0	2.1
Minimal	—	8.9	—	8.5	10.7	11.1	10.5	13.9	11.6
A Little	—	14.8	—	16.9	18.7	19.0	18.8	20.4	20.2
Manageable	—	45.6	—	48.8	47.5	47.7	47.2	44.6	45.4
Overwhelming	—	23.7	—	21.1	18.3	18.1	19.5	16.7	18.5
Unbearable	—	4.6	—	2.7	2.1	2.0	2.3	2.1	2.3
AMONG ALL STUDENTS, MAIN SOURCES OF STRESS (%)									
School / Academics	—	87.1	—	89.4	—	77.2	78.7	75.2	74.4
Financial Concerns	—	54.2	—	54.4	—	47.4	50.6	49.2	50.3
Future Plans	—	50.3	—	53.2	—	43.9	44.3	42.9	50.2
Time Management	—	50.8	—	52.2	—	43.1	47.1	43.6	52.8
Job	—	37.0	—	34.9	—	31.1	32.1	32.9	34.1
Dating / Relationship with Partner	—	27.5	—	29	—	26.2	28.8	31.8	36.0
Family	—	30.0	—	29.7	—	25.0	27.7	28.4	31.6
Physical Health	—	26.2	—	25.1	—	20.1	22.3	23.3	22.2
Outside Organizations / Responsibilities	—	20.4	—	22.8	—	17.7	17.7	15.5	18.1
Friends	—	19.0	—	19.6	—	16.1	17.6	18.5	22.3
Roommates	—	15.8	—	16.6	—	14.6	15.8	15.3	17.7
Mental Health Issues	—	15.7	—	9.9	—	7.2	7.4	8.1	8.9
Other Source of Stress	—	2.2	—	2.6	—	2.6	3.2	3.7	4.1
AMONG ALL STUDENTS, MENTAL HEALTH PROBLEMS EXPERIENCED IN PAST YEAR (%)									
Anxiety	49.0	47.3	45.0	44.1	39.4	34.4	34.9	32.7	35.8
Chronic Sleep Disorder	17.1	18.5	18.2	18.8	18.1	15.0	16.8	15.6	16.6
Suicidal Thoughts	17.6	17.4	15.0	15	13.6	13.6	13.4	13.1	—
Major Depression	24.6	22.9	21.4	18.5	17.6	12.5	12.5	12.1	12.9
Panic Attack	21.5	19.2	17.2	15.4	13.4	11.7	12.5	11.6	12.3
Eating Disorder	6.8	6.5	6.6	5.8	6.4	5.3	5.0	4.7	6.0
Self-injury	4.7	4.6	4.5	3.6	3.8	3.5	4.0	3.7	3.9
Abusive Relationship	4.2	3.8	4.1	3.2	3.1	3.0	3.2	2.8	3.1
Alcohol Use Disorder or Dependency	2.6	2.7	2.8	2.8	3.2	2.8	2.8	3.1	4.3
Bipolar Disorder	2.5	2.8	2.8	2.6	2.3	2.1	2.3	2.3	2.7
Sexual Assault	2.8	2.6	2.1	1.5	1.4	1.1	1.2	0.9	1.1
Suicide Attempt	1.3	1.6	1.5	0.9	0.9	1.0	0.8	0.9	—
Other Problem	1.7	1.7	1.9	0.4	1.7	1.5	1.5	1.8	1.8
None of the Listed Problems	41.7	40.9	41.7	43.3	46.7	42.2	42.3	43.7	45.7
AMONG STUDENTS EXPERIENCING PROBLEMS, THOSE WHO SOUGHT ASSISTANCE FOR THE FOLLOWING (%)									
Major Depression	—	—	47.7	50.3	48.4	53.3	50.0	48.5	47.5
Panic Attack	—	—	41.8	42.6	44.4	43.1	41.1	38.3	39.6
Bipolar Disorder	—	—	51.7	50.8	49.2	42.0	51.5	48.7	44.7
Abusive Relationship	—	—	28.0	35.1	33.9	38.5	35.8	34.8	32.0
Anxiety	—	—	39.1	26.9	37.1	36.8	34.2	32.2	33.2
Chronic Sleep Disorder	—	—	35.4	31.8	31.2	32.6	31.1	29.7	29.8
Self-injury	—	—	39.2	39.4	38.1	30.9	32.8	28.5	31.0
Sexual Assault	—	—	25.0	30.3	27.9	28.2	26.6	32.2	22.1
Eating Disorder	—	—	27.9	24.9	26.7	27.2	23.1	30.2	23.1
Alcohol Use Disorder or Dependency	—	—	22.4	21	18.4	22.6	16.6	21.2	19.0
Other Problem	—	—	48.5	51.9	45.6	48.6	45.4	46.2	45.5


— Question not included on survey or data not available for specified year.

Data are unweighted. 2017 Missouri Assessment of College Health Behaviors survey respondents consist of 10,781 students at 21 Missouri colleges.


Data Source: Partners in Prevention Statewide Coalition.

ALCOHOL USE AMONG MISSOURI COLLEGE STUDENTS


Past-Year Alcohol Use (%): Students Completing the Missouri Assessment of College Health Behaviors




Past 30-Day Alcohol Use (%): Students Completing the Missouri Assessment of College Health Behaviors



Past 2-Week Binge Alcohol Use in One Sitting (%): Students Completing the Missouri Assessment of College Health Behaviors



Past 2-Week Binge Alcohol Use in 2-Hour Period (%): Students Completing the Missouri Assessment of College Health Behaviors




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.


Missouri College Health Behavior Survey, 2008-2016; Missouri Assessment of College Health Behaviors, 2017.

NON-PRESCRIPTION DRUG USE AMONG MISSOURI COLLEGE STUDENTS


Past-Year Stimulant Use without Prescription (%): Students Completing the Missouri Assessment of College Health Behaviors




Past-Year Pain Medication Use without Prescription (%): Students Completing the Missouri Assessment of College Health Behaviors



Past-Year Sedative Use without Prescription (%): Students Completing the Missouri Assessment of College Health Behaviors



Past-Year Sleep Medication Use without Prescription (%): Students Completing the Missouri Assessment of College Health Behaviors




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.


Missouri College Health Behavior Survey, 2008-2016; Missouri Assessment of College Health Behaviors, 2017.

ILLICIT DRUG USE AMONG MISSOURI COLLEGE STUDENTS


Past-Year Marijuana Use (%): Students Completing the Missouri College Health Behavior Survey




Past-Year Cocaine Use (%): Students Completing the Missouri College Health Behavior Survey




Past-Year Amphetamine Use (%): Students Completing the Missouri College Health Behavior Survey



Past-Year Inhalant Use (%): Students Completing the Missouri College Health Behavior Survey



Past-Year Club Drug Use (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2008-2016; Missouri Assessment of College Health Behaviors, 2017.

Some questions were not included in the 2012, 2014, and 2016 surveys.

**PREGNANCY RISK ASSESSMENT MONITORING SYSTEM (PRAMS)
TABLES FOR ALCOHOL, TOBACCO, AND MENTAL HEALTH**

Survey results of samples of Missouri women after having a live birth:

	2014	2013	2012	2011	2010	2009	2008	2007
ALCOHOL								
Binge Alcohol Use (4 or More Drinks on One Occasion) During 3 Months Before Pregnancy (%)	16.2	19.4	22.3	27.6	28.0	30.7		
Any Alcohol Use During 3 Months Before Pregnancy (%)	57.6	57.0	58.4	60.4	57.7	58.6	58.5	57.7
Any Alcohol Use During Last 3 Months of Pregnancy (%)	6.5	8.4	8.4	5.4	5.2	4.8	5.5	4.5
Change in Drinking from 3 Months Before Pregnancy to Last 3 Months of Pregnancy (%)								
Non-Drinkers	42.2	43.0	41.6	39.6	42.1	41.4	41.2	42.3
Drinkers	57.8	56.9	58.4	60.4	57.9	58.6	58.7	57.7
Drinkers Who Quit, Among Total Sample	51.3	49.1	50.0	55.0	52.7	53.8	53.3	53.2
Drinkers who Reduced Number of Drinks	2.8	3.3	2.6	2.8	3.8	2.1	2.8	2.7
Drinkers who Increased or Maintained Same Number of Drinks	3.6	4.4	5.3	2.6	1.2	2.6	2.4	1.8
Non-Drinkers Who Began or Resumed Drinking	0.1	1.4	0.5	0.0	0.2	0.0	0.2	0.0
Drinkers who Quit During Pregnancy, Among Drinkers Only (%) *	89.1	86.3	86.4	91.0	91.3	91.9	91.0	92.2
TOBACCO								
Tobacco Smoking During Three Months Before Pregnancy (%)	30.0	28.3	32.2	33.6	33.5	35.2	34.7	31.7
Tobacco Smoking During Last Three Months of Pregnancy (%)	17.6	15.0	19.0	18.5	16.7	18.9	21.8	18.4
Change in Smoking from 3 Months Before Pregnancy to Last 3 Months of Pregnancy (%)								
Non-Smokers	70.0	71.5	67.7	66.4	66.7	64.6	65.3	68.3
Smokers	23.0	28.5	32.3	33.5	33.4	35.4	34.7	31.7
Smokers Who Quit, Among Total Sample	12.4	13.4	13.3	15.1	16.6	16.4	13.0	13.4
Smokers Who Reduced Number of Cigarettes Per Day	13.4	10.5	12.1	12.0	11.1	11.1	13.9	12.2
Smokers Who Increased or Maintained Same Number of Cigarettes Per Day	4.3	4.4	6.7	6.3	5.7	7.7	7.8	6.1
Non-Smokers Who Began or Resumed Smoking	0.02	0.2	0.0	0.1	0.0	0.2	0.0	0.0
Tobacco Smokers Who Quit During Pregnancy, Among Smokers Only (%) *	41.2	47.3	41.3	45.2	49.7	46.6	37.4	42.1
MENTAL HEALTH								
Anxiety During 3 Months Before Pregnancy (%)				14.1	13.4	13.1		
Depression During 3 Months Before Pregnancy (%)				12.0	13.1	13.6		
Before pregnancy, health care worker reported mother had depression (%)	15.7	9.6	11.6					
Before pregnancy, mother visited a health care worker for depression or anxiety (%)	21.8	15.9	17.7					

Asterisk (*) Indicates calculated values.

Blank cells indicate data not collected or available.

Data are weighted and based on responses from approximately 1,200 mothers of newborns each year.

Data Sources:


Missouri Department of Health and Senior Services, Office of Epidemiology.

U.S. Department of Health and Human Services, Centers for Disease Control and Prevention: Pregnancy Risk Assessment Monitoring System.

ECONOMIC COSTS OF MENTAL ILLNESS AND SUBSTANCE USE DISORDERS IN THE U.S. AND MISSOURI

Estimated Annual Economic Cost of Serious Mental Illness in the United States and Missouri

U.S. Cost of Serious Mental Illness: \$467 Billion in 2012




- Productivity Losses: \$285 Billion
- Healthcare Expenditures: \$147 Billion
- Disability Payments: \$35 Billion

Missouri Portion of Serious Mental Illness Cost Estimate:
2.3% = \$10.8 Billion Annually

Data Sources: Insel, TR (2015). Estimates updated from Insel, TR: Assessing the Economic Costs of Serious Mental Illness. *American Journal of Psychiatry* 2008;165(6):663-665. Extracted from <http://www.nimh.nih.gov/about/director/2015/mental-health-awareness-month-by-the-numbers.shtml> Aug 18, 2016. Missouri estimate is derived from the nationwide estimates based on U.S. and Missouri mental illness data from the 2013-2014 National Survey on Drug Use and Health.

Estimated Annual Economic Cost of Alcohol Use Disorders in the United States and Missouri

U.S. Alcohol Use Disorder Cost \$249.0 Billion in 2010




- Productivity Losses: \$179 Billion
- Healthcare Expenditures: \$28 Billion
- Criminal Justice: \$25 Billion
- Traffic Crashes: \$13 Billion
- Other Effects: \$4 Billion

Missouri Alcohol Use Disorder Cost Estimate:
\$4.5 Billion Annually

Data Sources: Centers for Disease Control and Prevention (2016). Excessive Drinking is Draining the U.S. Economy. <http://www.cdc.gov/features/costsofdrinking/>. Sacks, J; Roeber, J; Bouchery, E; Gonzales, K; Chaloupka, F; Brewer, R (2013). Missouri estimate is from State Costs of Excessive Alcohol Consumption, 2006. *American Journal of Preventive Medicine* 45(4):474-485.

Estimated Annual Economic Cost of Drug Use Disorders in the United States and Missouri

U.S. Drug Use Disorder Cost: \$193.1 Billion in 2007



- Criminal Justice System: \$61.4 Billion
- Crime Victims: \$5.0 Billion
- Productivity Losses, Drug-related Incarceration and Homicide: \$11.9 Billion
- Productivity Losses, Other Drug-related: \$51.9 Billion
- Healthcare Expenditures: \$11.4 Billion


Missouri Portion of Drug Use Disorder Cost Estimate:
1.9% = \$3.6 Billion Annually

Note: Additional studies indicate prescription opioid misuse accounted for \$55.7 billion of these costs in 2007 and \$78.5 billion in 2013.

Data Sources: National Drug Intelligence Center (2011). The Economic Impact of Illicit Drug Use on American Society. Johnstown, PA: U.S. Dept of Justice. Birnbaum, HG et al (2011). Societal Costs of Prescription Opioid Abuse, Dependence, and Misuse in the United States. *Pain Medicine* 2011(12): 657-667. NIDA. (2017, April 24). Trends & Statistics. Retrieved from <https://www.drugabuse.gov/related-topics/trends-statistics> on 2017, September 27. Missouri estimate is derived from the nationwide study based on the Missouri portion of illicit drug use disorder estimates from the 2013-2014 NSDUH.

Estimated Annual Economic Cost of Cigarette Smoking in the United States and Missouri

U.S. Cigarette Smoking Cost: \$332.5 Billion




- Productivity Losses: \$151 Billion in 2009
- Healthcare Expenditures: \$175.9 Billion in 2013
- Secondhand Smoke: \$5.6 Billion in 2006

Missouri Portion of Cigarette Smoking Cost Estimate:
2.5% = \$8.4 Billion Annually

Data Sources: U.S. Department of Health and Human Services (2014). The Health Consequences of Smoking — 50 Years of Progress. A Report of the Surgeon General. Atlanta, GA: Centers for Disease Control and Prevention. Missouri estimate is derived from the nationwide estimates based on U.S. and Missouri cigarette smoking data from the 2013-2014 National Survey on Drug Use and Health.


MISSOURI BIRTHS AND FETAL EXPOSURE TO ALCOHOL AND DRUGS

Missouri Resident Births, 1990-2015



Data Source: Missouri Department of Health and Senior Services.


Missouri Resident Newborns Diagnosed with Fetal Alcohol Syndrome or Alcohol-Affected, 2000-2015



Note: Beginning with 2015, data are not fully comparable to prior years. ICD-10 medical coding replaced ICD-9 in the 4th quarter of 2015, and newborns diagnosed with exposure to alcohol and one or more drugs are counted in each applicable substance category.

Data Source: Missouri Department of Health and Senior Services.


Missouri Resident Newborns Diagnosed with Illicit Drug Effects, 2000-2015



Note: Beginning with 2015, data are not fully comparable to prior years. ICD-10 medical coding replaced ICD-9 in the 4th quarter of 2015, and newborns diagnosed with exposure to more than one drug, including alcohol, are counted in each applicable substance category.

Data Source: Missouri Department of Health and Senior Services.


Missouri Resident Births Involving Mother Reporting Smoking During Pregnancy, 2000-2015




Data Source: Missouri Department of Health and Senior Services.

HOSPITAL AND EMERGENCY DEPARTMENT EPISODES FOR SUBSTANCE USE DISORDERS


Alcohol Use Disorder Principal Diagnosis, Missouri Residents: 2010-2015




Alcohol Use Disorder Secondary Diagnosis, Missouri Residents: 2010-2015



Drug Use Disorder Principal Diagnosis, Missouri Residents: 2010-2015



Drug Use Disorder Secondary Diagnosis, Missouri Residents: 2010-2015




Note: Hospital and emergency room records are coded using ICD-9 diagnosis codes prior to October 2015 and ICD-10 codes beginning October 2015. Alcohol and drug disorder counts are based on sets of ICD-9 and ICD-10 diagnosis codes determined by the Healthcare Cost and Utilization Program (HCUP). Hospital and E.R. counts beginning in 2015 may not be comparable to counts in 2014 and prior years.


Data Source: Missouri Department of Health and Senior Services.

HOSPITAL AND EMERGENCY DEPARTMENT EPISODES FOR MENTAL DISORDERS


Mental Disorder Principal Diagnosis, Missouri Residents: 2010-2015



Mental Disorder Secondary Diagnosis, Missouri Residents: 2010-2015



Individuals Receiving Hospital and/or E.R. Services with Mental Disorder Principal Diagnosis Oct-Dec 2015: DBH Region




Note: Hospital and emergency room records are coded using ICD-9 diagnosis codes prior to October 2015 and ICD-10 codes beginning October 2015. Mental disorder counts are based on sets of ICD-9 and ICD-10 diagnosis codes determined by the Healthcare Cost and Utilization Program (HCUP). Serious Mental Illness (SMI) designation is based on a subset of HCUP ICD-10 codes selected by the Missouri Department of Mental Health, Division of Behavioral Health. Hospital and E.R. counts beginning in 2015 may not be comparable to counts in 2014 and prior years.

Data Source: Missouri Department of Health and Senior Services.


DISEASES ASSOCIATED WITH SUBSTANCE USE

Newly Diagnosed HIV Disease Cases Associated with All Causes of Exposure: Missouri Residents, 2000-2016



Data Source: Missouri Department of Health and Senior Services, Bureau of Reportable Disease Informatics.


Newly Diagnosed HIV Disease Cases Involving Injection Drug Use Risk Factor: Missouri Residents, 2000-2016



* MSM denotes HIV risk factor for men who have sex with men.


Data Source: Missouri Department of Health and Senior Services, Bureau of Reportable Disease Informatics.

Newly Diagnosed Hepatitis B Cases: Missouri Residents, 2004-2016




Data Source: Missouri Department of Health and Senior Services, Bureau of Reportable Disease Informatics.

Newly Diagnosed Hepatitis C Cases: Missouri Residents, 2005-2016



Data Source: Missouri Department of Health and Senior Services, Bureau of Reportable Disease Informatics.


Newly Diagnosed Tuberculosis Cases: Missouri Residents, 2000-2016




Data Source: Missouri Department of Health and Senior Services, Bureau of Communicable Disease Control and Prevention.

SUICIDE, HOMICIDE, AND SUBSTANCE-RELATED DEATHS


Missouri Resident Deaths, 2000-2015




Suicide Deaths: Missouri Residents, 2000-2015




Homicide Deaths: Missouri Residents, 2000-2015




Alcohol Induced Deaths: Missouri Residents, 2000-2015



Drug Induced Deaths: Missouri Residents, 2000-2015




Smoking Attributable Deaths: Missouri Residents, 2000-2015



Data Source (all charts): Missouri Department of Health and Senior Services.


ALCOHOL INVOLVED TRAFFIC CRASHES

Total Traffic Crashes in Missouri, 2000-2016




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

Traffic Crashes Involving Alcohol Impaired Driver, 2001-2016




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

Traffic Crashes Involving Alcohol Impaired Driver, by Crash Severity, 2001-2016



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.


Traffic Crash Fatalities and Injuries Involving Alcohol Impaired Driver, 2001-2016



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.


DRUG INVOLVED TRAFFIC CRASHES

Total Traffic Crashes in Missouri, 2000-2016




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

Traffic Crashes Involving Drug Impaired Driver, 2002-2016




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

Traffic Crashes Involving Drug Impaired Driver, by Crash Severity, 2002-2016



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.


Traffic Crash Fatalities and Injuries Involving Drug Impaired Driver, 2002-2016




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

SUBSTANCE INVOLVED BOATING CRASHES


Recreational Boating Crashes in Missouri, Total, 2007-2016




Recreational Boating Crashes in Missouri by Crash Severity, Total, 2007-2016



Recreational Boating Crashes Involving Alcohol or Drug Impaired Operator, 2011-2016




Recreational Boating Crash Fatalities and Injuries Involving Alcohol or Drug Impaired Operator, 2011-2016



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol.
Missouri Boating Statistics & Drownings annual report, 2012-2017 editions.


MISSOURI ALCOHOL AND DRUG ARRESTS

Arrests for DUI/DWI Alcohol or Drug Impaired Driving, 2001-2016




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.
Uniform Crime Reports (UCR) 2001-2005 and Missouri DWI Tracking System (DWITS) 2006-2016.

Arrests for Impaired Boating, 2001-2016




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

Arrests for Liquor Law Offenses, 2001-2016




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

Arrests for Drug Offenses, 2001-2016



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.


Methamphetamine Lab and Equipment Confiscations, 2001-2016



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Division of Drug and Crime Control, EPIC System.


MISSOURI JUVENILE COURT ENCOUNTERS

Out-of-Home Placements of Children Due to Parental Substance Use and Other Reasons, 1997-2016



Data Source: Missouri Department of Social Services. Annual special data tabulations. Based on child's most recent removal reason within year.


Juvenile Court Referrals for Alcohol, Drug, Violent, and Other Law Violations, 1995-2016



Data Source: Missouri Office of State Courts Administrator (2009-2016); Missouri Department of Social Services (1995-2008).


MISSOURI CRIMINAL JUSTICE INTERVENTIONS FOR ALCOHOL AND DRUG OFFENSES

Drug Courts and Mental Health Courts by Type, and Number of Participants, Fiscal Years 2000-2017



Data Source: Missouri Office of State Courts Administrator.


Prison and Probation/Parole Admissions for Driving while Intoxicated and Drug Convictions, Fiscal Years 2001-2017




Data Source: Missouri Department of Corrections. Annual special data tabulations.

ALCOHOL CONSUMPTION

Per Capita Consumption of Ethanol in All Beverage Alcohol, United States and Missouri, Ages 14 and Older, 1970-2015




Per Capita Consumption of Ethanol by Type of Beverage, United States and Missouri, Ages 14 and Older, 1970-2015



Data Source: U.S. Dept. of Health and Human Services, NIAAA. Surveillance Report #108: Apparent Per Capita Alcohol Consumption: National, State, and Regional Trends, 1977-2015 (and prior reports).


MISSOURI LIQUOR LICENSES

Retail Liquor Licenses Issued, 1995-2016




Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control.

Retail Liquor Licenses Issued: DBH Planning Regions, 2002-2016



Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control.

Retail Liquor Licenses Issued Per 10,000 Population: DBH Planning Regions, 2002-2016




Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control.

Rates based on U.S. Census Bureau annual population estimates.


MISSOURI TOBACCO SALES

Trend in Tobacco Tax Revenue (in Millions), Fiscal Years 2001-2016



Data Source: Missouri Department of Revenue. Annual report: "Taxes Administered"

Apparent Packs of Cigarettes (in Millions) Sold in Missouri Based on Cigarette Tax Revenues: Fiscal Years 2001-2016




Data Source: Missouri Department of Revenue. Derived from data in "Taxes Administered" annual fiscal report.

Total cigarette sales estimates are based on the cigarette tax portion of tobacco tax receipts.

Breakouts for Jackson County and St. Louis County are based on supplemental county cigarette tax receipts.


MISSOURI PRESCRIPTION OPIOID SALES AND OPIOID OVERDOSE DEATHS

Opioid Prescriptions Filled Per 100 Missouri Residents, 2006-2016



Data Source: U.S. Dept of Health and Human Services, Centers for Disease Control and Prevention.
<https://www.cdc.gov/drugoverdose/maps/rxrate-maps.html>


Missouri Resident Deaths Attributed to Opioid Drugs, 2013-2015




Data Source: U.S. Dept of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics, National Vital Statistics System, Mortality. CDC WONDER, Atlanta, GA.

MISSOURI UNEMPLOYMENT

Unemployment Rates in the United States and Missouri: Annual Averages, 1990-2016



Unemployment Rates in Missouri DBH Planning Regions: Annual Averages, 1990-2016



Data Sources: Missouri Dept of Economic Development, Missouri Economic Research and Information Center.

Local Area Unemployment Statistics: <http://www.missourieconomy.org/indicators/laus/default.aspx>.

U.S. Dept of Labor, Bureau of Labor Statistics. Labor Force Statistics from the Current Population Survey.

Table: Employment status of the civilian noninstitutional population, 1941 to date.

MISSOURI

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	5,661	5,014	5,140
CSTAR Adolescent	2,035	2,058	2,146
CSTAR Women and Children	4,376	4,060	3,876
CSTAR General Adult	17,953	17,656	17,278
CSTAR Opioid	850	661	610
Primary Recovery Treatment	2,365	3,079	3,380
Clinical SATOP (CIP, YCIP, SROP)	4,753	5,265	5,667
Other Substance Abuse Treatment	728	700	757

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	18,892	20,936	22,729
- Adolescent Diversion Education Program	415	718	682
- Offender Education Program	6,727	7,545	8,268
- Weekend Intervention Program	3,731	4,166	4,666
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	886	1,050	1,004
Compulsive Gambling	68	91	81
Recovery Supports	3,424	2,981	4,985
Early Intervention	1,679	1,627	1,548

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014
Total Individuals	33,406	33,965	34,829
AGE			
Under 18	2,072	2,088	2,193
18 to 24	4,646	5,017	5,575
25 to 29	5,753	5,820	5,894
30 to 34	5,671	5,842	5,887
35 to 39	4,418	4,219	4,182
40 to 44	3,066	3,293	3,300
45 to 54	5,248	5,328	5,640
55 and Over	2,532	2,358	2,158

GENDER			
Male	21,087	21,912	23,075
Female	12,314	12,052	11,750

RACE / ETHNICITY			
Caucasian	25,517	26,084	26,584
African American	6,322	6,325	6,720
Native American / Alaskan	68	100	107
Asian / Pacific Islander	74	88	70
Hispanic	758	751	756
Other Race / Two or More Races	922	874	865

EDUCATION			
Less than High School Diploma	10,638	10,949	11,465
High School Graduate or G.E.D.	15,073	15,259	15,359
Associate Degree or Some College	7,370	7,434	7,617
Bachelor or Advanced Degree	325	322	385

EMPLOYMENT			
Employed	10,047	10,026	9,845
Unemployed	11,101	11,525	12,687
Not in Labor Force	12,258	12,413	12,297

HOUSING / LIVING ARRANGEMENT			
Independent Living	26,060	26,489	27,358
Dependent Living	3,909	3,957	4,164
Homeless	2,349	2,195	2,082

MARITAL / FAMILY STATUS			
Never Married	19,468	19,765	20,150
Married / Cohabiting	7,222	7,423	7,574
Previously Married	6,716	6,777	7,105

PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Alcohol	10,672	11,989	12,757
Marijuana / Hashish	7,044	7,591	7,986
Cocaine (total)	1,192	1,216	1,487
- Crack	793	819	976
Stimulant (total)	6,872	6,153	5,804
- Methamphetamine	6,415	5,973	5,558
Heroin	4,681	4,062	3,673
Analgesic except Heroin	2,205	2,172	2,249
- Non-Prescription Methadone	34	28	27
PCP, LSD, other Hallucinogen	248	248	283
Tranquilizer	297	296	278
Inhalant	12	23	34
Sedative	23	31	35
Other Medication or Illicit Drug	160	184	243
Average Age at First Use of Drug	18.8	18.5	18.3

INJECTION DRUG USE			
Any Injection Use at Admission	6,639	5,946	5,760
- Daily Injection Use	2,300	1,998	1,881
- Weekly Injection Use	1,761	1,447	1,448
- Less than Weekly Injection Use	2,578	2,501	2,431

LIFETIME DUI / DWI ARRESTS			
0	20,518	20,252	20,091
1 or 2	8,325	8,872	9,638
3 or More	4,563	4,841	5,100

TREATMENT REFERRAL SOURCE			
Self / Family / Friend	12,982	10,860	11,203
School	124	130	146
Mental Health Provider	272	385	457
Health Care Provider	2,168	2,002	1,609
Court / Criminal Justice	13,113	14,850	15,668
Other Referral Source	3,668	4,721	4,624

TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	742	606	654
Military Veteran	1,194	1,351	1,458
Special Education Services Needed	2,526	2,628	2,543
Co-Occurring Psychological Problem	12,740	13,305	12,606
Co-Occurring Developmental Problem	1,049	856	1,048

DIVISION OF BEHAVIORAL HEALTH
FISCAL YEAR 2016 SUBSTANCE USE TREATMENT ADMISSIONS: MALES

ALL RACES		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		26,111	548	1,246	4,007	4,012	4,043	3,131	2,528	4,607	1,911
<i>Substance Use Treatment</i>											
Alcohol		9,632	20	113	884	1,315	1,415	1,173	1,129	2,438	1,145
Cocaine/Crack		937	*	5	25	46	72	83	130	413	163
Heroin		2,125	*	11	344	447	436	346	177	200	164
Marijuana		5,705	237	995	1,488	933	759	469	335	402	87
Methamphetamine		2,887	*	36	465	469	609	477	326	422	81
Prescription Drugs		621	5	27	128	119	130	69	58	61	24
All Other Drugs		1,166	16	50	230	275	213	161	88	104	29
<i>Non-Substance Use Treatment</i>											
Recovery Supports		2,606	*	*	437	405	396	337	280	549	201
Co-dependent Services		403	268	8	5	*	7	8	*	12	11
Compulsive Gambling		29	*	*	*	*	6	8	*	6	6
CAUCASIAN		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		18,875	296	879	3,051	3,084	3,027	2,286	1,811	3,174	1,218
<i>Substance Use Treatment</i>											
Alcohol		7,817	12	103	778	1140	1180	946	901	1878	879
Cocaine/Crack		213	*	*	11	20	25	26	25	85	17
Heroin		1,210	*	9	300	329	238	157	64	87	26
Marijuana		3,611	137	653	962	578	474	284	216	255	52
Methamphetamine		2,738	*	35	435	442	574	457	311	403	79
Prescription Drugs		559	*	27	107	107	121	62	53	58	20
All Other Drugs		911	14	47	195	217	154	121	62	78	23
<i>Non-Substance Use Treatment</i>											
Recovery Supports		1,571	*	*	259	249	249	219	174	314	106
Co-dependent Services		219	127	*	*	*	7	8	*	10	10
Compulsive Gambling		26	*	*	*	*	5	6	*	6	6
AFRICAN AMERICAN		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		5,990	192	254	728	740	821	739	619	1,252	623
<i>Substance Use Treatment</i>											
Alcohol		1,353	*	*	50	106	166	180	168	460	217
Cocaine/Crack		683	*	*	11	20	42	52	99	316	142
Heroin		835	*	*	29	96	175	182	110	107	136
Marijuana		1,752	72	240	434	317	249	168	109	132	31
Methamphetamine		60	*	*	9	10	11	11	9	9	*
Prescription Drugs		48	*	*	14	10	9	5	*	*	*
All Other Drugs		215	*	*	29	49	52	35	25	19	5
<i>Non-Substance Use Treatment</i>											
Recovery Supports		892	*	*	151	132	117	104	95	206	87
Co-dependent Services		150	118	8	*	*	*	*	*	*	*
Compulsive Gambling		*	*	*	*	*	*	*	*	*	*
OTHER RACES		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		1,246	60	113	228	188	195	106	98	181	70
<i>Substance Use Treatment</i>											
Alcohol		462	6	6	56	69	69	47	60	100	49
Cocaine/Crack		41	*	*	*	6	5	5	6	12	*
Heroin		80	*	*	15	22	23	7	*	6	*
Marijuana		342	28	102	92	38	36	17	10	15	*
Methamphetamine		89	*	*	21	17	24	9	6	10	*
Prescription Drugs		14	*	*	7	*	*	*	*	*	*
All Other Drugs		40	*	*	6	9	7	5	*	7	*
<i>Non-Substance Use Treatment</i>											
Recovery Supports		143	*	*	27	24	30	14	11	29	8
Co-dependent Services		34	23	*	*	*	*	*	*	*	*
Compulsive Gambling		*	*	*	*	*	*	*	*	*	*

Each treatment recipient is counted only once -- in either a Substance Use Treatment or Non-Substance Use Treatment category.

The "Other Races" category includes Hispanic, Native American, Alaskan, Asian, Pacific Islander, all other, and multi-racial.

* An asterisk in a data cell indicates the cell count was fewer than 5 or the column or row total was suppressed to avoid disclosure of identifying information.

DIVISION OF BEHAVIORAL HEALTH
FISCAL YEAR 2016 SUBSTANCE USE TREATMENT ADMISSIONS: FEMALES

ALL RACES		All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS		13,335	384	549	2,218	2,508	2,524	1,583	1,194	1,777	528
<i>Substance Use Treatment</i>											
Alcohol		3,125	18	67	312	404	487	393	395	775	274
Cocaine/Crack		550	*	7	28	45	73	76	91	187	43
Heroin		1,548	*	17	339	408	361	182	79	110	52
Marijuana		2,282	101	350	543	428	347	183	140	164	26
Methamphetamine		2,666	*	50	514	621	629	363	238	226	21
Prescription Drugs		644	*	22	104	142	142	96	45	64	26
All Other Drugs		938	5	32	171	240	214	109	68	76	23
<i>Non-Substance Use Treatment</i>											
Recovery Supports		1,138	*	*	203	217	258	165	119	142	34
Co-dependent Services		410	253	*	*	*	11	14	18	20	15
Compulsive Gambling		34	*	*	*	*	*	*	*	13	14
CAUCASIAN											
TOTAL ADMISSIONS		10,620	224	436	1,858	2,051	2,084	1,300	964	1,309	352
<i>Substance Use Treatment</i>											
Alcohol		2,598	14	58	272	343	417	331	336	622	205
Cocaine/Crack		158	*	*	10	13	25	29	29	41	7
Heroin		1,082	*	17	292	308	252	116	39	49	9
Marijuana		1,678	79	259	390	298	257	139	109	129	18
Methamphetamine		2,534	*	47	483	581	599	356	228	215	21
Prescription Drugs		607	*	19	96	136	132	93	45	58	25
All Other Drugs		815	5	31	151	205	187	89	60	68	19
<i>Non-Substance Use Treatment</i>											
Recovery Supports		883	*	*	162	164	203	134	101	98	21
Co-dependent Services		235	119	*	*	*	10	12	16	16	15
Compulsive Gambling		30	*	*	*	*	*	*	*	13	12
AFRICAN AMERICAN											
TOTAL ADMISSIONS		2,083	116	57	250	330	338	220	192	399	160
<i>Substance Use Treatment</i>											
Alcohol		366	*	*	18	39	45	40	44	118	57
Cocaine/Crack		362	*	*	17	28	42	39	59	139	36
Heroin		412	*	*	36	78	98	62	36	59	43
Marijuana		458	10	49	122	107	74	34	25	29	8
Methamphetamine		37	*	*	8	13	9	*	*	*	*
Prescription Drugs		20	*	*	6	*	*	*	*	5	*
All Other Drugs		95	*	*	11	26	24	16	8	6	*
<i>Non-Substance Use Treatment</i>											
Recovery Supports		195	*	*	31	37	41	25	15	37	9
Co-dependent Services		135	105	*	*	*	*	*	*	*	*
Compulsive Gambling		*	*	*	*	*	*	*	*	*	*
OTHER RACES											
TOTAL ADMISSIONS		632	44	56	110	127	102	63	38	69	16
<i>Substance Use Treatment</i>											
Alcohol		161	*	5	22	22	25	22	15	35	12
Cocaine/Crack		30	*	*	*	*	6	8	*	7	*
Heroin		54	*	*	11	22	11	*	*	*	*
Marijuana		146	12	42	31	23	16	10	6	6	*
Methamphetamine		95	*	*	23	27	21	6	6	9	*
Prescription Drugs		17	*	*	*	*	6	*	*	*	*
All Other Drugs		28	*	*	9	9	*	*	*	*	*
<i>Non-Substance Use Treatment</i>											
Recovery Supports		60	*	*	10	16	14	6	*	7	*
Co-dependent Services		40	29	*	*	*	*	*	*	*	*
Compulsive Gambling		*	*	*	*	*	*	*	*	*	*

Each treatment recipient is counted only once -- in either a Substance Use Treatment or Non-Substance Use Treatment category.


The "Other Races" category includes Hispanic, Native American, Alaskan, Asian, Pacific Islander, all other, and multi-racial.

* An asterisk in a data cell indicates the cell count was fewer than 5 or the column or row total was suppressed to avoid disclosure of identifying information.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.


¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.

¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.


AGE PROFILES OF SUBSTANCE USE INTERVENTION AND TREATMENT PROGRAM ADMISSIONS

Substance Abuse Traffic Offender Program (SATOP) Participation by Single Years of Age, Fiscal Year 2016




Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

Individuals Admitted to DBH Substance Use Treatment Programs by Single Years of Age, Fiscal Year 2016



Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

MISSOURI



DBH REGION	All Regions
DBH SERVICE AREAS	
Substance Use	All Service Areas
Adult Psychiatric	All Service Areas
POPULATION	
Census 2010	5,988,927
2016 Estimate	6,093,000

BIRTH RISK	2015	2014	2013
Resident Births	75,042	75,104	75,244
Mother Reported Smoking while Pregnant	11,802	12,454	13,155

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	517	474	485
Hepatitis B Chronic, Acute, Prenatal	562	703	606
Hepatitis C Chronic and Acute	5,088	7,787	5,326
Tuberculosis Infection Cases	2,996	2,934	3,321

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	59,810	58,141	57,254
Suicide	1,043	1,004	958
Homicide	539	440	390
Alcohol Induced Deaths	509	475	444
Drug Induced Deaths	1,088	1,121	1,042
Smoking Attributable Deaths	10,300	10,121	10,109
Self-inflicted Injuries *	6,342	7,494	7,691
Assault Injuries *	21,327	19,919	21,662

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	46,671	42,324	43,464
Mental Illness Secondary Diagnosis	99,429	75,346	79,382
Alcohol Principal Diagnosis	4,293	2,790	3,405
Alcohol Secondary Diagnosis	9,366	6,367	7,413
Drug Principal Diagnosis	4,339	3,139	3,460
Drug Secondary Diagnosis	10,237	7,096	7,058
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	22,916	28,024	25,005
Mental Illness Secondary Diagnosis	87,027	108,731	101,411
Alcohol Principal Diagnosis	4,128	5,236	4,759
Alcohol Secondary Diagnosis	10,218	12,222	11,365
Drug Principal Diagnosis	2,645	3,364	3,199
Drug Secondary Diagnosis	7,984	8,922	7,845
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	56,446	51,155	51,568
Mental Illness Secondary Diagnosis	191,436	193,422	193,555
Alcohol Principal Diagnosis	17,561	15,339	15,662
Alcohol Secondary Diagnosis	14,557	15,097	14,236
Drug Principal Diagnosis	12,684	10,560	10,428
Drug Secondary Diagnosis	20,873	17,944	16,573

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	7,507	7,268	7,366
Alcohol Package Carry-out Licenses	5,131	5,093	5,081

EMPLOYMENT	2016	2015	2014
Labor Force	3,111,517	3,113,760	3,058,118
Employed	2,970,702	2,958,176	2,871,217
Unemployed	140,815	155,584	186,901
Unemployment Rate	4.5%	5.0%	6.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	5,120	5,004	5,086
Fatal Crashes	148	137	152
Injury Crashes	2,134	1,978	2,003
Property Damage Crashes	2,838	2,889	3,129
Crash Fatalities	171	152	164
Crash Injuries	3,024	2,753	2,895
Drug Involved Crashes	1,348	1,224	1,191
Fatal Crashes	67	76	55
Injury Crashes	594	513	529
Property Damage Crashes	687	635	607
Crash Fatalities	81	83	59
Crash Injuries	886	758	819

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	22,457	22,815	26,362
Liquor Law Arrests	5,601	6,323	7,249
Drug Arrests	42,993	38,037	35,290
Methamphetamine Lab Seizures	207	507	1,045
Violent Offenses	31,578	29,954	26,894
Domestic Violence Reports	44,465	43,628	42,706
Property Offenses	171,727	175,024	177,856

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	268,736	264,706	266,078
Drop-outs	5,799	5,652	6,474
Drop-out Rate	2.2%	2.1%	2.4%
School Discipline Involving Alcohol	448	398	397
School Discipline Involving Drugs	1,900	2,028	2,096
School Discipline Involving Tobacco	64	79	58

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	6,377	6,771	6,515
Juvenile Alcohol Offenses	738	824	775
Juvenile Drug Offenses	1,744	1,935	1,886
School Truancy Status Offense	3,737	4,330	3,932
Absent from Home Status Offense	2,661	2,537	2,281
Beyond Parental Control Status Offense	2,296	2,320	2,147
Injurious Behavior Status Offense	4,508	4,460	4,134
Child Abuse	2,696	3,460	3,416
Child Neglect	12,016	12,748	12,007
Child Custody Issues	1,992	1,432	1,636

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	7,302	7,056	7,260
Parental Alcohol Use Related	192	211	237
Parental Drug Use Related	3,205	2,827	2,703
Parental Alcohol and Drug Use	181	200	203

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	7,811	7,393	7,058
Probation/Parole Admissions--Drug	14,529	13,019	12,914
Probation/Parole Admissions--DWI	1,883	2,139	2,296
Prison Admissions--Drug	6,649	6,152	6,068
Prison Admissions--DWI	743	820	919

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MISSOURI

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	5,661	5,014	5,140
CSTAR Adolescent	2,035	2,058	2,146
CSTAR Women and Children	4,376	4,060	3,876
CSTAR General Adult	17,953	17,656	17,278
CSTAR Opioid	850	661	610
Primary Recovery Treatment	2,365	3,079	3,380
Clinical SATOP (CIP, YCIP, SROP)	4,753	5,265	5,667
Other Substance Abuse Treatment	728	700	757

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	18,892	20,936	22,729
- Adolescent Diversion Education Program	415	718	682
- Offender Education Program	6,727	7,545	8,268
- Weekend Intervention Program	3,731	4,166	4,666
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	886	1,050	1,004
Compulsive Gambling	68	91	81
Recovery Supports	3,424	2,981	4,985
Early Intervention	1,679	1,627	1,548


The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014
Total Individuals	33,406	33,965	34,829
AGE			
Under 18	2,072	2,088	2,193
18 to 24	4,646	5,017	5,575
25 to 29	5,753	5,820	5,894
30 to 34	5,671	5,842	5,887
35 to 39	4,418	4,219	4,182
40 to 44	3,066	3,293	3,300
45 to 54	5,248	5,328	5,640
55 and Over	2,532	2,358	2,158
GENDER			
Male	21,087	21,912	23,075
Female	12,314	12,052	11,750
RACE / ETHNICITY			
Caucasian	25,517	26,084	26,584
African American	6,322	6,325	6,720
Native American / Alaskan	68	100	107
Asian / Pacific Islander	74	88	70
Hispanic	758	751	756
Other Race / Two or More Races	922	874	865
EDUCATION			
Less than High School Diploma	10,638	10,949	11,465
High School Graduate or G.E.D.	15,073	15,259	15,359
Associate Degree or Some College	7,370	7,434	7,617
Bachelor or Advanced Degree	325	322	385
EMPLOYMENT			
Employed	10,047	10,026	9,845
Unemployed	11,101	11,525	12,687
Not in Labor Force	12,258	12,413	12,297
HOUSING / LIVING ARRANGEMENT			
Independent Living	26,060	26,489	27,358
Dependent Living	3,909	3,957	4,164
Homeless	2,349	2,195	2,082
MARITAL / FAMILY STATUS			
Never Married	19,468	19,765	20,150
Married / Cohabiting	7,222	7,423	7,574
Previously Married	6,716	6,777	7,105

PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Alcohol	10,672	11,989	12,757
Marijuana / Hashish	7,044	7,591	7,986
Cocaine (total)	1,192	1,216	1,487
- Crack	793	819	976
Stimulant (total)	6,872	6,153	5,804
- Methamphetamine	6,415	5,973	5,558
Heroin	4,681	4,062	3,673
Analgesic except Heroin	2,205	2,172	2,249
- Non-Prescription Methadone	34	28	27
PCP, LSD, other Hallucinogen	248	248	283
Tranquilizer	297	296	278
Inhalant	12	23	34
Sedative	23	31	35
Other Medication or Illicit Drug	160	184	243
Average Age at First Use of Drug	18.8	18.5	18.3
INJECTION DRUG USE			
Any Injection Use at Admission	6,639	5,946	5,760
- Daily Injection Use	2,300	1,998	1,881
- Weekly Injection Use	1,761	1,447	1,448
- Less than Weekly Injection Use	2,578	2,501	2,431
LIFETIME DUI / DWI ARRESTS			
0	20,518	20,252	20,091
1 or 2	8,325	8,872	9,638
3 or More	4,563	4,841	5,100
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	12,982	10,860	11,203
School	124	130	146
Mental Health Provider	272	385	457
Health Care Provider	2,168	2,002	1,609
Court / Criminal Justice	13,113	14,850	15,668
Other Referral Source	3,668	4,721	4,624
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	742	606	654
Military Veteran	1,194	1,351	1,458
Special Education Services Needed	2,526	2,628	2,543
Co-Occurring Psychological Problem	12,740	13,305	12,606
Co-Occurring Developmental Problem	1,049	856	1,048

MISSOURI

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION All Regions
PSYCHIATRIC SERVICE AREA All Service Areas
CENSUS 2010 5,988,927
2016 POPULATION ESTIMATE 6,093,000

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	3,069	3,043	2,973
Anxiety Disorder	27,803	26,854	24,141
Dementia	710	567	152
Developmental Disorder	1,115	1,112	1,070
Impulse Control Disorder	13,020	12,491	11,707
Mood Disorder	47,021	47,484	45,731
Personality Disorder	5,269	5,161	5,016
Psychotic Disorder	15,222	15,154	14,635
Sexual Disorder	366	313	280
Other Diagnosis	7,347	5,217	4,738
Diagnosis Unknown	7,224	6,277	6,961

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	78,094	77,165	75,906	Less than High School Diploma	21,597	21,361	19,835
AGE				High School Grad or G.E.D.	*	*	34
Under 6	540	526	680	Associate Degree or Some College	0	0	7
6 to 9	4,317	4,065	4,081	Bachelor or Advanced Degree	0	0	*
10 to 13	5,681	5,366	5,320	Education Level Unknown	56,496	55,803	56,027
14 to 17	6,381	6,092	5,726	EMPLOYMENT			
18 to 24	6,271	6,148	6,400	Employed	4,971	4,622	4,034
25 to 29	5,788	5,953	6,120	Unemployed	3,932	4,176	4,536
30 to 34	6,597	6,880	6,987	Not in Labor Force	39,538	39,262	36,415
35 to 39	6,798	6,636	6,472	Employment Status Unknown	29,653	29,105	30,921
40 to 44	6,279	6,621	6,717	HOUSING / LIVING ARRANGEMENT			
45 to 49	7,129	7,178	7,371	Independent Living	27,010	27,346	24,938
50 to 54	8,426	8,654	8,330	Dependent Living	19,281	18,722	17,860
55 to 59	6,996	6,684	6,151	Homeless	1,702	1,706	1,490
60 and Over	6,891	6,362	5,551	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	30,101	29,391	31,617
GENDER				TREATMENT REFERRAL SOURCE			
Male	36,913	36,343	36,004	Self / Family / Friend	37,894	36,947	36,856
Female	41,180	40,822	39,902	School	1,758	1,685	1,487
Gender Unknown	*	0	0	Mental Health Provider	5,366	5,758	6,167
RACE / ETHNICITY				Health Care Provider	13,073	12,228	11,221
Caucasian	56,990	56,046	55,838	Court / Criminal Justice	4,050	4,150	3,932
African American	15,852	16,214	15,644	Other	15,614	16,005	15,804
Native American / Alaskan	187	171	174	Referral Source Unknown	339	392	439
Asian / Pacific Islander	210	207	194	TYPE OF COMMITMENT			
Hispanic	1,797	1,695	1,608	Voluntary	75,963	75,042	73,989
Other Race	3,057	2,832	2,448	Civil	561	614	368
Race/Ethnicity Unknown	*	0	0	Criminal	964	907	918
TREATMENT ACCOMMODATION				Sexual Predatory	237	226	212
Hearing Impaired	2,251	2,238	2,151	Commitment Type Unknown	369	376	419
Past or Current Military Service	1,942	1,877	1,753				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	35.3	33.3	38.2	42.9	Alcohol	14.2	13.9	16.9	19.8
Chewing Tobacco	9.4	9.8	10.5	11.4	Alcohol (5+ drinks on single occasion past 2 weeks)	5.6	6.1		
Cigarettes	17.6	19.1	22.7	26.6	Chewing Tobacco	3.7	5.0	5.6	6.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.5	2.1	2.2	Cigarettes	6.2	8.1	10.6	13.7
Cocaine	0.9	1.1	1.7	1.6	Inhalants	1.0	1.1	2.3	3.0
Electronic Cigarettes	22.5	16.0			Marijuana	7.0	7.6	8.6	9.4
Hallucinogens	1.1	1.9	2.8	3.0	Over-the-counter medications for non-medical use	2.2	1.6	3.5	4.8
Heroin	0.2	0.3	0.9	0.6	Prescription medications not prescribed for student	10.0	3.7	4.6	6.7
Inhalants	2.8	2.9	5.3	6.5					
Marijuana	15.2	15.2	16.5	17.7	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.5	1.2	0.9	Alcohol (1 or 2 drinks daily)	70.8	60.3		
Over-the-counter medications for non-medical use	4.7	2.9	6.0	7.7	Alcohol (Binge: 5+ drinks once or twice a week)	78.5	71.9		
Prescription medications not prescribed for student	14.3	7.4	8.6	11.1	Cigarettes (1+ packs per day)	85.1	85.7		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.2	6.4		Marijuana (once or twice a week)	63.5	64.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.9	91.5	93.1	92.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.43	13.10	12.72	12.54	Alcohol	83.1	81.6	79.8	78.6
Cigarettes	12.71	12.86	12.48	12.29	Cigarettes	92.8	93.2	91.5	90.2
Inhalants	10.85	11.86	11.81	11.95	Marijuana	91.8	92.6	93.4	93.3
Marijuana	14.11	13.88	13.62	13.53					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	45.1	44.3	51.5	57.6	Alcohol	68.2	65.7	61.9	59.3
Cigarettes	29.4	33.8	41.9	46.7	Cigarettes	88.4	85.5	81.4	78.7
Marijuana	35.3	31.7	36.5	38.3	Marijuana	79.1	79.7	80.8	80.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	11.2	14.6	17.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	96.0	95.2	94.5
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	23.3	24.9	29.9	33.1	Alcohol	50.7	51.1	56.2	58.6
Cigarettes	7.3	10.5	12.9	14.7	Cigarettes	46.0	46.3	51.7	56.0
Marijuana	14.1	13.2	13.4	14.2	Marijuana	37.1	34.0	37.3	37.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.9	14.0	17.0	19.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.8	58.6	60.4	67.6	Were grouchy, irritable, or in a bad mood	33.4	25.2	24.1	25.3
Were victims of mean rumors or lies spread at school	45.1	48.3	47.3	52.9	Had difficulty concentrating on school work	29.5	24.1	23.0	24.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.1	24.5	20.4	19.2	Were very sad	22.7	20.2	18.5	19.7
					Felt hopeless about the future	13.5	11.8	10.9	12.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.9	11.7	11.9	11.6	Parents involve student in making family decisions	71.1	69.7	69.2	70.1
Made plan about how they would attempt suicide	9.9	8.6	8.7	8.3	Parents notice and comment on student's good work	83.5	82.8	82.6	83.5
Attempted suicide	6.3	5.0	5.5	5.5	Teachers notice and comment on student's good work	73.2	72.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

ADAIR COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	25,607
2016 Estimate	25,359

BIRTH RISK	2015	2014	2013
Resident Births	269	262	250
Mother Reported Smoking while Pregnant	55	52	57

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	0	2
Hepatitis B Chronic, Acute, Prenatal	2	1	0
Hepatitis C Chronic and Acute	6	15	6
Tuberculosis Infection Cases	13	25	15

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	212	251	208
Suicide	3	9	7
Homicide	0	2	1
Alcohol Induced Deaths	0	1	1
Drug Induced Deaths	5	6	5
Smoking Attributable Deaths	30	49	38
Self-inflicted Injuries *	42	49	57
Assault Injuries *	61	36	26

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	147	127	118
Mental Illness Secondary Diagnosis	579	557	593
Alcohol Principal Diagnosis	8	9	28
Alcohol Secondary Diagnosis	48	39	51
Drug Principal Diagnosis	8	8	8
Drug Secondary Diagnosis	49	31	27
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	29	53	38
Mental Illness Secondary Diagnosis	54	62	58
Alcohol Principal Diagnosis	3	6	8
Alcohol Secondary Diagnosis	3	10	9
Drug Principal Diagnosis	2	2	3
Drug Secondary Diagnosis	8	4	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	216	215	142
Mental Illness Secondary Diagnosis	894	489	368
Alcohol Principal Diagnosis	94	112	87
Alcohol Secondary Diagnosis	43	32	38
Drug Principal Diagnosis	29	33	16
Drug Secondary Diagnosis	53	20	31

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	31	32	31
Alcohol Package Carry-out Licenses	21	23	24

EMPLOYMENT	2016	2015	2014
Labor Force	10,519	10,602	10,989
Employed	9,922	10,008	10,308
Unemployed	597	594	681
Unemployment Rate	5.7%	5.6%	6.2%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	15	11	17
Fatal Crashes	0	0	0
Injury Crashes	6	2	5
Property Damage Crashes	9	9	8
Crash Fatalities	0	0	0
Crash Injuries	8	2	6
Drug Involved Crashes	0	4	6
Fatal Crashes	0	0	0
Injury Crashes	0	0	3
Property Damage Crashes	0	4	3
Crash Fatalities	0	0	0
Crash Injuries	0	0	6

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	69	66	72
Liquor Law Arrests	49	65	75
Drug Arrests	138	131	126
Methamphetamine Lab Seizures	2	5	31
Violent Offenses	52	62	76
Domestic Violence Reports	182	177	162
Property Offenses	742	533	713

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	889	902	926
Drop-outs	13	11	11
Drop-out Rate	1.5%	1.2%	1.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	18	20	28
Juvenile Alcohol Offenses	0	6	2
Juvenile Drug Offenses	3	8	0
School Truancy Status Offense	36	50	99
Absent from Home Status Offense	7	2	0
Beyond Parental Control Status Offense	22	20	21
Injurious Behavior Status Offense	28	18	24
Child Abuse	4	4	20
Child Neglect	88	91	45
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	47	63	31
Parental Alcohol Use Related	0	2	1
Parental Drug Use Related	17	13	15
Parental Alcohol and Drug Use	0	7	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	41	38	46
Probation/Parole Admissions--Drug	54	46	58
Probation/Parole Admissions--DWI	4	5	4
Prison Admissions--Drug	35	27	34
Prison Admissions--DWI	1	1	3

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

ADAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	37	27	22
CSTAR Adolescent	23	15	17
CSTAR Women and Children	6	5	7
CSTAR General Adult	216	220	210
CSTAR Opioid	*	0	0
Primary Recovery Treatment	5	12	11
Clinical SATOP (CIP, YCIP, SROP)	29	24	25
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	76	76	88
- Adolescent Diversion Education Program	*	11	19
- Offender Education Program	29	18	22
- Weekend Intervention Program	8	6	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	7	19	33

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	258	265	259	Alcohol	84	89	85
AGE				Marijuana / Hashish	82	83	89
Under 18	23	14	17	Cocaine (total)	*	*	*
18 to 24	48	73	64	- Crack	*	0	0
25 to 29	49	55	51	Stimulant (total)	68	64	59
30 to 34	38	44	36	- Methamphetamine	67	60	58
35 to 39	29	22	20	Heroin	*	*	*
40 to 44	23	17	22	Analgesic except Heroin	13	17	13
45 to 54	39	27	28	- Non-Prescription Methadone	0	0	0
55 and Over	9	13	21	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	*	*	*
Male	179	176	163	Inhalant	*	0	*
Female	79	89	96	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	240	255	247	Average Age at First Use of Drug	17.6	17.2	17.5
African American	7	*	7	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	38	36	35
Asian / Pacific Islander	*	0	0	- Daily Injection Use	5	*	6
Hispanic	7	*	6	- Weekly Injection Use	13	8	8
Other Race / Two or More Races	7	*	*	- Less than Weekly Injection Use	20	24	21
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	81	81	75	0	162	167	163
High School Graduate or G.E.D.	143	130	139	1 or 2	65	71	69
Associate Degree or Some College	31	52	42	3 or More	31	27	27
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	59	43	40
Employed	84	83	57	School	*	0	0
Unemployed	16	46	33	Mental Health Provider	*	5	*
Not in Labor Force	158	136	169	Health Care Provider	14	10	14
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	96	50	51
Independent Living	176	212	216	Other Referral Source	32	43	57
Dependent Living	29	29	31	TREATMENT ACCOMMODATION			
Homeless	6	14	9	Pregnant when Admitted to any Episode	6	5	*
MARITAL / FAMILY STATUS				Military Veteran	8	10	10
Never Married	129	148	129	Special Education Services Needed	32	28	17
Married / Cohabiting	59	67	70	Co-Occurring Psychological Problem	152	152	146
Previously Married	70	50	60	Co-Occurring Developmental Problem	0	9	*

ADAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 25,607
2016 POPULATION ESTIMATE 25,359

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	20	19	13
Anxiety Disorder	171	146	139
Dementia	*	*	*
Developmental Disorder	15	15	19
Impulse Control Disorder	118	96	95
Mood Disorder	274	252	232
Personality Disorder	28	36	33
Psychotic Disorder	75	70	67
Sexual Disorder	*	*	*
Other Diagnosis	77	59	55
Diagnosis Unknown	12	16	29

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	429	384	375	Less than High School Diploma	183	143	147
AGE				High School Grad or G.E.D.	0	0	0
Under 6	5	*	*	Associate Degree or Some College	0	0	0
6 to 9	30	14	16	Bachelor or Advanced Degree	0	0	0
10 to 13	34	32	37	Education Level Unknown	246	241	228
14 to 17	47	43	41	EMPLOYMENT			
18 to 24	41	31	32	Employed	33	22	14
25 to 29	24	23	24	Unemployed	13	12	9
30 to 34	43	44	32	Not in Labor Force	355	304	303
35 to 39	30	26	30	Employment Status Unknown	28	46	49
40 to 44	28	33	35	HOUSING / LIVING ARRANGEMENT			
45 to 49	34	34	36	Independent Living	215	198	179
50 to 54	47	41	38	Dependent Living	172	134	138
55 to 59	34	37	30	Homeless	*	*	*
60 and Over	32	25	23	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	39	48	57
GENDER				TREATMENT REFERRAL SOURCE			
Male	210	184	177	Self / Family / Friend	119	107	123
Female	219	200	198	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	10	10	15
RACE / ETHNICITY				Health Care Provider	65	51	41
Caucasian	400	360	348	Court / Criminal Justice	6	8	7
African American	11	11	9	Other	225	204	184
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	5
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	6	5	10	Voluntary	418	371	363
Other Race	12	8	8	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	7	6	*	Commitment Type Unknown	*	*	5
Past or Current Military Service	15	15	14				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	49.4	41.8	48.1	45.5	Alcohol	19.1	19.3	22.8	19.3
Chewing Tobacco	18.8	14.9	12.7	13.0	Alcohol (5+ drinks on single occasion past 2 weeks)	8.0	9.8		
Cigarettes	24.4	22.9	44.0	26.2	Chewing Tobacco	10.6	6.3	7.1	5.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	5.2	2.8	Cigarettes	6.0	16.1	21.1	18.1
Cocaine	0.0	1.0	5.4	2.1	Inhalants	2.7	0.5	6.1	3.2
Electronic Cigarettes	16.9	20.3			Marijuana	1.7	3.4	9.5	5.3
Hallucinogens	0.0	1.0	5.6	4.2	Over-the-counter medications for non-medical use	1.2	1.7	0.9	4.6
Heroin	1.2	0.0	5.2	0.4	Prescription medications not prescribed for student	4.3	1.7	0.6	4.5
Inhalants	5.1	3.9	6.3	9.1					
Marijuana	7.6	12.6	21.8	12.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0	5.6	1.7	Alcohol (1 or 2 drinks daily)	60.1	47.8		
Over-the-counter medications for non-medical use	1.7	1.7	1.1	9.0	Alcohol (Binge: 5+ drinks once or twice a week)	72.4	60.2		
Prescription medications not prescribed for student	9.5	4.6	6.1	10.3	Cigarettes (1+ packs per day)	86.1	83.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.7	4.6	9.7		Marijuana (once or twice a week)	73.2	71.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	97.0	94.7	97.8	92.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.38	13.80	12.42	12.40	Alcohol	69.2	70.4	77.8	78.9
Cigarettes	13.99	14.59	12.42	12.08	Cigarettes	83.8	91.4	92.9	88.4
Inhalants	8.47	12.95	13.33	12.44	Marijuana	91.6	96.3	93.8	96.3
Marijuana	15.93	16.07	13.93	13.06					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.2	55.9	57.8	53.2	Alcohol	59.4	54.0	52.9	57.9
Cigarettes	34.9	52.8	57.2	41.8	Cigarettes	85.0	83.2	61.2	77.9
Marijuana	12.4	25.0	47.6	26.4	Marijuana	89.9	88.7	68.0	84.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	9.2	15.9	14.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	97.8	88.8	92.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.5	35.2	39.1	35.4	Alcohol	68.3	61.7	55.8	60.6
Cigarettes	10.8	18.1	31.5	14.9	Cigarettes	59.6	62.7	48.8	51.0
Marijuana	7.3	8.8	20.9	10.6	Marijuana	27.9	38.8	34.5	29.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	16.5	18.1	17.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	52.8	67.5	72.4	65.5	Were grouchy, irritable, or in a bad mood	36.3	32.5	30.0	35.6
Were victims of mean rumors or lies spread at school	42.5	63.9	49.3	49.8	Had difficulty concentrating on school work	14.2	23.6	19.3	27.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	13.1	30.4	25.5	18.2	Were very sad	15.6	19.4	19.6	29.1
					Felt hopeless about the future	11.8	8.0	7.9	18.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.1	14.2	17.6	9.3	Parents involve student in making family decisions	63.9	57.0	64.5	68.0
Made plan about how they would attempt suicide	10.1	9.4	11.4	6.8	Parents notice and comment on student's good work	81.8	79.5	80.1	80.1
Attempted suicide	1.3	2.2	11.0	4.5	Teachers notice and comment on student's good work	82.6	74.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

ANDREW COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	17,291
2016 Estimate	17,350

BIRTH RISK	2015	2014	2013
Resident Births	198	180	195
Mother Reported Smoking while Pregnant	33	36	33

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	7	10	14
Tuberculosis Infection Cases	1	2	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	162	176	186
Suicide	1	1	3
Homicide	0	0	0
Alcohol Induced Deaths	2	2	0
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	28	30	28
Self-inflicted Injuries *	18	23	12
Assault Injuries *	27	16	25

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	71	60	60
Mental Illness Secondary Diagnosis	172	110	98
Alcohol Principal Diagnosis	2	0	6
Alcohol Secondary Diagnosis	10	9	5
Drug Principal Diagnosis	2	3	5
Drug Secondary Diagnosis	14	4	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	57	69	47
Mental Illness Secondary Diagnosis	195	231	200
Alcohol Principal Diagnosis	7	14	9
Alcohol Secondary Diagnosis	17	34	19
Drug Principal Diagnosis	3	5	12
Drug Secondary Diagnosis	8	5	19
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	79	69	87
Mental Illness Secondary Diagnosis	204	159	136
Alcohol Principal Diagnosis	11	8	10
Alcohol Secondary Diagnosis	23	11	18
Drug Principal Diagnosis	12	14	9
Drug Secondary Diagnosis	19	16	19

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	13	15	15
Alcohol Package Carry-out Licenses	20	17	17

EMPLOYMENT	2016	2015	2014
Labor Force	10,018	10,011	10,117
Employed	9,642	9,594	9,611
Unemployed	376	417	506
Unemployment Rate	3.8%	4.2%	5.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	23	16	16
Fatal Crashes	1	0	1
Injury Crashes	14	7	8
Property Damage Crashes	8	9	3
Crash Fatalities	1	0	1
Crash Injuries	14	7	11
Drug Involved Crashes	4	3	3
Fatal Crashes	1	1	0
Injury Crashes	1	1	2
Property Damage Crashes	2	1	1
Crash Fatalities	1	1	0
Crash Injuries	1	3	2

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	87	65	45
Liquor Law Arrests	13	15	13
Drug Arrests	171	101	56
Methamphetamine Lab Seizures	0	1	2
Violent Offenses	39	19	30
Domestic Violence Reports	45	39	66
Property Offenses	165	174	245

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	860	861	818
Drop-outs	10	9	11
Drop-out Rate	1.2%	1.0%	1.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	1	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	11	8	16
Juvenile Alcohol Offenses	1	0	3
Juvenile Drug Offenses	21	4	3
School Truancy Status Offense	14	14	39
Absent from Home Status Offense	3	4	3
Beyond Parental Control Status Offense	6	8	4
Injurious Behavior Status Offense	3	1	2
Child Abuse	0	5	4
Child Neglect	1	6	3
Child Custody Issues	1	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	0	0	2
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	53	41	10
Probation/Parole Admissions--DWI	2	1	3
Prison Admissions--Drug	20	18	9
Prison Admissions--DWI	1	2	0

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

ANDREW COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	6
CSTAR Adolescent	11	0	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	29	21	24
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	6	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	46	41	24
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	23	15	10
- Weekend Intervention Program	6	9	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	41	31	36	Alcohol	8	13	16
AGE				Marijuana / Hashish	14	*	5
Under 18	11	0	*	Cocaine (total)	0	0	0
18 to 24	8	6	10	- Crack	0	0	0
25 to 29	*	*	5	Stimulant (total)	13	8	9
30 to 34	6	*	5	- Methamphetamine	13	8	9
35 to 39	*	6	5	Heroin	0	0	0
40 to 44	*	6	*	Analgesic except Heroin	5	6	6
45 to 54	5	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	23	23	23	Inhalant	0	0	0
Female	18	8	13	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	41	31	35	Average Age at First Use of Drug	16.9	19.5	17.7
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	9	8	11
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	5	*	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	20	8	10	0	30	15	23
High School Graduate or G.E.D.	18	15	21	1 or 2	8	9	6
Associate Degree or Some College	*	7	*	3 or More	*	7	7
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	5	15
Employed	10	14	9	School	*	0	0
Unemployed	8	8	8	Mental Health Provider	0	*	0
Not in Labor Force	23	9	19	Health Care Provider	5	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	24	20	18
Independent Living	28	22	31	Other Referral Source	*	*	*
Dependent Living	12	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	27	17	23	Special Education Services Needed	*	*	*
Married / Cohabiting	7	7	*	Co-Occurring Psychological Problem	12	*	11
Previously Married	7	7	9	Co-Occurring Developmental Problem	*	*	*

ANDREW COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 17,291
2016 POPULATION ESTIMATE 17,350

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	9	7	5
Anxiety Disorder	37	37	28
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	32	25	22
Mood Disorder	60	54	49
Personality Disorder	*	*	*
Psychotic Disorder	7	11	10
Sexual Disorder	0	0	0
Other Diagnosis	15	9	12
Diagnosis Unknown	6	5	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	94	82	78	Less than High School Diploma	18	35	29
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	11	*	9	Bachelor or Advanced Degree	0	0	0
10 to 13	11	12	14	Education Level Unknown	76	47	49
14 to 17	13	7	10	EMPLOYMENT			
18 to 24	*	*	*	Employed	6	10	*
25 to 29	7	12	5	Unemployed	7	7	*
30 to 34	5	9	6	Not in Labor Force	24	44	50
35 to 39	9	8	5	Employment Status Unknown	57	21	20
40 to 44	10	7	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	6	6	*	Independent Living	22	44	34
50 to 54	6	7	6	Dependent Living	16	20	24
55 to 59	*	5	5	Homeless	*	*	0
60 and Over	*	*	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	54	17	20
GENDER				TREATMENT REFERRAL SOURCE			
Male	49	41	35	Self / Family / Friend	41	35	35
Female	45	41	43	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	6	7	12
RACE / ETHNICITY				Health Care Provider	24	17	16
Caucasian	90	80	73	Court / Criminal Justice	7	10	6
African American	*	0	0	Other	10	10	5
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	*	Voluntary	91	80	75
Other Race	*	*	*	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

ANDREW COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		23.3	36.2	39.5	Alcohol	5.8	16.7	18.1	
Chewing Tobacco		3.1	12.7	13.1	Alcohol (5+ drinks on single occasion past 2 weeks)	1.4			
Cigarettes		15.8	21.7	25.3	Chewing Tobacco	2.2	6.7	9.0	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0	2.0	2.6	Cigarettes	7.9	11.7	13.6	
Cocaine		0.9	2.3	1.0	Inhalants	0.9	2.7	4.6	
Electronic Cigarettes		6.6			Marijuana	0.0	7.7	6.4	
Hallucinogens		0.0	2.7	2.6	Over-the-counter medications for non-medical use	0.0	4.3	3.9	
Heroin		0.0	1.7	0.0	Prescription medications not prescribed for student	0.9	3.0	6.4	
Inhalants		2.2	5.3	7.9					
Marijuana		2.7	13.7	10.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	1.7	0.3	Alcohol (1 or 2 drinks daily)	56.6			
Over-the-counter medications for non-medical use		0.0	6.7	5.5	Alcohol (Binge: 5+ drinks once or twice a week)	68.9			
Prescription medications not prescribed for student		1.8	5.3	7.7	Cigarettes (1+ packs per day)	90.8			
Synthetic drugs (K2, bath salts, Spice, etc)		0.9	5.3		Marijuana (once or twice a week)	88.2			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	93.9	92.1	
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	11.81	12.81	12.08		Alcohol	86.5	87.3	76.2	
Cigarettes	13.16	12.43	11.69		Cigarettes	94.6	94.3	92.8	
Inhalants	11.33	11.71	12.83		Marijuana	100.0	95.5	94.8	
Marijuana	15.00	13.71	13.60						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	25.2	51.0	59.3		Alcohol	75.7	66.2	63.9	
Cigarettes	19.7	42.6	47.5		Cigarettes	88.6	80.9	81.3	
Marijuana	3.1	33.6	29.8		Marijuana	97.3	83.4	88.8	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.6	15.2	19.7		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	95.3	96.2	
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	15.7	30.5	31.2		Alcohol	42.5	53.0	61.0	
Cigarettes	6.6	14.0	13.3		Cigarettes	39.5	46.0	56.7	
Marijuana	1.4	12.4	10.0		Marijuana	7.1	29.7	28.7	
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	13.2	16.1	
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	47.4	63.0	72.2		Were grouchy, irritable, or in a bad mood	21.8	22.7	33.1	
Were victims of mean rumors or lies spread at school	41.2	49.5	60.1		Had difficulty concentrating on school work	16.3	20.3	28.1	
Were victims of an embarrassing or hurtful text message or something posted on the Internet	16.2	25.0	24.8		Were very sad	12.3	14.7	20.9	
					Felt hopeless about the future	6.2	11.0	15.7	
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	1.7	11.4	8.8		Parents involve student in making family decisions	81.1	68.6	70.9	
Made plan about how they would attempt suicide	1.7	7.0	6.0		Parents notice and comment on student's good work	92.0	83.9	82.9	
Attempted suicide	0.9	5.7	3.3		Teachers notice and comment on student's good work	74.1			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

ATCHISON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	5,685
2016 Estimate	5,293

BIRTH RISK	2015	2014	2013
Resident Births	52	50	60
Mother Reported Smoking while Pregnant	13	13	18

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	5	1	0
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	81	62	73
Suicide	0	0	0
Homicide	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	0	0
Smoking Attributable Deaths	18	13	16
Self-inflicted Injuries *	12	6	6
Assault Injuries *	9	2	4

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	30	14	33
Mental Illness Secondary Diagnosis	50	28	31
Alcohol Principal Diagnosis	1	0	1
Alcohol Secondary Diagnosis	5	0	0
Drug Principal Diagnosis	0	0	0
Drug Secondary Diagnosis	2	3	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	11	21	26
Mental Illness Secondary Diagnosis	30	27	40
Alcohol Principal Diagnosis	0	2	0
Alcohol Secondary Diagnosis	6	6	0
Drug Principal Diagnosis	0	0	0
Drug Secondary Diagnosis	2	1	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	66	32	41
Mental Illness Secondary Diagnosis	94	78	70
Alcohol Principal Diagnosis	5	8	3
Alcohol Secondary Diagnosis	7	4	4
Drug Principal Diagnosis	8	4	4
Drug Secondary Diagnosis	8	2	5

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	6	7	8
Alcohol Package Carry-out Licenses	11	11	12

EMPLOYMENT	2016	2015	2014
Labor Force	2,863	2,892	2,869
Employed	2,732	2,762	2,711
Unemployed	131	130	158
Unemployment Rate	4.6%	4.5%	5.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	6	7	3
Fatal Crashes	1	0	0
Injury Crashes	4	3	1
Property Damage Crashes	1	4	2
Crash Fatalities	1	0	0
Crash Injuries	4	5	1
Drug Involved Crashes	0	2	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	2	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	28	21	25
Liquor Law Arrests	15	17	17
Drug Arrests	61	53	55
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	4	5	7
Domestic Violence Reports	18	26	26
Property Offenses	27	23	34

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	229	214	235
Drop-outs	2	1	6
Drop-out Rate	0.9%	0.5%	2.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	3	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	0	0	1
Juvenile Alcohol Offenses	1	0	2
Juvenile Drug Offenses	0	1	0
School Truancy Status Offense	2	4	1
Absent from Home Status Offense	0	0	1
Beyond Parental Control Status Offense	9	1	1
Injurious Behavior Status Offense	4	4	3
Child Abuse	0	0	0
Child Neglect	15	15	22
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	9	3	10
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	3	4
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	9	7	3
Probation/Parole Admissions--Drug	22	18	25
Probation/Parole Admissions--DWI	0	0	0
Prison Admissions--Drug	6	9	6
Prison Admissions--DWI	0	0	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

ATCHISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	0	0	*
CSTAR Adolescent	0	0	0
CSTAR Women and Children	*	0	0
CSTAR General Adult	11	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	0	9
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	22	19	21
- Adolescent Diversion Education Program	*	5	*
- Offender Education Program	9	5	5
- Weekend Intervention Program	6	6	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	13	5	16	Alcohol	*	*	5
AGE				Marijuana / Hashish	*	*	6
Under 18	0	0	0	Cocaine (total)	0	0	0
18 to 24	*	0	*	- Crack	0	0	0
25 to 29	*	*	6	Stimulant (total)	5	*	5
30 to 34	*	0	*	- Methamphetamine	5	*	5
35 to 39	*	*	*	Heroin	*	0	0
40 to 44	*	0	*	Analgesic except Heroin	0	0	0
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	0	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	10	*	8	Inhalant	0	0	0
Female	*	*	8	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	13	*	15	Average Age at First Use of Drug	22.2	17.6	17.6
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	0	0	*	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	*	8	0	8	*	12
High School Graduate or G.E.D.	9	*	*	1 or 2	*	0	*
Associate Degree or Some College	*	*	*	3 or More	*	*	0
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	0	0	6
Employed	9	*	*	School	0	0	0
Unemployed	*	0	5	Mental Health Provider	0	0	0
Not in Labor Force	*	*	7	Health Care Provider	*	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	12	*	7
Independent Living	10	*	13	Other Referral Source	0	*	*
Dependent Living	0	*	0	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	0	0
Never Married	5	*	10	Special Education Services Needed	0	0	0
Married / Cohabiting	*	*	*	Co-Occurring Psychological Problem	*	*	8
Previously Married	5	*	*	Co-Occurring Developmental Problem	0	0	*

ATCHISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 5,685
2016 POPULATION ESTIMATE 5,293

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	12	8	*
Dementia	0	0	0
Developmental Disorder	0	0	*
Impulse Control Disorder	8	*	5
Mood Disorder	21	14	11
Personality Disorder	*	*	0
Psychotic Disorder	*	6	5
Sexual Disorder	0	0	*
Other Diagnosis	*	*	*
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	32	24	20	Less than High School Diploma	13	11	10
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	19	13	10
14 to 17	5	*	*	EMPLOYMENT			
18 to 24	*	*	0	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	0	0
30 to 34	*	0	0	Not in Labor Force	19	17	16
35 to 39	0	*	*	Employment Status Unknown	9	5	*
40 to 44	*	0	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	11	12	9
50 to 54	*	0	*	Dependent Living	11	8	9
55 to 59	*	*	0	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	10	*	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	15	11	9	Self / Family / Friend	11	9	6
Female	17	13	11	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	7	5	*
Caucasian	31	22	18	Court / Criminal Justice	*	*	*
African American	0	0	*	Other	5	5	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	32	24	20
Other Race	0	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

ATCHISON COUNTY

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	19.7	23.1	36.7	35.1	Alcohol	3.9	7.7	13.8	2.0
Chewing Tobacco	2.6	10.9	10.1	40.9	Alcohol (5+ drinks on single occasion past 2 weeks)	3.8	1.6		
Cigarettes	7.9	7.7	20.3	4.0	Chewing Tobacco	0.0	4.7	7.6	1.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.6	0.0	2.6	0.0	Cigarettes	5.2	4.6	11.4	1.3
Cocaine	2.6	0.0	0.0	0.0	Inhalants	0.0	3.1	1.3	1.3
Electronic Cigarettes	11.7	9.2			Marijuana	2.6	0.0	2.5	2.0
Hallucinogens	2.6	0.0	0.0	0.0	Over-the-counter medications for non-medical use	1.3	0.0	2.5	1.3
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	3.9	3.1	5.1	1.3
Inhalants	2.6	4.6	3.8	1.3					
Marijuana	5.2	3.1	8.9	2.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.3	0.0	1.3	0.0	Alcohol (1 or 2 drinks daily)	69.7	64.6		
Over-the-counter medications for non-medical use	7.8	0.0	2.5	1.3	Alcohol (Binge: 5+ drinks once or twice a week)	79.2	73.4		
Prescription medications not prescribed for student	7.7	6.1	5.1	2.0	Cigarettes (1+ packs per day)	83.1	90.8		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	0.0	3.8		Marijuana (once or twice a week)	76.3	89.2		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.0	100.0	97.4	98.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.90	13.46	13.58	12.95	Alcohol	89.5	89.2	78.5	98.0
Cigarettes		14.00	12.59	11.69	Cigarettes	94.7	96.9	86.3	96.7
Inhalants		11.29			Marijuana	98.7	98.4	92.3	98.7
Marijuana		15.42	13.03						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	22.1	40.0	51.3	18.5	Alcohol	82.7	79.7	70.9	94.7
Cigarettes	23.4	27.7	43.0	10.6	Cigarettes	90.7	89.2	86.1	96.7
Marijuana	15.4	10.6	16.7	3.4	Marijuana	92.0	96.9	87.3	98.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	4.7	3.9	0.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	100.0	97.5	100.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	7.8	15.4	19.0	5.3	Alcohol	32.9	45.3	54.4	47.7
Cigarettes	6.6	6.2	10.1	1.3	Cigarettes	29.9	38.5	49.4	42.4
Marijuana	3.9	1.5	8.9	0.0	Marijuana	15.8	10.8	23.1	30.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	4.7	8.9	29.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.5	61.5	64.6	65.6	Were grouchy, irritable, or in a bad mood	25.0	15.4	35.4	15.2
Were victims of mean rumors or lies spread at school	51.3	53.8	58.2	55.6	Had difficulty concentrating on school work	16.0	16.9	14.1	15.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.6	25.0	22.8	9.9	Were very sad	16.9	15.4	21.3	10.7
					Felt hopeless about the future	10.5	7.7	10.3	6.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.5	6.2	13.9	1.3	Parents involve student in making family decisions	77.6	70.3	69.2	61.5
Made plan about how they would attempt suicide	5.3	3.1	11.4	1.3	Parents notice and comment on student's good work	88.2	92.1	85.9	65.6
Attempted suicide	2.6	3.1	6.3	0.0	Teachers notice and comment on student's good work	84.4	87.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

AUDRAIN COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	25,529
2016 Estimate	26,021

BIRTH RISK	2015	2014	2013
Resident Births	343	350	326
Mother Reported Smoking while Pregnant	114	109	86

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	0	1
Hepatitis B Chronic, Acute, Prenatal	1	3	0
Hepatitis C Chronic and Acute	29	207	59
Tuberculosis Infection Cases	5	5	5

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	298	286	307
Suicide	3	1	3
Homicide	2	0	1
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	1	1	4
Smoking Attributable Deaths	64	56	61
Self-inflicted Injuries *	24	34	19
Assault Injuries *	70	60	71

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	150	117	126
Mental Illness Secondary Diagnosis	352	293	248
Alcohol Principal Diagnosis	13	7	4
Alcohol Secondary Diagnosis	24	25	21
Drug Principal Diagnosis	8	5	5
Drug Secondary Diagnosis	31	30	21
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	95	124	115
Mental Illness Secondary Diagnosis	313	378	425
Alcohol Principal Diagnosis	17	19	23
Alcohol Secondary Diagnosis	29	44	33
Drug Principal Diagnosis	12	22	18
Drug Secondary Diagnosis	19	28	27
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	228	227	259
Mental Illness Secondary Diagnosis	352	287	211
Alcohol Principal Diagnosis	45	31	24
Alcohol Secondary Diagnosis	53	50	39
Drug Principal Diagnosis	45	36	26
Drug Secondary Diagnosis	45	29	36

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	26	26	28
Alcohol Package Carry-out Licenses	25	24	26

EMPLOYMENT	2016	2015	2014
Labor Force	11,280	11,447	11,165
Employed	10,801	10,917	10,541
Unemployed	479	530	624
Unemployment Rate	4.2%	4.6%	5.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	14	12	11
Fatal Crashes	0	0	2
Injury Crashes	5	7	6
Property Damage Crashes	9	5	5
Crash Fatalities	0	0	2
Crash Injuries	5	9	8
Drug Involved Crashes	5	1	2
Fatal Crashes	0	0	0
Injury Crashes	2	1	0
Property Damage Crashes	3	0	2
Crash Fatalities	0	0	0
Crash Injuries	4	1	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	54	52	69
Liquor Law Arrests	9	26	24
Drug Arrests	230	142	130
Methamphetamine Lab Seizures	0	2	3
Violent Offenses	43	46	52
Domestic Violence Reports	481	529	539
Property Offenses	490	504	581

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	946	920	933
Drop-outs	36	23	36
Drop-out Rate	3.8%	2.5%	3.9%
School Discipline Involving Alcohol	0	5	1
School Discipline Involving Drugs	2	0	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	16	24	14
Juvenile Alcohol Offenses	2	12	3
Juvenile Drug Offenses	4	2	7
School Truancy Status Offense	13	14	36
Absent from Home Status Offense	15	5	8
Beyond Parental Control Status Offense	10	8	8
Injurious Behavior Status Offense	53	47	38
Child Abuse	19	24	16
Child Neglect	41	51	25
Child Custody Issues	5	6	5

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	45	45	30
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	25	23	7
Parental Alcohol and Drug Use	2	0	2

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	32	25	17
Probation/Parole Admissions--Drug	67	41	46
Probation/Parole Admissions--DWI	9	6	15
Prison Admissions--Drug	31	21	24
Prison Admissions--DWI	2	7	6

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

AUDRAIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	20	16	11
CSTAR Adolescent	8	10	11
CSTAR Women and Children	20	24	13
CSTAR General Adult	138	116	148
CSTAR Opioid	0	*	0
Primary Recovery Treatment	27	14	53
Clinical SATOP (CIP, YCIP, SROP)	25	25	20
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	79	73	78
- Adolescent Diversion Education Program	*	*	6
- Offender Education Program	23	18	15
- Weekend Intervention Program	12	10	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	17	5
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	24	11	14

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	219	183	231	Alcohol	70	62	74
AGE				Marijuana / Hashish	59	61	69
Under 18	9	11	15	Cocaine (total)	6	7	8
18 to 24	45	36	41	- Crack	*	*	*
25 to 29	33	34	35	Stimulant (total)	68	36	57
30 to 34	39	29	44	- Methamphetamine	67	36	57
35 to 39	21	19	31	Heroin	*	6	6
40 to 44	25	15	26	Analgesic except Heroin	8	6	10
45 to 54	33	31	30	- Non-Prescription Methadone	0	0	0
55 and Over	14	8	9	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	133	128	164	Inhalant	0	0	0
Female	86	55	67	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	*	5
Caucasian	188	140	192	Average Age at First Use of Drug	18.2	17.4	18.0
African American	25	35	32	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	25	17	23
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	5	*
Hispanic	*	*	*	- Weekly Injection Use	6	*	7
Other Race / Two or More Races	*	5	6	- Less than Weekly Injection Use	13	9	15
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	70	58	90	0	134	106	135
High School Graduate or G.E.D.	109	94	110	1 or 2	58	51	64
Associate Degree or Some College	38	31	30	3 or More	27	26	32
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	56	28	49
Employed	80	75	76	School	0	0	0
Unemployed	79	52	100	Mental Health Provider	*	*	*
Not in Labor Force	60	56	55	Health Care Provider	5	5	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	113	115	149
Independent Living	170	146	181	Other Referral Source	26	22	18
Dependent Living	30	22	29	TREATMENT ACCOMMODATION			
Homeless	8	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	15	9	8
Never Married	117	107	125	Special Education Services Needed	23	29	26
Married / Cohabiting	51	39	55	Co-Occurring Psychological Problem	86	70	92
Previously Married	51	37	51	Co-Occurring Developmental Problem	6	5	7

AUDRAIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 25,529
2016 POPULATION ESTIMATE 26,021

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	66	69	74
Anxiety Disorder	245	222	292
Dementia	*	*	*
Developmental Disorder	36	31	43
Impulse Control Disorder	180	162	250
Mood Disorder	364	340	460
Personality Disorder	54	70	79
Psychotic Disorder	76	64	86
Sexual Disorder	*	*	*
Other Diagnosis	88	70	90
Diagnosis Unknown	62	43	59

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	582	507	720	Less than High School Diploma	219	214	266
AGE				High School Grad or G.E.D.	0	0	0
Under 6	7	7	10	Associate Degree or Some College	0	0	0
6 to 9	51	42	61	Bachelor or Advanced Degree	0	0	0
10 to 13	73	51	72	Education Level Unknown	363	293	454
14 to 17	62	63	81	EMPLOYMENT			
18 to 24	60	37	63	Employed	60	32	49
25 to 29	47	44	59	Unemployed	51	33	62
30 to 34	32	36	63	Not in Labor Force	355	340	412
35 to 39	40	40	60	Employment Status Unknown	116	102	197
40 to 44	34	32	44	HOUSING / LIVING ARRANGEMENT			
45 to 49	45	39	63	Independent Living	225	176	219
50 to 54	47	45	57	Dependent Living	192	171	209
55 to 59	39	33	49	Homeless	9	13	8
60 and Over	45	38	38	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	156	147	284
GENDER				TREATMENT REFERRAL SOURCE			
Male	249	213	341	Self / Family / Friend	422	316	459
Female	333	294	379	School	5	6	9
Gender Unknown	0	0	0	Mental Health Provider	31	37	37
RACE / ETHNICITY				Health Care Provider	28	30	42
Caucasian	502	441	617	Court / Criminal Justice	5	*	15
African American	42	34	53	Other	90	113	157
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	9	9	9	Voluntary	577	502	718
Other Race	26	21	36	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	12	8	15	Commitment Type Unknown	*	*	*
Past or Current Military Service	10	*	11				

AUDRAIN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.9	46.5	40.2	42.2	Alcohol	16.2	14.8	18.9	20.5
Chewing Tobacco	9.2	22.2	8.3	11.5	Alcohol (5+ drinks on single occasion past 2 weeks)	4.7	7.0		
Cigarettes	23.3	31.4	25.1	27.0	Chewing Tobacco	3.5	6.0	6.2	5.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.4	2.2	1.4	Cigarettes	11.0	16.2	12.6	14.7
Cocaine	0.5	0.0	2.4	1.8	Inhalants	0.0	2.1	1.9	5.9
Electronic Cigarettes	12.8	12.7			Marijuana	6.0	0.7	6.0	6.1
Hallucinogens	2.5	0.0	2.9	2.2	Over-the-counter medications for non-medical use	1.5	0.0	2.4	5.7
Heroin	0.5	0.0	0.5	0.2	Prescription medications not prescribed for student	10.5	2.2	1.7	7.9
Inhalants	2.2	2.5	5.5	8.5					
Marijuana	12.5	10.2	12.9	15.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.8	0.0	1.0	0.6	Alcohol (1 or 2 drinks daily)	55.6	45.8		
Over-the-counter medications for non-medical use	2.8	0.0	4.5	7.3	Alcohol (Binge: 5+ drinks once or twice a week)	63.6	71.4		
Prescription medications not prescribed for student	13.5	3.2	7.6	15.0	Cigarettes (1+ packs per day)	79.8	80.3		
Synthetic drugs (K2, bath salts, Spice, etc)	0.5	8.5	6.0		Marijuana (once or twice a week)	72.9	60.2		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.8	92.6	90.2	92.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.57	12.92	13.00	11.97	Alcohol	80.4	72.2	76.8	83.3
Cigarettes	13.50	12.20	12.68	11.56	Cigarettes	93.5	94.7	91.1	93.7
Inhalants		13.64	12.77	11.72	Marijuana	95.5	98.6	95.2	95.3
Marijuana	14.30	13.41	14.26	12.93					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	50.9	69.0	51.3	53.4	Alcohol	61.0	31.3	62.5	62.0
Cigarettes	34.9	51.8	40.3	44.5	Cigarettes	83.0	71.8	79.5	80.3
Marijuana	28.5	23.2	28.5	35.2	Marijuana	85.9	74.6	84.1	85.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	16.1	12.4	14.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	97.5	94.7	95.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	31.8	37.3	34.0	31.2	Alcohol	51.8	73.2	53.5	47.5
Cigarettes	9.5	18.0	13.4	15.4	Cigarettes	44.4	49.6	50.0	49.9
Marijuana	8.9	10.9	7.2	9.1	Marijuana	30.4	28.3	33.5	34.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	7.4	16.6	20.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	67.3	49.3	63.2	67.0	Were grouchy, irritable, or in a bad mood	31.2	20.8	25.7	31.2
Were victims of mean rumors or lies spread at school	56.0	39.2	48.9	57.6	Had difficulty concentrating on school work	26.2	17.3	25.4	31.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.4	11.7	22.7	20.2	Were very sad	19.5	8.3	21.4	28.2
					Felt hopeless about the future	14.0	4.0	9.7	17.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.0	3.2	11.2	12.1	Parents involve student in making family decisions	71.2	77.5	65.8	69.6
Made plan about how they would attempt suicide	7.8	3.2	9.1	6.8	Parents notice and comment on student's good work	84.0	83.5	80.5	84.8
Attempted suicide	4.2	3.2	5.7	6.1	Teachers notice and comment on student's good work	78.6	81.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BARRY COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	8A
POPULATION	
Census 2010	35,597
2016 Estimate	35,732

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	55	53	48
Fatal Crashes	3	1	5
Injury Crashes	24	22	15
Property Damage Crashes	28	30	22
Crash Fatalities	3	1	5
Crash Injuries	34	36	20
Drug Involved Crashes	9	15	14
Fatal Crashes	1	2	0
Injury Crashes	4	8	5
Property Damage Crashes	4	5	9
Crash Fatalities	2	2	0
Crash Injuries	4	10	7

BIRTH RISK	2015	2014	2013
Resident Births	434	404	402
Mother Reported Smoking while Pregnant	94	100	99

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	2
Hepatitis B Chronic, Acute, Prenatal	3	3	1
Hepatitis C Chronic and Acute	46	52	43
Tuberculosis Infection Cases	9	6	5

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	426	387	400
Suicide	7	6	1
Homicide	3	0	0
Alcohol Induced Deaths	4	1	1
Drug Induced Deaths	6	3	5
Smoking Attributable Deaths	81	77	79
Self-inflicted Injuries *	58	53	45
Assault Injuries *	93	92	93

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	283	227	217
Mental Illness Secondary Diagnosis	593	481	469
Alcohol Principal Diagnosis	32	11	16
Alcohol Secondary Diagnosis	46	35	34
Drug Principal Diagnosis	27	16	26
Drug Secondary Diagnosis	64	60	28
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	100	96	106
Mental Illness Secondary Diagnosis	317	408	426
Alcohol Principal Diagnosis	21	21	36
Alcohol Secondary Diagnosis	40	55	69
Drug Principal Diagnosis	23	12	19
Drug Secondary Diagnosis	40	38	29
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	327	351	269
Mental Illness Secondary Diagnosis	585	541	646
Alcohol Principal Diagnosis	105	62	69
Alcohol Secondary Diagnosis	80	98	129
Drug Principal Diagnosis	86	75	59
Drug Secondary Diagnosis	140	124	139

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	29	30	31
Alcohol Package Carry-out Licenses	54	54	53

EMPLOYMENT	2016	2015	2014
Labor Force	15,262	15,059	14,722
Employed	14,574	14,312	13,817
Unemployed	688	747	905
Unemployment Rate	4.5%	5.0%	6.1%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	204	165	234
Liquor Law Arrests	20	11	8
Drug Arrests	161	150	137
Methamphetamine Lab Seizures	2	8	27
Violent Offenses	83	114	107
Domestic Violence Reports	336	342	356
Property Offenses	916	972	972

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,940	1,948	1,870
Drop-outs	23	16	13
Drop-out Rate	1.2%	0.8%	0.7%
School Discipline Involving Alcohol	38	29	22
School Discipline Involving Drugs	14	12	9
School Discipline Involving Tobacco	0	1	2

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	27	35	38
Juvenile Alcohol Offenses	2	2	0
Juvenile Drug Offenses	5	16	3
School Truancy Status Offense	0	32	11
Absent from Home Status Offense	11	16	11
Beyond Parental Control Status Offense	10	20	10
Injurious Behavior Status Offense	18	29	10
Child Abuse	32	44	15
Child Neglect	200	269	33
Child Custody Issues	46	87	107

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	53	89	121
Parental Alcohol Use Related	0	2	3
Parental Drug Use Related	28	43	45
Parental Alcohol and Drug Use	2	3	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	57	48	44
Probation/Parole Admissions--Drug	97	86	110
Probation/Parole Admissions--DWI	15	16	13
Prison Admissions--Drug	43	43	49
Prison Admissions--DWI	6	3	7

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

BARRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	48	40	22
CSTAR Adolescent	*	*	5
CSTAR Women and Children	28	31	18
CSTAR General Adult	162	151	83
CSTAR Opioid	0	0	0
Primary Recovery Treatment	16	24	28
Clinical SATOP (CIP, YCIP, SROP)	19	28	28
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	85	133	135
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	32	62	54
- Weekend Intervention Program	13	22	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	5	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	236	224	158	Alcohol	75	90	63
AGE				Marijuana / Hashish	42	42	33
Under 18	*	*	5	Cocaine (total)	*	0	0
18 to 24	44	35	25	- Crack	*	0	0
25 to 29	44	43	32	Stimulant (total)	94	61	46
30 to 34	41	42	28	- Methamphetamine	87	59	45
35 to 39	28	24	28	Heroin	*	*	*
40 to 44	16	21	15	Analgesic except Heroin	21	26	11
45 to 54	40	43	21	- Non-Prescription Methadone	0	0	0
55 and Over	19	12	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	146	138	100	Inhalant	0	0	0
Female	90	86	58	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	225	213	150	Average Age at First Use of Drug	17.5	16.9	16.7
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	52	52	30
Asian / Pacific Islander	0	0	0	- Daily Injection Use	11	6	8
Hispanic	9	6	5	- Weekly Injection Use	16	18	6
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	25	28	16
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	88	95	57	0	143	120	80
High School Graduate or G.E.D.	107	93	73	1 or 2	61	68	47
Associate Degree or Some College	40	36	24	3 or More	32	36	31
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	71	64	38
Employed	88	71	57	School	0	0	0
Unemployed	80	77	50	Mental Health Provider	*	*	*
Not in Labor Force	68	76	51	Health Care Provider	28	12	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	101	122	85
Independent Living	202	199	134	Other Referral Source	34	23	25
Dependent Living	20	18	21	TREATMENT ACCOMMODATION			
Homeless	7	*	*	Pregnant when Admitted to any Episode	5	*	*
MARITAL / FAMILY STATUS				Military Veteran	8	8	8
Never Married	110	100	77	Special Education Services Needed	32	25	18
Married / Cohabiting	73	73	40	Co-Occurring Psychological Problem	110	109	56
Previously Married	53	51	41	Co-Occurring Developmental Problem	15	6	6

BARRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8A
CENSUS 2010 35,597
2016 POPULATION ESTIMATE 35,732

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	32	25	31
Anxiety Disorder	277	204	186
Dementia	*	0	0
Developmental Disorder	11	10	12
Impulse Control Disorder	129	109	98
Mood Disorder	400	283	236
Personality Disorder	82	73	63
Psychotic Disorder	112	82	77
Sexual Disorder	*	*	*
Other Diagnosis	102	56	53
Diagnosis Unknown	137	215	233

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	775	675	646	Less than High School Diploma	261	245	173
AGE				High School Grad or G.E.D.	0	0	0
Under 6	6	*	10	Associate Degree or Some College	0	0	0
6 to 9	51	53	41	Bachelor or Advanced Degree	0	0	0
10 to 13	54	41	53	Education Level Unknown	514	430	473
14 to 17	81	64	41	EMPLOYMENT			
18 to 24	57	43	61	Employed	49	52	18
25 to 29	66	58	46	Unemployed	45	34	18
30 to 34	53	57	57	Not in Labor Force	403	388	302
35 to 39	73	44	47	Employment Status Unknown	278	201	308
40 to 44	52	63	61	HOUSING / LIVING ARRANGEMENT			
45 to 49	71	69	66	Independent Living	278	261	181
50 to 54	80	71	58	Dependent Living	177	156	133
55 to 59	64	59	60	Homeless	5	7	*
60 and Over	67	50	45	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	315	251	330
GENDER				TREATMENT REFERRAL SOURCE			
Male	366	311	301	Self / Family / Friend	403	372	388
Female	409	364	345	School	22	16	12
Gender Unknown	0	0	0	Mental Health Provider	34	37	36
RACE / ETHNICITY				Health Care Provider	121	99	81
Caucasian	735	647	624	Court / Criminal Justice	42	22	16
African American	*	5	7	Other	150	125	109
Native American / Alaskan	5	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	0	TYPE OF COMMITMENT			
Hispanic	24	14	11	Voluntary	753	660	634
Other Race	7	7	*	Civil	15	9	5
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	39	40	37	Commitment Type Unknown	*	*	*
Past or Current Military Service	15	8	8				

BARRY COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.4	39.7	36.0	46.0	Alcohol	11.4	14.0	13.3	19.4
Chewing Tobacco	21.9	24.9	18.6	21.2	Alcohol (5+ drinks on single occasion past 2 weeks)	4.7	6.0		
Cigarettes	24.7	29.3	26.8	29.5	Chewing Tobacco	8.0	13.0	10.0	11.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.5	1.9	1.8	Cigarettes	6.7	14.8	10.7	15.8
Cocaine	0.0	1.2	1.3	1.7	Inhalants	1.2	0.7	2.5	2.8
Electronic Cigarettes	19.9	15.3			Marijuana	4.0	5.7	5.9	6.9
Hallucinogens	0.5	1.2	3.2	2.5	Over-the-counter medications for non-medical use	1.2	1.4	2.5	5.2
Heroin	0.0	0.2	1.0	0.4	Prescription medications not prescribed for student	6.6	1.4	4.0	6.3
Inhalants	3.5	4.7	7.3	8.2					
Marijuana	13.1	14.3	14.4	16.2	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.2	1.5	1.0	Alcohol (1 or 2 drinks daily)	67.4	49.3		
Over-the-counter medications for non-medical use	3.1	3.8	4.8	9.8	Alcohol (Binge: 5+ drinks once or twice a week)	74.7	61.5		
Prescription medications not prescribed for student	11.4	6.9	7.6	11.4	Cigarettes (1+ packs per day)	78.5	80.3		
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	2.9	7.3		Marijuana (once or twice a week)	69.6	64.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	87.5	93.9	94.7	94.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.62	12.39	12.49	12.63	Alcohol	86.2	79.0	82.9	80.2
Cigarettes	12.42	12.01	12.36	12.22	Cigarettes	91.3	91.1	91.3	89.0
Inhalants	10.85	10.26	12.08	12.61	Marijuana	93.1	94.5	95.5	94.8
Marijuana	12.83	13.24	13.17	13.60					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	36.7	44.5	49.3	58.6	Alcohol	75.3	63.1	69.2	61.7
Cigarettes	25.6	39.2	41.9	48.4	Cigarettes	88.6	76.3	83.0	76.9
Marijuana	22.6	29.2	29.6	35.1	Marijuana	86.8	82.7	85.9	83.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3	8.6	11.6	14.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	98.6	96.3	96.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	18.6	29.5	24.9	32.5	Alcohol	40.9	48.9	51.1	55.3
Cigarettes	8.3	17.5	13.4	16.9	Cigarettes	48.1	50.4	52.6	58.7
Marijuana	7.5	10.6	9.4	12.1	Marijuana	27.6	26.9	30.0	37.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	12.0	15.3	18.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.7	59.6	60.3	68.5	Were grouchy, irritable, or in a bad mood	29.1	27.7	21.6	30.1
Were victims of mean rumors or lies spread at school	47.8	50.4	48.3	56.7	Had difficulty concentrating on school work	23.7	20.3	20.1	28.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.9	19.1	18.8	18.2	Were very sad	22.4	23.0	16.4	24.8
					Felt hopeless about the future	9.0	12.4	10.2	16.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.8	10.7	11.2	11.2	Parents involve student in making family decisions	72.1	71.0	72.5	67.5
Made plan about how they would attempt suicide	9.1	8.9	7.0	8.8	Parents notice and comment on student's good work	85.9	84.2	85.7	83.9
Attempted suicide	4.5	4.5	4.5	5.8	Teachers notice and comment on student's good work	79.6	78.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BARTON COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	12,402
2016 Estimate	11,908

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	7	6	6
Fatal Crashes	0	0	1
Injury Crashes	2	1	0
Property Damage Crashes	5	5	7
Crash Fatalities	0	0	1
Crash Injuries	3	3	0
Drug Involved Crashes	0	2	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	2	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

BIRTH RISK	2015	2014	2013
Resident Births	156	138	141
Mother Reported Smoking while Pregnant	41	27	39

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	1	0
Hepatitis C Chronic and Acute	14	11	8
Tuberculosis Infection Cases	2	0	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	159	148	163
Suicide	1	3	3
Homicide	0	0	1
Alcohol Induced Deaths	2	1	0
Drug Induced Deaths	1	2	1
Smoking Attributable Deaths	26	24	28
Self-inflicted Injuries *	11	17	22
Assault Injuries *	34	50	43

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	83	103	132
Mental Illness Secondary Diagnosis	435	425	487
Alcohol Principal Diagnosis	3	6	4
Alcohol Secondary Diagnosis	29	44	27
Drug Principal Diagnosis	14	9	11
Drug Secondary Diagnosis	25	23	32
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	39	17	38
Mental Illness Secondary Diagnosis	63	75	96
Alcohol Principal Diagnosis	1	2	10
Alcohol Secondary Diagnosis	7	15	12
Drug Principal Diagnosis	5	5	7
Drug Secondary Diagnosis	4	12	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	88	102	97
Mental Illness Secondary Diagnosis	931	400	449
Alcohol Principal Diagnosis	13	12	25
Alcohol Secondary Diagnosis	63	169	192
Drug Principal Diagnosis	33	33	34
Drug Secondary Diagnosis	55	81	97

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	7	8	7
Alcohol Package Carry-out Licenses	12	14	17

EMPLOYMENT	2016	2015	2014
Labor Force	5,381	5,434	5,518
Employed	5,100	5,138	5,164
Unemployed	281	296	354
Unemployment Rate	5.2%	5.4%	6.4%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	40	44	49
Liquor Law Arrests	10	37	23
Drug Arrests	32	35	29
Methamphetamine Lab Seizures	0	1	5
Violent Offenses	40	33	38
Domestic Violence Reports	174	174	164
Property Offenses	259	270	300

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	586	592	615
Drop-outs	7	8	8
Drop-out Rate	1.2%	1.4%	1.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	3	0	0
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	27	37	34
Juvenile Alcohol Offenses	2	4	0
Juvenile Drug Offenses	4	3	6
School Truancy Status Offense	80	64	83
Absent from Home Status Offense	1	2	4
Beyond Parental Control Status Offense	6	6	7
Injurious Behavior Status Offense	12	2	2
Child Abuse	14	22	62
Child Neglect	72	138	140
Child Custody Issues	1	8	9

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	20	20	17
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	12	9	6
Parental Alcohol and Drug Use	3	3	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	14	15	16
Probation/Parole Admissions--Drug	17	11	20
Probation/Parole Admissions--DWI	6	4	10
Prison Admissions--Drug	10	7	9
Prison Admissions--DWI	3	2	3

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

BARTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	7	9	11
CSTAR Adolescent	6	*	0
CSTAR Women and Children	*	*	6
CSTAR General Adult	59	61	48
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	9	11
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	21	31	32
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	10	8	6
- Weekend Intervention Program	*	7	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	8
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	78	82	69	Alcohol	16	26	31
AGE				Marijuana / Hashish	17	17	16
Under 18	7	*	*	Cocaine (total)	0	0	0
18 to 24	6	9	13	- Crack	0	0	0
25 to 29	12	17	12	Stimulant (total)	33	28	9
30 to 34	18	16	10	- Methamphetamine	31	27	9
35 to 39	14	13	10	Heroin	*	0	0
40 to 44	13	12	6	Analgesic except Heroin	9	10	12
45 to 54	8	10	9	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	8	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	50	56	46	Inhalant	0	0	0
Female	28	26	23	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	74	76	68	Average Age at First Use of Drug	18.6	18.9	17.0
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	19	17	12
Asian / Pacific Islander	*	0	0	- Daily Injection Use	*	*	6
Hispanic	*	*	*	- Weekly Injection Use	10	6	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	8	10	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	25	25	23	0	46	45	29
High School Graduate or G.E.D.	33	40	38	1 or 2	25	24	24
Associate Degree or Some College	18	17	8	3 or More	7	13	16
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	20	13	10
Employed	22	27	24	School	0	0	0
Unemployed	26	35	25	Mental Health Provider	0	0	0
Not in Labor Force	30	20	20	Health Care Provider	12	11	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	40	46	45
Independent Living	63	71	65	Other Referral Source	6	12	*
Dependent Living	11	6	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	5
Never Married	33	36	30	Special Education Services Needed	12	19	17
Married / Cohabiting	29	24	25	Co-Occurring Psychological Problem	42	40	34
Previously Married	16	22	14	Co-Occurring Developmental Problem	*	*	*

BARTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 12,402
2016 POPULATION ESTIMATE 11,908

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	23	25	28
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	16	7	9
Mood Disorder	34	35	31
Personality Disorder	*	5	5
Psychotic Disorder	8	8	*
Sexual Disorder	0	0	0
Other Diagnosis	13	*	6
Diagnosis Unknown	*	5	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	67	58	58	Less than High School Diploma	18	18	17
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	7	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	6	Education Level Unknown	49	40	41
14 to 17	7	7	*	EMPLOYMENT			
18 to 24	5	*	*	Employed	*	*	*
25 to 29	9	*	*	Unemployed	*	*	*
30 to 34	5	5	*	Not in Labor Force	30	26	24
35 to 39	8	*	*	Employment Status Unknown	31	28	27
40 to 44	8	14	7	HOUSING / LIVING ARRANGEMENT			
45 to 49	5	*	6	Independent Living	21	15	19
50 to 54	7	6	9	Dependent Living	18	17	14
55 to 59	*	*	*	Homeless	0	*	*
60 and Over	*	*	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	28	25	23
GENDER				TREATMENT REFERRAL SOURCE			
Male	29	26	29	Self / Family / Friend	43	39	42
Female	38	32	29	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	0	*
RACE / ETHNICITY				Health Care Provider	9	5	6
Caucasian	64	55	52	Court / Criminal Justice	14	12	6
African American	0	0	0	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	0	*	*	Voluntary	55	48	52
Other Race	*	*	*	Civil	12	10	5
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	*
Hearing Impaired	0	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

BARTON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.5	28.7	27.5	35.8	Alcohol	13.9	13.2	11.0	12.7
Chewing Tobacco	13.5	16.6	11.5	11.6	Alcohol (5+ drinks on single occasion past 2 weeks)	3.4	8.7		
Cigarettes	15.9	19.7	18.9	29.2	Chewing Tobacco	5.3	7.3	6.0	6.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	2.0	0.9	1.0	Cigarettes	6.3	6.6	10.1	14.4
Cocaine	0.5	0.7	0.9	0.3	Inhalants	0.5	1.3	2.8	3.5
Electronic Cigarettes	17.8	15.8			Marijuana	5.3	2.0	2.8	3.1
Hallucinogens	1.5	1.3	1.4	2.1	Over-the-counter medications for non-medical use	2.4	2.0	3.2	3.5
Heroin	0.0	0.7	1.9	0.3	Prescription medications not prescribed for student	6.7	7.2	5.5	4.5
Inhalants	1.4	1.3	4.1	5.5					
Marijuana	6.8	8.6	7.3	8.7	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.7	1.8	0.3	Alcohol (1 or 2 drinks daily)	65.6	59.2		
Over-the-counter medications for non-medical use	3.8	4.0	5.5	6.6	Alcohol (Binge: 5+ drinks once or twice a week)	77.8	75.0		
Prescription medications not prescribed for student	11.1	14.4	10.1	9.7	Cigarettes (1+ packs per day)	85.6	83.3		
Synthetic drugs (K2, bath salts, Spice, etc)	1.0	1.3	3.7		Marijuana (once or twice a week)	75.5	70.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	92.8	94.4	96.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.11	13.13	11.80	12.62	Alcohol	85.6	83.7	83.6	86.8
Cigarettes	11.59	13.19	11.95	12.52	Cigarettes	93.3	96.1	91.7	93.0
Inhalants		13.98	11.75	12.03	Marijuana	95.1	96.0	95.8	97.2
Marijuana	13.44	14.28	12.30	13.51					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	42.3	41.2	41.3	46.0	Alcohol	68.0	72.7	72.9	72.7
Cigarettes	27.2	29.6	36.7	48.5	Cigarettes	87.9	88.8	85.3	80.5
Marijuana	25.2	17.1	17.1	26.4	Marijuana	85.3	86.7	90.2	87.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.8	5.2	8.3	15.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	97.4	94.4	94.8
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	23.8	19.9	22.0	19.7	Alcohol	54.3	50.7	48.4	51.0
Cigarettes	7.2	7.2	10.6	16.1	Cigarettes	44.7	49.0	44.5	53.3
Marijuana	11.6	7.9	5.6	7.3	Marijuana	29.0	20.4	17.7	32.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	9.3	13.0	18.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	66.5	64.9	64.2	71.7	Were grouchy, irritable, or in a bad mood	30.8	25.5	19.9	37.5
Were victims of mean rumors or lies spread at school	50.7	51.6	55.0	57.2	Had difficulty concentrating on school work	32.1	29.4	18.8	31.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.9	25.8	23.9	20.1	Were very sad	19.7	23.7	20.2	27.7
					Felt hopeless about the future	13.4	10.6	8.7	17.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.5	9.2	9.6	13.7	Parents involve student in making family decisions	68.6	66.4	71.1	69.9
Made plan about how they would attempt suicide	10.5	7.3	8.3	10.0	Parents notice and comment on student's good work	82.2	80.3	84.3	82.5
Attempted suicide	5.3	6.6	4.6	6.2	Teachers notice and comment on student's good work	70.7	73.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BATES COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	17,049
2016 Estimate	16,417

BIRTH RISK	2015	2014	2013
Resident Births	187	193	198
Mother Reported Smoking while Pregnant	47	40	38

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	1	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	7	20	11
Tuberculosis Infection Cases	1	2	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	208	223	202
Suicide	2	4	2
Homicide	1	0	0
Alcohol Induced Deaths	3	3	0
Drug Induced Deaths	1	6	3
Smoking Attributable Deaths	45	38	42
Self-inflicted Injuries *	18	16	26
Assault Injuries *	39	70	63

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	96	94	146
Mental Illness Secondary Diagnosis	377	314	365
Alcohol Principal Diagnosis	7	7	6
Alcohol Secondary Diagnosis	35	16	21
Drug Principal Diagnosis	3	5	9
Drug Secondary Diagnosis	27	14	27
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	9	28	32
Mental Illness Secondary Diagnosis	236	293	267
Alcohol Principal Diagnosis	1	4	4
Alcohol Secondary Diagnosis	24	13	9
Drug Principal Diagnosis	2	3	5
Drug Secondary Diagnosis	11	19	15
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	167	120	124
Mental Illness Secondary Diagnosis	1,204	1,651	1,676
Alcohol Principal Diagnosis	35	17	23
Alcohol Secondary Diagnosis	48	49	37
Drug Principal Diagnosis	31	36	29
Drug Secondary Diagnosis	62	59	55

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	16	13	12
Alcohol Package Carry-out Licenses	23	20	21

EMPLOYMENT	2016	2015	2014
Labor Force	8,334	8,362	8,239
Employed	7,895	7,858	7,666
Unemployed	439	504	573
Unemployment Rate	5.3%	6.0%	7.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	12	13	20
Fatal Crashes	0	0	1
Injury Crashes	9	6	7
Property Damage Crashes	3	7	7
Crash Fatalities	0	0	1
Crash Injuries	9	6	11
Drug Involved Crashes	4	3	6
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	4	3	6
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	77	89	106
Liquor Law Arrests	5	10	18
Drug Arrests	447	382	490
Methamphetamine Lab Seizures	0	1	0
Violent Offenses	74	77	82
Domestic Violence Reports	107	123	95
Property Offenses	316	424	440

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	798	796	740
Drop-outs	6	8	4
Drop-out Rate	0.8%	1.0%	0.5%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	24	3	3
School Discipline Involving Tobacco	1	4	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	4	12	12
Juvenile Alcohol Offenses	2	0	3
Juvenile Drug Offenses	9	3	5
School Truancy Status Offense	14	11	18
Absent from Home Status Offense	7	8	6
Beyond Parental Control Status Offense	4	8	10
Injurious Behavior Status Offense	57	52	46
Child Abuse	10	24	19
Child Neglect	99	120	95
Child Custody Issues	2	3	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	27	28	17
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	17	20	8
Parental Alcohol and Drug Use	2	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	14	14	14
Probation/Parole Admissions--Drug	77	75	66
Probation/Parole Admissions--DWI	11	7	6
Prison Admissions--Drug	28	29	17
Prison Admissions--DWI	3	5	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

BATES COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	5	*	5
CSTAR Adolescent	7	*	*
CSTAR Women and Children	6	*	7
CSTAR General Adult	93	95	117
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	9	12	10
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	56	45	51
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	21	17	18
- Weekend Intervention Program	7	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	8	5	6
Compulsive Gambling	0	0	0
Recovery Supports	*	*	6
Early Intervention	0	*	9

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	116	112	150	Alcohol	42	42	60
AGE				Marijuana / Hashish	21	30	34
Under 18	8	*	7	Cocaine (total)	0	0	0
18 to 24	17	18	31	- Crack	0	0	0
25 to 29	20	20	20	Stimulant (total)	38	25	36
30 to 34	18	14	18	- Methamphetamine	23	24	34
35 to 39	19	20	18	Heroin	0	0	0
40 to 44	7	9	16	Analgesic except Heroin	10	13	15
45 to 54	16	20	33	- Non-Prescription Methadone	0	0	0
55 and Over	11	10	7	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	67	67	89	Inhalant	0	0	0
Female	49	45	61	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	109	109	141	Average Age at First Use of Drug	18.0	18.7	17.4
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	8	11	18
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	7	7	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	36	30	45	0	75	68	91
High School Graduate or G.E.D.	65	60	76	1 or 2	25	30	34
Associate Degree or Some College	11	21	29	3 or More	16	14	25
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	62	26	42
Employed	29	30	30	School	0	0	*
Unemployed	37	48	57	Mental Health Provider	0	*	*
Not in Labor Force	50	34	63	Health Care Provider	9	8	13
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	17	42	43
Independent Living	102	96	115	Other Referral Source	28	30	44
Dependent Living	9	5	18	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	7
Never Married	48	49	72	Special Education Services Needed	5	*	6
Married / Cohabiting	35	25	55	Co-Occurring Psychological Problem	49	56	70
Previously Married	33	38	23	Co-Occurring Developmental Problem	*	*	*

BATES COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 17,049
2016 POPULATION ESTIMATE 16,417

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	7	7	7
Anxiety Disorder	99	90	93
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	34	26	31
Mood Disorder	127	122	127
Personality Disorder	11	11	12
Psychotic Disorder	21	24	23
Sexual Disorder	0	0	0
Other Diagnosis	25	17	18
Diagnosis Unknown	9	*	24

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	182	161	197	Less than High School Diploma	70	61	69
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	18	15	11	Bachelor or Advanced Degree	0	0	0
10 to 13	16	11	17	Education Level Unknown	112	100	128
14 to 17	19	9	20	EMPLOYMENT			
18 to 24	10	10	14	Employed	*	8	13
25 to 29	13	16	20	Unemployed	8	8	9
30 to 34	19	8	16	Not in Labor Force	92	114	125
35 to 39	12	15	22	Employment Status Unknown	79	31	50
40 to 44	14	8	19	HOUSING / LIVING ARRANGEMENT			
45 to 49	16	20	21	Independent Living	48	87	100
50 to 54	18	19	15	Dependent Living	55	44	50
55 to 59	15	17	12	Homeless	*	0	*
60 and Over	10	10	9	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	76	30	46
GENDER				TREATMENT REFERRAL SOURCE			
Male	84	75	100	Self / Family / Friend	140	116	139
Female	98	86	97	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	7	5	*
RACE / ETHNICITY				Health Care Provider	21	22	23
Caucasian	166	150	186	Court / Criminal Justice	*	*	7
African American	*	*	*	Other	9	15	23
Native American / Alaskan	*	*	5	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	6	*	*	Voluntary	178	160	195
Other Race	6	5	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	7	9	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	7				

BATES COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.6	30.9	41.2	43.7	Alcohol	12.9	12.8	18.1	19.4
Chewing Tobacco	14.7	11.3	12.7	17.0	Alcohol (5+ drinks on single occasion past 2 weeks)	6.4	5.9		
Cigarettes	17.3	19.5	27.3	29.0	Chewing Tobacco	5.3	6.4	5.8	9.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.8	0.0	1.6	2.5	Cigarettes	10.8	7.3	13.1	15.3
Cocaine	0.7	1.4	1.2	1.4	Inhalants	1.8	1.0	0.8	2.4
Electronic Cigarettes	19.4	13.1			Marijuana	1.4	2.9	4.6	6.5
Hallucinogens	1.4	1.5	2.4	4.9	Over-the-counter medications for non-medical use	1.4	0.5	1.2	4.3
Heroin	0.7	0.0	0.4	0.8	Prescription medications not prescribed for student	8.2	4.9	3.5	7.9
Inhalants	3.6	2.9	3.9	5.1					
Marijuana	7.9	11.1	11.2	13.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.5	0.5	0.4	1.4	Alcohol (1 or 2 drinks daily)	57.7	58.9		
Over-the-counter medications for non-medical use	2.9	2.9	2.3	6.7	Alcohol (Binge: 5+ drinks once or twice a week)	71.8	70.4		
Prescription medications not prescribed for student	12.2	11.3	9.3	12.2	Cigarettes (1+ packs per day)	83.2	83.0		
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	5.9	6.2		Marijuana (once or twice a week)	73.9	70.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	92.2	89.1	94.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.14	12.20	13.36	12.11	Alcohol	79.9	84.1	63.3	72.9
Cigarettes	12.97	11.80	12.06	12.30	Cigarettes	90.7	93.7	81.4	89.5
Inhalants		12.65	10.85	12.31	Marijuana	94.9	96.6	97.6	93.2
Marijuana	13.88	13.49	13.41	13.05					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	31.2	35.3	46.2	55.4	Alcohol	71.7	71.7	57.8	55.3
Cigarettes	29.6	25.7	42.5	48.8	Cigarettes	82.9	89.7	80.1	77.3
Marijuana	17.1	16.7	21.4	33.0	Marijuana	89.9	83.4	88.3	83.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.1	3.9	8.9	17.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	96.1	97.3	95.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	20.4	21.4	32.0	36.2	Alcohol	45.7	40.0	56.7	60.5
Cigarettes	11.5	10.6	19.0	16.4	Cigarettes	48.8	38.0	59.0	55.7
Marijuana	6.5	7.7	6.6	12.5	Marijuana	22.8	19.4	29.8	30.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	6.8	19.4	18.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.5	58.0	63.6	74.5	Were grouchy, irritable, or in a bad mood	29.1	28.5	24.3	26.6
Were victims of mean rumors or lies spread at school	50.5	49.8	47.9	60.9	Had difficulty concentrating on school work	19.2	23.2	25.1	26.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.0	23.1	19.1	23.6	Were very sad	22.6	20.9	24.6	22.4
					Felt hopeless about the future	10.8	14.1	12.1	15.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.1	17.4	14.4	10.2	Parents involve student in making family decisions	78.5	76.2	61.9	61.8
Made plan about how they would attempt suicide	6.5	7.8	10.5	8.3	Parents notice and comment on student's good work	88.9	85.5	79.1	78.6
Attempted suicide	2.9	4.3	4.7	4.6	Teachers notice and comment on student's good work	83.6	73.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BENTON COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	19,056
2016 Estimate	18,839

BIRTH RISK	2015	2014	2013
Resident Births	171	165	138
Mother Reported Smoking while Pregnant	47	42	43

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	15	23	12
Tuberculosis Infection Cases	3	2	3

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	306	316	267
Suicide	5	9	0
Homicide	1	0	2
Alcohol Induced Deaths	4	2	4
Drug Induced Deaths	4	3	4
Smoking Attributable Deaths	72	67	60
Self-inflicted Injuries *	26	32	27
Assault Injuries *	41	31	51

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	154	159	209
Mental Illness Secondary Diagnosis	682	650	649
Alcohol Principal Diagnosis	13	7	15
Alcohol Secondary Diagnosis	54	52	48
Drug Principal Diagnosis	19	5	12
Drug Secondary Diagnosis	48	36	34
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	21	33	39
Mental Illness Secondary Diagnosis	137	195	220
Alcohol Principal Diagnosis	10	14	15
Alcohol Secondary Diagnosis	17	24	37
Drug Principal Diagnosis	8	10	9
Drug Secondary Diagnosis	11	10	17
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	194	158	169
Mental Illness Secondary Diagnosis	985	1,081	1,031
Alcohol Principal Diagnosis	38	37	27
Alcohol Secondary Diagnosis	40	43	59
Drug Principal Diagnosis	43	25	21
Drug Secondary Diagnosis	83	68	53

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	38	40	40
Alcohol Package Carry-out Licenses	30	29	30

EMPLOYMENT	2016	2015	2014
Labor Force	7,335	7,268	7,146
Employed	6,893	6,796	6,599
Unemployed	442	472	547
Unemployment Rate	6.0%	6.5%	7.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	14	19	19
Fatal Crashes	0	1	2
Injury Crashes	6	9	9
Property Damage Crashes	8	9	9
Crash Fatalities	0	1	3
Crash Injuries	9	11	15
Drug Involved Crashes	1	5	2
Fatal Crashes	0	3	0
Injury Crashes	1	1	0
Property Damage Crashes	0	1	2
Crash Fatalities	0	3	0
Crash Injuries	5	4	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	59	87	112
Liquor Law Arrests	4	6	8
Drug Arrests	143	144	124
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	94	108	70
Domestic Violence Reports	130	159	158
Property Offenses	387	338	373

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	819	808	820
Drop-outs	8	17	17
Drop-out Rate	1.0%	2.1%	2.1%
School Discipline Involving Alcohol	2	0	1
School Discipline Involving Drugs	14	4	11
School Discipline Involving Tobacco	0	1	4

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	39	38	38
Juvenile Alcohol Offenses	3	2	0
Juvenile Drug Offenses	17	14	3
School Truancy Status Offense	16	26	37
Absent from Home Status Offense	15	8	10
Beyond Parental Control Status Offense	7	11	16
Injurious Behavior Status Offense	6	3	9
Child Abuse	10	12	19
Child Neglect	76	65	68
Child Custody Issues	9	1	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	14	10	15
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	4	3	2
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	11	11	9
Probation/Parole Admissions--Drug	73	73	57
Probation/Parole Admissions--DWI	4	10	10
Prison Admissions--Drug	41	32	23
Prison Admissions--DWI	3	4	6

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

BENTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	8	*	*
CSTAR Adolescent	18	11	5
CSTAR Women and Children	10	5	*
CSTAR General Adult	75	97	122
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	20	19	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	56	63	35
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	11	17	12
- Weekend Intervention Program	14	9	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	5	*
Compulsive Gambling	0	0	0
Recovery Supports	7	*	6
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	120	136	148	Alcohol	40	53	48
AGE				Marijuana / Hashish	27	37	43
Under 18	18	14	5	Cocaine (total)	*	0	*
18 to 24	14	20	22	- Crack	*	0	*
25 to 29	10	20	18	Stimulant (total)	37	31	47
30 to 34	16	13	27	- Methamphetamine	28	30	46
35 to 39	18	13	16	Heroin	*	*	*
40 to 44	9	16	21	Analgesic except Heroin	12	10	6
45 to 54	19	25	30	- Non-Prescription Methadone	0	0	0
55 and Over	16	15	9	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	71	82	86	Inhalant	0	0	0
Female	48	54	62	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	117	132	144	Average Age at First Use of Drug	17.5	17.3	17.1
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	17	15	12
Asian / Pacific Islander	0	*	0	- Daily Injection Use	5	*	0
Hispanic	*	*	*	- Weekly Injection Use	6	6	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	6	8	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	42	47	44	0	68	79	98
High School Graduate or G.E.D.	52	64	74	1 or 2	29	36	39
Associate Degree or Some College	24	24	28	3 or More	23	21	11
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	63	35	51
Employed	14	20	29	School	0	0	0
Unemployed	26	48	68	Mental Health Provider	*	*	*
Not in Labor Force	80	68	51	Health Care Provider	*	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	27	57	48
Independent Living	89	98	121	Other Referral Source	24	27	43
Dependent Living	21	23	11	TREATMENT ACCOMMODATION			
Homeless	5	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	55	65	59	Special Education Services Needed	*	6	7
Married / Cohabiting	33	34	50	Co-Occurring Psychological Problem	48	61	67
Previously Married	32	37	39	Co-Occurring Developmental Problem	*	*	*

BENTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 19,056
2016 POPULATION ESTIMATE 18,839

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	12	13	14
Anxiety Disorder	184	163	172
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	52	47	32
Mood Disorder	191	175	187
Personality Disorder	13	8	15
Psychotic Disorder	43	34	31
Sexual Disorder	0	0	0
Other Diagnosis	31	33	40
Diagnosis Unknown	7	14	25

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	262	264	299	Less than High School Diploma	124	117	136
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	*	Associate Degree or Some College	0	0	0
6 to 9	16	17	16	Bachelor or Advanced Degree	0	0	0
10 to 13	20	27	28	Education Level Unknown	138	147	163
14 to 17	30	30	34	EMPLOYMENT			
18 to 24	16	22	27	Employed	11	7	21
25 to 29	11	12	15	Unemployed	12	*	9
30 to 34	23	17	17	Not in Labor Force	208	209	213
35 to 39	12	17	22	Employment Status Unknown	31	44	56
40 to 44	27	18	23	HOUSING / LIVING ARRANGEMENT			
45 to 49	28	27	37	Independent Living	129	121	146
50 to 54	31	35	33	Dependent Living	99	95	99
55 to 59	21	20	31	Homeless	5	*	*
60 and Over	27	19	14	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	29	44	50
GENDER				TREATMENT REFERRAL SOURCE			
Male	131	136	144	Self / Family / Friend	210	206	244
Female	131	128	155	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	11	10
RACE / ETHNICITY				Health Care Provider	28	18	19
Caucasian	248	255	290	Court / Criminal Justice	*	6	*
African American	*	*	*	Other	12	20	20
Native American / Alaskan	*	*	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	5	*	*	Voluntary	256	260	295
Other Race	6	*	*	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	5	5	Commitment Type Unknown	*	*	*
Past or Current Military Service	5	*	*				

BENTON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.1	50.3	44.3	54.0	Alcohol	18.5	18.8	19.4	23.1
Chewing Tobacco	15.8	16.1	16.4	16.5	Alcohol (5+ drinks on single occasion past 2 weeks)	9.8	10.0		
Cigarettes	22.4	33.2	31.1	34.2	Chewing Tobacco	8.1	7.3	9.0	7.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	2.6	4.1	4.1	Cigarettes	10.1	14.8	16.3	17.8
Cocaine	0.4	1.6	1.3	1.8	Inhalants	0.4	1.1	2.0	4.4
Electronic Cigarettes	21.5	16.1			Marijuana	5.2	7.3	8.6	8.7
Hallucinogens	2.1	2.1	4.1	3.2	Over-the-counter medications for non-medical use	1.2	1.6	1.2	6.6
Heroin	0.4	1.1	1.2	0.6	Prescription medications not prescribed for student	13.4	5.3	5.3	7.7
Inhalants	2.4	3.7	7.0	9.7					
Marijuana	13.8	17.7	17.1	15.2	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.6	1.2	1.8	Alcohol (1 or 2 drinks daily)	60.0	51.8		
Over-the-counter medications for non-medical use	4.0	2.1	3.3	9.9	Alcohol (Binge: 5+ drinks once or twice a week)	76.8	62.8		
Prescription medications not prescribed for student	17.1	13.2	10.2	16.7	Cigarettes (1+ packs per day)	84.1	83.2		
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	4.3	5.7		Marijuana (once or twice a week)	69.5	64.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	92.7	97.1	92.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.07	12.44	12.71	12.24	Alcohol	78.3	71.6	74.0	71.6
Cigarettes	12.14	12.15	12.35	11.76	Cigarettes	91.4	87.9	88.7	89.2
Inhalants		12.62	12.65	12.52	Marijuana	92.2	91.5	95.3	95.5
Marijuana	13.77	13.36	13.43	12.10					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	50.0	57.9	59.4	61.2	Alcohol	67.9	50.3	61.3	51.5
Cigarettes	39.3	45.3	52.0	51.3	Cigarettes	87.3	77.9	82.2	74.1
Marijuana	31.8	32.5	32.2	31.7	Marijuana	85.2	78.9	84.0	79.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	11.0	17.3	18.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	97.4	95.1	92.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.1	37.7	38.3	42.8	Alcohol	49.6	60.7	61.3	64.0
Cigarettes	13.1	16.7	17.7	19.6	Cigarettes	45.7	55.5	52.1	65.8
Marijuana	10.2	15.7	10.4	14.0	Marijuana	32.2	31.6	36.4	41.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5	12.6	15.5	26.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	68.4	70.8	62.3	73.2	Were grouchy, irritable, or in a bad mood	28.7	29.0	24.9	29.3
Were victims of mean rumors or lies spread at school	53.4	58.9	52.5	59.2	Had difficulty concentrating on school work	24.7	26.9	25.9	27.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.3	28.9	25.4	20.2	Were very sad	24.6	23.4	20.5	24.3
					Felt hopeless about the future	10.9	15.1	8.7	11.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.5	16.2	13.2	15.7	Parents involve student in making family decisions	67.8	63.0	66.9	68.2
Made plan about how they would attempt suicide	6.6	14.7	7.0	11.7	Parents notice and comment on student's good work	83.0	78.2	79.3	82.6
Attempted suicide	3.7	11.5	2.0	7.0	Teachers notice and comment on student's good work	80.1	71.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BOLLINGER COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	12,363
2016 Estimate	12,052

BIRTH RISK	2015	2014	2013
Resident Births	133	136	121
Mother Reported Smoking while Pregnant	28	41	32

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	2
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	6	6	9
Tuberculosis Infection Cases	5	0	3

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	130	140	131
Suicide	1	3	1
Homicide	2	1	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	2	1
Smoking Attributable Deaths	30	29	28
Self-inflicted Injuries *	6	11	11
Assault Injuries *	26	21	34

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	93	100	106
Mental Illness Secondary Diagnosis	213	120	251
Alcohol Principal Diagnosis	4	3	2
Alcohol Secondary Diagnosis	4	10	29
Drug Principal Diagnosis	2	5	1
Drug Secondary Diagnosis	21	4	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	18	20	7
Mental Illness Secondary Diagnosis	184	253	96
Alcohol Principal Diagnosis	0	6	5
Alcohol Secondary Diagnosis	11	22	11
Drug Principal Diagnosis	3	3	2
Drug Secondary Diagnosis	8	9	5
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	114	112	76
Mental Illness Secondary Diagnosis	462	278	154
Alcohol Principal Diagnosis	10	4	13
Alcohol Secondary Diagnosis	18	18	10
Drug Principal Diagnosis	16	11	10
Drug Secondary Diagnosis	30	17	20

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	11	11	10
Alcohol Package Carry-out Licenses	12	14	11

EMPLOYMENT	2016	2015	2014
Labor Force	5,584	5,725	5,750
Employed	5,298	5,405	5,364
Unemployed	286	320	386
Unemployment Rate	5.1%	5.6%	6.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	11	14	12
Fatal Crashes	1	2	0
Injury Crashes	7	5	9
Property Damage Crashes	3	7	10
Crash Fatalities	2	2	0
Crash Injuries	10	9	12
Drug Involved Crashes	10	3	3
Fatal Crashes	1	1	0
Injury Crashes	7	2	1
Property Damage Crashes	2	0	2
Crash Fatalities	2	1	0
Crash Injuries	9	5	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	49	52	58
Liquor Law Arrests	3	10	4
Drug Arrests	116	64	46
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	91	50	17
Domestic Violence Reports	104	53	49
Property Offenses	119	151	124

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	544	560	2,172
Drop-outs	2	2	34
Drop-out Rate	0.4%	0.4%	1.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	4	1	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	14	25	25
Juvenile Alcohol Offenses	2	1	2
Juvenile Drug Offenses	4	7	5
School Truancy Status Offense	23	21	11
Absent from Home Status Offense	3	5	3
Beyond Parental Control Status Offense	5	7	2
Injurious Behavior Status Offense	32	31	8
Child Abuse	17	53	8
Child Neglect	117	93	36
Child Custody Issues	0	3	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	52	27	10
Parental Alcohol Use Related	3	0	0
Parental Drug Use Related	28	19	8
Parental Alcohol and Drug Use	3	0	2

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	65	34	23
Probation/Parole Admissions--DWI	3	6	4
Prison Admissions--Drug	12	21	8
Prison Admissions--DWI	2	2	3

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

BOLLINGER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	12	14	13
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	10	5
CSTAR General Adult	84	63	64
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	0
Clinical SATOP (CIP, YCIP, SROP)	10	7	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	32	27	38
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	10	10	15
- Weekend Intervention Program	10	6	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	*
Recovery Supports	5	17	18
Early Intervention	*	5	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	102	89	86	Alcohol	29	27	39
AGE				Marijuana / Hashish	28	22	18
Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	25	25	16	- Crack	*	*	0
25 to 29	22	7	16	Stimulant (total)	32	25	14
30 to 34	16	16	16	- Methamphetamine	32	24	13
35 to 39	11	17	10	Heroin	5	*	*
40 to 44	10	6	5	Analgesic except Heroin	*	8	6
45 to 54	10	13	12	- Non-Prescription Methadone	0	0	0
55 and Over	6	*	9	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	*	*
Male	62	62	58	Inhalant	0	0	*
Female	40	27	28	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	90	83	80	Average Age at First Use of Drug	17.6	17.7	16.3
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	15	16	11
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	9	*	*	- Less than Weekly Injection Use	10	13	9
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	42	34	44	0	69	52	42
High School Graduate or G.E.D.	38	39	31	1 or 2	17	26	25
Associate Degree or Some College	22	16	11	3 or More	16	11	19
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	29	22	14
Employed	26	23	11	School	0	0	0
Unemployed	39	34	35	Mental Health Provider	0	0	*
Not in Labor Force	37	32	40	Health Care Provider	*	7	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	47	46	49
Independent Living	95	82	78	Other Referral Source	22	11	13
Dependent Living	*	*	8	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	5
Never Married	40	40	38	Special Education Services Needed	13	22	19
Married / Cohabiting	39	29	25	Co-Occurring Psychological Problem	65	45	47
Previously Married	23	20	23	Co-Occurring Developmental Problem	14	13	13

BOLLINGER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 12,363
2016 POPULATION ESTIMATE 12,052

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	28	29	56
Anxiety Disorder	66	60	69
Dementia	*	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	57	43	67
Mood Disorder	273	256	257
Personality Disorder	*	*	0
Psychotic Disorder	68	62	67
Sexual Disorder	0	*	*
Other Diagnosis	19	7	17
Diagnosis Unknown	40	27	26

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	464	416	486	Less than High School Diploma	95	83	82
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	*	Associate Degree or Some College	0	0	0
6 to 9	15	10	24	Bachelor or Advanced Degree	0	0	0
10 to 13	32	20	39	Education Level Unknown	369	333	404
14 to 17	41	27	33	EMPLOYMENT			
18 to 24	34	32	47	Employed	*	5	*
25 to 29	35	34	40	Unemployed	*	*	*
30 to 34	36	38	45	Not in Labor Force	195	172	160
35 to 39	42	39	42	Employment Status Unknown	263	236	323
40 to 44	36	51	42	HOUSING / LIVING ARRANGEMENT			
45 to 49	47	43	46	Independent Living	83	78	69
50 to 54	51	50	53	Dependent Living	119	98	93
55 to 59	50	37	42	Homeless	0	*	*
60 and Over	44	35	31	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	262	238	323
GENDER				TREATMENT REFERRAL SOURCE			
Male	193	174	211	Self / Family / Friend	305	279	300
Female	271	242	275	School	7	*	7
Gender Unknown	0	0	0	Mental Health Provider	16	24	32
RACE / ETHNICITY				Health Care Provider	74	57	57
Caucasian	418	377	443	Court / Criminal Justice	10	7	13
African American	8	8	7	Other	51	43	75
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	16	18	23	Voluntary	458	411	481
Other Race	20	10	12	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	5	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	19	21	17	Commitment Type Unknown	*	*	*
Past or Current Military Service	15	14	15				

BOLLINGER COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.5	34.9	37.6	49.0	Alcohol	15.0	9.7	14.4	24.1
Chewing Tobacco	18.1	17.8	18.2	25.6	Alcohol (5+ drinks on single occasion past 2 weeks)	4.7	2.8		
Cigarettes	23.3	24.7	31.5	35.1	Chewing Tobacco	7.3	10.2	12.2	12.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	0.7	1.7	2.8	Cigarettes	8.3	9.7	14.3	14.9
Cocaine	0.5	0.7	1.1	0.8	Inhalants	0.5	0.7	2.2	5.2
Electronic Cigarettes	20.2	11.6			Marijuana	1.6	3.5	3.9	4.4
Hallucinogens	0.5	0.7	1.7	2.4	Over-the-counter medications for non-medical use	2.1	1.4	1.7	4.5
Heroin	0.0	0.7	0.6	0.8	Prescription medications not prescribed for student	8.3	3.5	5.5	9.3
Inhalants	1.6	2.1	5.0	9.6					
Marijuana	5.7	9.7	10.5	12.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.7	1.7	0.8	Alcohol (1 or 2 drinks daily)	63.5	52.4		
Over-the-counter medications for non-medical use	4.2	2.1	4.4	8.9	Alcohol (Binge: 5+ drinks once or twice a week)	71.7	62.1		
Prescription medications not prescribed for student	11.5	7.6	9.4	15.7	Cigarettes (1+ packs per day)	84.8	81.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	2.1	4.4		Marijuana (once or twice a week)	78.5	69.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.7	91.8	95.6	89.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.78	12.49	12.11	11.82	Alcohol	81.2	80.3	83.2	75.7
Cigarettes	12.82	12.04	12.28	11.33	Cigarettes	91.6	90.9	89.9	88.7
Inhalants		11.20	12.86	11.52	Marijuana	96.8	94.4	93.8	95.5
Marijuana	14.49	13.90	13.36	12.95					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.0	41.5	45.3	64.2	Alcohol	68.1	64.8	66.5	56.0
Cigarettes	30.1	31.3	39.2	52.4	Cigarettes	85.5	82.9	77.7	74.2
Marijuana	17.2	19.9	20.6	28.2	Marijuana	90.0	86.3	86.7	83.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.7	5.5	6.1	16.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	96.6	97.8	92.8
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.5	24.7	26.7	40.3	Alcohol	46.6	50.3	47.2	57.5
Cigarettes	10.4	11.7	15.5	18.6	Cigarettes	44.8	49.7	48.1	61.3
Marijuana	5.2	8.3	9.4	9.2	Marijuana	18.3	21.9	22.8	33.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.4	11.0	9.6	19.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.5	60.5	59.8	70.5	Were grouchy, irritable, or in a bad mood	28.6	24.7	22.2	23.4
Were victims of mean rumors or lies spread at school	51.3	49.3	48.9	57.9	Had difficulty concentrating on school work	25.9	23.1	23.2	15.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.8	19.0	19.1	21.6	Were very sad	21.8	19.7	17.7	11.0
					Felt hopeless about the future	10.9	9.6	6.7	6.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.0	8.8	10.4	13.0	Parents involve student in making family decisions	71.6	66.7	68.5	68.3
Made plan about how they would attempt suicide	6.8	6.8	7.2	9.8	Parents notice and comment on student's good work	85.4	78.3	84.0	80.7
Attempted suicide	4.7	2.7	4.4	7.0	Teachers notice and comment on student's good work	79.3	73.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BOONE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	162,642
2016 Estimate	176,594

BIRTH RISK	2015	2014	2013
Resident Births	2,079	2,139	2,166
Mother Reported Smoking while Pregnant	227	250	289

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	10	20	11
Hepatitis B Chronic, Acute, Prenatal	17	33	18
Hepatitis C Chronic and Acute	103	108	149
Tuberculosis Infection Cases	193	159	203

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,050	1,013	1,059
Suicide	17	16	34
Homicide	4	8	5
Alcohol Induced Deaths	9	12	8
Drug Induced Deaths	22	18	23
Smoking Attributable Deaths	164	152	155
Self-inflicted Injuries *	116	146	140
Assault Injuries *	548	471	455

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	603	380	356
Mental Illness Secondary Diagnosis	1,931	1,302	1,328
Alcohol Principal Diagnosis	122	46	43
Alcohol Secondary Diagnosis	133	91	122
Drug Principal Diagnosis	76	25	21
Drug Secondary Diagnosis	221	129	107
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	816	1,059	1,090
Mental Illness Secondary Diagnosis	1,912	2,317	2,436
Alcohol Principal Diagnosis	285	343	336
Alcohol Secondary Diagnosis	240	316	325
Drug Principal Diagnosis	131	167	145
Drug Secondary Diagnosis	192	236	193
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,523	1,301	1,164
Mental Illness Secondary Diagnosis	2,432	1,840	2,020
Alcohol Principal Diagnosis	559	485	397
Alcohol Secondary Diagnosis	355	401	409
Drug Principal Diagnosis	261	238	180
Drug Secondary Diagnosis	598	392	300

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	262	244	253
Alcohol Package Carry-out Licenses	111	111	115

EMPLOYMENT	2016	2015	2014
Labor Force	99,369	100,286	98,216
Employed	96,145	96,795	94,156
Unemployed	3,224	3,491	4,060
Unemployment Rate	3.2%	3.5%	4.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	134	124	159
Fatal Crashes	6	3	4
Injury Crashes	50	43	49
Property Damage Crashes	78	78	100
Crash Fatalities	7	4	6
Crash Injuries	69	61	62
Drug Involved Crashes	39	17	26
Fatal Crashes	3	1	1
Injury Crashes	18	9	14
Property Damage Crashes	18	7	11
Crash Fatalities	5	1	1
Crash Injuries	27	11	21

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	815	811	1,069
Liquor Law Arrests	370	360	440
Drug Arrests	1,323	1,016	964
Methamphetamine Lab Seizures	6	8	12
Violent Offenses	684	758	593
Domestic Violence Reports	1,553	1,628	1,783
Property Offenses	4,262	4,736	5,186

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	6,630	6,614	6,600
Drop-outs	135	135	170
Drop-out Rate	2.0%	2.0%	2.6%
School Discipline Involving Alcohol	3	0	0
School Discipline Involving Drugs	15	10	24
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	171	216	172
Juvenile Alcohol Offenses	9	16	19
Juvenile Drug Offenses	54	52	69
School Truancy Status Offense	46	50	51
Absent from Home Status Offense	28	69	137
Beyond Parental Control Status Offense	124	180	154
Injurious Behavior Status Offense	332	335	243
Child Abuse	2	13	20
Child Neglect	249	272	271
Child Custody Issues	14	53	9

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	150	197	159
Parental Alcohol Use Related	6	2	17
Parental Drug Use Related	52	58	45
Parental Alcohol and Drug Use	1	7	12

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	315	240	217
Probation/Parole Admissions--Drug	255	221	240
Probation/Parole Admissions--DWI	40	60	49
Prison Admissions--Drug	124	137	122
Prison Admissions--DWI	27	21	28

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

BOONE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	172	59	77
CSTAR Adolescent	40	54	59
CSTAR Women and Children	150	141	155
CSTAR General Adult	356	372	542
CSTAR Opioid	0	*	0
Primary Recovery Treatment	186	151	181
Clinical SATOP (CIP, YCIP, SROP)	147	173	179
Other Substance Abuse Treatment	*	*	5


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	698	844	820
- Adolescent Diversion Education Program	21	34	37
- Offender Education Program	283	354	345
- Weekend Intervention Program	115	183	153
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	49	64	36
Compulsive Gambling	0	0	*
Recovery Supports	5	0	*
Early Intervention	9	14	21

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	730	774	967	Alcohol	296	355	405
AGE				Marijuana / Hashish	146	204	271
Under 18	43	55	61	Cocaine (total)	45	49	95
18 to 24	100	126	154	- Crack	26	30	50
25 to 29	116	130	153	Stimulant (total)	119	78	83
30 to 34	118	122	158	- Methamphetamine	101	75	82
35 to 39	103	84	122	Heroin	57	39	50
40 to 44	77	65	82	Analgesic except Heroin	43	33	44
45 to 54	109	121	174	- Non-Prescription Methadone	*	*	*
55 and Over	64	71	63	PCP, LSD, other Hallucinogen	10	6	12
GENDER				Tranquilizer	9	*	*
Male	447	517	663	Inhalant	*	0	0
Female	283	257	304	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	5	6
Caucasian	544	508	607	Average Age at First Use of Drug	18.7	17.8	17.9
African American	149	206	296	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	117	68	97
Asian / Pacific Islander	*	6	7	- Daily Injection Use	37	20	27
Hispanic	17	20	19	- Weekly Injection Use	47	24	35
Other Race / Two or More Races	21	36	40	- Less than Weekly Injection Use	33	24	35
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	198	197	250	0	383	407	500
High School Graduate or G.E.D.	292	334	409	1 or 2	228	255	324
Associate Degree or Some College	211	216	275	3 or More	119	112	143
Bachelor or Advanced Degree	29	27	33	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	406	262	350
Employed	217	239	316	School	*	*	*
Unemployed	234	276	339	Mental Health Provider	6	5	7
Not in Labor Force	279	259	312	Health Care Provider	58	35	42
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	175	358	440
Independent Living	537	568	732	Other Referral Source	76	111	120
Dependent Living	79	98	115	TREATMENT ACCOMMODATION			
Homeless	89	66	82	Pregnant when Admitted to any Episode	9	6	5
MARITAL / FAMILY STATUS				Military Veteran	47	44	43
Never Married	428	467	616	Special Education Services Needed	52	48	73
Married / Cohabiting	138	148	169	Co-Occurring Psychological Problem	333	344	394
Previously Married	164	159	182	Co-Occurring Developmental Problem	20	15	20

BOONE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 162,642
2016 POPULATION ESTIMATE 176,594

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	91	86	91
Anxiety Disorder	888	806	804
Dementia	*	*	*
Developmental Disorder	34	37	29
Impulse Control Disorder	370	322	287
Mood Disorder	1,217	1,160	1,138
Personality Disorder	151	158	164
Psychotic Disorder	338	346	340
Sexual Disorder	6	5	5
Other Diagnosis	255	174	132
Diagnosis Unknown	85	94	95

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,868	1,802	1,773	Less than High School Diploma	690	614	554
AGE				High School Grad or G.E.D.	0	0	*
Under 6	11	13	15	Associate Degree or Some College	0	0	0
6 to 9	135	115	101	Bachelor or Advanced Degree	0	0	0
10 to 13	152	142	126	Education Level Unknown	1,178	1,188	1,218
14 to 17	182	171	136	EMPLOYMENT			
18 to 24	151	134	142	Employed	204	192	199
25 to 29	133	132	155	Unemployed	142	136	208
30 to 34	150	148	167	Not in Labor Force	1,292	1,204	1,141
35 to 39	159	163	152	Employment Status Unknown	230	270	225
40 to 44	133	140	157	HOUSING / LIVING ARRANGEMENT			
45 to 49	177	172	176	Independent Living	923	927	970
50 to 54	189	192	182	Dependent Living	546	456	426
55 to 59	146	146	146	Homeless	92	89	79
60 and Over	150	134	118	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	307	330	298
GENDER				TREATMENT REFERRAL SOURCE			
Male	903	846	844	Self / Family / Friend	807	752	671
Female	965	956	929	School	87	28	9
Gender Unknown	0	0	0	Mental Health Provider	130	134	130
RACE / ETHNICITY				Health Care Provider	381	421	485
Caucasian	1,191	1,139	1,156	Court / Criminal Justice	135	131	169
African American	511	523	486	Other	325	331	303
Native American / Alaskan	*	*	*	Referral Source Unknown	*	5	6
Asian / Pacific Islander	8	10	11	TYPE OF COMMITMENT			
Hispanic	44	32	36	Voluntary	1,840	1,773	1,738
Other Race	110	95	81	Civil	*	7	8
Race/Ethnicity Unknown	0	0	0	Criminal	18	14	17
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	75	66	72	Commitment Type Unknown	5	6	7
Past or Current Military Service	40	34	40				

BOONE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.5	37.2	46.9	47.7	Alcohol	12.0	11.2	21.3	21.4
Chewing Tobacco	7.6	21.8	16.5	11.2	Alcohol (5+ drinks on single occasion past 2 weeks)	5.1	4.5		
Cigarettes	16.6	28.8	26.5	28.7	Chewing Tobacco	3.7	7.2	9.0	5.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.2	1.9	3.3	Cigarettes	4.3	13.3	10.6	13.0
Cocaine	0.3	1.2	2.1	2.4	Inhalants	0.4	0.0	1.3	2.4
Electronic Cigarettes	17.6	22.1			Marijuana	6.7	4.4	7.0	11.2
Hallucinogens	1.1	0.0	1.6	4.2	Over-the-counter medications for non-medical use	2.0	0.0	2.8	5.0
Heroin	0.0	0.0	0.4	0.7	Prescription medications not prescribed for student	7.8	4.5	3.7	7.0
Inhalants	2.1	3.4	5.0	7.1					
Marijuana	13.8	15.4	19.2	22.6	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0	0.7	0.6	Alcohol (1 or 2 drinks daily)	72.2	40.1		
Over-the-counter medications for non-medical use	4.6	0.0	5.9	8.5	Alcohol (Binge: 5+ drinks once or twice a week)	80.5	52.8		
Prescription medications not prescribed for student	11.8	5.6	10.2	12.7	Cigarettes (1+ packs per day)	84.5	79.7		
Synthetic drugs (K2, bath salts, Spice, etc)	0.7	2.2	6.8		Marijuana (once or twice a week)	68.1	59.7		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	87.2	93.0	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.25	14.77	12.86	12.86	Alcohol	85.2	77.8	76.5	76.1
Cigarettes	12.30	12.36	12.67	12.49	Cigarettes	95.3	91.0	89.4	89.9
Inhalants	10.36	13.54	12.52	12.58	Marijuana	92.3	97.6	94.8	91.8
Marijuana	13.39	13.38	13.91	13.59					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	45.1	60.5	61.2	66.1	Alcohol	71.4	51.9	56.3	53.3
Cigarettes	28.4	47.6	49.8	50.5	Cigarettes	91.6	75.1	78.6	77.3
Marijuana	36.2	19.3	40.5	46.8	Marijuana	82.9	85.3	83.9	76.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	2.2	14.8	22.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	98.8	96.1	94.1
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	21.3	31.8	37.4	35.8	Alcohol	53.7	57.1	60.5	65.5
Cigarettes	6.3	14.5	16.3	14.7	Cigarettes	41.8	50.0	56.9	62.1
Marijuana	13.3	5.6	11.3	17.0	Marijuana	37.3	24.5	36.4	44.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	4.4	14.4	22.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.4	63.6	62.9	68.5	Were grouchy, irritable, or in a bad mood	30.1	32.1	21.1	34.0
Were victims of mean rumors or lies spread at school	43.4	58.4	42.4	52.4	Had difficulty concentrating on school work	26.2	27.0	22.2	29.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.4	18.4	19.2	18.1	Were very sad	21.2	19.0	15.1	23.4
					Felt hopeless about the future	12.5	11.4	12.0	15.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.6	5.3	9.1	13.4	Parents involve student in making family decisions	72.9	61.0	70.1	70.2
Made plan about how they would attempt suicide	9.0	6.3	7.6	8.9	Parents notice and comment on student's good work	85.2	91.2	82.9	83.8
Attempted suicide	5.2	0.0	4.6	5.2	Teachers notice and comment on student's good work	79.8	78.2		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BUCHANAN COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	89,201
2016 Estimate	88,938

BIRTH RISK	2015	2014	2013
Resident Births	1,157	1,139	1,154
Mother Reported Smoking while Pregnant	285	305	289

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	6	1	1
Hepatitis B Chronic, Acute, Prenatal	14	12	17
Hepatitis C Chronic and Acute	124	217	157
Tuberculosis Infection Cases	32	41	23

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	948	973	942
Suicide	23	9	17
Homicide	11	3	2
Alcohol Induced Deaths	10	8	11
Drug Induced Deaths	8	15	15
Smoking Attributable Deaths	186	178	167
Self-inflicted Injuries *	190	231	190
Assault Injuries *	453	423	456

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	799	531	615
Mental Illness Secondary Diagnosis	1,361	785	643
Alcohol Principal Diagnosis	33	21	36
Alcohol Secondary Diagnosis	108	43	51
Drug Principal Diagnosis	33	17	41
Drug Secondary Diagnosis	112	52	52
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	820	961	871
Mental Illness Secondary Diagnosis	1,677	1,986	1,503
Alcohol Principal Diagnosis	46	133	142
Alcohol Secondary Diagnosis	250	282	232
Drug Principal Diagnosis	39	118	132
Drug Secondary Diagnosis	136	194	159
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,111	893	1,142
Mental Illness Secondary Diagnosis	2,025	1,206	1,188
Alcohol Principal Diagnosis	234	246	294
Alcohol Secondary Diagnosis	336	254	321
Drug Principal Diagnosis	171	152	162
Drug Secondary Diagnosis	366	215	206

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	115	112	119
Alcohol Package Carry-out Licenses	89	85	85

EMPLOYMENT	2016	2015	2014
Labor Force	46,819	46,861	47,454
Employed	44,900	44,699	44,822
Unemployed	1,919	2,162	2,632
Unemployment Rate	4.1%	4.6%	5.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	99	96	120
Fatal Crashes	1	3	1
Injury Crashes	42	32	46
Property Damage Crashes	56	61	70
Crash Fatalities	1	3	1
Crash Injuries	71	47	66
Drug Involved Crashes	26	24	19
Fatal Crashes	0	2	0
Injury Crashes	16	6	7
Property Damage Crashes	10	16	12
Crash Fatalities	0	2	0
Crash Injuries	25	11	11

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	295	390	448
Liquor Law Arrests	114	191	204
Drug Arrests	716	611	593
Methamphetamine Lab Seizures	0	3	1
Violent Offenses	461	428	373
Domestic Violence Reports	1,307	1,327	1,004
Property Offenses	4,775	4,783	4,618

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	3,830	3,838	3,788
Drop-outs	110	45	25
Drop-out Rate	2.9%	1.2%	0.7%
School Discipline Involving Alcohol	2	9	12
School Discipline Involving Drugs	38	27	23
School Discipline Involving Tobacco	2	1	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	91	113	101
Juvenile Alcohol Offenses	8	8	35
Juvenile Drug Offenses	20	24	29
School Truancy Status Offense	125	90	104
Absent from Home Status Offense	174	124	120
Beyond Parental Control Status Offense	51	57	64
Injurious Behavior Status Offense	49	9	9
Child Abuse	22	23	9
Child Neglect	86	62	101
Child Custody Issues	3	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	68	60	43
Parental Alcohol Use Related	2	0	1
Parental Drug Use Related	21	13	6
Parental Alcohol and Drug Use	2	3	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	241	265	250
Probation/Parole Admissions--Drug	295	316	397
Probation/Parole Admissions--DWI	29	56	52
Prison Admissions--Drug	212	233	262
Prison Admissions--DWI	19	18	22

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

BUCHANAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	37	19	154
CSTAR Adolescent	71	75	89
CSTAR Women and Children	17	8	12
CSTAR General Adult	574	511	521
CSTAR Opioid	*	*	*
Primary Recovery Treatment	6	5	11
Clinical SATOP (CIP, YCIP, SROP)	41	58	67
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	286	334	363
- Adolescent Diversion Education Program	*	*	5
- Offender Education Program	118	150	164
- Weekend Intervention Program	57	63	77
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	6
Compulsive Gambling	*	0	*
Recovery Supports	9	*	7
Early Intervention	0	*	17

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	718	648	749	Alcohol	149	185	224
AGE				Marijuana / Hashish	237	176	196
Under 18	72	71	85	Cocaine (total)	11	17	30
18 to 24	103	104	121	- Crack	5	9	21
25 to 29	131	106	121	Stimulant (total)	224	175	184
30 to 34	115	102	119	- Methamphetamine	211	170	178
35 to 39	86	67	71	Heroin	16	6	6
40 to 44	67	64	66	Analgesic except Heroin	71	73	89
45 to 54	101	104	122	- Non-Prescription Methadone	*	0	0
55 and Over	43	30	44	PCP, LSD, other Hallucinogen	*	*	7
GENDER				Tranquilizer	*	9	7
Male	461	441	495	Inhalant	*	*	*
Female	256	207	254	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	600	550	639	Average Age at First Use of Drug	18.7	18.7	18.6
African American	74	53	71	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	146	112	125
Asian / Pacific Islander	*	*	*	- Daily Injection Use	21	5	35
Hispanic	19	16	21	- Weekly Injection Use	28	12	30
Other Race / Two or More Races	26	26	23	- Less than Weekly Injection Use	97	95	60
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	247	221	272	0	490	438	499
High School Graduate or G.E.D.	308	316	359	1 or 2	146	145	160
Associate Degree or Some College	152	104	109	3 or More	82	65	90
Bachelor or Advanced Degree	11	7	9	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	186	109	363
Employed	183	172	174	School	*	0	*
Unemployed	289	202	228	Mental Health Provider	*	9	5
Not in Labor Force	246	274	347	Health Care Provider	37	28	42
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	441	442	313
Independent Living	460	425	499	Other Referral Source	41	52	21
Dependent Living	149	136	147	TREATMENT ACCOMMODATION			
Homeless	42	30	75	Pregnant when Admitted to any Episode	11	6	6
MARITAL / FAMILY STATUS				Military Veteran	7	11	20
Never Married	453	421	466	Special Education Services Needed	37	39	74
Married / Cohabiting	124	115	120	Co-Occurring Psychological Problem	212	135	214
Previously Married	141	112	163	Co-Occurring Developmental Problem	29	18	23

BUCHANAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 89,201
2016 POPULATION ESTIMATE 88,938

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	102	109	76
Anxiety Disorder	893	762	539
Dementia	7	8	8
Developmental Disorder	28	33	32
Impulse Control Disorder	459	390	331
Mood Disorder	1,203	1,134	920
Personality Disorder	182	178	149
Psychotic Disorder	418	414	396
Sexual Disorder	16	7	*
Other Diagnosis	287	275	239
Diagnosis Unknown	152	167	169

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	2,107	1,939	1,630	Less than High School Diploma	468	666	566
AGE				High School Grad or G.E.D.	0	0	*
Under 6	48	44	37	Associate Degree or Some College	0	0	0
6 to 9	187	162	134	Bachelor or Advanced Degree	0	0	0
10 to 13	170	130	118	Education Level Unknown	1,639	1,273	1,060
14 to 17	139	123	111	EMPLOYMENT			
18 to 24	165	158	116	Employed	148	140	101
25 to 29	189	175	130	Unemployed	119	109	134
30 to 34	191	173	118	Not in Labor Force	787	1,068	968
35 to 39	163	155	113	Employment Status Unknown	1,053	622	427
40 to 44	172	158	133	HOUSING / LIVING ARRANGEMENT			
45 to 49	172	164	162	Independent Living	688	794	643
50 to 54	210	211	203	Dependent Living	383	561	540
55 to 59	161	151	119	Homeless	47	59	41
60 and Over	140	135	136	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	989	525	406
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,141	1,057	906	Self / Family / Friend	801	731	575
Female	966	882	724	School	141	109	80
Gender Unknown	0	0	0	Mental Health Provider	245	318	350
RACE / ETHNICITY				Health Care Provider	399	303	246
Caucasian	1,685	1,565	1,329	Court / Criminal Justice	332	269	183
African American	220	205	162	Other	173	194	171
Native American / Alaskan	9	9	5	Referral Source Unknown	16	15	25
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	73	74	62	Voluntary	1,957	1,793	1,490
Other Race	119	83	71	Civil	5	6	8
Race/Ethnicity Unknown	0	0	0	Criminal	122	125	107
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	71	81	82	Commitment Type Unknown	23	15	25
Past or Current Military Service	79	73	65				

BUCHANAN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.3	24.0	31.9	39.8	Alcohol	18.3	6.7	12.4	18.2
Chewing Tobacco	13.2	6.3	10.1	12.7	Alcohol (5+ drinks on single occasion past 2 weeks)	8.3	2.0		
Cigarettes	20.8	18.6	21.5	27.2	Chewing Tobacco	6.4	2.6	5.2	7.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.2	1.2	1.6	Cigarettes	8.9	6.8	10.6	15.5
Cocaine	0.8	0.7	1.2	1.5	Inhalants	1.2	1.2	1.9	3.3
Electronic Cigarettes	24.0	14.9			Marijuana	11.5	5.4	7.2	6.9
Hallucinogens	1.9	1.9	1.7	2.4	Over-the-counter medications for non-medical use	1.8	1.1	2.8	4.7
Heroin	0.1	0.2	0.2	0.8	Prescription medications not prescribed for student	8.6	2.6	3.8	5.5
Inhalants	2.3	3.2	5.8	6.8					
Marijuana	18.1	12.7	14.2	13.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7	1.0	0.3	1.0	Alcohol (1 or 2 drinks daily)	67.2	61.5		
Over-the-counter medications for non-medical use	5.3	2.3	4.7	7.6	Alcohol (Binge: 5+ drinks once or twice a week)	74.7	72.6		
Prescription medications not prescribed for student	13.9	5.9	7.0	9.6	Cigarettes (1+ packs per day)	85.5	84.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.5	3.3	6.6		Marijuana (once or twice a week)	61.4	65.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	91.6	92.7	94.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.49	12.41	12.58	12.47	Alcohol	77.7	89.3	86.5	82.0
Cigarettes	13.30	12.08	12.27	11.82	Cigarettes	91.3	94.0	94.0	92.1
Inhalants	11.88	10.78	11.89	12.80	Marijuana	88.5	92.6	94.3	95.1
Marijuana	14.56	12.81	13.45	13.38					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	47.1	32.3	47.8	59.5	Alcohol	68.4	77.1	70.9	63.4
Cigarettes	32.9	31.9	40.2	49.6	Cigarettes	86.1	87.6	84.3	78.4
Marijuana	40.0	25.9	35.0	36.1	Marijuana	76.5	83.2	83.9	85.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	8.0	16.1	18.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	96.5	96.3	94.8
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.0	14.9	22.9	31.3	Alcohol	50.3	38.8	45.6	53.3
Cigarettes	9.9	9.3	11.0	16.5	Cigarettes	47.7	37.9	44.5	54.2
Marijuana	17.6	10.5	12.1	10.0	Marijuana	40.8	27.8	31.4	32.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.9	9.3	13.0	16.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.1	53.6	56.3	64.6	Were grouchy, irritable, or in a bad mood	33.9	26.2	24.4	36.1
Were victims of mean rumors or lies spread at school	47.3	46.2	46.2	53.6	Had difficulty concentrating on school work	27.5	24.3	21.7	27.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.0	25.7	19.3	21.0	Were very sad	22.1	20.7	18.1	24.7
					Felt hopeless about the future	12.3	11.4	10.6	11.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	16.5	12.3	10.5	10.8	Parents involve student in making family decisions	74.3	73.3	70.6	72.1
Made plan about how they would attempt suicide	11.1	9.5	7.5	7.5	Parents notice and comment on student's good work	83.7	84.2	82.9	83.8
Attempted suicide	6.5	5.6	5.0	6.3	Teachers notice and comment on student's good work	80.0	76.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

BUTLER COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	42,794
2016 Estimate	42,739

BIRTH RISK	2015	2014	2013
Resident Births	527	530	580
Mother Reported Smoking while Pregnant	164	150	168

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	3	1	0
Hepatitis B Chronic, Acute, Prenatal	3	5	3
Hepatitis C Chronic and Acute	100	140	117
Tuberculosis Infection Cases	22	19	27

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	628	571	585
Suicide	7	10	10
Homicide	3	2	1
Alcohol Induced Deaths	10	6	11
Drug Induced Deaths	7	14	11
Smoking Attributable Deaths	133	105	108
Self-inflicted Injuries *	66	71	107
Assault Injuries *	191	187	205

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	569	521	503
Mental Illness Secondary Diagnosis	1,045	865	948
Alcohol Principal Diagnosis	36	26	28
Alcohol Secondary Diagnosis	61	53	96
Drug Principal Diagnosis	52	68	48
Drug Secondary Diagnosis	71	64	72
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	140	168	154
Mental Illness Secondary Diagnosis	789	962	961
Alcohol Principal Diagnosis	16	21	16
Alcohol Secondary Diagnosis	63	66	59
Drug Principal Diagnosis	23	38	29
Drug Secondary Diagnosis	42	40	36
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	737	664	667
Mental Illness Secondary Diagnosis	1,215	1,063	1,774
Alcohol Principal Diagnosis	68	57	89
Alcohol Secondary Diagnosis	77	75	81
Drug Principal Diagnosis	115	92	80
Drug Secondary Diagnosis	148	109	96

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	58	57	55
Alcohol Package Carry-out Licenses	50	49	51

EMPLOYMENT	2016	2015	2014
Labor Force	19,009	19,285	18,993
Employed	17,926	18,097	17,669
Unemployed	1,083	1,188	1,324
Unemployment Rate	5.7%	6.2%	7.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	31	49	31
Fatal Crashes	2	1	1
Injury Crashes	12	21	17
Property Damage Crashes	17	27	29
Crash Fatalities	2	1	1
Crash Injuries	17	36	27
Drug Involved Crashes	16	30	13
Fatal Crashes	0	1	0
Injury Crashes	8	11	5
Property Damage Crashes	8	18	8
Crash Fatalities	0	1	0
Crash Injuries	13	23	8

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	123	201	168
Liquor Law Arrests	62	54	49
Drug Arrests	420	399	314
Methamphetamine Lab Seizures	0	3	2
Violent Offenses	218	198	215
Domestic Violence Reports	512	422	475
Property Offenses	1,593	1,785	2,055

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,980	1,904	1,830
Drop-outs	51	30	34
Drop-out Rate	2.6%	1.6%	1.9%
School Discipline Involving Alcohol	12	3	11
School Discipline Involving Drugs	16	25	40
School Discipline Involving Tobacco	2	0	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	107	87	109
Juvenile Alcohol Offenses	10	2	4
Juvenile Drug Offenses	11	19	12
School Truancy Status Offense	34	22	16
Absent from Home Status Offense	60	41	38
Beyond Parental Control Status Offense	50	44	53
Injurious Behavior Status Offense	2	1	2
Child Abuse	1	13	18
Child Neglect	244	91	217
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	175	77	183
Parental Alcohol Use Related	3	0	7
Parental Drug Use Related	97	37	125
Parental Alcohol and Drug Use	0	3	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	85	91	88
Probation/Parole Admissions--Drug	244	219	170
Probation/Parole Admissions--DWI	11	8	10
Prison Admissions--Drug	142	123	100
Prison Admissions--DWI	9	3	6

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

BUTLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	101	79	85
CSTAR Adolescent	19	20	15
CSTAR Women and Children	22	20	18
CSTAR General Adult	358	388	308
CSTAR Opioid	0	*	0
Primary Recovery Treatment	66	37	70
Clinical SATOP (CIP, YCIP, SROP)	31	31	45
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	131	110	131
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	51	35	43
- Weekend Intervention Program	27	22	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	*	0	*
Recovery Supports	42	36	138
Early Intervention	13	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	437	478	540	Alcohol	111	124	142
AGE				Marijuana / Hashish	108	135	135
Under 18	17	18	17	Cocaine (total)	9	5	11
18 to 24	71	72	98	- Crack	8	5	10
25 to 29	78	77	83	Stimulant (total)	139	121	153
30 to 34	83	90	107	- Methamphetamine	138	120	149
35 to 39	61	63	75	Heroin	26	41	31
40 to 44	41	51	70	Analgesic except Heroin	37	42	56
45 to 54	66	76	63	- Non-Prescription Methadone	0	0	0
55 and Over	20	31	27	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	5	*	7
Male	254	303	350	Inhalant	0	*	*
Female	183	175	189	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	388	400	464	Average Age at First Use of Drug	18.4	19.2	18.7
African American	35	59	59	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	111	91	131
Asian / Pacific Islander	0	*	*	- Daily Injection Use	23	19	33
Hispanic	7	12	10	- Weekly Injection Use	32	25	44
Other Race / Two or More Races	7	8	7	- Less than Weekly Injection Use	56	47	54
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	159	184	200	0	311	316	354
High School Graduate or G.E.D.	201	215	256	1 or 2	94	120	139
Associate Degree or Some College	75	77	82	3 or More	32	42	47
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	150	118	145
Employed	66	100	119	School	0	0	*
Unemployed	233	179	273	Mental Health Provider	*	6	*
Not in Labor Force	138	199	148	Health Care Provider	41	44	46
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	184	209	243
Independent Living	300	344	407	Other Referral Source	42	67	71
Dependent Living	76	61	87	TREATMENT ACCOMMODATION			
Homeless	51	52	40	Pregnant when Admitted to any Episode	7	6	8
MARITAL / FAMILY STATUS				Military Veteran	16	15	19
Never Married	220	221	230	Special Education Services Needed	40	56	62
Married / Cohabiting	96	120	164	Co-Occurring Psychological Problem	222	271	290
Previously Married	121	137	146	Co-Occurring Developmental Problem	10	16	59

BUTLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 42,794
2016 POPULATION ESTIMATE 42,739

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	33	29	39
Anxiety Disorder	128	94	98
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	62	53	53
Mood Disorder	615	493	517
Personality Disorder	9	7	7
Psychotic Disorder	124	109	111
Sexual Disorder	*	*	*
Other Diagnosis	32	12	12
Diagnosis Unknown	57	68	94

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	978	799	848	Less than High School Diploma	352	290	269
AGE				High School Grad or G.E.D.	0	0	*
Under 6	7	*	*	Associate Degree or Some College	0	0	0
6 to 9	52	43	50	Bachelor or Advanced Degree	0	0	0
10 to 13	50	49	60	Education Level Unknown	626	509	578
14 to 17	56	44	53	EMPLOYMENT			
18 to 24	63	39	45	Employed	64	49	40
25 to 29	63	52	66	Unemployed	53	34	45
30 to 34	73	65	81	Not in Labor Force	653	536	475
35 to 39	96	84	81	Employment Status Unknown	208	180	288
40 to 44	92	86	83	HOUSING / LIVING ARRANGEMENT			
45 to 49	114	90	90	Independent Living	532	407	359
50 to 54	112	95	94	Dependent Living	221	192	185
55 to 59	88	74	71	Homeless	13	8	13
60 and Over	112	76	72	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	212	192	291
GENDER				TREATMENT REFERRAL SOURCE			
Male	428	384	382	Self / Family / Friend	568	345	333
Female	550	415	466	School	7	15	30
Gender Unknown	0	0	0	Mental Health Provider	82	80	88
RACE / ETHNICITY				Health Care Provider	167	143	153
Caucasian	883	727	781	Court / Criminal Justice	51	82	95
African American	69	51	48	Other	102	133	148
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	8	*	6	Voluntary	968	787	831
Other Race	15	14	11	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	7	9	11
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	48	37	37	Commitment Type Unknown	0	0	0
Past or Current Military Service	29	30	20				

BUTLER COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.8	30.0	39.6	42.7	Alcohol	14.4	12.7	18.3	21.1
Chewing Tobacco	11.3	13.1	14.0	15.2	Alcohol (5+ drinks on single occasion past 2 weeks)	6.2	6.7		
Cigarettes	22.5	21.5	28.7	32.5	Chewing Tobacco	4.7	7.0	7.9	9.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	0.9	3.4	3.1	Cigarettes	9.5	10.1	14.6	17.2
Cocaine	1.0	0.4	2.5	2.4	Inhalants	0.9	0.6	1.3	3.9
Electronic Cigarettes	27.9	13.4			Marijuana	7.6	6.2	9.6	12.4
Hallucinogens	1.0	0.6	3.0	4.2	Over-the-counter medications for non-medical use	1.9	1.5	3.7	6.2
Heroin	0.4	0.4	2.1	0.4	Prescription medications not prescribed for student	10.0	4.3	7.2	9.4
Inhalants	2.8	2.8	5.1	8.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.7	13.4	18.7	18.6	Alcohol (1 or 2 drinks daily)	63.8	56.8		
Methamphetamine	0.6	1.1	1.9	2.0	Alcohol (Binge: 5+ drinks once or twice a week)	74.9	66.3		
Over-the-counter medications for non-medical use	4.3	3.0	6.1	9.6	Cigarettes (1+ packs per day)	81.7	78.8		
Prescription medications not prescribed for student	14.9	7.7	13.3	17.5	Marijuana (once or twice a week)	66.8	65.0		
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	3.5	6.6		Other: Cocaine, LSD, Meth, Club Drug (any use)	89.9	87.4	93.8	93.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.57	12.48	13.04	12.33	Alcohol	84.7	82.6	79.1	78.6
Cigarettes	12.08	12.02	12.58	11.98	Cigarettes	91.5	92.7	89.2	88.9
Inhalants	10.90	11.94	12.36	12.69	Marijuana	91.0	92.5	93.9	92.8
Marijuana	13.45	13.68	14.00	13.51	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	69.0	68.8	61.6	59.2
Alcohol	44.4	42.6	54.0	55.6	Cigarettes	85.4	84.4	78.2	78.2
Cigarettes	35.1	37.7	47.1	46.7	Marijuana	80.1	82.4	80.7	80.6
Marijuana	34.9	31.2	38.6	38.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	96.1	95.1	93.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	10.5	19.5	20.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	46.7	45.9	53.8	54.4
Alcohol	23.9	24.4	30.6	32.8	Cigarettes	45.1	46.7	53.7	56.5
Cigarettes	10.4	13.2	16.7	16.6	Marijuana	34.1	32.0	40.8	39.3
Marijuana	13.6	11.7	13.0	14.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	15.8	24.0	22.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.5	56.7	55.9	68.9	Were grouchy, irritable, or in a bad mood	34.0	23.5	27.1	24.0
Were victims of mean rumors or lies spread at school	49.3	50.1	49.8	55.9	Had difficulty concentrating on school work	31.2	24.5	26.6	27.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.5	22.7	20.5	18.5	Were very sad	26.1	18.7	19.9	21.6
					Felt hopeless about the future	15.6	10.0	11.9	16.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	16.0	12.3	15.9	13.8	Parents involve student in making family decisions	65.0	67.5	67.3	67.6
Made plan about how they would attempt suicide	13.1	10.0	10.7	9.8	Parents notice and comment on student's good work	79.4	81.2	82.7	82.7
Attempted suicide	8.1	5.1	6.7	6.6	Teachers notice and comment on student's good work	65.4	71.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CALDWELL COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	9,424
2016 Estimate	9,062

BIRTH RISK	2015	2014	2013
Resident Births	116	87	84
Mother Reported Smoking while Pregnant	33	25	22

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	8	4
Tuberculosis Infection Cases	1	1	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	94	116	102
Suicide	1	3	1
Homicide	0	0	0
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	21	21	21
Self-inflicted Injuries *	0	16	7
Assault Injuries *	20	10	23

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	45	47	35
Mental Illness Secondary Diagnosis	151	99	98
Alcohol Principal Diagnosis	4	2	1
Alcohol Secondary Diagnosis	12	14	6
Drug Principal Diagnosis	2	1	2
Drug Secondary Diagnosis	9	7	11
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	13	27	24
Mental Illness Secondary Diagnosis	110	179	159
Alcohol Principal Diagnosis	1	3	2
Alcohol Secondary Diagnosis	16	28	11
Drug Principal Diagnosis	2	1	3
Drug Secondary Diagnosis	8	8	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	47	44	63
Mental Illness Secondary Diagnosis	106	100	92
Alcohol Principal Diagnosis	7	4	1
Alcohol Secondary Diagnosis	12	17	11
Drug Principal Diagnosis	7	4	7
Drug Secondary Diagnosis	12	15	23

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	6	6	4
Alcohol Package Carry-out Licenses	11	11	11

EMPLOYMENT	2016	2015	2014
Labor Force	4,536	4,480	4,452
Employed	4,329	4,279	4,209
Unemployed	207	201	243
Unemployment Rate	4.6%	4.5%	5.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	8	6	10
Fatal Crashes	1	1	0
Injury Crashes	4	3	7
Property Damage Crashes	3	2	1
Crash Fatalities	1	1	0
Crash Injuries	6	5	7
Drug Involved Crashes	1	3	1
Fatal Crashes	0	1	0
Injury Crashes	1	0	1
Property Damage Crashes	0	2	0
Crash Fatalities	0	1	0
Crash Injuries	1	0	2

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	29	37	41
Liquor Law Arrests	1	2	2
Drug Arrests	66	31	14
Methamphetamine Lab Seizures	1	0	0
Violent Offenses	24	23	10
Domestic Violence Reports	28	27	24
Property Offenses	101	114	111

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	496	472	448
Drop-outs	5	0	1
Drop-out Rate	1.0%	0.0%	0.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	3	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	6	4	4
Juvenile Alcohol Offenses	1	2	0
Juvenile Drug Offenses	3	2	8
School Truancy Status Offense	4	9	11
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	6	5	5
Injurious Behavior Status Offense	10	5	1
Child Abuse	0	0	4
Child Neglect	1	3	1
Child Custody Issues	2	2	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	5	3	15
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	1	5
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	37	27	27
Probation/Parole Admissions--DWI	3	6	9
Prison Admissions--Drug	31	20	17
Prison Admissions--DWI	4	3	7

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CALDWELL COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	0	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	27	26	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	13
Clinical SATOP (CIP, YCIP, SROP)	*	5	8
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	22	29	34
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	10	13	8
- Weekend Intervention Program	*	6	6
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	38	33	26	Alcohol	14	13	15
AGE				Marijuana / Hashish	7	8	*
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	*	*	*	- Crack	0	0	0
25 to 29	5	6	*	Stimulant (total)	14	11	*
30 to 34	9	*	5	- Methamphetamine	13	11	*
35 to 39	5	*	6	Heroin	0	0	*
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	6	6	*	- Non-Prescription Methadone	0	0	0
55 and Over	5	5	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	25	21	17	Inhalant	0	0	0
Female	13	12	9	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	36	33	25	Average Age at First Use of Drug	18.0	19.4	17.8
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	*	0	*	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	6	16	*	0	15	18	10
High School Graduate or G.E.D.	28	15	14	1 or 2	15	9	8
Associate Degree or Some College	*	*	8	3 or More	8	6	8
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	8	6
Employed	15	8	7	School	0	0	0
Unemployed	10	7	9	Mental Health Provider	*	0	0
Not in Labor Force	13	18	10	Health Care Provider	*	5	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	19	18	14
Independent Living	31	25	21	Other Referral Source	*	*	6
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	17	18	13	Special Education Services Needed	*	*	*
Married / Cohabiting	12	10	9	Co-Occurring Psychological Problem	11	10	10
Previously Married	9	5	*	Co-Occurring Developmental Problem	0	*	0

CALDWELL COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 9,424
2016 POPULATION ESTIMATE 9,062

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	55	49	42
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	21	23	15
Mood Disorder	80	70	58
Personality Disorder	9	7	8
Psychotic Disorder	12	8	9
Sexual Disorder	*	0	0
Other Diagnosis	11	9	6
Diagnosis Unknown	5	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	115	99	82	Less than High School Diploma	45	37	23
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	0	Associate Degree or Some College	0	0	0
6 to 9	9	7	*	Bachelor or Advanced Degree	0	0	0
10 to 13	10	8	8	Education Level Unknown	70	62	59
14 to 17	16	9	6	EMPLOYMENT			
18 to 24	6	*	8	Employed	11	11	5
25 to 29	8	9	6	Unemployed	*	5	9
30 to 34	8	9	14	Not in Labor Force	82	68	51
35 to 39	11	8	6	Employment Status Unknown	19	15	17
40 to 44	5	*	5	HOUSING / LIVING ARRANGEMENT			
45 to 49	11	16	12	Independent Living	50	55	48
50 to 54	14	11	8	Dependent Living	46	29	16
55 to 59	11	5	*	Homeless	*	*	*
60 and Over	6	8	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	18	13	16
GENDER				TREATMENT REFERRAL SOURCE			
Male	54	49	33	Self / Family / Friend	46	44	40
Female	61	50	49	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	7	8	7
RACE / ETHNICITY				Health Care Provider	29	17	16
Caucasian	110	96	79	Court / Criminal Justice	15	16	13
African American	*	0	0	Other	16	13	6
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	114	97	81
Other Race	*	*	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	0				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	41.2	37.0	38.8	49.5	Alcohol	16.9	13.9	16.3	19.4
Chewing Tobacco	18.4	13.9	16.9	17.0	Alcohol (5+ drinks on single occasion past 2 weeks)	8.0	5.5		
Cigarettes	25.0	22.7	25.6	32.3	Chewing Tobacco	10.2	7.4	10.6	5.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	0.9	0.6	1.4	Cigarettes	11.8	7.3	8.8	15.6
Cocaine	3.0	0.9	1.3	1.4	Inhalants	2.9	0.9	0.6	2.3
Electronic Cigarettes	21.3	11.0			Marijuana	9.6	1.8	3.1	4.2
Hallucinogens	3.7	0.9	1.3	1.8	Over-the-counter medications for non-medical use	2.2	0.0	2.5	2.8
Heroin	0.7	0.0	1.9	0.5	Prescription medications not prescribed for student	8.0	4.6	3.8	6.9
Inhalants	5.2	0.9	3.1	3.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	16.9	4.6	8.8	10.6	Alcohol (1 or 2 drinks daily)	60.0	50.9		
Methamphetamine	1.5	0.0	0.7	0.0	Alcohol (Binge: 5+ drinks once or twice a week)	71.1	63.9		
Over-the-counter medications for non-medical use	5.1	0.0	3.8	4.7	Cigarettes (1+ packs per day)	80.9	81.5		
Prescription medications not prescribed for student	12.6	6.4	6.9	11.0	Marijuana (once or twice a week)	68.9	81.7		
Synthetic drugs (K2, bath salts, Spice, etc)	5.9	1.8	3.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	89.6	94.5	93.0	92.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.85	12.84	12.93	13.29	Alcohol	82.2	74.1	79.1	72.4
Cigarettes	12.75	13.21	13.07	12.31	Cigarettes	90.4	88.9	91.2	87.9
Inhalants		10.79	10.74	11.64	Marijuana	92.6	94.4	95.6	92.6
Marijuana	13.97	13.53	13.48	14.50	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	67.2	56.9	63.8	54.4
Alcohol	44.9	52.8	50.0	66.8	Cigarettes	83.2	85.3	84.3	77.1
Cigarettes	35.3	39.8	37.5	42.2	Marijuana	81.5	93.6	89.3	88.4
Marijuana	31.9	25.9	21.9	30.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.8	99.1	98.1	95.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	9.3	9.4	12.1	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	50.7	54.1	57.2	68.1
Alcohol	28.7	33.0	27.5	40.3	Cigarettes	46.7	51.4	53.1	66.8
Cigarettes	13.3	10.9	10.1	11.0	Marijuana	33.3	23.1	32.7	32.9
Marijuana	15.4	4.6	5.7	6.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	9.3	15.2	17.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.7	64.8	68.4	72.5	Were grouchy, irritable, or in a bad mood	34.6	28.4	23.8	12.5
Were victims of mean rumors or lies spread at school	52.9	55.0	61.6	59.6	Had difficulty concentrating on school work	27.7	24.8	22.6	16.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	29.4	36.1	27.0	18.4	Were very sad	20.6	24.8	17.6	8.3
					Felt hopeless about the future	12.5	11.0	10.1	5.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.0	15.9	13.8	12.8	Parents involve student in making family decisions	66.2	67.0	70.0	64.7
Made plan about how they would attempt suicide	11.0	5.5	7.0	11.0	Parents notice and comment on student's good work	82.2	76.1	80.0	76.5
Attempted suicide	5.1	6.4	5.0	4.1	Teachers notice and comment on student's good work	76.5	77.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CALLAWAY COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	15
POPULATION	
Census 2010	44,332
2016 Estimate	45,078

BIRTH RISK	2015	2014	2013
Resident Births	500	519	525
Mother Reported Smoking while Pregnant	108	124	145

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	4
Hepatitis B Chronic, Acute, Prenatal	3	6	3
Hepatitis C Chronic and Acute	41	301	121
Tuberculosis Infection Cases	12	11	17

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	397	339	371
Suicide	7	7	9
Homicide	0	1	0
Alcohol Induced Deaths	0	3	4
Drug Induced Deaths	9	6	10
Smoking Attributable Deaths	64	62	58
Self-inflicted Injuries *	52	56	93
Assault Injuries *	264	232	257

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	241	184	205
Mental Illness Secondary Diagnosis	777	583	646
Alcohol Principal Diagnosis	20	6	16
Alcohol Secondary Diagnosis	45	44	43
Drug Principal Diagnosis	20	7	8
Drug Secondary Diagnosis	64	51	47
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	212	309	306
Mental Illness Secondary Diagnosis	600	751	765
Alcohol Principal Diagnosis	24	36	57
Alcohol Secondary Diagnosis	44	57	65
Drug Principal Diagnosis	18	54	32
Drug Secondary Diagnosis	50	65	50
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	469	467	413
Mental Illness Secondary Diagnosis	1,206	987	934
Alcohol Principal Diagnosis	83	75	53
Alcohol Secondary Diagnosis	101	88	86
Drug Principal Diagnosis	78	83	42
Drug Secondary Diagnosis	181	91	85

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	45	41	42
Alcohol Package Carry-out Licenses	45	46	42

EMPLOYMENT	2016	2015	2014
Labor Force	21,942	21,968	21,705
Employed	21,044	20,938	20,488
Unemployed	898	1,030	1,217
Unemployment Rate	4.1%	4.7%	5.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	46	50	44
Fatal Crashes	1	3	2
Injury Crashes	19	24	22
Property Damage Crashes	26	23	16
Crash Fatalities	1	6	2
Crash Injuries	25	32	30
Drug Involved Crashes	11	13	12
Fatal Crashes	0	1	0
Injury Crashes	1	4	7
Property Damage Crashes	10	8	5
Crash Fatalities	0	4	0
Crash Injuries	1	4	9

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	267	252	252
Liquor Law Arrests	23	29	51
Drug Arrests	416	456	306
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	181	169	150
Domestic Violence Reports	503	519	427
Property Offenses	1,014	1,046	1,072

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,534	1,522	1,495
Drop-outs	34	32	48
Drop-out Rate	2.2%	2.1%	3.2%
School Discipline Involving Alcohol	10	0	1
School Discipline Involving Drugs	7	14	4
School Discipline Involving Tobacco	0	9	2

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	66	73	58
Juvenile Alcohol Offenses	15	7	5
Juvenile Drug Offenses	10	29	22
School Truancy Status Offense	50	68	64
Absent from Home Status Offense	4	4	2
Beyond Parental Control Status Offense	107	117	98
Injurious Behavior Status Offense	40	101	160
Child Abuse	0	11	20
Child Neglect	120	146	160
Child Custody Issues	8	8	13

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	86	80	95
Parental Alcohol Use Related	2	3	0
Parental Drug Use Related	59	25	31
Parental Alcohol and Drug Use	1	2	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	40	34	52
Probation/Parole Admissions--Drug	105	98	87
Probation/Parole Admissions--DWI	23	24	16
Prison Admissions--Drug	58	46	45
Prison Admissions--DWI	7	8	10

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CALLAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	19	14	20
CSTAR Adolescent	14	12	10
CSTAR Women and Children	31	35	40
CSTAR General Adult	109	103	113
CSTAR Opioid	0	0	0
Primary Recovery Treatment	43	63	98
Clinical SATOP (CIP, YCIP, SROP)	46	47	42
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	161	173	181
- Adolescent Diversion Education Program	10	11	16
- Offender Education Program	49	56	49
- Weekend Intervention Program	20	41	39
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	15	7
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	10	7	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	227	237	249	Alcohol	110	103	110
AGE				Marijuana / Hashish	42	49	47
Under 18	14	12	8	Cocaine (total)	6	13	8
18 to 24	28	35	50	- Crack	*	5	*
25 to 29	36	45	49	Stimulant (total)	43	46	48
30 to 34	44	37	49	- Methamphetamine	41	46	46
35 to 39	37	40	35	Heroin	14	10	13
40 to 44	18	25	18	Analgesic except Heroin	9	12	11
45 to 54	37	31	29	- Non-Prescription Methadone	*	0	0
55 and Over	13	12	11	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	0	*	*
Male	147	158	166	Inhalant	0	0	0
Female	80	79	83	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	9
Caucasian	199	208	213	Average Age at First Use of Drug	17.1	17.6	17.8
African American	23	26	26	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	27	29	39
Asian / Pacific Islander	0	0	*	- Daily Injection Use	6	6	7
Hispanic	*	*	*	- Weekly Injection Use	11	10	10
Other Race / Two or More Races	*	*	6	- Less than Weekly Injection Use	10	13	22
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	72	81	75	0	111	129	129
High School Graduate or G.E.D.	110	111	124	1 or 2	82	72	74
Associate Degree or Some College	39	41	46	3 or More	34	36	46
Bachelor or Advanced Degree	6	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	78	51	59
Employed	84	91	95	School	*	0	*
Unemployed	81	85	100	Mental Health Provider	*	*	*
Not in Labor Force	62	61	54	Health Care Provider	8	10	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	107	134	142
Independent Living	170	183	203	Other Referral Source	29	38	31
Dependent Living	35	31	19	TREATMENT ACCOMMODATION			
Homeless	7	7	7	Pregnant when Admitted to any Episode	5	*	6
MARITAL / FAMILY STATUS				Military Veteran	6	14	9
Never Married	114	133	134	Special Education Services Needed	20	22	24
Married / Cohabiting	68	56	68	Co-Occurring Psychological Problem	84	101	91
Previously Married	45	48	47	Co-Occurring Developmental Problem	8	*	*

CALLAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 44,332
2016 POPULATION ESTIMATE 45,078

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	35	33	39
Anxiety Disorder	201	236	290
Dementia	*	*	*
Developmental Disorder	16	14	19
Impulse Control Disorder	143	154	188
Mood Disorder	348	389	471
Personality Disorder	56	64	70
Psychotic Disorder	115	119	123
Sexual Disorder	30	18	10
Other Diagnosis	82	56	67
Diagnosis Unknown	49	58	68

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	590	627	729	Less than High School Diploma	212	203	248
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	10	Associate Degree or Some College	0	0	0
6 to 9	37	36	40	Bachelor or Advanced Degree	0	0	0
10 to 13	50	41	62	Education Level Unknown	378	424	481
14 to 17	56	58	60	EMPLOYMENT			
18 to 24	55	57	76	Employed	57	40	56
25 to 29	55	57	51	Unemployed	44	53	68
30 to 34	34	55	66	Not in Labor Force	329	356	429
35 to 39	54	69	81	Employment Status Unknown	160	178	176
40 to 44	50	50	50	HOUSING / LIVING ARRANGEMENT			
45 to 49	42	54	77	Independent Living	168	190	221
50 to 54	61	57	62	Dependent Living	209	194	228
55 to 59	44	38	42	Homeless	*	8	8
60 and Over	49	51	52	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	210	235	272
GENDER				TREATMENT REFERRAL SOURCE			
Male	322	327	366	Self / Family / Friend	339	305	389
Female	268	300	363	School	5	5	*
Gender Unknown	0	0	0	Mental Health Provider	55	80	80
RACE / ETHNICITY				Health Care Provider	49	59	70
Caucasian	508	551	663	Court / Criminal Justice	60	49	41
African American	59	58	46	Other	82	129	145
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	7	*	*	Voluntary	530	583	695
Other Race	15	12	15	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	24	22	26
TREATMENT ACCOMMODATION				Sexual Predatory	34	21	6
Hearing Impaired	29	34	39	Commitment Type Unknown	0	0	0
Past or Current Military Service	15	21	18				

CALLAWAY COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	45.6	42.0	43.6	49.6	Alcohol	21.0	20.1	20.4	24.4
Chewing Tobacco	21.4	14.4	16.0	19.5	Alcohol (5+ drinks on single occasion past 2 weeks)	8.7	10.9		
Cigarettes	25.8	19.3	27.2	29.2	Chewing Tobacco	10.9	7.4	9.1	8.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	0.7	2.4	1.8	Cigarettes	11.3	8.5	14.1	13.3
Cocaine	1.2	1.3	1.9	1.7	Inhalants	0.5	0.4	3.2	2.8
Electronic Cigarettes	28.2	14.1			Marijuana	4.8	8.2	10.2	6.5
Hallucinogens	1.2	2.0	3.5	2.9	Over-the-counter medications for non-medical use	1.1	1.1	4.7	5.0
Heroin	0.0	0.4	1.1	0.8	Prescription medications not prescribed for student	10.4	3.0	6.0	7.2
Inhalants	1.8	2.6	5.1	6.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.1	18.8	19.2	15.0	Alcohol (1 or 2 drinks daily)	55.3	50.6		
Methamphetamine	0.1	0.6	1.6	1.3	Alcohol (Binge: 5+ drinks once or twice a week)	67.1	65.1		
Over-the-counter medications for non-medical use	4.2	2.2	6.2	8.7	Cigarettes (1+ packs per day)	82.2	85.7		
Prescription medications not prescribed for student	14.7	7.0	10.3	12.7	Marijuana (once or twice a week)	67.8	54.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	4.3	6.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.5	91.2	93.0	94.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.92	13.45	12.76	12.76	Alcohol	77.3	72.4	73.0	75.2
Cigarettes	12.89	13.49	12.77	12.46	Cigarettes	91.2	90.3	87.6	91.7
Inhalants	13.25	11.77	12.22	12.27	Marijuana	91.5	90.0	92.0	95.5
Marijuana	14.19	14.08	13.87	13.94	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	57.6	53.2	53.2	53.9
Alcohol	55.3	56.4	56.5	60.4	Cigarettes	84.0	83.7	77.0	77.8
Cigarettes	37.6	39.2	44.5	48.4	Marijuana	82.7	77.8	77.0	83.8
Marijuana	31.9	40.3	38.2	32.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	96.4	94.6	95.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	11.0	13.3	15.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	53.4	66.2	58.5	60.6
Alcohol	31.2	35.0	34.5	38.6	Cigarettes	47.7	54.1	54.1	56.2
Cigarettes	9.5	12.0	16.4	18.1	Marijuana	32.6	39.6	37.8	29.9
Marijuana	8.9	14.8	15.5	11.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	14.2	15.8	15.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.2	64.1	57.2	71.7	Were grouchy, irritable, or in a bad mood	31.2	22.4	23.6	21.5
Were victims of mean rumors or lies spread at school	53.5	51.3	44.9	56.5	Had difficulty concentrating on school work	24.9	24.9	19.4	23.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.8	25.3	16.5	19.1	Were very sad	16.9	20.0	17.8	18.9
					Felt hopeless about the future	10.4	12.9	9.9	16.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.0	10.6	14.8	13.2	Parents involve student in making family decisions	75.3	69.2	66.7	66.7
Made plan about how they would attempt suicide	9.0	9.6	10.9	7.9	Parents notice and comment on student's good work	86.6	82.7	82.0	86.7
Attempted suicide	4.8	4.2	6.2	4.8	Teachers notice and comment on student's good work	81.9	66.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CAMDEN COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	44,002
2016 Estimate	44,497

BIRTH RISK	2015	2014	2013
Resident Births	430	417	384
Mother Reported Smoking while Pregnant	106	97	100

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	1
Hepatitis B Chronic, Acute, Prenatal	0	4	2
Hepatitis C Chronic and Acute	32	47	37
Tuberculosis Infection Cases	11	8	8

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	492	476	458
Suicide	11	11	8
Homicide	3	1	2
Alcohol Induced Deaths	4	3	1
Drug Induced Deaths	10	5	9
Smoking Attributable Deaths	109	86	91
Self-inflicted Injuries *	34	65	51
Assault Injuries *	95	98	76

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	262	194	166
Mental Illness Secondary Diagnosis	657	487	449
Alcohol Principal Diagnosis	33	11	17
Alcohol Secondary Diagnosis	75	38	59
Drug Principal Diagnosis	15	10	9
Drug Secondary Diagnosis	47	28	23
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	83	89	99
Mental Illness Secondary Diagnosis	579	799	869
Alcohol Principal Diagnosis	34	54	54
Alcohol Secondary Diagnosis	100	113	126
Drug Principal Diagnosis	18	23	23
Drug Secondary Diagnosis	35	39	36
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	428	340	355
Mental Illness Secondary Diagnosis	1,468	1,947	1,275
Alcohol Principal Diagnosis	72	80	71
Alcohol Secondary Diagnosis	101	97	79
Drug Principal Diagnosis	53	82	65
Drug Secondary Diagnosis	64	80	50

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	146	140	146
Alcohol Package Carry-out Licenses	71	76	76

EMPLOYMENT	2016	2015	2014
Labor Force	18,999	19,028	18,781
Employed	17,911	17,795	17,263
Unemployed	1,088	1,233	1,518
Unemployment Rate	5.7%	6.5%	8.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	69	58	64
Fatal Crashes	2	3	2
Injury Crashes	37	25	31
Property Damage Crashes	30	30	27
Crash Fatalities	2	3	2
Crash Injuries	54	31	49
Drug Involved Crashes	8	18	13
Fatal Crashes	1	0	1
Injury Crashes	3	6	7
Property Damage Crashes	4	12	5
Crash Fatalities	1	0	1
Crash Injuries	4	10	11

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	236	230	235
Liquor Law Arrests	25	72	17
Drug Arrests	240	343	155
Methamphetamine Lab Seizures	2	4	9
Violent Offenses	127	152	108
Domestic Violence Reports	346	379	322
Property Offenses	979	1,045	873

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,597	1,608	1,602
Drop-outs	28	16	22
Drop-out Rate	1.8%	1.0%	1.4%
School Discipline Involving Alcohol	1	12	1
School Discipline Involving Drugs	37	29	18
School Discipline Involving Tobacco	3	6	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	15	17	22
Juvenile Alcohol Offenses	5	18	7
Juvenile Drug Offenses	13	16	6
School Truancy Status Offense	21	14	15
Absent from Home Status Offense	9	13	5
Beyond Parental Control Status Offense	21	11	9
Injurious Behavior Status Offense	39	55	56
Child Abuse	21	16	5
Child Neglect	74	57	73
Child Custody Issues	26	1	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	61	38	45
Parental Alcohol Use Related	2	1	5
Parental Drug Use Related	27	18	13
Parental Alcohol and Drug Use	0	1	3

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	153	164	162
Probation/Parole Admissions--DWI	21	16	25
Prison Admissions--Drug	72	81	79
Prison Admissions--DWI	12	15	8

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CAMDEN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	13	15	9
CSTAR Adolescent	16	13	16
CSTAR Women and Children	12	11	10
CSTAR General Adult	113	161	151
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	10	12
Clinical SATOP (CIP, YCIP, SROP)	32	43	37
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	141	153	170
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	48	43	68
- Weekend Intervention Program	22	34	36
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	15	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	5
Early Intervention	*	7	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	178	229	221	Alcohol	74	96	87
AGE				Marijuana / Hashish	28	51	54
Under 18	14	15	18	Cocaine (total)	*	*	0
18 to 24	30	47	36	- Crack	0	*	0
25 to 29	31	32	34	Stimulant (total)	44	47	45
30 to 34	30	43	49	- Methamphetamine	34	42	43
35 to 39	16	24	27	Heroin	8	9	5
40 to 44	10	19	16	Analgesic except Heroin	20	20	22
45 to 54	32	35	33	- Non-Prescription Methadone	0	0	0
55 and Over	15	14	8	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	0	*
Male	102	144	134	Inhalant	0	0	0
Female	76	85	87	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	6
Caucasian	166	217	213	Average Age at First Use of Drug	18.1	17.1	17.5
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	29	31	30
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	10	*
Hispanic	6	*	*	- Weekly Injection Use	16	9	12
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	9	12	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	53	61	62	0	101	115	119
High School Graduate or G.E.D.	72	111	104	1 or 2	49	79	68
Associate Degree or Some College	48	52	53	3 or More	28	35	34
Bachelor or Advanced Degree	5	5	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	93	61	73
Employed	62	75	66	School	*	*	0
Unemployed	51	82	94	Mental Health Provider	0	*	*
Not in Labor Force	65	72	61	Health Care Provider	10	5	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	39	72	82
Independent Living	133	174	169	Other Referral Source	32	87	54
Dependent Living	20	26	28	TREATMENT ACCOMMODATION			
Homeless	11	6	6	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	8	6
Never Married	85	128	114	Special Education Services Needed	*	*	*
Married / Cohabiting	54	56	59	Co-Occurring Psychological Problem	61	130	103
Previously Married	39	45	48	Co-Occurring Developmental Problem	6	*	7

CAMDEN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 44,002
2016 POPULATION ESTIMATE 44,497

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	42	37	20
Anxiety Disorder	309	307	243
Dementia	0	0	0
Developmental Disorder	5	*	5
Impulse Control Disorder	63	73	51
Mood Disorder	326	350	283
Personality Disorder	33	30	17
Psychotic Disorder	44	35	27
Sexual Disorder	*	*	0
Other Diagnosis	47	32	27
Diagnosis Unknown	14	22	22

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	445	481	401	Less than High School Diploma	192	179	133
AGE				High School Grad or G.E.D.	0	0	0
Under 6	9	12	11	Associate Degree or Some College	0	0	0
6 to 9	38	35	32	Bachelor or Advanced Degree	0	0	0
10 to 13	36	47	35	Education Level Unknown	253	302	268
14 to 17	43	45	34	EMPLOYMENT			
18 to 24	31	30	29	Employed	22	29	12
25 to 29	24	36	26	Unemployed	51	46	20
30 to 34	31	41	34	Not in Labor Force	281	259	185
35 to 39	37	36	35	Employment Status Unknown	91	147	184
40 to 44	42	42	42	HOUSING / LIVING ARRANGEMENT			
45 to 49	41	47	40	Independent Living	216	203	104
50 to 54	47	53	39	Dependent Living	140	135	117
55 to 59	37	33	27	Homeless	7	10	5
60 and Over	29	24	17	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	82	133	175
GENDER				TREATMENT REFERRAL SOURCE			
Male	184	196	167	Self / Family / Friend	310	341	271
Female	261	285	234	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	15	13	15
RACE / ETHNICITY				Health Care Provider	57	59	43
Caucasian	426	463	385	Court / Criminal Justice	15	17	24
African American	*	*	*	Other	46	47	46
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	*	0	TYPE OF COMMITMENT			
Hispanic	5	6	6	Voluntary	438	477	398
Other Race	7	8	6	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	16	19	14	Commitment Type Unknown	*	0	0
Past or Current Military Service	8	15	12				

CAMDEN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	47.5	43.1	40.0	46.3	Alcohol	28.9	13.9	17.7	22.3
Chewing Tobacco	34.1	10.2	12.9	15.4	Alcohol (5+ drinks on single occasion past 2 weeks)	16.2	2.2		
Cigarettes	36.5	34.2	26.6	32.4	Chewing Tobacco	14.7	5.6	6.7	8.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	5.9	2.4	2.2	4.3	Cigarettes	15.8	14.6	12.6	17.6
Cocaine	1.7	1.0	1.5	3.3	Inhalants	1.3	1.2	2.5	5.8
Electronic Cigarettes	44.0	23.4			Marijuana	7.6	4.5	8.6	11.5
Hallucinogens	7.4	1.2	3.4	6.3	Over-the-counter medications for non-medical use	3.1	0.0	3.5	6.8
Heroin	0.0	0.0	0.5	1.2	Prescription medications not prescribed for student	11.4	2.2	4.4	10.5
Inhalants	3.3	1.2	5.4	10.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	20.6	19.4	17.5	22.6	Alcohol (1 or 2 drinks daily)	56.2	52.8		
Methamphetamine	1.3	0.0	1.2	2.9	Alcohol (Binge: 5+ drinks once or twice a week)	67.9	65.8		
Over-the-counter medications for non-medical use	6.3	0.0	6.4	9.6	Cigarettes (1+ packs per day)	72.4	88.8		
Prescription medications not prescribed for student	21.2	10.2	9.1	14.3	Marijuana (once or twice a week)	49.4	54.7		
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	5.4	9.7		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	90.3	92.6	94.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	11.87	13.05	12.43	11.92	Alcohol	80.8	81.1	80.4	78.7
Cigarettes	11.92	12.84	12.09	11.59	Cigarettes	87.8	91.1	88.5	89.8
Inhalants	14.91	12.00	12.24	11.96	Marijuana	83.8	95.0	91.8	93.9
Marijuana	13.51	13.82	13.42	13.01	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	59.4	65.8	63.1	55.3
Alcohol	68.3	41.3	50.3	59.7	Cigarettes	72.2	79.8	80.1	75.1
Cigarettes	64.5	42.8	43.6	51.2	Marijuana	69.6	75.7	79.5	76.2
Marijuana	59.4	29.0	36.3	39.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.5	95.6	94.4	93.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.6	6.9	16.4	23.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	61.7	46.9	53.0	56.2
Alcohol	47.5	26.5	29.6	38.0	Cigarettes	58.4	56.4	51.9	57.7
Cigarettes	21.9	15.3	14.8	20.2	Marijuana	50.8	36.3	34.8	38.0
Marijuana	27.8	10.7	14.0	19.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.1	12.9	17.9	16.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	68.7	46.0	60.1	67.4	Were grouchy, irritable, or in a bad mood	52.7	27.3	24.9	21.6
Were victims of mean rumors or lies spread at school	55.6	43.5	50.9	53.5	Had difficulty concentrating on school work	32.0	24.0	22.3	26.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	29.1	20.4	20.6	21.2	Were very sad	31.3	20.2	20.4	18.4
					Felt hopeless about the future	20.7	11.3	11.1	15.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	23.4	10.1	11.3	12.7	Parents involve student in making family decisions	57.3	70.0	69.5	71.0
Made plan about how they would attempt suicide	13.1	5.6	8.6	8.7	Parents notice and comment on student's good work	80.1	85.2	83.2	86.1
Attempted suicide	10.1	3.2	5.4	5.6	Teachers notice and comment on student's good work	78.1	73.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CAPE GIRARDEAU COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	75,674
2016 Estimate	78,913

BIRTH RISK	2015	2014	2013
Resident Births	908	909	942
Mother Reported Smoking while Pregnant	134	164	192

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	4	2	4
Hepatitis B Chronic, Acute, Prenatal	7	4	6
Hepatitis C Chronic and Acute	40	49	66
Tuberculosis Infection Cases	20	31	55

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	774	751	732
Suicide	12	18	10
Homicide	2	4	6
Alcohol Induced Deaths	5	4	5
Drug Induced Deaths	8	9	10
Smoking Attributable Deaths	136	124	135
Self-inflicted Injuries *	63	69	68
Assault Injuries *	250	235	270

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	641	637	662
Mental Illness Secondary Diagnosis	1,077	742	1,374
Alcohol Principal Diagnosis	39	34	38
Alcohol Secondary Diagnosis	88	53	118
Drug Principal Diagnosis	31	35	34
Drug Secondary Diagnosis	122	58	79
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	94	97	82
Mental Illness Secondary Diagnosis	981	1,351	707
Alcohol Principal Diagnosis	34	53	37
Alcohol Secondary Diagnosis	113	112	89
Drug Principal Diagnosis	15	26	18
Drug Secondary Diagnosis	52	81	50
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	920	856	824
Mental Illness Secondary Diagnosis	3,948	2,253	1,735
Alcohol Principal Diagnosis	171	166	129
Alcohol Secondary Diagnosis	140	136	131
Drug Principal Diagnosis	134	124	95
Drug Secondary Diagnosis	414	216	146

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	122	113	118
Alcohol Package Carry-out Licenses	70	70	68

EMPLOYMENT	2016	2015	2014
Labor Force	41,120	41,110	40,781
Employed	39,342	39,340	38,556
Unemployed	1,778	1,770	2,225
Unemployment Rate	4.3%	4.3%	5.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	76	51	58
Fatal Crashes	2	2	1
Injury Crashes	22	13	23
Property Damage Crashes	52	36	38
Crash Fatalities	2	2	1
Crash Injuries	24	14	38
Drug Involved Crashes	21	13	18
Fatal Crashes	0	2	1
Injury Crashes	3	4	5
Property Damage Crashes	18	7	12
Crash Fatalities	0	2	2
Crash Injuries	3	4	9

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	376	405	395
Liquor Law Arrests	35	68	109
Drug Arrests	420	314	327
Methamphetamine Lab Seizures	0	2	4
Violent Offenses	302	285	268
Domestic Violence Reports	546	512	501
Property Offenses	2,120	2,581	2,368

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	2,795	2,721	2,805
Drop-outs	70	63	58
Drop-out Rate	2.5%	2.3%	2.1%
School Discipline Involving Alcohol	1	4	2
School Discipline Involving Drugs	24	30	23
School Discipline Involving Tobacco	2	2	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	90	109	76
Juvenile Alcohol Offenses	6	4	7
Juvenile Drug Offenses	18	24	27
School Truancy Status Offense	435	99	89
Absent from Home Status Offense	56	62	52
Beyond Parental Control Status Offense	14	16	28
Injurious Behavior Status Offense	255	250	256
Child Abuse	48	62	67
Child Neglect	191	315	336
Child Custody Issues	1	3	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	154	182	117
Parental Alcohol Use Related	4	5	4
Parental Drug Use Related	86	130	59
Parental Alcohol and Drug Use	6	2	7

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	67	63	65
Probation/Parole Admissions--Drug	267	234	195
Probation/Parole Admissions--DWI	33	31	42
Prison Admissions--Drug	139	135	79
Prison Admissions--DWI	11	22	13

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CAPE GIRARDEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	118	106	132
CSTAR Adolescent	27	31	29
CSTAR Women and Children	119	122	90
CSTAR General Adult	284	275	249
CSTAR Opioid	*	0	0
Primary Recovery Treatment	*	*	6
Clinical SATOP (CIP, YCIP, SROP)	62	58	77
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	284	307	369
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	122	145	166
- Weekend Intervention Program	75	71	93
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	6	5
Compulsive Gambling	0	*	*
Recovery Supports	59	59	235
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	473	481	547	Alcohol	153	194	211
AGE				Marijuana / Hashish	115	121	162
Under 18	30	34	30	Cocaine (total)	18	24	38
18 to 24	77	70	112	- Crack	13	13	16
25 to 29	76	72	97	Stimulant (total)	124	78	67
30 to 34	70	89	86	- Methamphetamine	120	75	63
35 to 39	70	55	67	Heroin	22	15	18
40 to 44	50	45	46	Analgesic except Heroin	33	40	40
45 to 54	67	82	81	- Non-Prescription Methadone	*	0	0
55 and Over	33	34	28	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	6	8	9
Male	256	277	385	Inhalant	0	*	0
Female	217	204	162	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	376	371	401	Average Age at First Use of Drug	19.0	18.3	17.7
African American	76	83	117	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	83	62	64
Asian / Pacific Islander	0	*	0	- Daily Injection Use	20	12	21
Hispanic	10	12	14	- Weekly Injection Use	27	19	19
Other Race / Two or More Races	13	17	14	- Less than Weekly Injection Use	36	31	24
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	136	137	167	0	256	255	292
High School Graduate or G.E.D.	192	220	249	1 or 2	147	136	165
Associate Degree or Some College	138	121	126	3 or More	70	90	90
Bachelor or Advanced Degree	7	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	171	125	145
Employed	141	153	176	School	*	*	*
Unemployed	182	154	200	Mental Health Provider	8	*	*
Not in Labor Force	150	174	171	Health Care Provider	38	40	27
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	155	199	284
Independent Living	383	388	444	Other Referral Source	82	98	63
Dependent Living	38	56	59	TREATMENT ACCOMMODATION			
Homeless	45	27	38	Pregnant when Admitted to any Episode	10	6	*
MARITAL / FAMILY STATUS				Military Veteran	15	17	24
Never Married	243	261	304	Special Education Services Needed	22	39	44
Married / Cohabiting	122	112	141	Co-Occurring Psychological Problem	291	269	230
Previously Married	108	108	102	Co-Occurring Developmental Problem	6	8	8

CAPE GIRARDEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 75,674
2016 POPULATION ESTIMATE 78,913

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	119	151	204
Anxiety Disorder	340	326	310
Dementia	*	*	0
Developmental Disorder	6	*	*
Impulse Control Disorder	276	231	229
Mood Disorder	1,073	1,117	1,185
Personality Disorder	34	28	21
Psychotic Disorder	220	201	205
Sexual Disorder	*	*	0
Other Diagnosis	97	73	54
Diagnosis Unknown	284	117	152

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	2,014	1,889	2,085	Less than High School Diploma	245	206	203
AGE				High School Grad or G.E.D.	0	0	0
Under 6	6	*	0	Associate Degree or Some College	0	0	0
6 to 9	78	53	74	Bachelor or Advanced Degree	0	0	0
10 to 13	144	121	119	Education Level Unknown	1,769	1,683	1,882
14 to 17	174	139	121	EMPLOYMENT			
18 to 24	202	185	226	Employed	39	21	19
25 to 29	182	169	201	Unemployed	19	19	27
30 to 34	177	187	243	Not in Labor Force	553	477	436
35 to 39	185	189	197	Employment Status Unknown	1,403	1,372	1,603
40 to 44	149	162	195	HOUSING / LIVING ARRANGEMENT			
45 to 49	184	184	181	Independent Living	293	270	258
50 to 54	157	171	195	Dependent Living	298	257	232
55 to 59	166	151	157	Homeless	8	*	11
60 and Over	210	174	176	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,415	1,358	1,584
GENDER				TREATMENT REFERRAL SOURCE			
Male	875	803	905	Self / Family / Friend	1,378	1,294	1,307
Female	1,139	1,086	1,180	School	67	42	36
Gender Unknown	0	0	0	Mental Health Provider	91	110	175
RACE / ETHNICITY				Health Care Provider	214	184	230
Caucasian	1,576	1,483	1,677	Court / Criminal Justice	66	54	53
African American	228	228	218	Other	191	196	274
Native American / Alaskan	*	0	0	Referral Source Unknown	7	9	10
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	85	93	121	Voluntary	1,991	1,870	2,064
Other Race	120	83	66	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	13	11	11
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	77	72	79	Commitment Type Unknown	8	8	10
Past or Current Military Service	63	56	46				

CAPE GIRARDEAU COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.8	40.3	39.2	44.9	Alcohol	13.1	14.0	15.0	20.3
Chewing Tobacco	15.7	19.2	11.3	13.4	Alcohol (5+ drinks on single occasion past 2 weeks)	3.7	8.4		
Cigarettes	23.3	26.3	24.2	27.6	Chewing Tobacco	4.7	13.1	5.6	7.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.3	1.0	1.6	2.1	Cigarettes	6.6	15.2	12.2	14.3
Cocaine	1.7	1.5	1.3	0.8	Inhalants	1.5	1.8	1.3	2.5
Electronic Cigarettes	23.4	12.6			Marijuana	6.6	2.4	4.8	10.2
Hallucinogens	4.1	0.8	3.0	3.8	Over-the-counter medications for non-medical use	2.1	2.4	3.1	5.2
Heroin	0.9	0.0	0.6	0.7	Prescription medications not prescribed for student	7.7	4.8	2.7	4.9
Inhalants	2.7	5.3	3.8	6.6	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	9.5	9.0	12.2	18.7	Alcohol (1 or 2 drinks daily)	60.9	53.9		
Methamphetamine	0.9	0.0	1.4	0.8	Alcohol (Binge: 5+ drinks once or twice a week)	71.2	65.9		
Over-the-counter medications for non-medical use	5.1	4.5	5.7	7.5	Cigarettes (1+ packs per day)	78.2	82.0		
Prescription medications not prescribed for student	10.8	7.5	6.6	11.2	Marijuana (once or twice a week)	72.2	76.5		
Synthetic drugs (K2, bath salts, Spice, etc)	0.6	3.3	6.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	91.5	93.2	94.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.06	12.59	12.71	13.03	Alcohol	77.9	72.5	78.8	77.8
Cigarettes	13.03	12.49	12.95	12.53	Cigarettes	87.5	92.0	92.1	89.7
Inhalants	10.78	13.11	12.25	12.60	Marijuana	91.2	93.2	94.6	94.1
Marijuana	13.07	13.86	13.75	13.71	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	66.6	59.8	62.1	61.1
Alcohol	50.5	53.6	52.1	62.0	Cigarettes	77.8	78.1	82.0	78.3
Cigarettes	35.0	41.0	42.7	49.9	Marijuana	87.3	88.6	86.6	80.1
Marijuana	29.7	18.5	32.8	41.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	97.6	95.8	95.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	6.5	15.5	19.2	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	51.0	55.3	57.6	61.1
Alcohol	28.0	27.6	26.3	32.4	Cigarettes	50.0	50.7	53.8	58.5
Cigarettes	12.4	18.0	14.2	15.7	Marijuana	33.1	22.7	35.7	39.3
Marijuana	10.7	6.7	8.6	15.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	11.5	19.5	19.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	75.8	64.6	62.2	68.2	Were grouchy, irritable, or in a bad mood	31.3	27.1	22.6	22.1
Were victims of mean rumors or lies spread at school	66.4	59.2	49.2	50.8	Had difficulty concentrating on school work	29.6	27.6	22.4	25.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.6	28.8	20.6	22.4	Were very sad	17.0	22.2	17.5	20.3
					Felt hopeless about the future	11.1	10.7	11.9	14.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.5	9.7	9.9	12.1	Parents involve student in making family decisions	73.1	77.3	70.0	69.9
Made plan about how they would attempt suicide	10.4	6.9	7.7	8.5	Parents notice and comment on student's good work	86.3	83.7	83.1	83.9
Attempted suicide	6.3	2.9	4.8	5.0	Teachers notice and comment on student's good work	80.8	74.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CARROLL COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	9,295
2016 Estimate	8,913

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	9	10	14
Fatal Crashes	1	0	0
Injury Crashes	6	3	5
Property Damage Crashes	2	7	2
Crash Fatalities	1	0	0
Crash Injuries	6	3	6
Drug Involved Crashes	1	0	1
Fatal Crashes	1	0	0
Injury Crashes	0	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	1	0	0
Crash Injuries	0	0	1

BIRTH RISK	2015	2014	2013
Resident Births	88	96	123
Mother Reported Smoking while Pregnant	19	24	31

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	0	2
Hepatitis C Chronic and Acute	2	4	0
Tuberculosis Infection Cases	0	2	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	107	114	129
Suicide	3	4	1
Homicide	0	0	0
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	16	18	22
Self-inflicted Injuries *	9	11	13
Assault Injuries *	21	29	22

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	63	62	70
Mental Illness Secondary Diagnosis	225	177	190
Alcohol Principal Diagnosis	1	2	2
Alcohol Secondary Diagnosis	12	12	11
Drug Principal Diagnosis	1	0	2
Drug Secondary Diagnosis	9	4	12
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	11	13	12
Mental Illness Secondary Diagnosis	69	78	87
Alcohol Principal Diagnosis	3	0	1
Alcohol Secondary Diagnosis	6	10	8
Drug Principal Diagnosis	1	3	5
Drug Secondary Diagnosis	3	7	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	81	94	92
Mental Illness Secondary Diagnosis	163	105	135
Alcohol Principal Diagnosis	18	8	10
Alcohol Secondary Diagnosis	21	15	25
Drug Principal Diagnosis	5	7	9
Drug Secondary Diagnosis	17	14	12

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	10	11	10
Alcohol Package Carry-out Licenses	12	12	12

EMPLOYMENT	2016	2015	2014
Labor Force	4,831	4,889	4,756
Employed	4,570	4,599	4,417
Unemployed	261	290	339
Unemployment Rate	5.4%	5.9%	7.1%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	41	30	35
Liquor Law Arrests	20	12	8
Drug Arrests	56	45	21
Methamphetamine Lab Seizures	0	0	1
Violent Offenses	11	20	19
Domestic Violence Reports	63	47	31
Property Offenses	112	99	122

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	447	496	480
Drop-outs	0	2	4
Drop-out Rate	0.0%	0.4%	0.8%
School Discipline Involving Alcohol	1	2	0
School Discipline Involving Drugs	1	0	2
School Discipline Involving Tobacco	2	1	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	9	15	10
Juvenile Alcohol Offenses	2	4	3
Juvenile Drug Offenses	1	2	1
School Truancy Status Offense	11	16	15
Absent from Home Status Offense	0	0	2
Beyond Parental Control Status Offense	2	4	0
Injurious Behavior Status Offense	18	34	16
Child Abuse	2	7	5
Child Neglect	5	2	9
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	3	1	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	0	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	28	26	19
Probation/Parole Admissions--DWI	3	6	2
Prison Admissions--Drug	5	8	13
Prison Admissions--DWI	3	4	2

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CARROLL COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	24	21	24
CSTAR Opioid	0	0	0
Primary Recovery Treatment	21	20	14
Clinical SATOP (CIP, YCIP, SROP)	*	7	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	21	39	29
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	9	16	14
- Weekend Intervention Program	*	6	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	6
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	51	49	42	Alcohol	22	20	12
AGE				Marijuana / Hashish	8	11	6
Under 18	*	*	0	Cocaine (total)	*	*	0
18 to 24	10	10	6	- Crack	0	0	0
25 to 29	5	6	10	Stimulant (total)	15	16	21
30 to 34	6	13	8	- Methamphetamine	15	13	21
35 to 39	11	*	6	Heroin	0	0	0
40 to 44	*	5	7	Analgesic except Heroin	5	*	*
45 to 54	8	6	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	31	29	24	Inhalant	0	0	0
Female	20	20	18	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	49	46	38	Average Age at First Use of Drug	20.1	17.4	19.5
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	7	8	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	*	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	7	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	13	15	14	0	26	28	19
High School Graduate or G.E.D.	33	31	18	1 or 2	15	12	18
Associate Degree or Some College	5	*	9	3 or More	10	9	5
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	17	9	5
Employed	16	15	11	School	0	0	0
Unemployed	14	15	21	Mental Health Provider	0	0	*
Not in Labor Force	21	19	10	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	23	26	26
Independent Living	42	43	38	Other Referral Source	7	12	9
Dependent Living	5	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	0	0	*
Never Married	29	28	21	Special Education Services Needed	0	*	*
Married / Cohabiting	10	13	11	Co-Occurring Psychological Problem	15	15	12
Previously Married	12	8	10	Co-Occurring Developmental Problem	*	0	0

CARROLL COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 9,295
2016 POPULATION ESTIMATE 8,913

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	12	14	11
Anxiety Disorder	75	77	73
Dementia	*	5	*
Developmental Disorder	6	*	5
Impulse Control Disorder	36	31	27
Mood Disorder	87	92	92
Personality Disorder	11	13	23
Psychotic Disorder	19	16	12
Sexual Disorder	0	0	0
Other Diagnosis	25	15	8
Diagnosis Unknown	*	7	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	129	138	124	Less than High School Diploma	55	55	50
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	0	Associate Degree or Some College	0	0	0
6 to 9	10	10	11	Bachelor or Advanced Degree	0	0	0
10 to 13	14	14	11	Education Level Unknown	74	83	74
14 to 17	15	13	7	EMPLOYMENT			
18 to 24	8	9	5	Employed	8	8	9
25 to 29	7	11	8	Unemployed	*	*	9
30 to 34	8	10	10	Not in Labor Force	109	111	95
35 to 39	6	6	15	Employment Status Unknown	9	17	11
40 to 44	12	15	9	HOUSING / LIVING ARRANGEMENT			
45 to 49	9	7	12	Independent Living	59	74	75
50 to 54	13	12	9	Dependent Living	62	46	37
55 to 59	10	13	11	Homeless	*	*	*
60 and Over	16	17	16	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	7	17	11
GENDER				TREATMENT REFERRAL SOURCE			
Male	62	58	48	Self / Family / Friend	76	82	80
Female	67	80	76	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	10	10	11
RACE / ETHNICITY				Health Care Provider	29	28	21
Caucasian	127	135	118	Court / Criminal Justice	*	6	5
African American	*	*	*	Other	9	10	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	*	*	Voluntary	129	138	124
Other Race	0	0	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

CARROLL COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	43.9	40.5	49.0	49.3	Alcohol	20.9	21.8	24.0	29.1
Chewing Tobacco	14.5	19.8	16.9	21.8	Alcohol (5+ drinks on single occasion past 2 weeks)	8.8	10.0		
Cigarettes	23.3	21.8	31.2	30.8	Chewing Tobacco	7.5	9.0	10.4	12.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.9	0.7	0.9	Cigarettes	9.4	6.4	14.9	15.4
Cocaine	0.6	0.0	0.0	0.9	Inhalants	0.0	1.8	0.6	2.3
Electronic Cigarettes	14.5	14.4			Marijuana	1.9	0.9	5.2	6.0
Hallucinogens	0.6	1.8	1.9	1.4	Over-the-counter medications for non-medical use	0.6	1.8	1.3	4.2
Heroin	0.0	0.0	0.6	0.0	Prescription medications not prescribed for student	7.5	3.6	1.9	6.0
Inhalants	0.6	1.8	3.2	6.5					
Marijuana	11.3	3.6	7.7	12.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.6	0.0	0.7	0.9	Alcohol (1 or 2 drinks daily)	58.5	56.0		
Over-the-counter medications for non-medical use	2.5	1.8	2.6	6.5	Alcohol (Binge: 5+ drinks once or twice a week)	67.9	65.8		
Prescription medications not prescribed for student	13.3	7.2	5.2	9.8	Cigarettes (1+ packs per day)	79.2	83.6		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	2.7	3.2		Marijuana (once or twice a week)	74.7	73.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	89.3	89.5	91.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.00	12.25	12.15	11.98	Alcohol	75.3	77.3	69.9	71.8
Cigarettes	13.18	13.08	11.89	11.85	Cigarettes	91.1	91.8	89.5	88.4
Inhalants		11.35	11.42	11.79	Marijuana	95.6	94.6	96.7	94.4
Marijuana	15.14	13.62	13.58	13.48					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	46.8	50.9	61.7	69.0	Alcohol	60.4	62.5	47.1	51.9
Cigarettes	34.0	43.2	46.8	54.4	Cigarettes	84.3	85.7	76.6	76.7
Marijuana	24.5	19.4	26.6	27.3	Marijuana	86.8	91.0	89.0	87.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	5.5	8.4	11.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	97.3	96.7	95.8
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	31.6	32.4	45.5	42.1	Alcohol	51.3	51.4	61.7	62.0
Cigarettes	11.4	8.1	18.2	16.7	Cigarettes	44.7	49.1	48.1	53.5
Marijuana	8.2	5.4	6.5	7.4	Marijuana	25.6	29.1	28.8	24.9
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.9	15.6	13.0	12.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.3	60.4	68.8	67.3	Were grouchy, irritable, or in a bad mood	25.2	25.2	24.7	25.1
Were victims of mean rumors or lies spread at school	52.8	56.8	56.6	54.6	Had difficulty concentrating on school work	23.1	20.7	22.7	24.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.5	26.8	24.7	18.5	Were very sad	15.7	15.3	17.5	23.5
					Felt hopeless about the future	6.9	8.2	9.7	14.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.5	10.8	11.7	10.1	Parents involve student in making family decisions	71.5	74.8	66.9	67.1
Made plan about how they would attempt suicide	6.9	4.5	7.8	8.3	Parents notice and comment on student's good work	84.2	85.6	78.6	81.1
Attempted suicide	5.0	6.3	7.1	4.7	Teachers notice and comment on student's good work	78.8	68.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CARTER COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	6,265
2016 Estimate	6,168

BIRTH RISK	2015	2014	2013
Resident Births	77	73	93
Mother Reported Smoking while Pregnant	20	21	23

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	7	6	5
Tuberculosis Infection Cases	1	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	83	65	58
Suicide	1	0	1
Homicide	2	0	0
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	19	11	9
Self-inflicted Injuries *	0	5	10
Assault Injuries *	16	16	22

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	50	47	60
Mental Illness Secondary Diagnosis	132	120	121
Alcohol Principal Diagnosis	4	1	2
Alcohol Secondary Diagnosis	10	4	7
Drug Principal Diagnosis	3	2	2
Drug Secondary Diagnosis	5	10	1
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	7	15	16
Mental Illness Secondary Diagnosis	90	110	127
Alcohol Principal Diagnosis	1	1	0
Alcohol Secondary Diagnosis	5	5	3
Drug Principal Diagnosis	0	3	2
Drug Secondary Diagnosis	6	3	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	63	54	93
Mental Illness Secondary Diagnosis	106	79	151
Alcohol Principal Diagnosis	4	11	8
Alcohol Secondary Diagnosis	10	4	12
Drug Principal Diagnosis	6	6	8
Drug Secondary Diagnosis	8	10	11

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	9	10	10
Alcohol Package Carry-out Licenses	12	12	12

EMPLOYMENT	2016	2015	2014
Labor Force	2,566	2,530	2,537
Employed	2,386	2,341	2,312
Unemployed	180	189	225
Unemployment Rate	7.0%	7.5%	8.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	7	6	4
Fatal Crashes	0	2	0
Injury Crashes	2	3	2
Property Damage Crashes	5	1	2
Crash Fatalities	0	3	0
Crash Injuries	2	4	5
Drug Involved Crashes	2	2	2
Fatal Crashes	1	0	0
Injury Crashes	0	2	1
Property Damage Crashes	1	0	1
Crash Fatalities	1	0	0
Crash Injuries	0	4	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	39	43	41
Liquor Law Arrests	2	0	3
Drug Arrests	115	119	88
Methamphetamine Lab Seizures	0	0	2
Violent Offenses	37	18	17
Domestic Violence Reports	24	22	32
Property Offenses	88	72	81

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	394	367	370
Drop-outs	0	1	0
Drop-out Rate	0.0%	0.3%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	2	0
School Discipline Involving Tobacco	2	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	8	5	3
Juvenile Alcohol Offenses	6	2	0
Juvenile Drug Offenses	0	2	2
School Truancy Status Offense	10	6	3
Absent from Home Status Offense	2	7	2
Beyond Parental Control Status Offense	2	3	9
Injurious Behavior Status Offense	13	19	4
Child Abuse	0	0	2
Child Neglect	0	1	0
Child Custody Issues	3	4	3

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	1	3	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	0	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	8	5	3
Probation/Parole Admissions--DWI	1	0	0
Prison Admissions--Drug	2	0	3
Prison Admissions--DWI	0	1	0

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CARTER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	5
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	20	42	35
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	*
Clinical SATOP (CIP, YCIP, SROP)	5	6	6
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	15	23	16
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	9	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	13
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	31	57	46	Alcohol	9	20	17
AGE				Marijuana / Hashish	11	19	12
Under 18	*	*	*	Cocaine (total)	0	0	*
18 to 24	6	11	8	- Crack	0	0	*
25 to 29	*	9	7	Stimulant (total)	6	14	6
30 to 34	6	7	10	- Methamphetamine	6	12	6
35 to 39	*	7	7	Heroin	*	0	*
40 to 44	*	6	*	Analgesic except Heroin	*	*	5
45 to 54	5	11	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	21	41	28	Inhalant	0	0	0
Female	10	16	18	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	30	55	44	Average Age at First Use of Drug	15.8	18.1	18.2
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	*	*	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	0	0	0	- Weekly Injection Use	0	0	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	11	19	18	0	16	29	20
High School Graduate or G.E.D.	16	34	17	1 or 2	12	15	18
Associate Degree or Some College	*	*	11	3 or More	*	13	8
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	10	5	14
Employed	6	20	14	School	0	0	0
Unemployed	16	17	24	Mental Health Provider	0	*	*
Not in Labor Force	9	20	8	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	16	37	22
Independent Living	25	49	44	Other Referral Source	*	10	*
Dependent Living	*	5	*	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	12	24	14	Special Education Services Needed	5	8	6
Married / Cohabiting	11	18	20	Co-Occurring Psychological Problem	12	20	23
Previously Married	8	15	12	Co-Occurring Developmental Problem	0	*	6

CARTER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 6,265
2016 POPULATION ESTIMATE 6,168

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	0	*
Anxiety Disorder	14	13	16
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	0	0
Mood Disorder	56	57	41
Personality Disorder	0	0	0
Psychotic Disorder	16	13	15
Sexual Disorder	0	0	0
Other Diagnosis	0	*	*
Diagnosis Unknown	*	*	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	83	79	70	Less than High School Diploma	27	31	23
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	*	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	56	48	47
14 to 17	*	5	*	EMPLOYMENT			
18 to 24	*	*	5	Employed	*	5	*
25 to 29	*	5	*	Unemployed	*	*	*
30 to 34	6	6	5	Not in Labor Force	58	60	45
35 to 39	11	9	14	Employment Status Unknown	20	12	20
40 to 44	11	8	7	HOUSING / LIVING ARRANGEMENT			
45 to 49	11	10	8	Independent Living	52	54	43
50 to 54	11	10	9	Dependent Living	5	9	5
55 to 59	7	8	*	Homeless	*	*	*
60 and Over	11	11	11	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	25	14	21
GENDER				TREATMENT REFERRAL SOURCE			
Male	32	25	24	Self / Family / Friend	39	34	24
Female	51	54	46	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	7	8	9
RACE / ETHNICITY				Health Care Provider	28	23	25
Caucasian	82	77	69	Court / Criminal Justice	*	7	*
African American	0	*	0	Other	5	7	8
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	80	75	68
Other Race	*	*	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	*	*				

CARTER COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	41.8		44.7	55.1	Alcohol	16.7		18.8	23.6
Chewing Tobacco	11.8		17.5	23.8	Alcohol (5+ drinks on single occasion past 2 weeks)	8.6			
Cigarettes	16.3		32.0	46.0	Chewing Tobacco	2.2		12.6	14.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1		2.9	3.1	Cigarettes	6.5		23.1	25.4
Cocaine	2.2		2.0	4.0	Inhalants	1.1		1.9	3.9
Electronic Cigarettes	27.5				Marijuana	2.2		8.7	15.0
Hallucinogens	0.0		5.8	8.0	Over-the-counter medications for non-medical use	6.5		5.8	11.0
Heroin	2.2		1.0	2.4	Prescription medications not prescribed for student	11.8		7.8	8.7
Inhalants	3.2		2.9	11.0					
Marijuana	12.0		18.4	29.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0		2.9	4.7	Alcohol (1 or 2 drinks daily)	79.3			
Over-the-counter medications for non-medical use	7.5		6.8	18.3	Alcohol (Binge: 5+ drinks once or twice a week)	82.8			
Prescription medications not prescribed for student	14.1		12.6	15.7	Cigarettes (1+ packs per day)	85.9			
Synthetic drugs (K2, bath salts, Spice, etc)	1.1		4.9		Marijuana (once or twice a week)	75.6			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	89.7		84.5	92.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.47		11.97	12.27	Alcohol	88.2		76.2	77.0
Cigarettes	12.69		11.58	11.36	Cigarettes	93.5		87.9	84.4
Inhalants				12.61	Marijuana	91.4		94.0	91.2
Marijuana	13.55		12.88	12.83					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	63.4		55.3	72.1	Alcohol	67.4		55.3	53.1
Cigarettes	38.7		52.4	68.2	Cigarettes	88.2		71.8	70.1
Marijuana	29.3		27.2	53.5	Marijuana	91.9		76.7	73.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.8		7.8	34.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7		95.1	91.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	23.1		34.0	40.8	Alcohol	69.6		53.9	76.7
Cigarettes	7.5		23.8	23.6	Cigarettes	68.5		54.9	80.6
Marijuana	9.8		17.3	23.2	Marijuana	50.0		37.6	55.9
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	31.5		14.9	31.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	44.1		58.4	61.2	Were grouchy, irritable, or in a bad mood	33.3		23.5	22.5
Were victims of mean rumors or lies spread at school	35.5		38.8	58.1	Had difficulty concentrating on school work	20.4		31.1	26.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	9.7		16.8	20.2	Were very sad	14.3		20.4	18.9
					Felt hopeless about the future	10.8		7.8	9.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.5		18.8	15.6	Parents involve student in making family decisions	68.8		61.6	55.9
Made plan about how they would attempt suicide	4.3		18.6	7.8	Parents notice and comment on student's good work	77.7		77.5	78.0
Attempted suicide	2.2		11.5	4.7	Teachers notice and comment on student's good work	80.6			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CASS COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	7
Adult Psychiatric	7
POPULATION	
Census 2010	99,478
2016 Estimate	102,845

BIRTH RISK	2015	2014	2013
Resident Births	1,125	1,178	1,231
Mother Reported Smoking while Pregnant	167	188	217

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	4	7
Hepatitis B Chronic, Acute, Prenatal	4	0	3
Hepatitis C Chronic and Acute	48	42	45
Tuberculosis Infection Cases	10	17	20

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	883	893	946
Suicide	20	19	21
Homicide	3	4	2
Alcohol Induced Deaths	7	11	8
Drug Induced Deaths	13	15	12
Smoking Attributable Deaths	147	183	161
Self-inflicted Injuries *	115	107	126
Assault Injuries *	231	227	242

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	841	778	799
Mental Illness Secondary Diagnosis	1,720	1,173	969
Alcohol Principal Diagnosis	76	62	48
Alcohol Secondary Diagnosis	165	80	75
Drug Principal Diagnosis	35	34	35
Drug Secondary Diagnosis	109	70	82
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	104	171	220
Mental Illness Secondary Diagnosis	1,097	1,427	1,344
Alcohol Principal Diagnosis	46	63	53
Alcohol Secondary Diagnosis	109	122	145
Drug Principal Diagnosis	15	22	21
Drug Secondary Diagnosis	70	96	102
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	738	680	714
Mental Illness Secondary Diagnosis	745	881	857
Alcohol Principal Diagnosis	181	155	176
Alcohol Secondary Diagnosis	138	141	159
Drug Principal Diagnosis	168	120	128
Drug Secondary Diagnosis	213	191	208

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	74	69	68
Alcohol Package Carry-out Licenses	82	85	83

EMPLOYMENT	2016	2015	2014
Labor Force	55,015	54,463	53,809
Employed	52,753	51,861	50,788
Unemployed	2,262	2,602	3,021
Unemployment Rate	4.1%	4.8%	5.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	78	68	55
Fatal Crashes	4	0	2
Injury Crashes	36	30	27
Property Damage Crashes	38	38	36
Crash Fatalities	5	0	2
Crash Injuries	51	33	34
Drug Involved Crashes	11	24	17
Fatal Crashes	2	1	0
Injury Crashes	4	11	5
Property Damage Crashes	5	12	12
Crash Fatalities	2	1	0
Crash Injuries	6	14	6

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	342	351	382
Liquor Law Arrests	83	95	120
Drug Arrests	688	536	476
Methamphetamine Lab Seizures	0	0	1
Violent Offenses	207	187	171
Domestic Violence Reports	961	998	887
Property Offenses	2,426	1,925	2,079

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	5,496	5,482	5,538
Drop-outs	96	104	111
Drop-out Rate	1.7%	1.9%	2.0%
School Discipline Involving Alcohol	19	10	10
School Discipline Involving Drugs	58	61	71
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	141	123	93
Juvenile Alcohol Offenses	7	12	19
Juvenile Drug Offenses	69	49	66
School Truancy Status Offense	81	67	55
Absent from Home Status Offense	70	101	84
Beyond Parental Control Status Offense	51	76	69
Injurious Behavior Status Offense	129	128	180
Child Abuse	0	4	16
Child Neglect	203	218	381
Child Custody Issues	51	46	13

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	100	75	91
Parental Alcohol Use Related	1	3	1
Parental Drug Use Related	29	27	34
Parental Alcohol and Drug Use	5	1	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	62	58	71
Probation/Parole Admissions--Drug	137	130	118
Probation/Parole Admissions--DWI	23	29	29
Prison Admissions--Drug	43	43	53
Prison Admissions--DWI	4	8	16

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CASS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	29	25	22
CSTAR Adolescent	57	68	54
CSTAR Women and Children	19	21	14
CSTAR General Adult	178	174	246
CSTAR Opioid	7	0	*
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	89	96	102
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	307	294	353
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	99	104	129
- Weekend Intervention Program	50	43	73
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	8	13	10
Compulsive Gambling	0	*	0
Recovery Supports	15	27	26
Early Intervention	*	7	10

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	373	375	454	Alcohol	152	164	195
AGE				Marijuana / Hashish	92	97	113
Under 18	63	72	54	Cocaine (total)	*	*	6
18 to 24	56	47	73	- Crack	*	*	*
25 to 29	63	45	81	Stimulant (total)	82	74	101
30 to 34	53	67	71	- Methamphetamine	68	71	96
35 to 39	40	36	55	Heroin	12	12	9
40 to 44	24	31	40	Analgesic except Heroin	25	21	22
45 to 54	56	54	62	- Non-Prescription Methadone	0	*	0
55 and Over	18	23	18	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	0	*
Male	210	224	317	Inhalant	*	0	*
Female	163	151	137	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	328	336	424	Average Age at First Use of Drug	16.9	17.2	17.3
African American	17	16	15	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	39	30	43
Asian / Pacific Islander	0	*	0	- Daily Injection Use	11	11	13
Hispanic	13	16	12	- Weekly Injection Use	10	10	15
Other Race / Two or More Races	16	10	7	- Less than Weekly Injection Use	18	9	15
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	147	139	142	0	215	204	246
High School Graduate or G.E.D.	150	156	194	1 or 2	87	92	131
Associate Degree or Some College	72	76	112	3 or More	71	79	77
Bachelor or Advanced Degree	*	*	6	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	191	151	161
Employed	118	120	172	School	*	0	*
Unemployed	86	106	149	Mental Health Provider	*	7	*
Not in Labor Force	169	149	133	Health Care Provider	16	13	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	120	122	177
Independent Living	261	268	359	Other Referral Source	43	78	99
Dependent Living	70	79	61	TREATMENT ACCOMMODATION			
Homeless	17	10	9	Pregnant when Admitted to any Episode	6	*	6
MARITAL / FAMILY STATUS				Military Veteran	9	5	10
Never Married	218	203	254	Special Education Services Needed	16	6	9
Married / Cohabiting	75	90	112	Co-Occurring Psychological Problem	138	133	165
Previously Married	80	82	88	Co-Occurring Developmental Problem	15	7	16

CASS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 7
CENSUS 2010 99,478
2016 POPULATION ESTIMATE 102,845

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	52	35	50
Anxiety Disorder	389	283	277
Dementia	*	*	*
Developmental Disorder	11	8	13
Impulse Control Disorder	173	125	138
Mood Disorder	472	350	374
Personality Disorder	66	47	41
Psychotic Disorder	124	90	88
Sexual Disorder	6	*	*
Other Diagnosis	56	31	40
Diagnosis Unknown	25	23	57

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	690	534	635	Less than High School Diploma	213	175	195
AGE				High School Grad or G.E.D.	0	0	0
Under 6	13	5	8	Associate Degree or Some College	0	0	0
6 to 9	44	36	41	Bachelor or Advanced Degree	0	0	0
10 to 13	56	45	83	Education Level Unknown	477	359	440
14 to 17	58	64	75	EMPLOYMENT			
18 to 24	70	39	54	Employed	41	29	21
25 to 29	54	39	56	Unemployed	36	23	28
30 to 34	55	45	55	Not in Labor Force	354	247	271
35 to 39	66	52	51	Employment Status Unknown	259	235	315
40 to 44	52	45	57	HOUSING / LIVING ARRANGEMENT			
45 to 49	56	45	55	Independent Living	281	133	148
50 to 54	73	48	46	Dependent Living	188	164	179
55 to 59	54	45	33	Homeless	15	11	7
60 and Over	39	26	21	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	206	226	301
GENDER				TREATMENT REFERRAL SOURCE			
Male	313	238	294	Self / Family / Friend	517	396	462
Female	377	296	341	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	10	7	9
RACE / ETHNICITY				Health Care Provider	94	58	64
Caucasian	618	478	572	Court / Criminal Justice	11	8	15
African American	30	21	23	Other	57	64	81
Native American / Alaskan	*	*	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	15	17	18	Voluntary	680	530	629
Other Race	23	15	20	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	7	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	20	18	14	Commitment Type Unknown	*	*	*
Past or Current Military Service	18	14	17				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.7	38.9	34.9	43.9	Alcohol	12.3	18.0	11.6	19.4
Chewing Tobacco	8.9	13.4	11.3	12.0	Alcohol (5+ drinks on single occasion past 2 weeks)	3.4	7.9		
Cigarettes	10.9	21.1	19.3	26.5	Chewing Tobacco	4.4	5.5	5.5	7.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	3.6	2.2	2.4	Cigarettes	5.3	10.4	6.9	14.0
Cocaine	0.1	1.9	2.1	2.0	Inhalants	1.8	0.8	2.3	3.3
Electronic Cigarettes	20.3	20.8			Marijuana	3.5	10.1	3.2	8.1
Hallucinogens	0.9	5.3	2.4	2.7	Over-the-counter medications for non-medical use	1.5	1.7	3.6	5.3
Heroin	0.0	0.5	1.0	0.5	Prescription medications not prescribed for student	7.7	4.5	4.1	6.6
Inhalants	3.4	2.6	5.3	7.0	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	7.1	16.7	8.2	15.9	Alcohol (1 or 2 drinks daily)	68.8	58.4		
Methamphetamine	0.1	0.8	1.8	1.2	Alcohol (Binge: 5+ drinks once or twice a week)	78.5	69.6		
Over-the-counter medications for non-medical use	3.8	3.2	6.8	8.9	Cigarettes (1+ packs per day)	85.2	87.5		
Prescription medications not prescribed for student	10.7	10.0	7.6	11.9	Marijuana (once or twice a week)	72.9	61.9		
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	6.3	5.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.9	91.1	94.1	93.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.93	13.53	12.50	12.80	Alcohol	83.2	78.6	77.9	75.8
Cigarettes	12.99	13.36	12.50	12.89	Cigarettes	95.2	90.6	92.0	89.5
Inhalants	9.34	11.58	11.39	11.78	Marijuana	96.7	91.3	95.5	93.9
Marijuana	13.71	14.06	13.40	13.80	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	69.6	60.6	61.8	56.4
Alcohol	35.7	50.5	41.7	60.0	Cigarettes	91.7	82.2	83.3	77.4
Cigarettes	22.6	37.8	32.1	49.1	Marijuana	89.2	76.9	88.5	81.8
Marijuana	26.8	37.8	20.1	37.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	95.0	95.7	94.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	15.6	9.8	17.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	49.4	57.1	51.0	61.5
Alcohol	19.5	30.8	28.7	35.2	Cigarettes	40.7	51.4	44.7	57.4
Cigarettes	6.5	12.8	11.1	15.8	Marijuana	27.1	39.3	25.3	34.6
Marijuana	8.2	15.0	6.7	12.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	18.7	12.2	17.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.4	64.2	63.3	67.7	Were grouchy, irritable, or in a bad mood	29.4	26.3	18.8	25.6
Were victims of mean rumors or lies spread at school	45.6	54.4	50.8	54.2	Had difficulty concentrating on school work	24.6	28.4	22.2	26.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.6	31.2	22.2	21.5	Were very sad	20.8	25.2	16.8	19.1
					Felt hopeless about the future	11.3	15.3	7.6	13.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.0	14.8	10.7	11.4	Parents involve student in making family decisions	74.4	65.9	69.6	69.0
Made plan about how they would attempt suicide	10.1	11.6	8.7	7.4	Parents notice and comment on student's good work	86.1	78.9	81.9	83.1
Attempted suicide	4.7	5.9	4.7	5.0	Teachers notice and comment on student's good work	71.8	65.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CEDAR COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	13,982
2016 Estimate	14,016

BIRTH RISK	2015	2014	2013
Resident Births	188	177	162
Mother Reported Smoking while Pregnant	40	35	42

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	2	0
Hepatitis C Chronic and Acute	16	14	18
Tuberculosis Infection Cases	3	0	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	225	202	187
Suicide	6	2	5
Homicide	0	1	0
Alcohol Induced Deaths	3	0	2
Drug Induced Deaths	0	1	2
Smoking Attributable Deaths	36	39	39
Self-inflicted Injuries *	14	20	20
Assault Injuries *	33	34	43

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	103	119	125
Mental Illness Secondary Diagnosis	263	249	331
Alcohol Principal Diagnosis	7	4	4
Alcohol Secondary Diagnosis	14	16	19
Drug Principal Diagnosis	6	6	6
Drug Secondary Diagnosis	16	7	25
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	35	45	48
Mental Illness Secondary Diagnosis	129	153	161
Alcohol Principal Diagnosis	3	5	4
Alcohol Secondary Diagnosis	19	18	16
Drug Principal Diagnosis	1	8	8
Drug Secondary Diagnosis	3	13	13
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	119	130	138
Mental Illness Secondary Diagnosis	706	697	932
Alcohol Principal Diagnosis	23	19	21
Alcohol Secondary Diagnosis	40	52	58
Drug Principal Diagnosis	30	35	27
Drug Secondary Diagnosis	47	62	78

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	17	18	18
Alcohol Package Carry-out Licenses	13	13	14

EMPLOYMENT	2016	2015	2014
Labor Force	5,862	5,985	5,843
Employed	5,571	5,668	5,472
Unemployed	291	317	371
Unemployment Rate	5.0%	5.3%	6.3%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	9	5	12
Fatal Crashes	0	0	0
Injury Crashes	3	2	5
Property Damage Crashes	6	3	7
Crash Fatalities	0	0	0
Crash Injuries	3	2	6
Drug Involved Crashes	7	3	0
Fatal Crashes	0	0	0
Injury Crashes	2	1	0
Property Damage Crashes	5	2	0
Crash Fatalities	0	0	0
Crash Injuries	2	1	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	56	41	37
Liquor Law Arrests	11	8	11
Drug Arrests	40	48	28
Methamphetamine Lab Seizures	0	0	1
Violent Offenses	62	50	41
Domestic Violence Reports	53	55	47
Property Offenses	294	336	312

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	690	673	709
Drop-outs	6	8	14
Drop-out Rate	0.9%	1.2%	2.0%
School Discipline Involving Alcohol	1	7	1
School Discipline Involving Drugs	2	6	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	18	11	9
Juvenile Alcohol Offenses	2	1	5
Juvenile Drug Offenses	6	3	5
School Truancy Status Offense	11	6	12
Absent from Home Status Offense	6	2	5
Beyond Parental Control Status Offense	9	10	11
Injurious Behavior Status Offense	5	1	5
Child Abuse	21	22	21
Child Neglect	64	65	50
Child Custody Issues	0	3	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	29	27	11
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	12	10	0
Parental Alcohol and Drug Use	0	3	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	13	11	13
Probation/Parole Admissions--Drug	28	23	28
Probation/Parole Admissions--DWI	3	4	8
Prison Admissions--Drug	19	8	15
Prison Admissions--DWI	1	2	2

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CEDAR COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	15	7	11
CSTAR Adolescent	6	9	7
CSTAR Women and Children	*	*	6
CSTAR General Adult	71	89	92
CSTAR Opioid	0	0	*
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	8	8	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	30	31	32
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	5	9
- Weekend Intervention Program	9	8	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	7	7	8
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	95	104	113	Alcohol	23	33	38
AGE				Marijuana / Hashish	19	26	24
Under 18	6	8	8	Cocaine (total)	0	0	0
18 to 24	11	11	17	- Crack	0	0	0
25 to 29	23	15	20	Stimulant (total)	32	33	29
30 to 34	11	19	16	- Methamphetamine	22	33	29
35 to 39	14	15	15	Heroin	*	*	*
40 to 44	10	12	10	Analgesic except Heroin	16	11	18
45 to 54	15	15	21	- Non-Prescription Methadone	0	0	0
55 and Over	5	9	6	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	64	61	77	Inhalant	0	0	0
Female	31	43	36	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	91	101	109	Average Age at First Use of Drug	18.7	18.0	18.0
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	17	18	21
Asian / Pacific Islander	0	0	0	- Daily Injection Use	8	*	5
Hispanic	*	0	*	- Weekly Injection Use	*	*	8
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	5	12	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	40	45	32	0	62	69	71
High School Graduate or G.E.D.	39	42	61	1 or 2	22	24	26
Associate Degree or Some College	15	16	20	3 or More	11	11	16
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	45	23	34
Employed	26	22	27	School	0	0	*
Unemployed	29	36	36	Mental Health Provider	0	*	0
Not in Labor Force	40	46	50	Health Care Provider	13	8	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	19	28	20
Independent Living	76	79	88	Other Referral Source	18	41	48
Dependent Living	8	14	18	TREATMENT ACCOMMODATION			
Homeless	5	*	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	41	48	49	Special Education Services Needed	5	*	*
Married / Cohabiting	38	33	30	Co-Occurring Psychological Problem	31	60	46
Previously Married	16	23	34	Co-Occurring Developmental Problem	*	*	*

CEDAR COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 13,982
2016 POPULATION ESTIMATE 14,016

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	10	6	5
Anxiety Disorder	113	88	91
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	24	30	23
Mood Disorder	158	151	165
Personality Disorder	21	14	13
Psychotic Disorder	52	43	35
Sexual Disorder	*	0	0
Other Diagnosis	28	10	8
Diagnosis Unknown	8	6	23

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	218	205	232	Less than High School Diploma	72	75	81
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	9	10	13	Bachelor or Advanced Degree	0	0	0
10 to 13	21	27	25	Education Level Unknown	146	130	151
14 to 17	19	16	9	EMPLOYMENT			
18 to 24	12	8	13	Employed	8	6	5
25 to 29	17	14	21	Unemployed	16	*	6
30 to 34	19	18	25	Not in Labor Force	137	154	172
35 to 39	27	23	26	Employment Status Unknown	57	43	49
40 to 44	18	13	15	HOUSING / LIVING ARRANGEMENT			
45 to 49	20	19	22	Independent Living	45	70	58
50 to 54	15	21	22	Dependent Living	103	87	120
55 to 59	23	18	23	Homeless	5	*	*
60 and Over	17	16	16	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	65	46	51
GENDER				TREATMENT REFERRAL SOURCE			
Male	101	81	94	Self / Family / Friend	151	144	150
Female	117	124	138	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	6	6	11
RACE / ETHNICITY				Health Care Provider	32	25	33
Caucasian	210	199	225	Court / Criminal Justice	5	*	6
African American	*	*	*	Other	21	24	29
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	0	Voluntary	215	203	228
Other Race	*	*	*	Civil	*	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	8	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.4	33.7	43.9	44.4	Alcohol	18.0	14.2	28.6	22.0
Chewing Tobacco	20.6	16.4	21.8	18.0	Alcohol (5+ drinks on single occasion past 2 weeks)	10.7	7.4		
Cigarettes	29.4	17.2	35.9	26.0	Chewing Tobacco	9.7	8.5	12.7	12.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	1.2	8.2	0.3	Cigarettes	15.1	6.1	15.5	14.3
Cocaine	0.5	2.5	9.6	0.0	Inhalants	1.0	1.2	6.8	2.7
Electronic Cigarettes	25.0	10.9			Marijuana	8.3	4.8	11.5	4.7
Hallucinogens	1.5	2.4	8.7	1.3	Over-the-counter medications for non-medical use	1.5	1.2	8.6	5.4
Heroin	0.0	0.6	7.3	0.0	Prescription medications not prescribed for student	9.3	1.2	9.5	6.4
Inhalants	1.5	2.4	11.8	9.2					
Marijuana	16.1	10.8	23.2	12.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	1.3	8.5	0.0	Alcohol (1 or 2 drinks daily)	61.5	58.1		
Over-the-counter medications for non-medical use	3.9	3.6	10.5	7.8	Alcohol (Binge: 5+ drinks once or twice a week)	70.2	79.2		
Prescription medications not prescribed for student	12.3	3.6	13.6	9.5	Cigarettes (1+ packs per day)	80.9	84.9		
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	1.8	13.6		Marijuana (once or twice a week)	65.7	73.3		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.7	94.2	87.3	91.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.05	13.14	11.26	11.74	Alcohol	76.2	78.5	76.8	79.1
Cigarettes	12.73	12.91	11.35	11.41	Cigarettes	87.5	88.5	89.9	91.1
Inhalants	0.00	12.48	10.46	12.39	Marijuana	89.6	94.4	91.2	93.9
Marijuana	12.81	14.54	11.85	13.69					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	49.0	38.2	62.7	53.5	Alcohol	60.5	66.9	52.1	58.6
Cigarettes	41.7	35.2	52.7	42.0	Cigarettes	80.8	82.2	74.5	78.7
Marijuana	30.6	20.6	40.5	24.3	Marijuana	78.8	89.6	74.3	83.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.3	7.3	21.0	10.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	98.1	88.6	96.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.9	24.8	42.7	35.5	Alcohol	53.0	46.0	58.9	54.5
Cigarettes	14.6	7.3	19.6	14.0	Cigarettes	52.5	50.3	56.8	53.3
Marijuana	15.6	4.9	17.8	11.4	Marijuana	34.5	17.8	29.0	24.8
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	5.8	18.3	13.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.6	54.5	57.8	68.7	Were grouchy, irritable, or in a bad mood	42.2	17.6	27.9	27.0
Were victims of mean rumors or lies spread at school	58.7	46.7	51.4	57.1	Had difficulty concentrating on school work	27.3	17.6	31.8	29.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.8	17.6	16.4	17.5	Were very sad	26.8	16.4	29.2	21.0
					Felt hopeless about the future	14.1	10.5	14.7	16.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.7	13.5	21.9	15.0	Parents involve student in making family decisions	63.9	72.2	57.8	67.9
Made plan about how they would attempt suicide	11.3	9.3	15.0	10.4	Parents notice and comment on student's good work	79.5	82.1	79.4	79.1
Attempted suicide	9.3	1.2	11.3	9.0	Teachers notice and comment on student's good work	75.6	73.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CHARITON COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	7,831
2016 Estimate	7,516

BIRTH RISK	2015	2014	2013
Resident Births	90	86	104
Mother Reported Smoking while Pregnant	15	8	21

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	2
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	0	2	6
Tuberculosis Infection Cases	0	1	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	98	129	78
Suicide	1	2	0
Homicide	0	0	1
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	1	2
Smoking Attributable Deaths	20	27	14
Self-inflicted Injuries *	7	6	14
Assault Injuries *	8	21	16

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	60	67	54
Mental Illness Secondary Diagnosis	152	157	192
Alcohol Principal Diagnosis	1	2	1
Alcohol Secondary Diagnosis	21	5	9
Drug Principal Diagnosis	0	0	3
Drug Secondary Diagnosis	6	4	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	13	18	18
Mental Illness Secondary Diagnosis	70	68	87
Alcohol Principal Diagnosis	0	2	2
Alcohol Secondary Diagnosis	8	5	7
Drug Principal Diagnosis	1	4	2
Drug Secondary Diagnosis	2	2	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	51	44	53
Mental Illness Secondary Diagnosis	225	192	196
Alcohol Principal Diagnosis	5	10	8
Alcohol Secondary Diagnosis	10	11	11
Drug Principal Diagnosis	7	4	4
Drug Secondary Diagnosis	7	3	7

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	10	10	11
Alcohol Package Carry-out Licenses	14	14	15

EMPLOYMENT	2016	2015	2014
Labor Force	3,888	3,916	3,806
Employed	3,721	3,733	3,583
Unemployed	167	183	223
Unemployment Rate	4.3%	4.7%	5.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	2	5	7
Fatal Crashes	0	0	1
Injury Crashes	0	2	2
Property Damage Crashes	2	3	5
Crash Fatalities	0	0	1
Crash Injuries	0	2	2
Drug Involved Crashes	0	2	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	20	35	31
Liquor Law Arrests	0	0	5
Drug Arrests	11	15	7
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	16	28	51
Domestic Violence Reports	18	25	15
Property Offenses	85	62	80

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	344	333	320
Drop-outs	3	2	4
Drop-out Rate	0.9%	0.6%	1.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	1	6	11
Juvenile Alcohol Offenses	0	2	5
Juvenile Drug Offenses	0	1	2
School Truancy Status Offense	27	55	87
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	2	5	3
Injurious Behavior Status Offense	2	4	9
Child Abuse	0	0	1
Child Neglect	13	21	10
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	23	16	5
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	11	8	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	21	19	12
Probation/Parole Admissions--Drug	16	12	6
Probation/Parole Admissions--DWI	1	2	1
Prison Admissions--Drug	12	9	7
Prison Admissions--DWI	2	0	0

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CHARITON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	0	*
CSTAR Adolescent	*	*	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	16	20	18
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	6
Clinical SATOP (CIP, YCIP, SROP)	*	8	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	29	32	24
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	12	13	7
- Weekend Intervention Program	8	9	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	30	34	25	Alcohol	7	14	11
AGE				Marijuana / Hashish	7	14	*
Under 18	*	*	0	Cocaine (total)	0	0	0
18 to 24	8	8	*	- Crack	0	0	0
25 to 29	5	*	*	Stimulant (total)	10	5	7
30 to 34	*	6	5	- Methamphetamine	7	5	7
35 to 39	6	*	5	Heroin	*	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	6	6	- Non-Prescription Methadone	*	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	10	22	14	Inhalant	0	0	0
Female	20	12	11	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	30	30	25	Average Age at First Use of Drug	18.7	15.6	19.4
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	6	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	12	9	0	17	16	12
High School Graduate or G.E.D.	15	15	12	1 or 2	11	14	9
Associate Degree or Some College	*	7	*	3 or More	*	*	*
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	11	8	5
Employed	*	12	10	School	*	0	0
Unemployed	9	11	10	Mental Health Provider	0	*	0
Not in Labor Force	17	11	5	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	8	14	10
Independent Living	26	26	23	Other Referral Source	6	7	9
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	5	*
Never Married	10	19	13	Special Education Services Needed	*	*	0
Married / Cohabiting	12	9	*	Co-Occurring Psychological Problem	18	16	12
Previously Married	8	6	9	Co-Occurring Developmental Problem	*	*	0

CHARITON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 7,831
2016 POPULATION ESTIMATE 7,516

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	0
Anxiety Disorder	33	26	25
Dementia	0	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	17	11	9
Mood Disorder	49	43	42
Personality Disorder	*	6	10
Psychotic Disorder	7	8	10
Sexual Disorder	0	0	0
Other Diagnosis	11	5	5
Diagnosis Unknown	*	*	0

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	68	66	62	Less than High School Diploma	33	32	25
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	*	Associate Degree or Some College	0	0	0
6 to 9	7	7	*	Bachelor or Advanced Degree	0	0	0
10 to 13	5	5	5	Education Level Unknown	35	34	37
14 to 17	8	5	5	EMPLOYMENT			
18 to 24	*	6	*	Employed	*	7	5
25 to 29	*	*	6	Unemployed	*	*	*
30 to 34	7	10	10	Not in Labor Force	53	51	47
35 to 39	11	5	7	Employment Status Unknown	7	7	6
40 to 44	*	5	6	HOUSING / LIVING ARRANGEMENT			
45 to 49	5	*	*	Independent Living	28	34	30
50 to 54	*	*	5	Dependent Living	32	24	23
55 to 59	6	6	5	Homeless	0	0	0
60 and Over	7	9	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	8	8	9
GENDER				TREATMENT REFERRAL SOURCE			
Male	22	22	22	Self / Family / Friend	49	48	38
Female	46	44	40	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	9	13	17
Caucasian	64	60	56	Court / Criminal Justice	6	*	*
African American	*	*	*	Other	*	*	*
Native American / Alaskan	0	0	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	68	66	61
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

CHARITON COUNTY

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		38.1	46.6	51.4	Alcohol	14.3	19.5	26.0	
Chewing Tobacco		19.0	19.5	13.1	Alcohol (5+ drinks on single occasion past 2 weeks)	7.1			
Cigarettes		25.0	23.7	27.4	Chewing Tobacco	11.9	11.9	9.0	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.2	0.9	0.0	Cigarettes	11.9	11.8	10.3	
Cocaine		0.0	0.9	0.7	Inhalants	0.0	1.7	1.4	
Electronic Cigarettes		9.4			Marijuana	3.6	4.2	4.1	
Hallucinogens		1.2	0.8	1.4	Over-the-counter medications for non-medical use	1.2	2.5	4.1	
Heroin		0.0	0.0	0.7	Prescription medications not prescribed for student	1.2	4.2	5.4	
Inhalants		4.7	5.1	5.5					
Marijuana		6.0	10.2	9.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	0.0	0.0	Alcohol (1 or 2 drinks daily)	56.6			
Over-the-counter medications for non-medical use		1.2	4.2	6.2	Alcohol (Binge: 5+ drinks once or twice a week)	66.3			
Prescription medications not prescribed for student		6.0	7.6	8.8	Cigarettes (1+ packs per day)	83.1			
Synthetic drugs (K2, bath salts, Spice, etc)		2.4	3.4		Marijuana (once or twice a week)	79.8			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	95.1	93.2	95.2	
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.02	12.70	12.58		Alcohol	78.8	74.4	73.5	
Cigarettes	13.56	12.81	11.75		Cigarettes	89.4	90.7	92.5	
Inhalants	13.06	11.82	12.31		Marijuana	97.6	96.6	98.0	
Marijuana	12.66	13.52	13.40						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	47.1	51.7	66.4		Alcohol	68.2	56.8	57.8	
Cigarettes	36.5	44.1	39.5		Cigarettes	79.8	76.9	81.6	
Marijuana	15.5	24.6	19.2		Marijuana	90.5	88.1	92.5	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.7	6.8	8.8		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	96.6	97.9	
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	23.8	31.1	42.6		Alcohol	47.0	49.6	60.3	
Cigarettes	13.1	11.1	10.2		Cigarettes	44.0	50.0	54.4	
Marijuana	4.8	5.9	5.6		Marijuana	17.9	21.4	21.8	
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	11.1	8.2	
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.0	67.5	74.1		Were grouchy, irritable, or in a bad mood	18.8	26.1	29.5	
Were victims of mean rumors or lies spread at school	50.0	49.2	62.1		Had difficulty concentrating on school work	17.9	17.6	31.7	
Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.2	24.8	25.2		Were very sad	14.1	21.0	26.9	
					Felt hopeless about the future	7.1	11.0	16.4	
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	7.1	11.9	8.8		Parents involve student in making family decisions	77.4	68.4	75.5	
Made plan about how they would attempt suicide	4.8	6.7	6.1		Parents notice and comment on student's good work	88.2	86.4	90.5	
Attempted suicide	1.2	2.5	2.7		Teachers notice and comment on student's good work	81.2			


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

CHRISTIAN COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	77,422
2016 Estimate	84,401

BIRTH RISK	2015	2014	2013
Resident Births	1,075	1,002	980
Mother Reported Smoking while Pregnant	128	130	134

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	2
Hepatitis B Chronic, Acute, Prenatal	2	7	7
Hepatitis C Chronic and Acute	51	69	54
Tuberculosis Infection Cases	8	14	10

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	676	620	563
Suicide	12	10	11
Homicide	5	3	2
Alcohol Induced Deaths	2	2	4
Drug Induced Deaths	8	10	7
Smoking Attributable Deaths	118	96	102
Self-inflicted Injuries *	82	105	92
Assault Injuries *	132	100	144

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	377	297	252
Mental Illness Secondary Diagnosis	919	597	508
Alcohol Principal Diagnosis	46	9	11
Alcohol Secondary Diagnosis	46	20	16
Drug Principal Diagnosis	36	18	14
Drug Secondary Diagnosis	94	34	31
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	288	381	312
Mental Illness Secondary Diagnosis	975	1,321	1,160
Alcohol Principal Diagnosis	85	105	111
Alcohol Secondary Diagnosis	116	119	112
Drug Principal Diagnosis	53	64	74
Drug Secondary Diagnosis	94	90	102
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	451	462	445
Mental Illness Secondary Diagnosis	2,178	1,966	1,985
Alcohol Principal Diagnosis	118	123	137
Alcohol Secondary Diagnosis	53	71	88
Drug Principal Diagnosis	168	107	109
Drug Secondary Diagnosis	134	113	122

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	46	43	48
Alcohol Package Carry-out Licenses	52	50	48

EMPLOYMENT	2016	2015	2014
Labor Force	43,591	43,445	42,022
Employed	41,892	41,624	39,959
Unemployed	1,699	1,821	2,063
Unemployment Rate	3.9%	4.2%	4.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	58	51	57
Fatal Crashes	1	1	2
Injury Crashes	24	26	26
Property Damage Crashes	33	24	35
Crash Fatalities	1	1	2
Crash Injuries	32	34	33
Drug Involved Crashes	17	21	8
Fatal Crashes	0	1	1
Injury Crashes	10	5	4
Property Damage Crashes	7	15	3
Crash Fatalities	0	1	1
Crash Injuries	14	5	5

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	297	266	301
Liquor Law Arrests	42	90	75
Drug Arrests	768	643	496
Methamphetamine Lab Seizures	4	9	15
Violent Offenses	153	189	121
Domestic Violence Reports	385	556	595
Property Offenses	1,192	1,261	1,323

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	4,292	4,216	4,171
Drop-outs	50	56	29
Drop-out Rate	1.2%	1.3%	0.7%
School Discipline Involving Alcohol	2	4	3
School Discipline Involving Drugs	19	23	20
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	96	118	97
Juvenile Alcohol Offenses	40	18	29
Juvenile Drug Offenses	44	54	37
School Truancy Status Offense	12	9	13
Absent from Home Status Offense	46	39	37
Beyond Parental Control Status Offense	34	25	20
Injurious Behavior Status Offense	80	85	137
Child Abuse	9	13	14
Child Neglect	117	179	149
Child Custody Issues	20	10	3

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	64	65	77
Parental Alcohol Use Related	0	4	1
Parental Drug Use Related	21	33	32
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	64	53	71
Probation/Parole Admissions--Drug	193	150	178
Probation/Parole Admissions--DWI	27	25	27
Prison Admissions--Drug	84	65	53
Prison Admissions--DWI	15	8	6

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CHRISTIAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	57	59	57
CSTAR Adolescent	27	25	25
CSTAR Women and Children	37	33	24
CSTAR General Adult	87	57	64
CSTAR Opioid	0	0	0
Primary Recovery Treatment	25	186	160
Clinical SATOP (CIP, YCIP, SROP)	55	66	65
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	222	277	260
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	74	101	98
- Weekend Intervention Program	57	51	51
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	*	*
Compulsive Gambling	0	0	0
Recovery Supports	36	31	108
Early Intervention	*	16	15

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	255	383	392	Alcohol	103	143	148
AGE				Marijuana / Hashish	39	69	90
Under 18	27	26	24	Cocaine (total)	0	*	*
18 to 24	31	68	74	- Crack	0	0	*
25 to 29	43	60	71	Stimulant (total)	74	121	90
30 to 34	46	77	70	- Methamphetamine	74	121	84
35 to 39	43	53	46	Heroin	11	11	11
40 to 44	21	36	48	Analgesic except Heroin	24	25	42
45 to 54	29	44	37	- Non-Prescription Methadone	0	0	0
55 and Over	15	19	22	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	6	*
Male	159	243	268	Inhalant	0	0	0
Female	96	140	124	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	240	365	362	Average Age at First Use of Drug	18.4	17.8	17.9
African American	*	*	6	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	51	89	67
Asian / Pacific Islander	0	0	0	- Daily Injection Use	16	13	12
Hispanic	9	8	10	- Weekly Injection Use	16	22	14
Other Race / Two or More Races	*	8	16	- Less than Weekly Injection Use	19	54	41
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	69	103	108	0	121	203	206
High School Graduate or G.E.D.	118	166	177	1 or 2	95	120	121
Associate Degree or Some College	63	110	105	3 or More	39	60	65
Bachelor or Advanced Degree	5	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	115	217	183
Employed	86	154	158	School	*	*	*
Unemployed	84	112	130	Mental Health Provider	*	5	7
Not in Labor Force	85	117	104	Health Care Provider	14	24	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	103	113	157
Independent Living	186	320	337	Other Referral Source	18	20	34
Dependent Living	44	49	40	TREATMENT ACCOMMODATION			
Homeless	14	9	9	Pregnant when Admitted to any Episode	*	5	*
MARITAL / FAMILY STATUS				Military Veteran	15	23	23
Never Married	139	195	200	Special Education Services Needed	14	15	18
Married / Cohabiting	55	98	96	Co-Occurring Psychological Problem	82	164	112
Previously Married	61	90	96	Co-Occurring Developmental Problem	6	11	11

CHRISTIAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 77,422
2016 POPULATION ESTIMATE 84,401

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	13	15	18
Anxiety Disorder	154	124	95
Dementia	*	*	*
Developmental Disorder	15	14	8
Impulse Control Disorder	57	46	39
Mood Disorder	175	168	163
Personality Disorder	57	55	43
Psychotic Disorder	93	99	90
Sexual Disorder	*	0	0
Other Diagnosis	64	45	44
Diagnosis Unknown	36	26	17

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	316	296	273	Less than High School Diploma	107	88	73
AGE				High School Grad or G.E.D.	0	0	0
Under 6	14	16	8	Associate Degree or Some College	0	0	0
6 to 9	24	15	9	Bachelor or Advanced Degree	0	0	0
10 to 13	26	23	16	Education Level Unknown	209	208	200
14 to 17	20	13	22	EMPLOYMENT			
18 to 24	15	17	26	Employed	13	8	7
25 to 29	22	12	18	Unemployed	10	7	6
30 to 34	24	26	20	Not in Labor Force	202	182	159
35 to 39	30	31	34	Employment Status Unknown	91	99	101
40 to 44	23	39	33	HOUSING / LIVING ARRANGEMENT			
45 to 49	32	28	25	Independent Living	78	64	61
50 to 54	31	27	23	Dependent Living	137	132	105
55 to 59	27	23	20	Homeless	6	*	*
60 and Over	28	26	19	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	95	98	104
GENDER				TREATMENT REFERRAL SOURCE			
Male	153	150	129	Self / Family / Friend	137	120	132
Female	163	146	144	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	12	17	17
RACE / ETHNICITY				Health Care Provider	81	68	53
Caucasian	288	275	254	Court / Criminal Justice	19	27	17
African American	*	5	*	Other	64	61	51
Native American / Alaskan	*	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	*	TYPE OF COMMITMENT			
Hispanic	5	6	5	Voluntary	310	282	263
Other Race	19	10	9	Civil	0	6	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	5
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	9	6	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	8	10	5				

CHRISTIAN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	26.5	20.9	25.3	33.2	Alcohol	9.4	7.6	9.2	13.3
Chewing Tobacco	6.6	9.2	9.0	9.4	Alcohol (5+ drinks on single occasion past 2 weeks)	2.4	2.7		
Cigarettes	13.8	17.2	16.2	20.7	Chewing Tobacco	2.4	3.2	4.3	4.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.4	1.5	2.4	Cigarettes	4.6	7.4	7.1	10.7
Cocaine	1.2	0.1	1.3	1.5	Inhalants	1.0	1.6	2.2	2.9
Electronic Cigarettes	18.9	13.3			Marijuana	3.9	3.1	4.9	6.3
Hallucinogens	0.9	0.5	2.1	3.5	Over-the-counter medications for non-medical use	1.7	2.2	3.5	4.9
Heroin	0.4	0.0	0.6	0.8	Prescription medications not prescribed for student	10.3	3.0	3.2	5.3
Inhalants	2.3	2.0	6.2	6.7					
Marijuana	8.8	10.3	10.4	12.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.3	1.0	0.8	Alcohol (1 or 2 drinks daily)	72.5	67.0		
Over-the-counter medications for non-medical use	3.8	2.8	6.4	8.3	Alcohol (Binge: 5+ drinks once or twice a week)	80.9	78.4		
Prescription medications not prescribed for student	15.3	5.2	7.1	10.1	Cigarettes (1+ packs per day)	88.6	90.4		
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	1.7	6.1		Marijuana (once or twice a week)	72.6	76.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	93.8	94.0	89.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.52	12.79	12.51	12.27	Alcohol	88.7	87.7	87.4	85.9
Cigarettes	12.43	12.66	12.35	12.10	Cigarettes	96.6	95.6	95.1	93.9
Inhalants	10.13	12.24	11.39	11.79	Marijuana	93.8	95.1	95.1	95.9
Marijuana	13.86	13.99	13.09	12.93					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	34.8	32.3	40.0	52.2	Alcohol	77.4	75.6	73.6	65.6
Cigarettes	23.9	29.5	32.9	39.7	Cigarettes	90.5	85.9	86.8	78.7
Marijuana	25.0	24.4	28.9	32.8	Marijuana	85.3	85.3	86.0	85.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.4	9.5	14.6	20.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	98.3	96.7	95.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	15.9	13.4	17.7	25.5	Alcohol	46.8	40.7	45.9	49.9
Cigarettes	6.7	8.4	8.8	12.3	Cigarettes	37.5	39.3	39.4	52.4
Marijuana	10.5	7.6	9.2	12.2	Marijuana	25.1	24.6	28.1	29.8
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	8.6	12.9	16.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.9	58.8	59.0	70.3	Were grouchy, irritable, or in a bad mood	28.6	24.0	19.3	22.0
Were victims of mean rumors or lies spread at school	47.9	50.4	47.7	57.6	Had difficulty concentrating on school work	25.5	19.5	19.3	23.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.4	24.2	21.6	20.4	Were very sad	22.9	18.7	17.4	16.1
					Felt hopeless about the future	13.1	9.8	8.8	11.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	15.6	9.6	11.1	11.2	Parents involve student in making family decisions	73.8	68.2	71.9	73.5
Made plan about how they would attempt suicide	10.0	7.8	8.1	9.0	Parents notice and comment on student's good work	84.0	84.4	84.1	84.7
Attempted suicide	6.3	4.1	5.4	5.3	Teachers notice and comment on student's good work	71.5	74.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CLARK COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	7,139
2016 Estimate	6,723

BIRTH RISK	2015	2014	2013
Resident Births	93	66	75
Mother Reported Smoking while Pregnant	22	18	26

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	2	2
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	90	89	94
Suicide	1	1	1
Homicide	0	0	0
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	2	0	0
Smoking Attributable Deaths	19	15	21
Self-inflicted Injuries *	0	6	3
Assault Injuries *	5	9	2

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	22	24	11
Mental Illness Secondary Diagnosis	135	149	166
Alcohol Principal Diagnosis	3	4	2
Alcohol Secondary Diagnosis	6	4	8
Drug Principal Diagnosis	2	1	1
Drug Secondary Diagnosis	4	6	12
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	5	2	1
Mental Illness Secondary Diagnosis	20	19	14
Alcohol Principal Diagnosis	1	1	0
Alcohol Secondary Diagnosis	3	1	3
Drug Principal Diagnosis	0	0	1
Drug Secondary Diagnosis	2	4	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	18	13	11
Mental Illness Secondary Diagnosis	47	30	27
Alcohol Principal Diagnosis	3	5	1
Alcohol Secondary Diagnosis	10	8	8
Drug Principal Diagnosis	2	4	5
Drug Secondary Diagnosis	5	3	5

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	9	10	10
Alcohol Package Carry-out Licenses	13	13	12

EMPLOYMENT	2016	2015	2014
Labor Force	3,424	3,509	3,421
Employed	3,174	3,260	3,185
Unemployed	250	249	236
Unemployment Rate	7.3%	7.1%	6.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	10	6	10
Fatal Crashes	2	0	0
Injury Crashes	5	3	5
Property Damage Crashes	3	3	4
Crash Fatalities	2	0	0
Crash Injuries	5	3	5
Drug Involved Crashes	1	1	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	41	33	47
Liquor Law Arrests	0	8	11
Drug Arrests	102	90	63
Methamphetamine Lab Seizures	2	2	4
Violent Offenses	15	6	4
Domestic Violence Reports	31	9	8
Property Offenses	55	31	30

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	294	310	326
Drop-outs	5	0	0
Drop-out Rate	1.7%	0.0%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	2	3	2
Juvenile Alcohol Offenses	1	1	4
Juvenile Drug Offenses	0	1	1
School Truancy Status Offense	3	15	20
Absent from Home Status Offense	0	2	3
Beyond Parental Control Status Offense	3	3	3
Injurious Behavior Status Offense	51	47	69
Child Abuse	18	36	0
Child Neglect	46	119	53
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	27	15	28
Parental Alcohol Use Related	4	2	2
Parental Drug Use Related	7	8	9
Parental Alcohol and Drug Use	3	2	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	34	27	28
Probation/Parole Admissions--Drug	32	27	27
Probation/Parole Admissions--DWI	4	4	9
Prison Admissions--Drug	17	6	11
Prison Admissions--DWI	0	1	2

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CLARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	*
CSTAR Adolescent	*	*	7
CSTAR Women and Children	*	*	0
CSTAR General Adult	33	32	28
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	0
Clinical SATOP (CIP, YCIP, SROP)	6	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	20	22	34
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	5	12	14
- Weekend Intervention Program	*	5	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	*	*	13

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	46	37	39	Alcohol	20	10	14
AGE				Marijuana / Hashish	10	13	16
Under 18	*	*	7	Cocaine (total)	0	0	0
18 to 24	*	*	*	- Crack	0	0	0
25 to 29	7	14	9	Stimulant (total)	12	9	6
30 to 34	10	*	6	- Methamphetamine	12	9	6
35 to 39	5	10	6	Heroin	*	0	*
40 to 44	5	*	*	Analgesic except Heroin	*	*	*
45 to 54	9	*	8	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	0	*	0
Male	30	22	25	Inhalant	0	0	0
Female	16	15	14	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	46	36	38	Average Age at First Use of Drug	17.2	18.2	16.4
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	0	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	0	0	0	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	17	11	16	0	26	21	26
High School Graduate or G.E.D.	23	19	18	1 or 2	12	14	7
Associate Degree or Some College	6	7	5	3 or More	8	*	6
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	5	7	6
Employed	18	14	14	School	0	0	0
Unemployed	11	14	9	Mental Health Provider	0	0	0
Not in Labor Force	17	9	16	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	21	12	16
Independent Living	40	30	31	Other Referral Source	14	13	16
Dependent Living	*	6	7	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	20	18	20	Special Education Services Needed	6	5	*
Married / Cohabiting	13	7	12	Co-Occurring Psychological Problem	23	20	18
Previously Married	13	12	7	Co-Occurring Developmental Problem	*	*	0

CLARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 7,139
2016 POPULATION ESTIMATE 6,723

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	32	25	27
Dementia	0	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	28	26	29
Mood Disorder	47	45	44
Personality Disorder	*	*	*
Psychotic Disorder	*	*	7
Sexual Disorder	*	*	0
Other Diagnosis	10	16	14
Diagnosis Unknown	*	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	60	55	59	Less than High School Diploma	34	34	33
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	0	Associate Degree or Some College	0	0	0
6 to 9	5	5	8	Bachelor or Advanced Degree	0	0	0
10 to 13	15	12	12	Education Level Unknown	26	21	26
14 to 17	8	9	10	EMPLOYMENT			
18 to 24	5	*	6	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	*	*
30 to 34	5	*	*	Not in Labor Force	44	46	48
35 to 39	*	*	*	Employment Status Unknown	10	6	8
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	6	*	Independent Living	20	18	21
50 to 54	*	5	*	Dependent Living	25	32	30
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	15	5	8
GENDER				TREATMENT REFERRAL SOURCE			
Male	20	22	26	Self / Family / Friend	10	10	15
Female	40	33	33	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	0	*	*
RACE / ETHNICITY				Health Care Provider	*	*	*
Caucasian	56	54	58	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	43	37	35
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	59	54	58
Other Race	*	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	*				

CLARK COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	36.1	49.4		53.5	Alcohol	11.9	19.0		29.0
Chewing Tobacco	11.9	11.5		20.6	Alcohol (5+ drinks on single occasion past 2 weeks)	2.7	10.3		
Cigarettes	20.9	24.1		35.9	Chewing Tobacco	7.3	6.3		12.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.0		0.6	Cigarettes	8.3	11.5		16.8
Cocaine	1.9	0.0		0.7	Inhalants	1.8	1.3		2.6
Electronic Cigarettes	16.5	15.4			Marijuana	2.8	1.3		5.1
Hallucinogens	2.9	5.1		1.3	Over-the-counter medications for non-medical use	0.0	1.3		5.8
Heroin	0.0	0.0		0.0	Prescription medications not prescribed for student	9.2	3.8		9.7
Inhalants	4.6	3.8		9.1					
Marijuana	11.8	12.7		10.3	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.9	0.0		0.0	Alcohol (1 or 2 drinks daily)	66.7	46.8		
Over-the-counter medications for non-medical use	1.8	6.4		11.0	Alcohol (Binge: 5+ drinks once or twice a week)	78.7	64.1		
Prescription medications not prescribed for student	13.9	16.7		13.5	Cigarettes (1+ packs per day)	87.0	92.3		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	5.1			Marijuana (once or twice a week)	70.6	64.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	95.4	97.5		92.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.30	12.36		12.08	Alcohol	80.6	80.8		63.6
Cigarettes	12.39	11.62		11.78	Cigarettes	91.7	96.2		90.3
Inhalants		13.58		13.58	Marijuana	95.4	97.5		94.8
Marijuana	13.26	13.21		14.19					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	42.2	64.1		65.6	Alcohol	66.1	58.2		46.2
Cigarettes	38.5	48.7		54.8	Cigarettes	88.9	79.7		74.2
Marijuana	22.2	29.5		25.8	Marijuana	86.2	83.3		85.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5	11.5		9.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	98.7		94.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	22.2	29.5		45.5	Alcohol	45.4	55.1		63.5
Cigarettes	6.4	15.2		18.6	Cigarettes	40.7	53.8		58.7
Marijuana	4.6	10.1		7.7	Marijuana	23.1	33.3		31.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.5	10.7		15.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	66.4	66.7		74.4	Were grouchy, irritable, or in a bad mood	27.8	23.1		25.6
Were victims of mean rumors or lies spread at school	52.3	59.5		61.5	Had difficulty concentrating on school work	21.8	11.5		20.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.5	23.1		17.6	Were very sad	20.2	13.2		17.5
					Felt hopeless about the future	8.3	3.8		11.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.2	7.7		15.4	Parents involve student in making family decisions	74.3	59.5		64.1
Made plan about how they would attempt suicide	7.5	7.6		10.3	Parents notice and comment on student's good work	82.4	89.7		79.5
Attempted suicide	3.7	1.3		4.5	Teachers notice and comment on student's good work	76.4	69.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CLAY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	6
Adult Psychiatric	6
POPULATION	
Census 2010	221,939
2016 Estimate	239,085

BIRTH RISK	2015	2014	2013
Resident Births	3,056	3,078	3,043
Mother Reported Smoking while Pregnant	338	366	409

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	15	12	12
Hepatitis B Chronic, Acute, Prenatal	5	28	11
Hepatitis C Chronic and Acute	28	119	36
Tuberculosis Infection Cases	35	28	20

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,811	1,720	1,624
Suicide	56	38	39
Homicide	6	11	5
Alcohol Induced Deaths	28	24	21
Drug Induced Deaths	39	22	30
Smoking Attributable Deaths	315	281	298
Self-inflicted Injuries *	342	373	423
Assault Injuries *	633	593	692

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,899	1,877	1,568
Mental Illness Secondary Diagnosis	4,059	2,799	2,498
Alcohol Principal Diagnosis	135	123	119
Alcohol Secondary Diagnosis	320	230	179
Drug Principal Diagnosis	97	70	70
Drug Secondary Diagnosis	352	223	198
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	164	259	312
Mental Illness Secondary Diagnosis	3,491	4,694	4,856
Alcohol Principal Diagnosis	98	121	112
Alcohol Secondary Diagnosis	379	505	479
Drug Principal Diagnosis	53	62	71
Drug Secondary Diagnosis	313	299	345
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,021	1,799	2,037
Mental Illness Secondary Diagnosis	5,386	5,989	5,915
Alcohol Principal Diagnosis	560	528	536
Alcohol Secondary Diagnosis	464	452	515
Drug Principal Diagnosis	334	249	300
Drug Secondary Diagnosis	663	842	847

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	200	187	190
Alcohol Package Carry-out Licenses	147	143	148

EMPLOYMENT	2016	2015	2014
Labor Force	134,979	133,450	130,479
Employed	129,742	127,427	123,484
Unemployed	5,237	6,023	6,995
Unemployment Rate	3.9%	4.5%	5.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	167	179	179
Fatal Crashes	3	3	2
Injury Crashes	71	66	69
Property Damage Crashes	93	110	93
Crash Fatalities	4	3	2
Crash Injuries	102	90	92
Drug Involved Crashes	55	43	38
Fatal Crashes	2	2	1
Injury Crashes	20	17	17
Property Damage Crashes	33	24	20
Crash Fatalities	3	2	1
Crash Injuries	25	27	22

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	709	797	937
Liquor Law Arrests	130	182	184
Drug Arrests	1,309	1,285	1,053
Methamphetamine Lab Seizures	0	3	2
Violent Offenses	300	204	280
Domestic Violence Reports	773	728	629
Property Offenses	2,550	2,703	2,653

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	12,095	11,811	11,720
Drop-outs	100	139	138
Drop-out Rate	0.8%	1.2%	1.2%
School Discipline Involving Alcohol	13	3	13
School Discipline Involving Drugs	99	103	72
School Discipline Involving Tobacco	4	2	3

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	236	200	153
Juvenile Alcohol Offenses	20	29	20
Juvenile Drug Offenses	69	89	91
School Truancy Status Offense	36	38	15
Absent from Home Status Offense	27	16	11
Beyond Parental Control Status Offense	30	28	24
Injurious Behavior Status Offense	6	3	6
Child Abuse	8	4	11
Child Neglect	293	298	218
Child Custody Issues	20	16	14

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	83	79	76
Parental Alcohol Use Related	1	1	4
Parental Drug Use Related	44	26	38
Parental Alcohol and Drug Use	4	1	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	81	65	55
Probation/Parole Admissions--Drug	256	245	287
Probation/Parole Admissions--DWI	73	76	96
Prison Admissions--Drug	125	126	151
Prison Admissions--DWI	40	37	34

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CLAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	75	48	62
CSTAR Adolescent	80	67	65
CSTAR Women and Children	40	46	40
CSTAR General Adult	618	674	673
CSTAR Opioid	27	14	12
Primary Recovery Treatment	10	9	10
Clinical SATOP (CIP, YCIP, SROP)	197	220	227
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	719	802	811
- Adolescent Diversion Education Program	*	9	7
- Offender Education Program	224	245	288
- Weekend Intervention Program	205	233	220
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	14	10
Compulsive Gambling	0	0	*
Recovery Supports	48	27	31
Early Intervention	19	28	30

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	1,015	1,036	1,056	Alcohol	412	440	448
AGE				Marijuana / Hashish	241	258	234
Under 18	79	74	66	Cocaine (total)	17	17	27
18 to 24	170	166	215	- Crack	10	10	14
25 to 29	201	190	193	Stimulant (total)	210	216	237
30 to 34	167	188	171	- Methamphetamine	207	208	233
35 to 39	112	121	117	Heroin	49	33	27
40 to 44	88	100	92	Analgesic except Heroin	63	59	67
45 to 54	137	139	146	- Non-Prescription Methadone	*	*	0
55 and Over	61	58	56	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	15	7	6
Male	647	697	718	Inhalant	0	0	*
Female	367	339	338	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	5
Caucasian	883	915	944	Average Age at First Use of Drug	17.9	17.7	17.7
African American	58	61	49	INJECTION DRUG USE			
Native American / Alaskan	*	5	6	Any Injection Use at Admission	115	118	122
Asian / Pacific Islander	5	*	*	- Daily Injection Use	25	23	22
Hispanic	50	41	44	- Weekly Injection Use	31	36	28
Other Race / Two or More Races	36	30	31	- Less than Weekly Injection Use	59	59	72
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	252	230	256	0	550	525	530
High School Graduate or G.E.D.	486	486	522	1 or 2	276	312	330
Associate Degree or Some College	267	301	265	3 or More	189	199	196
Bachelor or Advanced Degree	10	18	13	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	249	225	259
Employed	446	462	414	School	*	6	5
Unemployed	272	258	333	Mental Health Provider	56	65	74
Not in Labor Force	297	316	309	Health Care Provider	31	35	29
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	365	429	428
Independent Living	855	895	925	Other Referral Source	168	148	121
Dependent Living	91	90	77	TREATMENT ACCOMMODATION			
Homeless	47	30	23	Pregnant when Admitted to any Episode	15	13	12
MARITAL / FAMILY STATUS				Military Veteran	37	52	33
Never Married	638	604	618	Special Education Services Needed	76	51	49
Married / Cohabiting	171	218	221	Co-Occurring Psychological Problem	462	387	344
Previously Married	206	214	217	Co-Occurring Developmental Problem	29	7	12

CLAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 6
CENSUS 2010 221,939
2016 POPULATION ESTIMATE 239,085

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	62	50	42
Anxiety Disorder	696	613	538
Dementia	*	*	0
Developmental Disorder	9	10	8
Impulse Control Disorder	292	257	320
Mood Disorder	1,788	1,793	1,805
Personality Disorder	27	32	33
Psychotic Disorder	355	343	363
Sexual Disorder	*	*	*
Other Diagnosis	105	38	43
Diagnosis Unknown	219	198	191

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	2,808	2,668	2,719	Less than High School Diploma	473	463	432
AGE				High School Grad or G.E.D.	0	*	0
Under 6	15	11	15	Associate Degree or Some College	0	0	0
6 to 9	119	89	138	Bachelor or Advanced Degree	0	0	0
10 to 13	185	163	172	Education Level Unknown	2,335	2,204	2,287
14 to 17	223	213	204	EMPLOYMENT			
18 to 24	224	219	205	Employed	209	229	161
25 to 29	211	202	218	Unemployed	157	124	184
30 to 34	263	245	268	Not in Labor Force	910	981	871
35 to 39	264	256	259	Employment Status Unknown	1,532	1,334	1,503
40 to 44	202	226	257	HOUSING / LIVING ARRANGEMENT			
45 to 49	259	247	246	Independent Living	684	818	780
50 to 54	327	309	279	Dependent Living	608	493	414
55 to 59	235	236	243	Homeless	33	36	36
60 and Over	281	252	215	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,483	1,321	1,489
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,144	1,075	1,179	Self / Family / Friend	2,607	2,497	2,553
Female	1,664	1,593	1,540	School	35	5	*
Gender Unknown	0	0	0	Mental Health Provider	22	27	36
RACE / ETHNICITY				Health Care Provider	74	65	53
Caucasian	2,359	2,286	2,347	Court / Criminal Justice	11	17	10
African American	178	140	138	Other	40	36	42
Native American / Alaskan	12	15	13	Referral Source Unknown	19	21	23
Asian / Pacific Islander	12	15	18	TYPE OF COMMITMENT			
Hispanic	122	100	90	Voluntary	2,781	2,639	2,688
Other Race	125	112	113	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	5	*	5
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	58	56	52	Commitment Type Unknown	20	21	23
Past or Current Military Service	32	34	28				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	29.8	28.0	35.6	37.9	Alcohol	12.3	11.8	16.0	17.3
Chewing Tobacco	5.7	7.1	9.6	10.1	Alcohol (5+ drinks on single occasion past 2 weeks)	4.2	5.2		
Cigarettes	12.8	13.1	18.6	20.8	Chewing Tobacco	2.5	2.9	5.2	5.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.2	2.3	2.5	Cigarettes	4.5	5.3	8.3	11.5
Cocaine	0.7	0.7	1.7	1.8	Inhalants	0.9	1.0	2.0	3.3
Electronic Cigarettes	17.4	12.2			Marijuana	6.4	6.2	8.3	7.7
Hallucinogens	1.8	1.8	3.2	3.2	Over-the-counter medications for non-medical use	1.4	1.6	3.8	5.7
Heroin	0.2	0.2	0.8	0.7	Prescription medications not prescribed for student	7.8	3.4	4.5	6.8
Inhalants	2.3	2.5	5.5	6.9	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.1	12.1	16.2	14.3	Alcohol (1 or 2 drinks daily)	72.5	63.8		
Methamphetamine	0.4	0.5	1.1	1.0	Alcohol (Binge: 5+ drinks once or twice a week)	81.5	75.6		
Over-the-counter medications for non-medical use	3.8	2.4	6.6	8.5	Cigarettes (1+ packs per day)	87.0	88.7		
Prescription medications not prescribed for student	11.6	6.9	8.7	11.6	Marijuana (once or twice a week)	69.3	66.6		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	2.5	6.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.4	93.1	94.1	93.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.21	13.31	13.00	12.75	Alcohol	85.7	83.8	80.9	80.6
Cigarettes	12.98	13.30	13.06	12.55	Cigarettes	95.7	94.7	93.0	91.6
Inhalants	10.61	11.53	11.90	11.77	Marijuana	93.8	94.4	93.9	94.5
Marijuana	14.18	14.13	13.83	13.72	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	73.3	68.8	64.9	63.2
Alcohol	38.7	40.9	51.1	54.9	Cigarettes	91.7	87.8	83.2	81.1
Cigarettes	24.1	29.6	39.8	42.9	Marijuana	82.8	81.7	81.4	82.6
Marijuana	31.5	33.3	38.8	37.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	96.5	95.3	94.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	12.7	17.4	20.4	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	50.0	52.9	59.2	59.7
Alcohol	19.3	21.8	27.2	29.0	Cigarettes	39.3	43.8	51.0	52.5
Cigarettes	5.6	8.0	11.0	13.4	Marijuana	32.1	33.6	37.9	35.9
Marijuana	11.9	11.5	13.5	12.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	12.9	17.7	18.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.8	58.7	61.3	68.8	Were grouchy, irritable, or in a bad mood	30.5	22.8	23.1	25.2
Were victims of mean rumors or lies spread at school	43.6	45.7	47.1	53.5	Had difficulty concentrating on school work	27.0	24.1	22.5	23.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.5	25.6	22.5	21.4	Were very sad	20.3	19.0	18.4	20.2
					Felt hopeless about the future	12.0	11.8	11.3	12.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.8	11.1	12.1	11.9	Parents involve student in making family decisions	73.0	72.4	69.0	70.5
Made plan about how they would attempt suicide	9.1	7.9	8.5	8.0	Parents notice and comment on student's good work	84.5	83.2	82.7	83.6
Attempted suicide	4.9	4.7	4.5	5.3	Teachers notice and comment on student's good work	75.2	69.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CLINTON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	20,743
2016 Estimate	20,610

BIRTH RISK	2015	2014	2013
Resident Births	226	234	203
Mother Reported Smoking while Pregnant	45	63	54

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	8	12	8
Tuberculosis Infection Cases	0	3	4

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	254	274	247
Suicide	4	6	2
Homicide	1	0	0
Alcohol Induced Deaths	1	1	4
Drug Induced Deaths	8	3	4
Smoking Attributable Deaths	48	59	47
Self-inflicted Injuries *	15	24	21
Assault Injuries *	34	50	47

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	132	144	147
Mental Illness Secondary Diagnosis	393	294	237
Alcohol Principal Diagnosis	1	3	9
Alcohol Secondary Diagnosis	20	20	11
Drug Principal Diagnosis	1	4	3
Drug Secondary Diagnosis	27	13	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	50	56	56
Mental Illness Secondary Diagnosis	382	483	477
Alcohol Principal Diagnosis	6	7	10
Alcohol Secondary Diagnosis	25	32	37
Drug Principal Diagnosis	0	5	7
Drug Secondary Diagnosis	16	26	22
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	151	132	123
Mental Illness Secondary Diagnosis	241	259	239
Alcohol Principal Diagnosis	29	18	23
Alcohol Secondary Diagnosis	22	26	22
Drug Principal Diagnosis	19	18	20
Drug Secondary Diagnosis	44	57	40

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	12	14	15
Alcohol Package Carry-out Licenses	21	22	21

EMPLOYMENT	2016	2015	2014
Labor Force	11,242	11,026	11,057
Employed	10,774	10,488	10,418
Unemployed	468	538	639
Unemployment Rate	4.2%	4.9%	5.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	10	13	17
Fatal Crashes	1	0	2
Injury Crashes	3	10	9
Property Damage Crashes	6	3	6
Crash Fatalities	1	0	2
Crash Injuries	6	12	12
Drug Involved Crashes	2	7	4
Fatal Crashes	0	0	0
Injury Crashes	1	6	4
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	4	6	4

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	92	77	78
Liquor Law Arrests	12	19	18
Drug Arrests	255	178	239
Methamphetamine Lab Seizures	0	0	1
Violent Offenses	94	117	142
Domestic Violence Reports	278	286	343
Property Offenses	358	343	331

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,073	1,058	1,024
Drop-outs	13	18	14
Drop-out Rate	1.2%	1.7%	1.4%
School Discipline Involving Alcohol	2	0	0
School Discipline Involving Drugs	2	6	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	14	32	26
Juvenile Alcohol Offenses	1	4	3
Juvenile Drug Offenses	8	8	7
School Truancy Status Offense	32	29	44
Absent from Home Status Offense	7	9	5
Beyond Parental Control Status Offense	11	8	10
Injurious Behavior Status Offense	41	23	40
Child Abuse	0	1	1
Child Neglect	33	28	17
Child Custody Issues	2	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	27	26	19
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	19	15	8
Parental Alcohol and Drug Use	1	3	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	33	32	39
Probation/Parole Admissions--DWI	12	10	9
Prison Admissions--Drug	22	20	33
Prison Admissions--DWI	1	3	12

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CLINTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	8
CSTAR Adolescent	8	7	5
CSTAR Women and Children	*	*	*
CSTAR General Adult	73	62	26
CSTAR Opioid	0	*	0
Primary Recovery Treatment	*	*	31
Clinical SATOP (CIP, YCIP, SROP)	22	12	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	85	77	63
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	30	26	19
- Weekend Intervention Program	17	16	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	*
Recovery Supports	0	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	105	82	72	Alcohol	45	32	30
AGE				Marijuana / Hashish	29	29	15
Under 18	7	9	5	Cocaine (total)	0	0	0
18 to 24	17	14	7	- Crack	0	0	0
25 to 29	13	7	15	Stimulant (total)	25	14	15
30 to 34	25	19	8	- Methamphetamine	24	14	15
35 to 39	14	8	10	Heroin	*	*	*
40 to 44	9	7	8	Analgesic except Heroin	*	*	8
45 to 54	15	13	10	- Non-Prescription Methadone	0	0	0
55 and Over	5	5	9	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	0	0
Male	57	51	50	Inhalant	0	0	0
Female	48	31	22	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	96	75	70	Average Age at First Use of Drug	17.3	17.5	18.5
African American	5	5	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	14	9	8
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	*	0	- Weekly Injection Use	8	*	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	5	5	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	26	23	24	0	54	44	36
High School Graduate or G.E.D.	47	47	38	1 or 2	27	21	21
Associate Degree or Some College	29	12	10	3 or More	24	17	15
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	23	21	23
Employed	36	28	17	School	0	*	0
Unemployed	24	12	20	Mental Health Provider	*	*	0
Not in Labor Force	45	42	35	Health Care Provider	6	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	48	37	30
Independent Living	78	65	58	Other Referral Source	16	10	9
Dependent Living	9	11	6	TREATMENT ACCOMMODATION			
Homeless	5	0	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	6
Never Married	50	47	33	Special Education Services Needed	*	*	*
Married / Cohabiting	31	16	22	Co-Occurring Psychological Problem	36	26	22
Previously Married	24	19	17	Co-Occurring Developmental Problem	*	*	*

CLINTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 20,743
2016 POPULATION ESTIMATE 20,610

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	6	8	6
Anxiety Disorder	65	68	52
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	27	34	29
Mood Disorder	86	100	69
Personality Disorder	9	11	14
Psychotic Disorder	21	21	20
Sexual Disorder	0	0	0
Other Diagnosis	18	24	13
Diagnosis Unknown	7	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	141	153	112	Less than High School Diploma	49	56	43
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	*	Associate Degree or Some College	0	0	0
6 to 9	10	11	14	Bachelor or Advanced Degree	0	0	0
10 to 13	18	19	14	Education Level Unknown	92	97	69
14 to 17	14	12	7	EMPLOYMENT			
18 to 24	8	10	9	Employed	7	16	11
25 to 29	17	11	6	Unemployed	7	8	11
30 to 34	11	14	12	Not in Labor Force	85	106	79
35 to 39	15	21	8	Employment Status Unknown	42	23	11
40 to 44	11	11	9	HOUSING / LIVING ARRANGEMENT			
45 to 49	11	11	8	Independent Living	64	86	63
50 to 54	13	12	13	Dependent Living	41	44	38
55 to 59	*	6	*	Homeless	*	*	*
60 and Over	9	13	7	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	34	20	10
GENDER				TREATMENT REFERRAL SOURCE			
Male	57	62	45	Self / Family / Friend	71	79	52
Female	84	91	67	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	9	14	16
RACE / ETHNICITY				Health Care Provider	31	26	25
Caucasian	131	145	105	Court / Criminal Justice	10	9	*
African American	*	*	*	Other	17	20	13
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	138	149	108
Other Race	*	*	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	5	*				

CLINTON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.4	36.7	34.8	41.9	Alcohol	19.1	17.3	14.7	17.1
Chewing Tobacco	14.4	11.8	12.3	13.8	Alcohol (5+ drinks on single occasion past 2 weeks)	9.4	9.3		
Cigarettes	22.5	21.9	15.3	27.3	Chewing Tobacco	7.5	5.5	5.4	7.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.7	0.4	0.7	Cigarettes	10.9	11.8	5.6	14.2
Cocaine	0.9	1.3	0.1	0.9	Inhalants	1.2	1.7	1.5	3.4
Electronic Cigarettes	23.8	15.6			Marijuana	6.9	9.3	3.7	5.9
Hallucinogens	2.5	1.7	1.6	0.2	Over-the-counter medications for non-medical use	0.9	1.7	0.5	6.5
Heroin	0.3	0.8	0.4	0.2	Prescription medications not prescribed for student	8.4	3.8	3.2	9.9
Inhalants	3.8	5.1	4.2	9.0					
Marijuana	16.9	15.2	8.2	9.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.3	1.3	2.6	0.0	Alcohol (1 or 2 drinks daily)	64.2	59.5		
Over-the-counter medications for non-medical use	4.0	3.4	2.2	8.2	Alcohol (Binge: 5+ drinks once or twice a week)	77.2	72.0		
Prescription medications not prescribed for student	13.8	7.6	5.1	16.1	Cigarettes (1+ packs per day)	83.4	86.9		
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	5.1	6.7		Marijuana (once or twice a week)	67.9	66.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.6	94.5	91.8	91.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.20	13.36	11.86	11.77	Alcohol	80.8	78.9	84.7	78.5
Cigarettes	13.01	13.01	11.84	11.75	Cigarettes	93.1	90.3	97.6	89.9
Inhalants	10.43	11.91	10.24	11.41	Marijuana	92.1	91.8	98.0	95.7
Marijuana	14.04	14.44	13.35	13.52					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.6	47.5	50.2	54.1	Alcohol	68.0	62.7	61.7	60.5
Cigarettes	41.7	38.7	38.0	47.7	Cigarettes	85.3	82.2	83.3	79.8
Marijuana	35.8	33.1	27.8	29.0	Marijuana	82.4	81.0	90.0	87.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	14.3	10.9	20.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	95.7	98.1	93.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	26.6	29.7	27.9	32.0	Alcohol	56.1	53.0	54.8	54.1
Cigarettes	12.2	15.2	11.1	15.3	Cigarettes	49.8	50.4	42.1	56.9
Marijuana	12.8	13.1	8.0	9.4	Marijuana	32.2	37.9	24.6	31.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.7	16.7	12.8	19.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.5	65.0	68.2	69.3	Were grouchy, irritable, or in a bad mood	33.8	26.6	26.5	25.2
Were victims of mean rumors or lies spread at school	53.3	53.2	51.4	56.1	Had difficulty concentrating on school work	32.5	24.9	23.4	19.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.4	25.7	19.4	20.5	Were very sad	24.7	25.3	12.8	23.0
					Felt hopeless about the future	13.1	13.5	9.1	10.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.9	12.7	10.5	17.4	Parents involve student in making family decisions	71.4	68.2	70.1	63.9
Made plan about how they would attempt suicide	9.4	9.3	9.9	8.1	Parents notice and comment on student's good work	86.5	80.6	84.7	84.8
Attempted suicide	6.0	5.1	3.3	5.1	Teachers notice and comment on student's good work	76.9	66.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

COLE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	75,990
2016 Estimate	76,631

BIRTH RISK	2015	2014	2013
Resident Births	895	944	946
Mother Reported Smoking while Pregnant	145	182	141

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	5	5	5
Hepatitis B Chronic, Acute, Prenatal	10	8	4
Hepatitis C Chronic and Acute	57	93	61
Tuberculosis Infection Cases	31	24	60

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	645	656	627
Suicide	9	13	15
Homicide	4	3	4
Alcohol Induced Deaths	6	5	5
Drug Induced Deaths	10	8	7
Smoking Attributable Deaths	122	114	105
Self-inflicted Injuries *	80	80	93
Assault Injuries *	318	268	278

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	484	315	332
Mental Illness Secondary Diagnosis	993	744	812
Alcohol Principal Diagnosis	30	26	29
Alcohol Secondary Diagnosis	82	36	50
Drug Principal Diagnosis	39	7	18
Drug Secondary Diagnosis	74	58	57
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	418	550	435
Mental Illness Secondary Diagnosis	923	1,172	922
Alcohol Principal Diagnosis	54	82	89
Alcohol Secondary Diagnosis	82	116	122
Drug Principal Diagnosis	27	40	46
Drug Secondary Diagnosis	53	53	62
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	860	837	771
Mental Illness Secondary Diagnosis	3,059	2,714	2,291
Alcohol Principal Diagnosis	163	154	150
Alcohol Secondary Diagnosis	177	192	230
Drug Principal Diagnosis	101	89	107
Drug Secondary Diagnosis	295	212	192

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	94	97	105
Alcohol Package Carry-out Licenses	72	71	68

EMPLOYMENT	2016	2015	2014
Labor Force	39,898	39,909	39,931
Employed	38,482	38,318	37,932
Unemployed	1,416	1,591	1,999
Unemployment Rate	3.5%	4.0%	5.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	72	50	70
Fatal Crashes	1	0	3
Injury Crashes	33	13	22
Property Damage Crashes	38	37	34
Crash Fatalities	1	0	4
Crash Injuries	44	19	32
Drug Involved Crashes	12	16	25
Fatal Crashes	0	0	1
Injury Crashes	5	5	9
Property Damage Crashes	7	11	15
Crash Fatalities	0	0	1
Crash Injuries	7	6	13

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	311	285	291
Liquor Law Arrests	40	42	56
Drug Arrests	653	486	523
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	229	194	168
Domestic Violence Reports	618	587	577
Property Offenses	1,677	1,651	1,694

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	3,336	3,352	3,452
Drop-outs	86	106	114
Drop-out Rate	2.6%	3.2%	3.3%
School Discipline Involving Alcohol		5	0
School Discipline Involving Drugs	67	45	18
School Discipline Involving Tobacco	1	0	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	90	72	102
Juvenile Alcohol Offenses	14	7	4
Juvenile Drug Offenses	29	21	29
School Truancy Status Offense	127	67	53
Absent from Home Status Offense	22	18	3
Beyond Parental Control Status Offense	46	81	79
Injurious Behavior Status Offense	156	109	126
Child Abuse	284	157	202
Child Neglect	150	125	132
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	62	107	89
Parental Alcohol Use Related	5	11	5
Parental Drug Use Related	12	44	22
Parental Alcohol and Drug Use	0	1	3

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	108	121	55
Probation/Parole Admissions--Drug	139	142	192
Probation/Parole Admissions--DWI	29	25	40
Prison Admissions--Drug	58	70	71
Prison Admissions--DWI	6	5	12

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

COLE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	64	37	42
CSTAR Adolescent	24	36	29
CSTAR Women and Children	59	62	76
CSTAR General Adult	289	286	388
CSTAR Opioid	0	*	0
Primary Recovery Treatment	27	29	36
Clinical SATOP (CIP, YCIP, SROP)	71	85	88
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	280	287	283
- Adolescent Diversion Education Program	14	13	14
- Offender Education Program	78	93	100
- Weekend Intervention Program	64	51	51
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	15	11	6
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	49	43	30

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	444	469	538	Alcohol	167	192	215
AGE				Marijuana / Hashish	88	111	133
Under 18	21	37	29	Cocaine (total)	15	18	23
18 to 24	61	70	82	- Crack	9	6	8
25 to 29	80	82	102	Stimulant (total)	94	76	84
30 to 34	75	75	82	- Methamphetamine	75	75	81
35 to 39	64	64	67	Heroin	49	30	51
40 to 44	47	41	60	Analgesic except Heroin	20	24	17
45 to 54	72	64	75	- Non-Prescription Methadone	*	*	*
55 and Over	24	36	41	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	5	*	*
Male	291	310	367	Inhalant	0	*	0
Female	153	159	171	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	11	11
Caucasian	354	348	393	Average Age at First Use of Drug	18.3	18.3	18.7
African American	75	94	116	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	71	57	69
Asian / Pacific Islander	*	*	*	- Daily Injection Use	24	17	17
Hispanic	*	7	8	- Weekly Injection Use	23	17	23
Other Race / Two or More Races	12	19	17	- Less than Weekly Injection Use	24	23	29
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	114	152	149	0	265	268	308
High School Graduate or G.E.D.	213	208	243	1 or 2	119	127	149
Associate Degree or Some College	110	98	132	3 or More	60	74	81
Bachelor or Advanced Degree	7	11	14	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	223	150	184
Employed	149	158	165	School	0	*	0
Unemployed	163	163	211	Mental Health Provider	*	*	6
Not in Labor Force	132	148	162	Health Care Provider	20	16	20
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	127	191	244
Independent Living	363	366	441	Other Referral Source	67	102	81
Dependent Living	38	57	50	TREATMENT ACCOMMODATION			
Homeless	28	19	20	Pregnant when Admitted to any Episode	8	*	5
MARITAL / FAMILY STATUS				Military Veteran	17	18	20
Never Married	250	292	311	Special Education Services Needed	12	14	9
Married / Cohabiting	107	102	115	Co-Occurring Psychological Problem	169	217	219
Previously Married	87	75	112	Co-Occurring Developmental Problem	9	*	*

COLE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 75,990
2016 POPULATION ESTIMATE 76,631

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	47	26	13
Anxiety Disorder	278	244	209
Dementia	0	*	0
Developmental Disorder	17	15	9
Impulse Control Disorder	110	78	47
Mood Disorder	395	371	367
Personality Disorder	54	39	33
Psychotic Disorder	169	158	163
Sexual Disorder	*	*	*
Other Diagnosis	53	27	17
Diagnosis Unknown	34	31	55

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	678	621	620	Less than High School Diploma	249	176	150
AGE				High School Grad or G.E.D.	0	0	0
Under 6	8	*	*	Associate Degree or Some College	0	0	0
6 to 9	36	32	15	Bachelor or Advanced Degree	0	0	0
10 to 13	61	27	29	Education Level Unknown	429	445	470
14 to 17	49	41	39	EMPLOYMENT			
18 to 24	28	32	32	Employed	52	36	41
25 to 29	39	47	58	Unemployed	55	58	74
30 to 34	49	43	48	Not in Labor Force	462	353	350
35 to 39	55	52	49	Employment Status Unknown	109	174	155
40 to 44	46	50	55	HOUSING / LIVING ARRANGEMENT			
45 to 49	76	68	78	Independent Living	299	248	299
50 to 54	82	83	82	Dependent Living	249	190	161
55 to 59	70	71	71	Homeless	32	24	10
60 and Over	79	72	63	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	98	159	150
GENDER				TREATMENT REFERRAL SOURCE			
Male	297	275	275	Self / Family / Friend	422	381	373
Female	381	346	345	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	78	77	91
RACE / ETHNICITY				Health Care Provider	89	72	67
Caucasian	525	512	511	Court / Criminal Justice	15	16	13
African American	111	79	80	Other	70	70	74
Native American / Alaskan	0	0	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	17	15	13	Voluntary	663	606	608
Other Race	25	15	14	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	10	10	9
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	35	36	36	Commitment Type Unknown	*	*	*
Past or Current Military Service	23	27	25				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	41.0	40.8	43.4	42.6	Alcohol	21.1	15.3	19.2	20.1
Chewing Tobacco	7.2	11.6	9.5	10.6	Alcohol (5+ drinks on single occasion past 2 weeks)	6.5	7.0		
Cigarettes	23.8	22.0	25.1	25.5	Chewing Tobacco	3.3	6.1	5.1	5.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.7	1.1	2.7	3.0	Cigarettes	7.2	9.1	11.3	13.6
Cocaine	0.6	0.9	1.7	2.0	Inhalants	0.8	0.1	1.8	2.2
Electronic Cigarettes	29.2	18.4			Marijuana	8.9	7.7	8.2	7.6
Hallucinogens	2.2	2.5	3.6	3.8	Over-the-counter medications for non-medical use	3.1	2.1	4.7	4.0
Heroin	0.0	0.2	0.5	0.6	Prescription medications not prescribed for student	10.5	4.8	5.1	7.4
Inhalants	1.6	1.7	4.5	5.3					
Marijuana	19.5	18.6	16.8	16.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.1	0.9	0.7	Alcohol (1 or 2 drinks daily)	69.7	56.0		
Over-the-counter medications for non-medical use	8.0	3.7	7.3	7.5	Alcohol (Binge: 5+ drinks once or twice a week)	78.7	71.0		
Prescription medications not prescribed for student	19.2	8.6	9.6	11.2	Cigarettes (1+ packs per day)	84.2	86.9		
Synthetic drugs (K2, bath salts, Spice, etc)	0.9	2.6	7.6		Marijuana (once or twice a week)	62.8	64.3		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.5	91.4	94.8	94.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.33	13.26	12.64	12.64	Alcohol	78.3	80.4	77.1	79.6
Cigarettes	12.71	13.66	12.48	12.54	Cigarettes	95.2	93.5	91.1	91.3
Inhalants	9.64	11.18	12.05	12.20	Marijuana	91.0	92.2	92.7	94.1
Marijuana	14.27	14.00	13.59	13.44					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.0	52.1	62.6	62.7	Alcohol	63.5	60.8	55.9	59.1
Cigarettes	35.9	38.9	47.1	48.4	Cigarettes	88.0	82.0	80.4	78.4
Marijuana	37.0	34.6	41.1	40.2	Marijuana	77.6	78.1	79.3	80.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	13.5	16.9	20.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	94.6	95.0	93.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	31.1	30.1	32.8	33.9	Alcohol	53.3	54.4	63.9	64.2
Cigarettes	7.3	12.6	14.7	14.5	Cigarettes	50.8	50.9	54.7	58.1
Marijuana	14.3	14.9	14.3	13.6	Marijuana	32.5	36.2	40.4	40.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	17.4	19.0	22.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.7	62.4	62.0	68.2	Were grouchy, irritable, or in a bad mood	30.9	24.7	25.2	27.9
Were victims of mean rumors or lies spread at school	52.1	54.3	49.1	52.1	Had difficulty concentrating on school work	22.1	26.1	23.7	20.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.5	26.8	21.9	18.3	Were very sad	23.6	22.9	20.9	28.9
					Felt hopeless about the future	10.6	16.6	11.9	12.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.5	13.6	13.8	11.4	Parents involve student in making family decisions	73.1	66.2	67.6	72.0
Made plan about how they would attempt suicide	7.7	9.9	10.4	8.2	Parents notice and comment on student's good work	86.0	76.1	82.5	85.5
Attempted suicide	5.3	5.2	6.2	4.9	Teachers notice and comment on student's good work	81.3	70.6		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

COOPER COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	17,601
2016 Estimate	17,712

BIRTH RISK	2015	2014	2013
Resident Births	174	199	205
Mother Reported Smoking while Pregnant	40	42	41

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	2	1	0
Hepatitis C Chronic and Acute	22	52	32
Tuberculosis Infection Cases	2	3	7

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	190	196	182
Suicide	1	6	3
Homicide	0	0	0
Alcohol Induced Deaths	1	3	0
Drug Induced Deaths	1	1	1
Smoking Attributable Deaths	33	27	34
Self-inflicted Injuries *	13	19	32
Assault Injuries *	30	26	43

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	67	83	92
Mental Illness Secondary Diagnosis	305	245	265
Alcohol Principal Diagnosis	3	11	6
Alcohol Secondary Diagnosis	21	30	18
Drug Principal Diagnosis	11	4	4
Drug Secondary Diagnosis	21	25	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	41	69	68
Mental Illness Secondary Diagnosis	194	236	207
Alcohol Principal Diagnosis	12	13	13
Alcohol Secondary Diagnosis	15	36	33
Drug Principal Diagnosis	8	8	10
Drug Secondary Diagnosis	12	5	10
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	141	130	181
Mental Illness Secondary Diagnosis	441	464	748
Alcohol Principal Diagnosis	35	35	32
Alcohol Secondary Diagnosis	36	27	46
Drug Principal Diagnosis	16	15	25
Drug Secondary Diagnosis	43	30	91

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	21	20	18
Alcohol Package Carry-out Licenses	23	23	23

EMPLOYMENT	2016	2015	2014
Labor Force	7,546	7,700	7,671
Employed	7,177	7,254	7,216
Unemployed	369	446	455
Unemployment Rate	4.9%	5.8%	5.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	25	23	15
Fatal Crashes	0	0	2
Injury Crashes	7	10	8
Property Damage Crashes	18	13	17
Crash Fatalities	0	0	2
Crash Injuries	7	12	11
Drug Involved Crashes	10	3	13
Fatal Crashes	0	0	0
Injury Crashes	4	2	6
Property Damage Crashes	6	1	7
Crash Fatalities	0	0	0
Crash Injuries	5	2	7

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	108	73	105
Liquor Law Arrests	18	21	20
Drug Arrests	274	183	166
Methamphetamine Lab Seizures	1	1	1
Violent Offenses	15	25	21
Domestic Violence Reports	94	75	92
Property Offenses	319	376	411

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	786	800	781
Drop-outs	8	2	12
Drop-out Rate	1.0%	0.2%	1.5%
School Discipline Involving Alcohol	0	6	0
School Discipline Involving Drugs	0	1	3
School Discipline Involving Tobacco	0	1	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	65	94	46
Juvenile Alcohol Offenses	3	6	2
Juvenile Drug Offenses	3	4	0
School Truancy Status Offense	7	6	7
Absent from Home Status Offense	8	3	5
Beyond Parental Control Status Offense	22	26	13
Injurious Behavior Status Offense	96	91	67
Child Abuse	5	2	4
Child Neglect	16	13	26
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	11	8	21
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	6	3	13
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	21	14	9
Probation/Parole Admissions--Drug	88	82	58
Probation/Parole Admissions--DWI	12	10	16
Prison Admissions--Drug	32	36	21
Prison Admissions--DWI	8	5	4

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

COOPER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	5	5	*
CSTAR Adolescent	*	*	7
CSTAR Women and Children	19	10	16
CSTAR General Adult	26	24	39
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	10	*
Clinical SATOP (CIP, YCIP, SROP)	9	8	10
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	44	50	58
- Adolescent Diversion Education Program	0	5	0
- Offender Education Program	13	19	21
- Weekend Intervention Program	9	10	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	9	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	67	55	67	Alcohol	18	18	27
AGE				Marijuana / Hashish	17	11	20
Under 18	*	*	8	Cocaine (total)	*	5	*
18 to 24	13	8	*	- Crack	*	*	*
25 to 29	12	8	17	Stimulant (total)	25	12	11
30 to 34	16	12	13	- Methamphetamine	24	12	11
35 to 39	*	*	5	Heroin	*	*	0
40 to 44	6	8	5	Analgesic except Heroin	*	5	*
45 to 54	11	9	10	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	5	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	0	0
Male	40	31	37	Inhalant	*	0	0
Female	27	24	30	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	57	44	55	Average Age at First Use of Drug	18.3	18.6	16.9
African American	5	5	8	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	10	8	6
Asian / Pacific Islander	0	*	*	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	6	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	20	18	24	0	33	31	43
High School Graduate or G.E.D.	31	21	26	1 or 2	22	15	18
Associate Degree or Some College	15	16	17	3 or More	12	9	6
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	29	22	23
Employed	18	13	19	School	0	0	0
Unemployed	22	21	24	Mental Health Provider	0	0	*
Not in Labor Force	27	21	24	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	22	21	29
Independent Living	46	40	45	Other Referral Source	11	12	11
Dependent Living	7	6	11	TREATMENT ACCOMMODATION			
Homeless	8	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	35	28	35	Special Education Services Needed	5	*	*
Married / Cohabiting	17	17	21	Co-Occurring Psychological Problem	33	27	27
Previously Married	15	10	11	Co-Occurring Developmental Problem	*	0	0

COOPER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 17,601
2016 POPULATION ESTIMATE 17,712

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	7	11	13
Anxiety Disorder	107	95	79
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	18	21	15
Mood Disorder	116	119	98
Personality Disorder	14	11	7
Psychotic Disorder	27	33	23
Sexual Disorder	*	*	*
Other Diagnosis	12	13	10
Diagnosis Unknown	10	9	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	174	176	143	Less than High School Diploma	55	76	54
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	*	Associate Degree or Some College	0	0	0
6 to 9	*	7	6	Bachelor or Advanced Degree	0	0	0
10 to 13	10	18	18	Education Level Unknown	119	100	89
14 to 17	11	15	8	EMPLOYMENT			
18 to 24	18	15	5	Employed	17	16	14
25 to 29	18	18	19	Unemployed	*	15	10
30 to 34	24	19	22	Not in Labor Force	120	117	104
35 to 39	17	14	11	Employment Status Unknown	34	28	15
40 to 44	11	10	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	19	16	17	Independent Living	97	80	82
50 to 54	15	14	11	Dependent Living	42	59	47
55 to 59	11	15	10	Homeless	*	5	*
60 and Over	16	15	11	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	33	32	13
GENDER				TREATMENT REFERRAL SOURCE			
Male	72	75	62	Self / Family / Friend	109	110	93
Female	102	101	81	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	7	*
RACE / ETHNICITY				Health Care Provider	29	30	25
Caucasian	150	151	117	Court / Criminal Justice	17	11	8
African American	17	18	17	Other	13	17	13
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	172	175	143
Other Race	5	5	9	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	5	6	*	Commitment Type Unknown	*	*	0
Past or Current Military Service	5	6	*				

COOPER COUNTY

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	51.5	44.9	54.6	49.1	Alcohol	24.9	20.3	27.2	28.4
Chewing Tobacco	18.2	16.1	15.8	25.6	Alcohol (5+ drinks on single occasion past 2 weeks)	11.9	9.9		
Cigarettes	26.8	20.6	31.7	33.9	Chewing Tobacco	11.9	10.2	7.7	14.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	1.5	1.8	2.1	Cigarettes	11.2	8.4	16.0	16.2
Cocaine	0.4	2.0	2.1	4.0	Inhalants	1.9	1.0	3.5	3.9
Electronic Cigarettes	23.7	13.7			Marijuana	3.0	4.9	13.0	12.4
Hallucinogens	0.4	2.5	4.6	1.6	Over-the-counter medications for non-medical use	0.4	2.0	6.0	4.5
Heroin	0.0	0.5	0.7	0.8	Prescription medications not prescribed for student	7.8	4.4	6.3	6.9
Inhalants	4.4	2.0	8.1	9.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	8.9	13.2	22.9	22.5	Alcohol (1 or 2 drinks daily)	64.6	58.3		
Methamphetamine	0.0	0.5	1.1	1.3	Alcohol (Binge: 5+ drinks once or twice a week)	75.1	67.6		
Over-the-counter medications for non-medical use	3.7	2.5	8.8	9.5	Cigarettes (1+ packs per day)	84.7	85.3		
Prescription medications not prescribed for student	11.2	7.9	12.0	13.8	Marijuana (once or twice a week)	72.4	66.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.1	2.9	10.2		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	91.6	93.3	91.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.62	12.73	12.31	12.46	Alcohol	74.5	73.5	72.0	69.8
Cigarettes	12.76	12.41	12.58	11.82	Cigarettes	92.1	92.1	90.7	89.1
Inhalants	10.07	12.06	13.46	11.60	Marijuana	94.7	93.0	93.8	94.1
Marijuana	13.32	14.10	13.39	13.55	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	53.6	56.7	50.2	49.5
Alcohol	63.8	49.5	62.9	69.1	Cigarettes	80.7	82.8	77.7	76.6
Cigarettes	40.1	33.5	50.7	56.8	Marijuana	87.2	83.0	79.9	79.1
Marijuana	23.1	28.3	47.0	41.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	95.0	96.8	92.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.4	8.8	21.6	20.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	56.7	55.1	61.6	64.6
Alcohol	40.3	31.7	41.2	45.0	Cigarettes	45.7	49.8	57.3	58.4
Cigarettes	12.0	10.7	16.0	17.1	Marijuana	17.8	30.7	46.2	39.3
Marijuana	8.6	10.3	17.7	18.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.6	10.3	19.4	19.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	67.0	57.8	68.3	75.3	Were grouchy, irritable, or in a bad mood	34.8	23.0	29.6	22.1
Were victims of mean rumors or lies spread at school	49.3	48.1	50.7	63.8	Had difficulty concentrating on school work	30.4	23.9	25.5	26.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.1	23.5	25.9	25.4	Were very sad	23.9	17.0	20.1	15.9
					Felt hopeless about the future	14.3	10.8	14.0	12.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.0	7.4	14.1	9.2	Parents involve student in making family decisions	70.2	71.7	65.6	66.8
Made plan about how they would attempt suicide	8.6	5.4	13.4	7.6	Parents notice and comment on student's good work	85.6	82.9	80.2	78.4
Attempted suicide	6.7	2.9	5.3	3.2	Teachers notice and comment on student's good work	73.0	73.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

CRAWFORD COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	24,696
2016 Estimate	24,302

BIRTH RISK	2015	2014	2013
Resident Births	284	306	311
Mother Reported Smoking while Pregnant	84	86	110

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	1	0
Hepatitis B Chronic, Acute, Prenatal	0	0	2
Hepatitis C Chronic and Acute	50	42	35
Tuberculosis Infection Cases	2	3	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	287	294	264
Suicide	7	5	2
Homicide	1	2	0
Alcohol Induced Deaths	1	3	1
Drug Induced Deaths	12	5	5
Smoking Attributable Deaths	58	57	52
Self-inflicted Injuries *	27	17	23
Assault Injuries *	67	79	80

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	193	161	201
Mental Illness Secondary Diagnosis	487	291	341
Alcohol Principal Diagnosis	12	5	13
Alcohol Secondary Diagnosis	47	39	28
Drug Principal Diagnosis	50	37	40
Drug Secondary Diagnosis	41	22	31
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	113	140	138
Mental Illness Secondary Diagnosis	315	372	383
Alcohol Principal Diagnosis	8	11	16
Alcohol Secondary Diagnosis	25	28	30
Drug Principal Diagnosis	9	8	7
Drug Secondary Diagnosis	34	35	19
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	280	247	289
Mental Illness Secondary Diagnosis	1,024	1,060	1,023
Alcohol Principal Diagnosis	66	59	48
Alcohol Secondary Diagnosis	54	43	57
Drug Principal Diagnosis	63	75	42
Drug Secondary Diagnosis	77	65	89

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	29	27	31
Alcohol Package Carry-out Licenses	27	27	26

EMPLOYMENT	2016	2015	2014
Labor Force	10,964	11,051	10,888
Employed	10,382	10,386	10,040
Unemployed	582	665	848
Unemployment Rate	5.3%	6.0%	7.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	31	22	36
Fatal Crashes	2	0	1
Injury Crashes	13	4	18
Property Damage Crashes	16	18	17
Crash Fatalities	2	0	1
Crash Injuries	21	4	32
Drug Involved Crashes	8	10	9
Fatal Crashes	0	0	3
Injury Crashes	5	3	5
Property Damage Crashes	3	7	1
Crash Fatalities	0	0	3
Crash Injuries	8	5	13

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	203	205	234
Liquor Law Arrests	15	29	26
Drug Arrests	498	486	259
Methamphetamine Lab Seizures	7	18	37
Violent Offenses	56	69	61
Domestic Violence Reports	369	359	340
Property Offenses	926	904	990

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	947	952	938
Drop-outs	17	14	20
Drop-out Rate	1.8%	1.5%	2.1%
School Discipline Involving Alcohol	3	1	0
School Discipline Involving Drugs	5	3	5
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	36	25	19
Juvenile Alcohol Offenses	9	0	2
Juvenile Drug Offenses	7	7	4
School Truancy Status Offense	16	27	22
Absent from Home Status Offense	3	3	7
Beyond Parental Control Status Offense	23	17	24
Injurious Behavior Status Offense	25	21	16
Child Abuse	26	5	23
Child Neglect	76	31	51
Child Custody Issues	1	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	57	37	48
Parental Alcohol Use Related	1	0	1
Parental Drug Use Related	31	14	16
Parental Alcohol and Drug Use	0	3	5

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	34	37	40
Probation/Parole Admissions--Drug	193	154	125
Probation/Parole Admissions--DWI	12	20	27
Prison Admissions--Drug	77	78	60
Prison Admissions--DWI	7	6	11

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

CRAWFORD COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	27	17	17
CSTAR Adolescent	5	8	5
CSTAR Women and Children	18	11	5
CSTAR General Adult	130	129	103
CSTAR Opioid	*	0	0
Primary Recovery Treatment	*	5	*
Clinical SATOP (CIP, YCIP, SROP)	26	46	40
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	110	113	121
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	31	26	34
- Weekend Intervention Program	24	24	24
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	5	0
Compulsive Gambling	*	*	0
Recovery Supports	*	0	*
Early Intervention	7	8	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	178	189	158	Alcohol	47	70	61
AGE				Marijuana / Hashish	28	30	27
Under 18	*	7	5	Cocaine (total)	0	*	0
18 to 24	19	24	25	- Crack	0	*	0
25 to 29	36	34	30	Stimulant (total)	54	52	41
30 to 34	41	44	31	- Methamphetamine	51	52	40
35 to 39	31	24	20	Heroin	24	11	12
40 to 44	15	19	13	Analgesic except Heroin	23	22	15
45 to 54	22	27	27	- Non-Prescription Methadone	0	*	0
55 and Over	10	10	7	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	*	0
Male	103	105	100	Inhalant	0	0	0
Female	75	84	58	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	175	186	148	Average Age at First Use of Drug	18.7	19.1	19.0
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	55	32	29
Asian / Pacific Islander	0	0	0	- Daily Injection Use	15	7	6
Hispanic	*	*	*	- Weekly Injection Use	16	10	7
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	24	15	16
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	61	75	56	0	109	100	74
High School Graduate or G.E.D.	81	80	76	1 or 2	47	59	56
Associate Degree or Some College	36	33	26	3 or More	22	30	28
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	108	56	59
Employed	52	61	57	School	0	*	0
Unemployed	75	77	62	Mental Health Provider	*	*	*
Not in Labor Force	51	51	39	Health Care Provider	13	13	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	40	86	60
Independent Living	159	170	139	Other Referral Source	11	29	34
Dependent Living	6	11	10	TREATMENT ACCOMMODATION			
Homeless	13	5	*	Pregnant when Admitted to any Episode	6	6	0
MARITAL / FAMILY STATUS				Military Veteran	6	5	6
Never Married	74	94	74	Special Education Services Needed	24	27	19
Married / Cohabiting	68	51	51	Co-Occurring Psychological Problem	90	81	59
Previously Married	36	44	33	Co-Occurring Developmental Problem	12	17	*

CRAWFORD COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 24,696
2016 POPULATION ESTIMATE 24,302

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	36	21	25
Anxiety Disorder	242	222	225
Dementia	*	0	0
Developmental Disorder	5	*	*
Impulse Control Disorder	101	89	86
Mood Disorder	311	310	351
Personality Disorder	19	18	16
Psychotic Disorder	71	60	66
Sexual Disorder	0	0	0
Other Diagnosis	36	22	19
Diagnosis Unknown	13	15	29

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	442	426	484	Less than High School Diploma	165	183	184
AGE				High School Grad or G.E.D.	0	0	0
Under 6	8	9	11	Associate Degree or Some College	0	0	0
6 to 9	48	44	35	Bachelor or Advanced Degree	0	0	0
10 to 13	33	35	45	Education Level Unknown	277	243	300
14 to 17	33	23	33	EMPLOYMENT			
18 to 24	31	30	38	Employed	12	9	8
25 to 29	26	34	49	Unemployed	17	*	5
30 to 34	43	44	39	Not in Labor Force	283	305	301
35 to 39	42	28	35	Employment Status Unknown	130	109	170
40 to 44	34	39	51	HOUSING / LIVING ARRANGEMENT			
45 to 49	37	45	52	Independent Living	153	182	158
50 to 54	51	40	43	Dependent Living	161	146	145
55 to 59	32	30	28	Homeless	*	0	*
60 and Over	24	25	25	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	124	98	178
GENDER				TREATMENT REFERRAL SOURCE			
Male	191	173	217	Self / Family / Friend	338	329	367
Female	251	253	267	School	*	6	5
Gender Unknown	0	0	0	Mental Health Provider	6	8	7
RACE / ETHNICITY				Health Care Provider	51	38	51
Caucasian	427	411	466	Court / Criminal Justice	7	5	*
African American	*	*	*	Other	37	40	50
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	7	6	9	Voluntary	439	425	483
Other Race	5	6	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	9	11	Commitment Type Unknown	*	0	0
Past or Current Military Service	6	*	8				

CRAWFORD COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.8	37.8	46.6	52.7	Alcohol	13.3	15.3	19.4	24.0
Chewing Tobacco	15.2	14.7	17.5	19.3	Alcohol (5+ drinks on single occasion past 2 weeks)	5.3	8.2		
Cigarettes	23.0	25.9	30.8	36.0	Chewing Tobacco	6.6	8.1	8.9	8.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	0.7	3.3	1.8	Cigarettes	8.5	9.9	16.8	19.1
Cocaine	0.8	1.1	2.6	1.8	Inhalants	0.3	1.5	4.0	4.5
Electronic Cigarettes	22.0	18.8			Marijuana	6.1	7.7	11.1	10.8
Hallucinogens	1.6	1.5	4.8	3.7	Over-the-counter medications for non-medical use	0.8	1.1	4.8	5.3
Heroin	0.3	0.0	1.5	0.8	Prescription medications not prescribed for student	7.7	4.4	7.1	10.5
Inhalants	2.1	3.3	8.6	9.8					
Marijuana	13.5	15.9	20.0	17.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.7	2.3	1.8	Alcohol (1 or 2 drinks daily)	64.3	60.9		
Over-the-counter medications for non-medical use	2.1	2.6	6.8	9.8	Alcohol (Binge: 5+ drinks once or twice a week)	75.7	64.5		
Prescription medications not prescribed for student	11.2	9.6	12.6	16.4	Cigarettes (1+ packs per day)	86.4	81.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	4.1	9.1		Marijuana (once or twice a week)	67.6	65.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.6	93.7	90.6	92.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.06	12.66	12.37	12.32	Alcohol	79.1	73.5	74.7	72.4
Cigarettes	12.01	12.07	11.70	11.80	Cigarettes	92.8	87.1	86.5	85.7
Inhalants		12.84	12.65	12.61	Marijuana	92.0	88.8	88.7	93.9
Marijuana	13.81	14.08	13.07	13.41					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.6	49.6	60.2	66.7	Alcohol	67.3	61.1	55.9	49.7
Cigarettes	32.3	36.1	55.2	54.1	Cigarettes	87.3	80.0	71.9	71.5
Marijuana	29.3	32.1	40.4	38.3	Marijuana	82.4	79.8	77.2	79.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	7.2	19.4	18.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.3	93.7	94.1
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.6	30.8	33.2	39.7	Alcohol	51.1	51.4	57.1	63.0
Cigarettes	8.8	14.0	18.5	18.4	Cigarettes	50.8	50.7	56.5	67.1
Marijuana	11.1	13.3	15.7	12.8	Marijuana	33.9	35.6	38.5	40.0
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	14.7	20.9	21.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.4	61.4	62.9	72.0	Were grouchy, irritable, or in a bad mood	31.7	31.3	28.4	14.8
Were victims of mean rumors or lies spread at school	54.8	56.0	53.4	61.7	Had difficulty concentrating on school work	28.6	29.7	24.4	18.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.1	27.9	23.5	22.8	Were very sad	21.4	20.9	25.1	8.7
					Felt hopeless about the future	11.5	12.0	12.9	7.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.1	10.8	14.5	14.3	Parents involve student in making family decisions	69.6	62.5	61.9	60.5
Made plan about how they would attempt suicide	6.5	9.4	11.2	10.3	Parents notice and comment on student's good work	83.8	81.5	79.0	80.4
Attempted suicide	4.3	5.4	8.1	7.0	Teachers notice and comment on student's good work	74.6	72.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DADE COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	8A
POPULATION	
Census 2010	7,883
2016 Estimate	7,631

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	5	1	9
Fatal Crashes	0	0	0
Injury Crashes	5	1	6
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	10	3	9
Drug Involved Crashes	1	1	2
Fatal Crashes	0	0	0
Injury Crashes	1	1	2
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	1	2

BIRTH RISK	2015	2014	2013
Resident Births	73	65	62
Mother Reported Smoking while Pregnant	14	18	16

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	6	10	12
Tuberculosis Infection Cases	1	1	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	104	113	97
Suicide	1	2	2
Homicide	0	1	0
Alcohol Induced Deaths	4	0	1
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	20	19	21
Self-inflicted Injuries *	0	8	7
Assault Injuries *	8	19	20

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	53	44	51
Mental Illness Secondary Diagnosis	113	101	72
Alcohol Principal Diagnosis	8	2	0
Alcohol Secondary Diagnosis	7	3	4
Drug Principal Diagnosis	1	3	3
Drug Secondary Diagnosis	7	8	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	35	28	39
Mental Illness Secondary Diagnosis	93	144	139
Alcohol Principal Diagnosis	7	8	9
Alcohol Secondary Diagnosis	5	9	9
Drug Principal Diagnosis	12	7	8
Drug Secondary Diagnosis	4	8	5
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	42	43	51
Mental Illness Secondary Diagnosis	308	240	214
Alcohol Principal Diagnosis	7	7	5
Alcohol Secondary Diagnosis	13	23	22
Drug Principal Diagnosis	13	10	18
Drug Secondary Diagnosis	32	30	19

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	4	3	3
Alcohol Package Carry-out Licenses	12	12	12

EMPLOYMENT	2016	2015	2014
Labor Force	3,631	3,618	3,496
Employed	3,470	3,433	3,287
Unemployed	161	185	209
Unemployment Rate	4.4%	5.1%	6.0%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	21	10	20
Liquor Law Arrests	1	0	4
Drug Arrests	175	73	54
Methamphetamine Lab Seizures	0	1	2
Violent Offenses	32	23	12
Domestic Violence Reports	29	31	36
Property Offenses	115	79	112

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	352	320	350
Drop-outs	3	3	9
Drop-out Rate	0.9%	0.9%	2.6%
School Discipline Involving Alcohol	1	0	1
School Discipline Involving Drugs	0	0	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	5	7	14
Juvenile Alcohol Offenses	1	1	1
Juvenile Drug Offenses	1	4	2
School Truancy Status Offense	1	3	4
Absent from Home Status Offense	4	2	3
Beyond Parental Control Status Offense	2	3	4
Injurious Behavior Status Offense	6	0	8
Child Abuse	11	16	7
Child Neglect	22	29	34
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	12	8	10
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	5	6	6
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	12	14	7
Probation/Parole Admissions--Drug	13	16	21
Probation/Parole Admissions--DWI	1	1	1
Prison Admissions--Drug	6	2	4
Prison Admissions--DWI	0	1	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

DADE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	8	*	9
CSTAR Adolescent	*	*	*
CSTAR Women and Children	5	*	11
CSTAR General Adult	13	11	8
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	5	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	17	21	13
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	28	29	30	Alcohol	5	9	8
AGE				Marijuana / Hashish	5	*	*
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	*	*	5	- Crack	0	0	0
25 to 29	*	7	*	Stimulant (total)	13	7	9
30 to 34	*	*	7	- Methamphetamine	10	7	9
35 to 39	9	*	6	Heroin	*	*	*
40 to 44	*	6	*	Analgesic except Heroin	*	8	7
45 to 54	*	*	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	14	19	12	Inhalant	0	0	0
Female	14	10	18	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	27	29	30	Average Age at First Use of Drug	17.5	18.3	21.2
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	6	9	11
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	0	- Weekly Injection Use	*	0	6
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	7	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	9	8	8	0	20	17	15
High School Graduate or G.E.D.	10	15	17	1 or 2	5	*	10
Associate Degree or Some College	9	6	5	3 or More	*	8	5
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	12	9	11
Employed	5	9	*	School	0	0	*
Unemployed	11	7	10	Mental Health Provider	0	0	0
Not in Labor Force	12	13	16	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	9	13	7
Independent Living	24	24	21	Other Referral Source	*	5	8
Dependent Living	*	5	*	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	8	13	12	Special Education Services Needed	*	*	0
Married / Cohabiting	14	6	12	Co-Occurring Psychological Problem	17	16	10
Previously Married	6	10	6	Co-Occurring Developmental Problem	*	*	0

DADE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8A
CENSUS 2010 7,883
2016 POPULATION ESTIMATE 7,631

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	10	8	7
Dementia	0	0	0
Developmental Disorder	0	0	*
Impulse Control Disorder	6	9	6
Mood Disorder	18	15	14
Personality Disorder	*	*	*
Psychotic Disorder	6	6	6
Sexual Disorder	*	*	0
Other Diagnosis	10	8	8
Diagnosis Unknown	*	*	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	31	32	32	Less than High School Diploma	11	15	15
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	5	5	Bachelor or Advanced Degree	0	0	0
10 to 13	*	5	*	Education Level Unknown	20	17	17
14 to 17	*	5	5	EMPLOYMENT			
18 to 24	5	5	*	Employed	*	*	0
25 to 29	*	*	*	Unemployed	*	*	*
30 to 34	*	*	*	Not in Labor Force	13	19	19
35 to 39	*	*	0	Employment Status Unknown	12	9	12
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	0	*	Independent Living	7	6	7
50 to 54	*	0	*	Dependent Living	12	16	11
55 to 59	*	*	*	Homeless	*	0	0
60 and Over	0	0	0	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	11	10	14
GENDER				TREATMENT REFERRAL SOURCE			
Male	15	19	19	Self / Family / Friend	13	13	15
Female	16	13	13	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	*	*	*
Caucasian	30	31	30	Court / Criminal Justice	5	*	*
African American	*	*	*	Other	5	9	7
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	29	29	31
Other Race	0	0	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	0	0				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	43.5	28.7	36.7	37.3	Alcohol	21.7	12.9	17.3	14.7
Chewing Tobacco	16.5	7.4	10.8	16.3	Alcohol (5+ drinks on single occasion past 2 weeks)	8.7	6.4		
Cigarettes	28.7	15.1	22.3	22.5	Chewing Tobacco	5.2	4.2	5.8	8.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	1.1	2.2	2.0	Cigarettes	14.8	8.6	10.0	12.8
Cocaine	0.9	1.1	2.9	0.7	Inhalants	1.7	1.1	3.6	2.7
Electronic Cigarettes	24.3	12.9			Marijuana	6.9	5.4	4.3	7.3
Hallucinogens	1.7	1.1	1.4	1.4	Over-the-counter medications for non-medical use	1.7	0.0	2.2	4.1
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	8.6	5.4	4.3	8.0
Inhalants	4.4	2.1	7.9	4.1					
Marijuana	13.0	7.6	10.8	13.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.9	1.1	0.7	0.7	Alcohol (1 or 2 drinks daily)	61.4	62.8		
Over-the-counter medications for non-medical use	6.1	1.1	7.2	6.1	Alcohol (Binge: 5+ drinks once or twice a week)	69.3	74.5		
Prescription medications not prescribed for student	11.4	10.8	6.5	10.6	Cigarettes (1+ packs per day)	85.0	87.1		
Synthetic drugs (K2, bath salts, Spice, etc)	0.9	2.1	5.7		Marijuana (once or twice a week)	65.8	73.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	92.5	96.4	91.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.34	13.28	12.70	12.89	Alcohol	75.7	82.8	81.2	83.3
Cigarettes	12.18	12.70	12.11	12.56	Cigarettes	90.5	94.6	92.8	90.5
Inhalants		11.76	12.36	13.90	Marijuana	93.0	95.7	95.6	93.9
Marijuana	14.27	14.09	13.72	13.61					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	45.2	35.1	43.9	52.3	Alcohol	61.9	71.0	69.8	65.8
Cigarettes	39.7	29.0	33.8	40.4	Cigarettes	83.5	89.2	86.3	80.1
Marijuana	26.3	22.3	23.0	30.0	Marijuana	83.5	88.0	87.8	86.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8	5.3	14.3	17.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	96.7	97.1	94.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	33.6	19.4	22.3	30.2	Alcohol	56.3	46.2	55.0	53.6
Cigarettes	14.0	10.9	10.8	14.7	Cigarettes	58.4	47.3	50.7	54.0
Marijuana	13.0	10.6	6.5	9.4	Marijuana	37.2	29.0	29.5	38.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	10.6	15.8	22.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	66.7	65.6	66.2	75.5	Were grouchy, irritable, or in a bad mood	31.3	24.7	27.3	19.3
Were victims of mean rumors or lies spread at school	62.3	57.4	53.6	62.2	Had difficulty concentrating on school work	31.0	25.5	25.2	24.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.4	25.5	22.1	23.5	Were very sad	23.3	19.4	17.1	11.3
					Felt hopeless about the future	14.8	12.8	13.0	10.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.2	10.5	10.8	7.3	Parents involve student in making family decisions	66.1	71.3	74.8	73.0
Made plan about how they would attempt suicide	10.4	8.5	7.9	6.0	Parents notice and comment on student's good work	80.9	79.8	87.1	88.6
Attempted suicide	9.6	4.3	4.3	3.3	Teachers notice and comment on student's good work	70.4	69.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DALLAS COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	16,777
2016 Estimate	16,448

BIRTH RISK	2015	2014	2013
Resident Births	229	181	209
Mother Reported Smoking while Pregnant	46	50	43

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	4
Hepatitis C Chronic and Acute	20	25	17
Tuberculosis Infection Cases	0	1	4

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	201	201	194
Suicide	2	4	4
Homicide	0	0	0
Alcohol Induced Deaths	2	1	1
Drug Induced Deaths	0	2	2
Smoking Attributable Deaths	39	34	42
Self-inflicted Injuries *	23	22	18
Assault Injuries *	28	33	35

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	132	122	110
Mental Illness Secondary Diagnosis	216	171	148
Alcohol Principal Diagnosis	6	3	7
Alcohol Secondary Diagnosis	15	6	4
Drug Principal Diagnosis	12	8	3
Drug Secondary Diagnosis	22	11	8
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	52	76	72
Mental Illness Secondary Diagnosis	233	325	324
Alcohol Principal Diagnosis	7	10	10
Alcohol Secondary Diagnosis	29	35	31
Drug Principal Diagnosis	8	13	21
Drug Secondary Diagnosis	20	27	23
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	122	136	107
Mental Illness Secondary Diagnosis	1,072	1,069	1,013
Alcohol Principal Diagnosis	30	28	29
Alcohol Secondary Diagnosis	47	27	34
Drug Principal Diagnosis	24	25	16
Drug Secondary Diagnosis	68	54	44

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	9	9	8
Alcohol Package Carry-out Licenses	22	21	19

EMPLOYMENT	2016	2015	2014
Labor Force	7,059	7,132	7,086
Employed	6,674	6,693	6,561
Unemployed	385	439	525
Unemployment Rate	5.5%	6.2%	7.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	15	8	16
Fatal Crashes	2	0	1
Injury Crashes	8	3	7
Property Damage Crashes	5	5	6
Crash Fatalities	2	0	2
Crash Injuries	10	3	12
Drug Involved Crashes	1	1	1
Fatal Crashes	0	1	0
Injury Crashes	0	0	0
Property Damage Crashes	1	0	1
Crash Fatalities	0	1	0
Crash Injuries	0	0	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	30	34	56
Liquor Law Arrests	39	33	24
Drug Arrests	90	82	85
Methamphetamine Lab Seizures	1	1	5
Violent Offenses	41	27	66
Domestic Violence Reports	140	107	150
Property Offenses	306	289	243

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	455	476	486
Drop-outs	6	15	10
Drop-out Rate	1.3%	3.1%	2.1%
School Discipline Involving Alcohol	0	2	0
School Discipline Involving Drugs	10	3	5
School Discipline Involving Tobacco	0	3	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	14	18	18
Juvenile Alcohol Offenses	0	1	3
Juvenile Drug Offenses	6	4	10
School Truancy Status Offense	4	1	3
Absent from Home Status Offense	2	2	5
Beyond Parental Control Status Offense	9	27	22
Injurious Behavior Status Offense	10	6	2
Child Abuse	18	50	32
Child Neglect	70	115	132
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	23	15	41
Parental Alcohol Use Related	0	0	4
Parental Drug Use Related	9	0	16
Parental Alcohol and Drug Use	0	2	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	50	45	41
Probation/Parole Admissions--DWI	6	3	11
Prison Admissions--Drug	35	27	23
Prison Admissions--DWI	2	5	5

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

DALLAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	11	16	7
CSTAR Adolescent	5	*	5
CSTAR Women and Children	14	6	9
CSTAR General Adult	38	53	57
CSTAR Opioid	0	0	*
Primary Recovery Treatment	*	19	7
Clinical SATOP (CIP, YCIP, SROP)	11	5	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	39	43	46
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	13	21	12
- Weekend Intervention Program	7	*	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	10
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	66	82	80	Alcohol	21	24	23
AGE				Marijuana / Hashish	19	19	20
Under 18	*	*	5	Cocaine (total)	0	0	0
18 to 24	6	16	16	- Crack	0	0	0
25 to 29	13	18	8	Stimulant (total)	23	31	32
30 to 34	13	10	12	- Methamphetamine	23	31	31
35 to 39	10	6	10	Heroin	*	*	0
40 to 44	*	11	13	Analgesic except Heroin	*	6	5
45 to 54	14	14	12	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	0	0
Male	46	49	52	Inhalant	0	0	0
Female	20	33	28	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	62	78	78	Average Age at First Use of Drug	16.5	16.6	16.6
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	13	26	27
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	*	*	- Weekly Injection Use	*	*	11
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	8	20	16
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	16	30	26	0	30	65	55
High School Graduate or G.E.D.	35	39	45	1 or 2	26	10	16
Associate Degree or Some College	14	13	9	3 or More	10	7	9
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	16	13	18
Employed	26	20	16	School	0	0	0
Unemployed	15	27	31	Mental Health Provider	0	*	*
Not in Labor Force	25	35	33	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	37	56	44
Independent Living	50	75	68	Other Referral Source	8	10	11
Dependent Living	12	5	10	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	9	5	*
Never Married	29	33	33	Special Education Services Needed	6	16	6
Married / Cohabiting	17	29	22	Co-Occurring Psychological Problem	32	34	35
Previously Married	20	20	25	Co-Occurring Developmental Problem	*	5	*

DALLAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 16,777
2016 POPULATION ESTIMATE 16,448

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	8	5	6
Anxiety Disorder	34	34	35
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	11	10	11
Mood Disorder	47	46	41
Personality Disorder	8	14	17
Psychotic Disorder	25	26	27
Sexual Disorder	0	0	0
Other Diagnosis	21	17	11
Diagnosis Unknown	5	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	87	85	79	Less than High School Diploma	41	31	21
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	8	14	12	Bachelor or Advanced Degree	0	0	0
10 to 13	9	5	*	Education Level Unknown	46	54	58
14 to 17	7	*	*	EMPLOYMENT			
18 to 24	5	*	*	Employed	*	0	*
25 to 29	*	*	*	Unemployed	0	*	*
30 to 34	7	10	9	Not in Labor Force	68	49	35
35 to 39	6	6	9	Employment Status Unknown	18	34	40
40 to 44	11	13	8	HOUSING / LIVING ARRANGEMENT			
45 to 49	8	8	8	Independent Living	24	22	20
50 to 54	11	9	8	Dependent Living	44	29	17
55 to 59	*	*	5	Homeless	0	0	0
60 and Over	7	7	6	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	19	34	42
GENDER				TREATMENT REFERRAL SOURCE			
Male	43	48	41	Self / Family / Friend	40	42	42
Female	44	37	38	School	0	*	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	22	14	12
Caucasian	84	83	77	Court / Criminal Justice	5	5	*
African American	0	0	0	Other	17	19	20
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	0	Voluntary	84	81	79
Other Race	*	*	*	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol			39.5	38.8	Alcohol			13.3	15.4
Chewing Tobacco			17.5	21.6	Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes			30.3	27.1	Chewing Tobacco			9.8	12.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			2.5	1.1	Cigarettes			13.6	8.8
Cocaine			2.1	0.8	Inhalants			1.4	3.2
Electronic Cigarettes					Marijuana			5.6	4.0
Hallucinogens			2.5	1.4	Over-the-counter medications for non-medical use			4.5	3.8
Heroin			1.1	0.0	Prescription medications not prescribed for student			4.9	7.1
Inhalants			4.9	5.6					
Marijuana			13.2	11.2	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine			1.8	0.8	Alcohol (1 or 2 drinks daily)				
Over-the-counter medications for non-medical use			6.3	6.5	Alcohol (Binge: 5+ drinks once or twice a week)				
Prescription medications not prescribed for student			8.0	13.3	Cigarettes (1+ packs per day)				
Synthetic drugs (K2, bath salts, Spice, etc)			5.9		Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)			92.6	97.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol			12.58	12.10	Alcohol			81.6	80.8
Cigarettes			12.05	11.72	Cigarettes			90.2	91.0
Inhalants			12.10	12.45	Marijuana			92.6	95.9
Marijuana			13.17	12.98					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol			47.6	56.2	Alcohol			66.0	64.2
Cigarettes			42.9	42.2	Cigarettes			81.1	82.5
Marijuana			28.7	25.0	Marijuana			83.2	90.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			12.3	11.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			95.8	98.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol			22.7	26.5	Alcohol			47.3	52.4
Cigarettes			11.3	10.4	Cigarettes			49.1	53.7
Marijuana			11.2	6.1	Marijuana			32.0	27.9
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			18.0	16.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others			61.1	67.1	Were grouchy, irritable, or in a bad mood			27.3	21.9
Were victims of mean rumors or lies spread at school			51.2	59.6	Had difficulty concentrating on school work			24.8	19.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet			18.9	18.3	Were very sad			20.9	13.0
					Felt hopeless about the future			12.6	9.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide			14.7	11.3	Parents involve student in making family decisions			67.0	66.7
Made plan about how they would attempt suicide			9.5	9.8	Parents notice and comment on student's good work			78.5	84.5
Attempted suicide			6.7	3.7	Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DAVIESS COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	8,433
2016 Estimate	8,209

BIRTH RISK	2015	2014	2013
Resident Births	116	137	107
Mother Reported Smoking while Pregnant	30	35	27

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	0	0
Hepatitis C Chronic and Acute	5	6	3
Tuberculosis Infection Cases	1	2	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	102	87	95
Suicide	2	1	3
Homicide	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	23	17	21
Self-inflicted Injuries *	0	3	1
Assault Injuries *	16	11	10

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	48	37	49
Mental Illness Secondary Diagnosis	142	98	80
Alcohol Principal Diagnosis	3	1	2
Alcohol Secondary Diagnosis	10	7	3
Drug Principal Diagnosis	5	2	1
Drug Secondary Diagnosis	7	4	7
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	15	11	10
Mental Illness Secondary Diagnosis	84	103	124
Alcohol Principal Diagnosis	2	4	2
Alcohol Secondary Diagnosis	7	11	6
Drug Principal Diagnosis	2	2	0
Drug Secondary Diagnosis	10	6	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	64	45	44
Mental Illness Secondary Diagnosis	71	54	55
Alcohol Principal Diagnosis	5	8	5
Alcohol Secondary Diagnosis	12	10	7
Drug Principal Diagnosis	7	3	2
Drug Secondary Diagnosis	9	11	9

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	5	5	5
Alcohol Package Carry-out Licenses	11	11	11

EMPLOYMENT	2016	2015	2014
Labor Force	4,177	4,120	4,059
Employed	4,017	3,932	3,823
Unemployed	160	188	236
Unemployment Rate	3.8%	4.6%	5.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	6	6	7
Fatal Crashes	1	0	0
Injury Crashes	1	6	5
Property Damage Crashes	4	0	0
Crash Fatalities	1	0	0
Crash Injuries	2	6	6
Drug Involved Crashes	1	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	49	43	41
Liquor Law Arrests	14	4	6
Drug Arrests	89	69	41
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	14	5	12
Domestic Violence Reports	13	13	14
Property Offenses	54	62	76

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	388	370	353
Drop-outs	2	3	3
Drop-out Rate	0.5%	0.8%	0.8%
School Discipline Involving Alcohol	0	1	0
School Discipline Involving Drugs	0	1	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	3	2	3
Juvenile Alcohol Offenses	1	0	1
Juvenile Drug Offenses	0	4	0
School Truancy Status Offense	2	6	1
Absent from Home Status Offense	4	0	2
Beyond Parental Control Status Offense	4	0	6
Injurious Behavior Status Offense	4	9	13
Child Abuse	3	2	4
Child Neglect	7	1	7
Child Custody Issues	5	3	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	15	7	13
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	5	2	4
Parental Alcohol and Drug Use	2	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	30	42	25
Probation/Parole Admissions--DWI	11	5	3
Prison Admissions--Drug	22	26	15
Prison Admissions--DWI	2	3	7

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

DAVIESS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	0
CSTAR General Adult	27	23	21
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	0	7
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	21	17	24
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	10	6	*
- Weekend Intervention Program	*	6	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	*	0	0
Recovery Supports	0	0	0
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	34	35	31	Alcohol	5	9	13
AGE				Marijuana / Hashish	10	9	9
Under 18	*	*	*	Cocaine (total)	*	*	0
18 to 24	*	8	6	- Crack	0	0	0
25 to 29	*	*	*	Stimulant (total)	12	11	7
30 to 34	8	7	*	- Methamphetamine	12	10	7
35 to 39	5	*	5	Heroin	*	*	0
40 to 44	5	6	*	Analgesic except Heroin	*	*	*
45 to 54	6	7	7	- Non-Prescription Methadone	0	0	0
55 and Over	0	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	12	17	21	Inhalant	0	0	0
Female	22	18	10	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	34	35	30	Average Age at First Use of Drug	21.7	17.6	15.4
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	6	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	0	0	*	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	5	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	13	12	0	22	20	17
High School Graduate or G.E.D.	18	15	16	1 or 2	11	13	8
Associate Degree or Some College	7	6	*	3 or More	*	*	6
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	9	14	7
Employed	11	13	13	School	0	0	0
Unemployed	9	10	11	Mental Health Provider	0	0	*
Not in Labor Force	14	12	7	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	16	12	8
Independent Living	24	30	27	Other Referral Source	6	*	14
Dependent Living	6	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	0
Never Married	12	18	14	Special Education Services Needed	*	*	*
Married / Cohabiting	10	6	11	Co-Occurring Psychological Problem	15	14	16
Previously Married	12	11	6	Co-Occurring Developmental Problem	0	0	0

DAVISS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 8,433
2016 POPULATION ESTIMATE 8,209

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	5	*	*
Anxiety Disorder	58	37	26
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	19	10	16
Mood Disorder	75	56	44
Personality Disorder	12	11	7
Psychotic Disorder	7	6	6
Sexual Disorder	*	*	*
Other Diagnosis	14	9	9
Diagnosis Unknown	*	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	109	72	64	Less than High School Diploma	43	27	20
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	0	0	Associate Degree or Some College	0	0	*
6 to 9	10	5	5	Bachelor or Advanced Degree	0	0	0
10 to 13	12	7	7	Education Level Unknown	66	45	41
14 to 17	8	*	7	EMPLOYMENT			
18 to 24	11	7	5	Employed	13	6	9
25 to 29	9	6	*	Unemployed	8	5	6
30 to 34	9	9	*	Not in Labor Force	76	46	39
35 to 39	11	*	5	Employment Status Unknown	12	15	10
40 to 44	8	7	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	8	6	8	Independent Living	59	38	36
50 to 54	10	8	8	Dependent Living	34	19	15
55 to 59	9	8	7	Homeless	*	*	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	15	12	13
GENDER				TREATMENT REFERRAL SOURCE			
Male	39	23	27	Self / Family / Friend	60	29	32
Female	70	49	37	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	5	6
RACE / ETHNICITY				Health Care Provider	22	15	10
Caucasian	104	68	62	Court / Criminal Justice	11	14	8
African American	*	0	0	Other	12	8	7
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	109	72	63
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.1	34.7	31.0	49.5	Alcohol	14.9	14.9	13.8	21.3
Chewing Tobacco	19.4	14.9	19.3	23.4	Alcohol (5+ drinks on single occasion past 2 weeks)	4.5	6.9		
Cigarettes	23.3	26.7	30.3	29.3	Chewing Tobacco	11.2	7.9	11.6	12.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.0	5.5	3.3	Cigarettes	8.2	13.9	16.8	14.1
Cocaine	0.8	1.0	2.8	4.9	Inhalants	0.0	2.0	4.1	3.3
Electronic Cigarettes	10.4	12.0			Marijuana	2.2	4.0	5.5	7.7
Hallucinogens	0.8	1.0	5.5	3.3	Over-the-counter medications for non-medical use	0.7	1.0	7.5	6.1
Heroin	0.0	0.0	2.8	2.2	Prescription medications not prescribed for student	10.4	2.0	6.8	9.9
Inhalants	2.3	5.0	9.6	7.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	9.0	11.9	13.0	14.8	Alcohol (1 or 2 drinks daily)	64.2	49.0		
Methamphetamine	0.0	0.0	2.8	1.7	Alcohol (Binge: 5+ drinks once or twice a week)	72.9	61.4		
Over-the-counter medications for non-medical use	2.2	3.0	8.3	9.5	Cigarettes (1+ packs per day)	88.0	80.0		
Prescription medications not prescribed for student	11.9	8.0	12.3	19.2	Marijuana (once or twice a week)	78.5	69.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.5	5.9	11.6		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	92.0	91.7	93.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.98	12.99	12.57	12.77	Alcohol	80.9	78.0	89.0	77.7
Cigarettes	13.38	13.38	12.17	12.61	Cigarettes	93.1	89.0	92.4	88.0
Inhalants		12.75	12.17	12.55	Marijuana	96.9	93.9	97.3	97.3
Marijuana	13.51	14.27	13.48	13.94	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	70.5	61.4	65.5	63.0
Alcohol	42.1	44.0	45.9	51.1	Cigarettes	85.7	78.0	76.6	79.2
Cigarettes	32.8	40.6	43.2	48.4	Marijuana	90.3	85.0	84.8	86.8
Marijuana	20.0	24.0	23.8	26.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	98.0	93.8	95.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.7	6.0	12.3	11.1	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	45.8	50.0	39.3	54.9
Alcohol	24.1	26.7	27.4	27.1	Cigarettes	46.2	49.5	44.1	59.9
Cigarettes	10.6	17.0	21.2	16.9	Marijuana	23.5	25.3	25.5	28.7
Marijuana	6.7	8.9	12.4	9.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.4	9.1	16.1	13.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.5	55.0	66.2	69.7	Were grouchy, irritable, or in a bad mood	29.1	24.0	31.0	12.6
Were victims of mean rumors or lies spread at school	51.5	47.5	46.2	55.0	Had difficulty concentrating on school work	23.3	20.8	23.4	14.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.1	23.0	24.1	23.2	Were very sad	18.7	14.9	24.0	7.0
					Felt hopeless about the future	9.7	7.9	13.7	4.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.5	9.9	12.6	10.3	Parents involve student in making family decisions	72.2	71.3	73.8	70.1
Made plan about how they would attempt suicide	7.5	8.0	9.7	6.5	Parents notice and comment on student's good work	80.5	82.2	81.4	88.0
Attempted suicide	5.3	4.0	7.6	3.8	Teachers notice and comment on student's good work	72.4	74.3		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

DE KALB COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	12,892
2016 Estimate	12,613

BIRTH RISK	2015	2014	2013
Resident Births	118	102	104
Mother Reported Smoking while Pregnant	23	30	27

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	2
Hepatitis B Chronic, Acute, Prenatal	0	2	1
Hepatitis C Chronic and Acute	15	41	37
Tuberculosis Infection Cases	0	0	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	114	113	132
Suicide	4	2	2
Homicide	0	1	0
Alcohol Induced Deaths	0	2	2
Drug Induced Deaths	0	0	1
Smoking Attributable Deaths	18	24	24
Self-inflicted Injuries *	6	3	6
Assault Injuries *	22	36	38

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	74	50	44
Mental Illness Secondary Diagnosis	188	76	85
Alcohol Principal Diagnosis	2	2	0
Alcohol Secondary Diagnosis	9	8	10
Drug Principal Diagnosis	2	1	0
Drug Secondary Diagnosis	11	3	3
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	16	23	35
Mental Illness Secondary Diagnosis	166	254	175
Alcohol Principal Diagnosis	2	3	6
Alcohol Secondary Diagnosis	13	17	13
Drug Principal Diagnosis	3	1	3
Drug Secondary Diagnosis	5	7	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	66	73	53
Mental Illness Secondary Diagnosis	92	76	67
Alcohol Principal Diagnosis	8	3	5
Alcohol Secondary Diagnosis	11	11	6
Drug Principal Diagnosis	8	9	4
Drug Secondary Diagnosis	8	8	10

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	11	10	10
Alcohol Package Carry-out Licenses	13	13	12

EMPLOYMENT	2016	2015	2014
Labor Force	5,123	5,074	5,142
Employed	4,898	4,838	4,870
Unemployed	225	236	272
Unemployment Rate	4.4%	4.7%	5.3%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	9	13	10
Fatal Crashes	0	0	0
Injury Crashes	3	6	5
Property Damage Crashes	6	7	4
Crash Fatalities	0	0	0
Crash Injuries	3	12	7
Drug Involved Crashes	5	1	2
Fatal Crashes	0	0	0
Injury Crashes	3	1	1
Property Damage Crashes	2	0	1
Crash Fatalities	0	0	0
Crash Injuries	5	2	3

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	63	63	48
Liquor Law Arrests	5	4	9
Drug Arrests	71	75	51
Methamphetamine Lab Seizures	0	0	1
Violent Offenses	6	6	18
Domestic Violence Reports	18	16	17
Property Offenses	51	44	77

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	305	314	336
Drop-outs	3	6	4
Drop-out Rate	1.0%	1.9%	1.2%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	0	2	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	5	6	16
Juvenile Alcohol Offenses	1	0	2
Juvenile Drug Offenses	0	3	4
School Truancy Status Offense	8	14	13
Absent from Home Status Offense	5	7	4
Beyond Parental Control Status Offense	8	2	6
Injurious Behavior Status Offense	15	8	12
Child Abuse	1	0	3
Child Neglect	11	17	14
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	19	33	15
Parental Alcohol Use Related	0	5	0
Parental Drug Use Related	3	10	12
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	50	48	29
Probation/Parole Admissions--DWI	10	4	6
Prison Admissions--Drug	35	36	19
Prison Admissions--DWI	4	8	6

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

DE KALB COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	0	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	0	*
CSTAR General Adult	31	15	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	0	16
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	24	29	27
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	6	13	14
- Weekend Intervention Program	*	6	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	37	29	33	Alcohol	12	9	13
AGE				Marijuana / Hashish	11	9	5
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	6	*	*	- Crack	0	0	0
25 to 29	5	5	8	Stimulant (total)	12	8	12
30 to 34	8	6	6	- Methamphetamine	12	8	11
35 to 39	7	*	6	Heroin	0	0	0
40 to 44	*	*	5	Analgesic except Heroin	*	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	21	13	18	Inhalant	0	0	0
Female	16	16	15	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	36	27	32	Average Age at First Use of Drug	19.5	17.5	17.8
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	*	*	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	9	13	0	26	20	22
High School Graduate or G.E.D.	22	11	16	1 or 2	8	5	*
Associate Degree or Some College	7	9	*	3 or More	*	*	7
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	14	11	9
Employed	11	5	9	School	0	0	0
Unemployed	6	9	13	Mental Health Provider	0	0	0
Not in Labor Force	20	15	11	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	16	11	15
Independent Living	28	18	26	Other Referral Source	5	6	9
Dependent Living	*	5	6	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	16	14	16	Special Education Services Needed	*	*	0
Married / Cohabiting	10	8	9	Co-Occurring Psychological Problem	16	14	12
Previously Married	11	7	8	Co-Occurring Developmental Problem	*	0	0

DE KALB COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 12,892
2016 POPULATION ESTIMATE 12,613

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	26	22	22
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	9	12	6
Mood Disorder	43	35	33
Personality Disorder	7	8	7
Psychotic Disorder	8	9	12
Sexual Disorder	*	*	*
Other Diagnosis	5	*	*
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	65	53	49	Less than High School Diploma	15	19	18
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	0	Associate Degree or Some College	0	0	0
6 to 9	5	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	5	7	*	Education Level Unknown	50	34	31
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	8	6	*	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	*	*
30 to 34	7	6	7	Not in Labor Force	40	39	39
35 to 39	8	5	*	Employment Status Unknown	18	11	6
40 to 44	*	*	5	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	5	Independent Living	38	27	29
50 to 54	6	7	7	Dependent Living	12	15	12
55 to 59	6	*	5	Homeless	0	0	0
60 and Over	5	5	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	15	11	8
GENDER				TREATMENT REFERRAL SOURCE			
Male	29	23	18	Self / Family / Friend	32	29	21
Female	36	30	31	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	7	7
RACE / ETHNICITY				Health Care Provider	17	9	10
Caucasian	62	49	46	Court / Criminal Justice	5	*	*
African American	*	*	*	Other	5	5	9
Native American / Alaskan	0	0	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	64	52	48
Other Race	0	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	26.1	25.8	39.5	31.2	Alcohol	7.9	11.3	15.6	9.1
Chewing Tobacco	14.9	12.8	20.5	10.3	Alcohol (5+ drinks on single occasion past 2 weeks)	4.5	5.6		
Cigarettes	22.2	21.0	27.1	28.9	Chewing Tobacco	6.8	7.2	12.0	7.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	0.8	0.6	0.0	Cigarettes	9.1	10.5	12.0	15.6
Cocaine	0.6	0.8	0.6	0.5	Inhalants	0.6	0.8	1.8	2.5
Electronic Cigarettes	16.7	9.6			Marijuana	3.4	0.0	1.8	2.5
Hallucinogens	0.6	0.8	1.2	1.0	Over-the-counter medications for non-medical use	1.7	0.0	1.8	2.5
Heroin	0.0	0.0	1.2	0.0	Prescription medications not prescribed for student	7.9	0.0	1.8	3.5
Inhalants	1.7	3.2	2.4	4.5	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	7.9	6.4	9.6	5.0	Alcohol (1 or 2 drinks daily)	61.9	60.0		
Methamphetamine	0.6	0.0	0.6	0.5	Alcohol (Binge: 5+ drinks once or twice a week)	81.5	79.0		
Over-the-counter medications for non-medical use	5.1	0.0	2.4	2.5	Cigarettes (1+ packs per day)	79.8	86.1		
Prescription medications not prescribed for student	8.5	3.2	3.0	7.1	Marijuana (once or twice a week)	75.7	80.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.1	0.8	1.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.2	97.6	87.2	95.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.49	12.80	13.09	12.04	Alcohol	89.1	81.6	79.4	88.8
Cigarettes	13.45	13.74	13.15	10.89	Cigarettes	95.4	88.6	93.4	93.0
Inhalants		11.28		10.32	Marijuana	94.8	92.8	97.6	97.0
Marijuana	14.56	15.24	14.65	14.33	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	72.7	74.8	61.1	69.8
Alcohol	34.5	31.0	54.8	28.1	Cigarettes	86.5	82.3	82.4	86.1
Cigarettes	32.6	32.0	50.0	34.8	Marijuana	83.7	90.2	91.0	90.7
Marijuana	21.3	12.8	27.7	14.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	99.2	97.0	98.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9	1.6	7.8	9.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	44.9	46.4	59.0	39.9
Alcohol	19.3	18.3	28.5	19.9	Cigarettes	44.6	42.4	56.0	46.8
Cigarettes	10.2	13.5	13.9	9.0	Marijuana	26.0	13.0	27.9	16.1
Marijuana	8.4	2.4	4.8	4.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.9	3.2	12.3	6.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.6	68.0	63.3	64.4	Were grouchy, irritable, or in a bad mood	30.9	20.8	21.7	14.6
Were victims of mean rumors or lies spread at school	48.9	55.2	51.8	47.8	Had difficulty concentrating on school work	28.1	21.6	10.8	14.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.0	23.2	21.2	14.1	Were very sad	15.3	17.6	22.9	7.3
					Felt hopeless about the future	10.1	8.9	7.8	2.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.5	5.6	7.9	13.2	Parents involve student in making family decisions	73.6	69.6	66.3	80.4
Made plan about how they would attempt suicide	6.3	3.2	4.2	11.7	Parents notice and comment on student's good work	84.2	78.6	82.5	83.3
Attempted suicide	3.7	0.8	3.0	1.5	Teachers notice and comment on student's good work	79.2	74.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DENT COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	15,657
2016 Estimate	15,387

BIRTH RISK	2015	2014	2013
Resident Births	213	179	180
Mother Reported Smoking while Pregnant	57	44	56

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	14	25	15
Tuberculosis Infection Cases	2	3	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	195	194	190
Suicide	2	3	3
Homicide	1	0	0
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	2	7	2
Smoking Attributable Deaths	46	36	41
Self-inflicted Injuries *	30	38	22
Assault Injuries *	54	60	62

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	145	117	142
Mental Illness Secondary Diagnosis	322	259	290
Alcohol Principal Diagnosis	7	4	9
Alcohol Secondary Diagnosis	20	14	13
Drug Principal Diagnosis	53	62	49
Drug Secondary Diagnosis	34	16	28
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	34	43	48
Mental Illness Secondary Diagnosis	190	285	222
Alcohol Principal Diagnosis	2	3	10
Alcohol Secondary Diagnosis	17	21	17
Drug Principal Diagnosis	5	8	7
Drug Secondary Diagnosis	9	13	9
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	166	175	180
Mental Illness Secondary Diagnosis	282	547	594
Alcohol Principal Diagnosis	35	41	32
Alcohol Secondary Diagnosis	20	20	19
Drug Principal Diagnosis	38	39	32
Drug Secondary Diagnosis	37	38	44

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	10	10	10
Alcohol Package Carry-out Licenses	14	14	14

EMPLOYMENT	2016	2015	2014
Labor Force	6,278	6,379	6,202
Employed	5,938	6,008	5,785
Unemployed	340	371	417
Unemployment Rate	5.4%	5.8%	6.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	26	17	5
Fatal Crashes	0	0	1
Injury Crashes	14	10	1
Property Damage Crashes	12	7	9
Crash Fatalities	0	0	1
Crash Injuries	20	11	1
Drug Involved Crashes	6	7	2
Fatal Crashes	0	1	1
Injury Crashes	4	5	0
Property Damage Crashes	2	1	1
Crash Fatalities	0	1	1
Crash Injuries	8	6	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	80	81	68
Liquor Law Arrests	8	7	8
Drug Arrests	141	103	60
Methamphetamine Lab Seizures	6	6	6
Violent Offenses	17	24	12
Domestic Violence Reports	10	2	2
Property Offenses	240	249	305

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	598	634	628
Drop-outs	3	7	1
Drop-out Rate	0.5%	1.1%	0.2%
School Discipline Involving Alcohol	0	1	1
School Discipline Involving Drugs	1	7	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	14	7	4
Juvenile Alcohol Offenses	1	0	0
Juvenile Drug Offenses	1	1	1
School Truancy Status Offense	3	7	4
Absent from Home Status Offense	1	1	2
Beyond Parental Control Status Offense	10	11	3
Injurious Behavior Status Offense	12	6	6
Child Abuse	2	6	0
Child Neglect	39	36	31
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	37	41	24
Parental Alcohol Use Related	3	0	0
Parental Drug Use Related	13	8	13
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	34	25	30
Probation/Parole Admissions--Drug	74	67	42
Probation/Parole Admissions--DWI	3	2	1
Prison Admissions--Drug	47	32	24
Prison Admissions--DWI	0	1	2

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

DENT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	34	30	24
CSTAR Adolescent	0	*	*
CSTAR Women and Children	6	6	*
CSTAR General Adult	111	105	102
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	0
Clinical SATOP (CIP, YCIP, SROP)	12	15	17
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	55	57	52
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	21	20	14
- Weekend Intervention Program	7	9	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	8	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	124	119	123	Alcohol	44	49	47
AGE				Marijuana / Hashish	15	17	21
Under 18	0	*	*	Cocaine (total)	0	0	*
18 to 24	17	19	18	- Crack	0	0	0
25 to 29	23	24	27	Stimulant (total)	29	22	14
30 to 34	31	21	26	- Methamphetamine	29	22	13
35 to 39	14	19	14	Heroin	20	11	11
40 to 44	9	9	6	Analgesic except Heroin	15	20	25
45 to 54	23	18	24	- Non-Prescription Methadone	0	0	0
55 and Over	7	6	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	71	77	83	Inhalant	0	0	0
Female	53	42	40	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	122	115	117	Average Age at First Use of Drug	20.3	20.5	18.3
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	43	32	29
Asian / Pacific Islander	0	0	0	- Daily Injection Use	9	9	*
Hispanic	0	*	*	- Weekly Injection Use	8	9	11
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	26	14	15
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	40	47	47	0	59	54	60
High School Graduate or G.E.D.	64	56	57	1 or 2	47	39	38
Associate Degree or Some College	20	15	19	3 or More	18	26	25
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	98	99	98
Employed	22	37	23	School	*	0	0
Unemployed	60	60	57	Mental Health Provider	0	0	*
Not in Labor Force	42	22	43	Health Care Provider	12	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	7	9	11
Independent Living	115	106	111	Other Referral Source	5	5	8
Dependent Living	*	7	8	TREATMENT ACCOMMODATION			
Homeless	*	5	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	7
Never Married	59	58	61	Special Education Services Needed	10	*	8
Married / Cohabiting	34	29	30	Co-Occurring Psychological Problem	59	62	61
Previously Married	31	32	32	Co-Occurring Developmental Problem	8	6	15

DENT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 15,657
2016 POPULATION ESTIMATE 15,387

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	6	8	6
Anxiety Disorder	173	198	188
Dementia	0	0	0
Developmental Disorder	6	*	*
Impulse Control Disorder	38	53	49
Mood Disorder	179	195	203
Personality Disorder	14	14	14
Psychotic Disorder	24	28	31
Sexual Disorder	0	0	0
Other Diagnosis	19	11	24
Diagnosis Unknown	9	10	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	259	294	290	Less than High School Diploma	62	85	105
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	5	6	Associate Degree or Some College	0	0	0
6 to 9	22	26	21	Bachelor or Advanced Degree	0	0	0
10 to 13	15	20	28	Education Level Unknown	197	209	185
14 to 17	21	25	31	EMPLOYMENT			
18 to 24	33	37	27	Employed	19	9	15
25 to 29	26	26	27	Unemployed	7	22	7
30 to 34	20	25	29	Not in Labor Force	100	144	177
35 to 39	20	24	24	Employment Status Unknown	133	119	91
40 to 44	23	24	23	HOUSING / LIVING ARRANGEMENT			
45 to 49	21	28	26	Independent Living	64	106	124
50 to 54	26	22	23	Dependent Living	58	73	83
55 to 59	21	20	15	Homeless	*	*	*
60 and Over	9	12	10	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	136	114	82
GENDER				TREATMENT REFERRAL SOURCE			
Male	97	108	126	Self / Family / Friend	207	248	244
Female	162	186	164	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	37	29	24
Caucasian	245	280	279	Court / Criminal Justice	*	0	5
African American	5	*	*	Other	9	15	15
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	6	6	Voluntary	256	294	289
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	9	10	12	Commitment Type Unknown	0	0	0
Past or Current Military Service	6	8	8				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	36.1	12.4	28.2	40.5	Alcohol	13.5	1.9	17.1	15.3
Chewing Tobacco	23.7	35.6	22.9	23.7	Alcohol (5+ drinks on single occasion past 2 weeks)	8.3	0.0		
Cigarettes	32.0	14.1	22.4	30.8	Chewing Tobacco	11.8	19.0	11.4	14.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	0.6	0.0	2.3	Cigarettes	15.7	3.1	13.5	16.5
Cocaine	0.8	0.6	1.2	1.6	Inhalants	2.0	0.6	9.4	2.6
Electronic Cigarettes	32.4	17.9			Marijuana	6.7	0.6	6.9	6.5
Hallucinogens	1.2	0.6	3.3	2.9	Over-the-counter medications for non-medical use	1.6	1.2	3.3	5.2
Heroin	1.2	0.6	0.8	0.3	Prescription medications not prescribed for student	6.8	2.5	2.0	7.8
Inhalants	4.4	1.8	12.6	5.8	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	16.5	1.9	13.9	12.8	Alcohol (1 or 2 drinks daily)	54.4	59.5		
Methamphetamine	1.2	0.0	0.8	1.6	Alcohol (Binge: 5+ drinks once or twice a week)	68.7	69.8		
Over-the-counter medications for non-medical use	4.8	1.2	9.8	8.4	Cigarettes (1+ packs per day)	77.6	85.7		
Prescription medications not prescribed for student	12.0	4.3	8.6	11.7	Marijuana (once or twice a week)	64.7	73.5		
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	0.6	8.2		Other: Cocaine, LSD, Meth, Club Drug (any use)	89.6	89.6	96.1	92.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.89	9.90	10.50	11.58	Alcohol	79.7	70.7	76.3	79.6
Cigarettes	12.53	10.97	10.78	11.55	Cigarettes	86.9	74.8	83.3	91.3
Inhalants	12.79	9.57	9.89	11.39	Marijuana	91.9	87.0	99.1	95.2
Marijuana	13.31	12.27	13.30	12.30	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	65.2	73.6	71.2	67.0
Alcohol	45.6	25.9	36.7	49.4	Cigarettes	79.5	78.3	82.7	76.1
Cigarettes	35.0	26.4	34.7	44.8	Marijuana	81.4	94.5	83.5	85.5
Marijuana	28.1	16.6	19.3	28.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.3	98.7	96.5	94.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	1.9	4.9	11.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	48.8	33.1	40.2	49.4
Alcohol	29.1	29.4	17.1	27.2	Cigarettes	48.0	30.1	37.1	53.0
Cigarettes	17.4	9.2	10.2	17.0	Marijuana	32.2	8.1	23.4	26.5
Marijuana	12.7	3.1	9.3	9.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	4.3	7.8	16.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	57.1	38.0	66.5	72.1	Were grouchy, irritable, or in a bad mood	31.2	15.2	26.0	14.6
Were victims of mean rumors or lies spread at school	50.4	30.7	47.8	59.1	Had difficulty concentrating on school work	24.0	24.2	27.8	14.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.3	13.4	17.3	17.2	Were very sad	26.1	8.6	28.5	9.3
					Felt hopeless about the future	10.2	6.7	21.2	6.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.0	1.8	13.5	13.7	Parents involve student in making family decisions	68.9	69.1	78.0	68.6
Made plan about how they would attempt suicide	7.2	1.2	4.9	8.9	Parents notice and comment on student's good work	83.4	78.7	86.1	84.9
Attempted suicide	5.2	0.6	2.0	6.4	Teachers notice and comment on student's good work	79.5	79.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DOUGLAS COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	13,684
2016 Estimate	13,358

BIRTH RISK	2015	2014	2013
Resident Births	152	155	140
Mother Reported Smoking while Pregnant	37	40	29

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	1
Hepatitis C Chronic and Acute	9	11	7
Tuberculosis Infection Cases	1	1	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	179	151	185
Suicide	5	2	2
Homicide	1	0	1
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	0	2	2
Smoking Attributable Deaths	22	27	38
Self-inflicted Injuries *	0	7	9
Assault Injuries *	8	10	14

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	49	43	45
Mental Illness Secondary Diagnosis	147	90	77
Alcohol Principal Diagnosis	7	6	1
Alcohol Secondary Diagnosis	11	5	2
Drug Principal Diagnosis	5	4	4
Drug Secondary Diagnosis	17	10	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	33	31	25
Mental Illness Secondary Diagnosis	194	195	193
Alcohol Principal Diagnosis	6	12	4
Alcohol Secondary Diagnosis	17	9	12
Drug Principal Diagnosis	2	7	4
Drug Secondary Diagnosis	15	12	10
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	42	47	45
Mental Illness Secondary Diagnosis	228	256	262
Alcohol Principal Diagnosis	6	14	7
Alcohol Secondary Diagnosis	4	9	11
Drug Principal Diagnosis	13	7	12
Drug Secondary Diagnosis	13	9	8

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	4	4	4
Alcohol Package Carry-out Licenses	10	11	11

EMPLOYMENT	2016	2015	2014
Labor Force	5,151	5,110	4,996
Employed	4,839	4,761	4,620
Unemployed	312	349	376
Unemployment Rate	6.1%	6.8%	7.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	14	14	12
Fatal Crashes	0	0	1
Injury Crashes	7	9	5
Property Damage Crashes	7	5	8
Crash Fatalities	0	0	1
Crash Injuries	9	19	11
Drug Involved Crashes	3	0	2
Fatal Crashes	1	0	0
Injury Crashes	2	0	1
Property Damage Crashes	0	0	1
Crash Fatalities	1	0	0
Crash Injuries	4	0	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	56	51	41
Liquor Law Arrests	18	18	22
Drug Arrests	200	140	146
Methamphetamine Lab Seizures	0	1	1
Violent Offenses	24	21	24
Domestic Violence Reports	0	0	0
Property Offenses	138	212	186

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	421	426	424
Drop-outs	2	1	1
Drop-out Rate	0.5%	0.2%	0.2%
School Discipline Involving Alcohol	0	1	2
School Discipline Involving Drugs	0	1	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	20	11	7
Juvenile Alcohol Offenses	2	2	3
Juvenile Drug Offenses	2	0	2
School Truancy Status Offense	0	15	1
Absent from Home Status Offense	1	0	1
Beyond Parental Control Status Offense	2	4	5
Injurious Behavior Status Offense	3	1	3
Child Abuse	0	0	2
Child Neglect	16	20	31
Child Custody Issues	0	0	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	13	9	31
Parental Alcohol Use Related	3	0	1
Parental Drug Use Related	4	2	7
Parental Alcohol and Drug Use	3	0	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	39	38	45
Probation/Parole Admissions--Drug	71	42	34
Probation/Parole Admissions--DWI	5	5	0
Prison Admissions--Drug	22	20	16
Prison Admissions--DWI	4	2	3

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

DOUGLAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	13	5	6
CSTAR Adolescent	*	0	*
CSTAR Women and Children	*	9	*
CSTAR General Adult	22	31	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	14
Clinical SATOP (CIP, YCIP, SROP)	6	15	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	30	36	27
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	9	14	12
- Weekend Intervention Program	5	7	*
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	40	54	39	Alcohol	14	19	11
AGE				Marijuana / Hashish	8	8	6
Under 18	*	0	*	Cocaine (total)	0	*	0
18 to 24	6	8	6	- Crack	0	0	0
25 to 29	8	8	*	Stimulant (total)	11	21	17
30 to 34	*	12	5	- Methamphetamine	11	21	17
35 to 39	5	7	8	Heroin	*	*	*
40 to 44	*	7	6	Analgesic except Heroin	5	*	*
45 to 54	11	6	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	6	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	27	34	27	Inhalant	0	0	0
Female	13	20	12	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	39	53	39	Average Age at First Use of Drug	17.7	18.5	18.7
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	10	15	11
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	5	10	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	11	16	13	0	18	27	20
High School Graduate or G.E.D.	18	26	16	1 or 2	14	18	11
Associate Degree or Some College	11	12	10	3 or More	8	9	8
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	17	8	9
Employed	12	23	6	School	0	0	0
Unemployed	6	10	15	Mental Health Provider	*	0	0
Not in Labor Force	22	21	18	Health Care Provider	5	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	15	36	23
Independent Living	34	47	31	Other Referral Source	*	7	6
Dependent Living	*	5	6	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	17	16	18	Special Education Services Needed	5	*	*
Married / Cohabiting	14	21	10	Co-Occurring Psychological Problem	19	20	10
Previously Married	9	17	11	Co-Occurring Developmental Problem	*	*	0

DOUGLAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 13,684
2016 POPULATION ESTIMATE 13,358

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	32	45	43
Dementia	0	*	0
Developmental Disorder	0	0	*
Impulse Control Disorder	9	7	10
Mood Disorder	36	52	72
Personality Disorder	*	9	9
Psychotic Disorder	5	5	*
Sexual Disorder	0	0	0
Other Diagnosis	*	5	5
Diagnosis Unknown	5	6	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	58	77	92	Less than High School Diploma	14	19	26
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	5	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	5	Education Level Unknown	44	58	66
14 to 17	6	7	8	EMPLOYMENT			
18 to 24	*	7	16	Employed	5	12	5
25 to 29	6	10	6	Unemployed	7	5	11
30 to 34	8	10	10	Not in Labor Force	30	43	52
35 to 39	7	11	6	Employment Status Unknown	16	17	24
40 to 44	*	5	6	HOUSING / LIVING ARRANGEMENT			
45 to 49	6	5	8	Independent Living	26	32	33
50 to 54	6	7	12	Dependent Living	6	15	19
55 to 59	*	*	7	Homeless	*	0	5
60 and Over	6	8	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	25	30	35
GENDER				TREATMENT REFERRAL SOURCE			
Male	24	26	33	Self / Family / Friend	27	37	44
Female	34	51	59	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	0
RACE / ETHNICITY				Health Care Provider	25	24	37
Caucasian	55	74	90	Court / Criminal Justice	0	*	*
African American	*	0	0	Other	5	10	7
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	*	*	Voluntary	57	76	91
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		34.5	43.3	46.1	Alcohol	12.1	22.1	22.1	
Chewing Tobacco		17.0	25.0	26.9	Alcohol (5+ drinks on single occasion past 2 weeks)	8.6			
Cigarettes		25.6	29.3	39.5	Chewing Tobacco	7.4	16.4	15.9	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.1	0.5	2.7	Cigarettes	9.1	11.1	20.3	
Cocaine		0.6	2.0	1.4	Inhalants	0.6	1.9	4.7	
Electronic Cigarettes		17.6			Marijuana	2.3	7.7	6.1	
Hallucinogens		1.1	0.5	2.7	Over-the-counter medications for non-medical use	0.0	1.4	5.1	
Heroin		0.0	0.5	1.0	Prescription medications not prescribed for student	4.0	1.4	6.8	
Inhalants		3.4	3.4	9.8					
Marijuana		8.0	14.5	13.5	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	1.4	0.7	Alcohol (1 or 2 drinks daily)	52.8			
Over-the-counter medications for non-medical use		0.6	1.9	9.4	Alcohol (Binge: 5+ drinks once or twice a week)	69.9			
Prescription medications not prescribed for student		6.3	7.2	13.5	Cigarettes (1+ packs per day)	84.9			
Synthetic drugs (K2, bath salts, Spice, etc)		2.9	7.7		Marijuana (once or twice a week)	74.9			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.3	93.7	90.6	
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.59	12.95	12.02		Alcohol	83.3	75.2	79.4	
Cigarettes	12.86	12.19	12.64		Cigarettes	90.3	84.6	88.6	
Inhalants	12.91	12.41	12.78		Marijuana	95.3	92.7	95.9	
Marijuana	13.92	13.19	13.83						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	39.7	62.5	62.2		Alcohol	68.4	60.3	53.4	
Cigarettes	37.5	53.4	54.1		Cigarettes	81.6	68.9	66.7	
Marijuana	21.1	35.9	33.7		Marijuana	87.5	79.7	82.1	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.1	13.9	16.8		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	95.7	92.9	
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.0	35.7	40.3		Alcohol	51.2	64.4	63.9	
Cigarettes	9.1	19.3	23.2		Cigarettes	50.0	65.5	65.5	
Marijuana	4.6	11.3	11.6		Marijuana	22.7	35.8	38.4	
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	15.2	22.3	
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	46.6	63.6	66.9		Were grouchy, irritable, or in a bad mood	24.7	30.9	33.0	
Were victims of mean rumors or lies spread at school	41.1	52.4	54.8		Had difficulty concentrating on school work	24.0	25.6	30.4	
Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.9	25.7	19.9		Were very sad	16.8	25.6	22.0	
					Felt hopeless about the future	10.8	15.2	19.5	
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	7.4	10.6	11.8		Parents involve student in making family decisions	72.0	68.8	63.1	
Made plan about how they would attempt suicide	6.8	8.7	9.5		Parents notice and comment on student's good work	84.1	81.6	78.0	
Attempted suicide	5.7	3.8	6.1		Teachers notice and comment on student's good work	72.7			


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

DUNKLIN COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	19
POPULATION	
Census 2010	31,953
2016 Estimate	30,535

BIRTH RISK	2015	2014	2013
Resident Births	403	457	469
Mother Reported Smoking while Pregnant	114	130	139

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	4	0	3
Hepatitis B Chronic, Acute, Prenatal	1	2	0
Hepatitis C Chronic and Acute	18	29	38
Tuberculosis Infection Cases	5	2	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	425	464	423
Suicide	4	6	6
Homicide	2	3	1
Alcohol Induced Deaths	4	2	1
Drug Induced Deaths	7	12	4
Smoking Attributable Deaths	96	105	101
Self-inflicted Injuries *	58	76	81
Assault Injuries *	135	155	207

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	441	538	462
Mental Illness Secondary Diagnosis	884	809	772
Alcohol Principal Diagnosis	28	30	22
Alcohol Secondary Diagnosis	63	64	52
Drug Principal Diagnosis	67	73	47
Drug Secondary Diagnosis	78	48	40
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	127	140	153
Mental Illness Secondary Diagnosis	449	602	652
Alcohol Principal Diagnosis	12	14	8
Alcohol Secondary Diagnosis	29	35	30
Drug Principal Diagnosis	9	22	24
Drug Secondary Diagnosis	12	22	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	547	599	526
Mental Illness Secondary Diagnosis	1,243	1,269	785
Alcohol Principal Diagnosis	34	57	73
Alcohol Secondary Diagnosis	61	52	36
Drug Principal Diagnosis	74	103	68
Drug Secondary Diagnosis	78	56	46

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	23	25	25
Alcohol Package Carry-out Licenses	45	46	48

EMPLOYMENT	2016	2015	2014
Labor Force	13,057	13,380	12,946
Employed	11,988	12,317	11,794
Unemployed	1,069	1,063	1,152
Unemployment Rate	8.2%	7.9%	8.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	21	21	22
Fatal Crashes	2	2	3
Injury Crashes	10	7	8
Property Damage Crashes	9	12	11
Crash Fatalities	3	3	3
Crash Injuries	16	10	11
Drug Involved Crashes	10	8	10
Fatal Crashes	0	1	0
Injury Crashes	5	4	6
Property Damage Crashes	5	3	4
Crash Fatalities	0	1	0
Crash Injuries	8	5	9

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	138	143	149
Liquor Law Arrests	13	38	46
Drug Arrests	281	203	193
Methamphetamine Lab Seizures	0	4	2
Violent Offenses	164	182	156
Domestic Violence Reports	269	260	182
Property Offenses	978	935	1,379

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,545	1,500	1,598
Drop-outs	16	13	13
Drop-out Rate	1.0%	0.9%	0.8%
School Discipline Involving Alcohol	4	1	1
School Discipline Involving Drugs	12	14	26
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	19	38	44
Juvenile Alcohol Offenses	1	2	12
Juvenile Drug Offenses	8	7	10
School Truancy Status Offense	103	111	51
Absent from Home Status Offense	3	6	7
Beyond Parental Control Status Offense	15	19	30
Injurious Behavior Status Offense	8	7	5
Child Abuse	17	24	76
Child Neglect	328	233	369
Child Custody Issues	5	4	3

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	117	96	122
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	89	71	71
Parental Alcohol and Drug Use	2	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	144	113	95
Probation/Parole Admissions--Drug	235	188	156
Probation/Parole Admissions--DWI	21	31	24
Prison Admissions--Drug	125	70	101
Prison Admissions--DWI	8	12	10

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

DUNKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	46	56	92
CSTAR Adolescent	28	18	21
CSTAR Women and Children	18	13	23
CSTAR General Adult	126	141	146
CSTAR Opioid	0	0	0
Primary Recovery Treatment	82	79	75
Clinical SATOP (CIP, YCIP, SROP)	25	24	19
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	87	103	98
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	27	30	38
- Weekend Intervention Program	15	16	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	8	7	23
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	274	272	278	Alcohol	67	81	85
AGE				Marijuana / Hashish	73	82	91
Under 18	29	21	25	Cocaine (total)	6	11	6
18 to 24	32	39	44	- Crack	*	6	*
25 to 29	51	48	45	Stimulant (total)	85	63	64
30 to 34	45	37	50	- Methamphetamine	82	62	64
35 to 39	38	42	37	Heroin	*	*	*
40 to 44	23	20	29	Analgesic except Heroin	25	23	20
45 to 54	41	51	36	- Non-Prescription Methadone	0	0	0
55 and Over	15	14	12	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	10	9	8
Male	165	183	186	Inhalant	0	0	0
Female	109	89	92	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	6	*	0
Caucasian	224	225	226	Average Age at First Use of Drug	18.4	17.9	17.5
African American	42	36	41	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	26	30	31
Asian / Pacific Islander	0	0	0	- Daily Injection Use	5	*	7
Hispanic	*	*	5	- Weekly Injection Use	6	16	7
Other Race / Two or More Races	6	10	7	- Less than Weekly Injection Use	15	13	17
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	114	127	118	0	191	171	174
High School Graduate or G.E.D.	115	110	126	1 or 2	53	64	65
Associate Degree or Some College	45	34	31	3 or More	30	37	39
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	48	51	58
Employed	66	52	54	School	*	0	0
Unemployed	64	93	76	Mental Health Provider	*	*	*
Not in Labor Force	144	127	148	Health Care Provider	24	24	18
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	156	162	148
Independent Living	202	196	202	Other Referral Source	35	28	46
Dependent Living	58	59	64	TREATMENT ACCOMMODATION			
Homeless	6	9	*	Pregnant when Admitted to any Episode	6	*	6
MARITAL / FAMILY STATUS				Military Veteran	9	5	13
Never Married	130	131	133	Special Education Services Needed	34	26	28
Married / Cohabiting	85	82	78	Co-Occurring Psychological Problem	90	104	67
Previously Married	59	59	67	Co-Occurring Developmental Problem	*	7	7

DUNKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 31,953
2016 POPULATION ESTIMATE 30,535

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	28	32	35
Anxiety Disorder	108	93	86
Dementia	0	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	90	74	67
Mood Disorder	516	458	370
Personality Disorder	*	6	*
Psychotic Disorder	129	118	101
Sexual Disorder	0	0	0
Other Diagnosis	21	10	11
Diagnosis Unknown	58	60	107

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	914	813	743	Less than High School Diploma	396	346	156
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	*	Associate Degree or Some College	0	0	0
6 to 9	39	38	46	Bachelor or Advanced Degree	0	0	0
10 to 13	74	71	53	Education Level Unknown	518	467	587
14 to 17	78	58	46	EMPLOYMENT			
18 to 24	51	52	76	Employed	59	65	8
25 to 29	68	67	68	Unemployed	91	103	39
30 to 34	76	77	60	Not in Labor Force	638	516	302
35 to 39	89	86	92	Employment Status Unknown	126	129	394
40 to 44	100	87	74	HOUSING / LIVING ARRANGEMENT			
45 to 49	96	80	63	Independent Living	497	429	217
50 to 54	86	79	69	Dependent Living	229	214	98
55 to 59	71	52	41	Homeless	21	31	6
60 and Over	86	64	53	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	167	139	422
GENDER				TREATMENT REFERRAL SOURCE			
Male	392	338	328	Self / Family / Friend	420	330	237
Female	522	475	415	School	*	*	6
Gender Unknown	0	0	0	Mental Health Provider	75	77	78
RACE / ETHNICITY				Health Care Provider	183	170	157
Caucasian	723	661	583	Court / Criminal Justice	112	108	143
African American	153	120	129	Other	117	119	113
Native American / Alaskan	*	0	0	Referral Source Unknown	6	7	9
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	13	9	16	Voluntary	896	797	729
Other Race	24	23	15	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	9	7	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	24	15	16	Commitment Type Unknown	7	8	9
Past or Current Military Service	20	18	12				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.1	49.3	42.2	42.9	Alcohol	14.6	18.9	18.8	17.9
Chewing Tobacco	15.9	24.1	17.4	15.6	Alcohol (5+ drinks on single occasion past 2 weeks)	6.8	10.0		
Cigarettes	25.6	41.1	31.7	34.5	Chewing Tobacco	7.5	20.7	9.1	6.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.8	2.4	1.1	Cigarettes	10.6	19.8	16.8	17.2
Cocaine	1.1	1.8	2.5	1.3	Inhalants	1.6	1.1	3.0	3.4
Electronic Cigarettes	30.0	20.1			Marijuana	4.9	4.7	7.9	6.1
Hallucinogens	1.6	0.0	2.2	1.7	Over-the-counter medications for non-medical use	2.9	2.4	3.8	4.4
Heroin	0.2	0.5	1.5	0.3	Prescription medications not prescribed for student	13.0	8.4	7.2	9.0
Inhalants	6.1	2.6	7.2	7.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.8	20.5	17.9	15.4	Alcohol (1 or 2 drinks daily)	60.8	52.5		
Methamphetamine	1.3	0.0	1.8	1.1	Alcohol (Binge: 5+ drinks once or twice a week)	72.6	55.9		
Over-the-counter medications for non-medical use	6.1	5.0	6.6	7.5	Cigarettes (1+ packs per day)	82.2	77.6		
Prescription medications not prescribed for student	20.8	13.9	12.7	14.3	Marijuana (once or twice a week)	66.7	59.9		
Synthetic drugs (K2, bath salts, Spice, etc)	4.9	1.8	10.2		Other: Cocaine, LSD, Meth, Club Drug (any use)	89.0	91.1	93.1	92.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.79	12.79	12.95	12.76	Alcohol	88.5	81.4	82.8	82.9
Cigarettes	12.20	12.22	12.11	12.24	Cigarettes	92.4	88.7	90.2	90.1
Inhalants	11.01	10.81	12.95	12.26	Marijuana	94.2	94.4	94.0	94.9
Marijuana	13.51	13.34	13.41	13.67	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	71.1	62.2	60.5	61.6
Alcohol	48.6	53.4	56.8	58.7	Cigarettes	86.1	75.1	76.7	75.6
Cigarettes	37.3	55.1	50.6	54.8	Marijuana	84.2	70.1	81.8	83.9
Marijuana	31.6	38.5	36.9	35.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	96.6	96.2	94.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	13.6	15.5	16.2	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	47.6	44.4	53.5	55.5
Alcohol	27.4	32.5	33.9	33.4	Cigarettes	47.4	63.9	59.6	58.6
Cigarettes	10.3	18.4	17.7	17.5	Marijuana	32.0	53.0	37.8	35.7
Marijuana	10.9	13.9	13.1	11.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.0	22.5	18.1	19.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	67.9	67.3	65.5	71.3	Were grouchy, irritable, or in a bad mood	38.7	36.4	27.6	19.7
Were victims of mean rumors or lies spread at school	59.2	55.9	58.0	60.1	Had difficulty concentrating on school work	30.5	19.4	22.1	21.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	31.3	20.6	23.9	19.2	Were very sad	24.6	21.9	18.5	13.4
					Felt hopeless about the future	14.4	10.8	11.0	8.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.8	15.9	11.8	13.1	Parents involve student in making family decisions	68.7	67.5	70.0	69.4
Made plan about how they would attempt suicide	11.8	7.0	9.0	10.6	Parents notice and comment on student's good work	82.3	87.1	85.0	85.0
Attempted suicide	6.0	6.6	5.4	7.0	Teachers notice and comment on student's good work	77.3	73.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

FRANKLIN COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	101,492
2016 Estimate	102,838

BIRTH RISK	2015	2014	2013
Resident Births	1,240	1,211	1,229
Mother Reported Smoking while Pregnant	260	246	267

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	1	2
Hepatitis B Chronic, Acute, Prenatal	6	4	2
Hepatitis C Chronic and Acute	88	88	86
Tuberculosis Infection Cases	17	8	18

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,021	957	906
Suicide	26	17	20
Homicide	4	1	3
Alcohol Induced Deaths	6	9	5
Drug Induced Deaths	24	26	21
Smoking Attributable Deaths	177	175	158
Self-inflicted Injuries *	104	131	132
Assault Injuries *	297	315	311

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	684	608	606
Mental Illness Secondary Diagnosis	1,708	1,301	1,372
Alcohol Principal Diagnosis	70	59	55
Alcohol Secondary Diagnosis	135	91	78
Drug Principal Diagnosis	148	76	96
Drug Secondary Diagnosis	132	94	73
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	505	580	598
Mental Illness Secondary Diagnosis	1,622	2,202	2,065
Alcohol Principal Diagnosis	44	47	69
Alcohol Secondary Diagnosis	176	214	215
Drug Principal Diagnosis	32	46	48
Drug Secondary Diagnosis	128	111	136
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,076	985	982
Mental Illness Secondary Diagnosis	9,353	9,442	8,573
Alcohol Principal Diagnosis	205	181	184
Alcohol Secondary Diagnosis	219	227	216
Drug Principal Diagnosis	284	256	233
Drug Secondary Diagnosis	346	372	318

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	127	127	127
Alcohol Package Carry-out Licenses	98	99	98

EMPLOYMENT	2016	2015	2014
Labor Force	52,984	53,129	52,061
Employed	50,672	50,446	48,705
Unemployed	2,312	2,683	3,356
Unemployment Rate	4.4%	5.0%	6.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	122	114	114
Fatal Crashes	4	6	6
Injury Crashes	56	52	45
Property Damage Crashes	62	56	56
Crash Fatalities	6	7	6
Crash Injuries	73	78	63
Drug Involved Crashes	31	26	28
Fatal Crashes	5	4	4
Injury Crashes	14	8	12
Property Damage Crashes	12	14	12
Crash Fatalities	5	5	4
Crash Injuries	22	12	20

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	500	390	449
Liquor Law Arrests	53	78	75
Drug Arrests	578	581	550
Methamphetamine Lab Seizures	4	7	21
Violent Offenses	196	189	170
Domestic Violence Reports	744	716	631
Property Offenses	2,180	2,051	2,084

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	4,767	4,776	4,902
Drop-outs	114	98	91
Drop-out Rate	2.4%	2.1%	1.9%
School Discipline Involving Alcohol	9	19	14
School Discipline Involving Drugs	31	47	30
School Discipline Involving Tobacco	1	1	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	82	100	121
Juvenile Alcohol Offenses	41	44	26
Juvenile Drug Offenses	38	50	50
School Truancy Status Offense	151	202	184
Absent from Home Status Offense	31	35	54
Beyond Parental Control Status Offense	17	18	19
Injurious Behavior Status Offense	33	60	62
Child Abuse	1	5	4
Child Neglect	196	195	191
Child Custody Issues	0	1	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	138	123	112
Parental Alcohol Use Related	0	2	4
Parental Drug Use Related	86	87	79
Parental Alcohol and Drug Use	13	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	82	110	93
Probation/Parole Admissions--Drug	254	199	167
Probation/Parole Admissions--DWI	47	59	61
Prison Admissions--Drug	132	88	94
Prison Admissions--DWI	21	23	25

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

FRANKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	86	68	52
CSTAR Adolescent	39	49	48
CSTAR Women and Children	68	34	40
CSTAR General Adult	234	237	211
CSTAR Opioid	*	6	*
Primary Recovery Treatment	10	13	11
Clinical SATOP (CIP, YCIP, SROP)	87	114	99
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	376	402	422
- Adolescent Diversion Education Program	*	0	7
- Offender Education Program	147	136	148
- Weekend Intervention Program	99	98	124
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	5
Compulsive Gambling	0	*	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	443	450	402	Alcohol	134	155	157
AGE				Marijuana / Hashish	74	68	70
Under 18	39	49	48	Cocaine (total)	*	*	*
18 to 24	82	83	81	- Crack	*	*	*
25 to 29	78	96	70	Stimulant (total)	82	86	68
30 to 34	78	74	67	- Methamphetamine	81	85	59
35 to 39	48	42	43	Heroin	114	110	70
40 to 44	38	35	23	Analgesic except Heroin	34	22	25
45 to 54	44	48	55	- Non-Prescription Methadone	0	0	0
55 and Over	36	23	15	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	*	7
Male	265	300	259	Inhalant	0	*	0
Female	178	150	143	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	427	431	386	Average Age at First Use of Drug	18.5	18.0	17.5
African American	5	9	7	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	129	125	104
Asian / Pacific Islander	*	0	*	- Daily Injection Use	44	45	30
Hispanic	*	*	*	- Weekly Injection Use	44	40	33
Other Race / Two or More Races	8	9	*	- Less than Weekly Injection Use	41	40	41
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	150	163	158	0	272	244	203
High School Graduate or G.E.D.	180	187	170	1 or 2	111	131	125
Associate Degree or Some College	113	96	72	3 or More	60	75	74
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	167	136	141
Employed	147	143	107	School	*	9	6
Unemployed	163	144	164	Mental Health Provider	*	7	6
Not in Labor Force	133	163	131	Health Care Provider	24	20	13
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	147	194	168
Independent Living	380	360	331	Other Referral Source	77	73	58
Dependent Living	41	62	52	TREATMENT ACCOMMODATION			
Homeless	18	18	9	Pregnant when Admitted to any Episode	14	11	5
MARITAL / FAMILY STATUS				Military Veteran	18	21	19
Never Married	263	263	238	Special Education Services Needed	32	46	30
Married / Cohabiting	99	103	71	Co-Occurring Psychological Problem	144	184	142
Previously Married	81	84	93	Co-Occurring Developmental Problem	11	18	8

FRANKLIN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 101,492
2016 POPULATION ESTIMATE 102,838

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	34	47	39
Anxiety Disorder	618	605	495
Dementia	*	*	*
Developmental Disorder	42	38	39
Impulse Control Disorder	313	334	282
Mood Disorder	825	867	755
Personality Disorder	97	102	94
Psychotic Disorder	160	159	147
Sexual Disorder	*	0	0
Other Diagnosis	151	78	71
Diagnosis Unknown	176	59	57

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,349	1,303	1,157	Less than High School Diploma	554	524	505
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	5	16	Associate Degree or Some College	0	0	*
6 to 9	140	141	128	Bachelor or Advanced Degree	0	0	0
10 to 13	148	152	134	Education Level Unknown	795	779	649
14 to 17	151	161	135	EMPLOYMENT			
18 to 24	123	101	106	Employed	90	79	59
25 to 29	91	89	95	Unemployed	70	36	38
30 to 34	115	119	86	Not in Labor Force	783	786	715
35 to 39	107	93	83	Employment Status Unknown	406	402	345
40 to 44	88	92	76	HOUSING / LIVING ARRANGEMENT			
45 to 49	94	98	94	Independent Living	498	491	418
50 to 54	110	96	85	Dependent Living	461	427	403
55 to 59	80	77	61	Homeless	8	12	15
60 and Over	101	79	58	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	382	373	321
GENDER				TREATMENT REFERRAL SOURCE			
Male	650	662	601	Self / Family / Friend	274	252	193
Female	699	641	556	School	162	190	181
Gender Unknown	0	0	0	Mental Health Provider	84	78	70
RACE / ETHNICITY				Health Care Provider	287	280	209
Caucasian	1,285	1,235	1,102	Court / Criminal Justice	19	30	47
African American	14	16	15	Other	523	468	451
Native American / Alaskan	*	*	*	Referral Source Unknown	0	5	6
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	16	16	15	Voluntary	1,339	1,286	1,141
Other Race	30	33	21	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	7	11	8
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	84	72	45	Commitment Type Unknown	0	5	6
Past or Current Military Service	21	17	11				

FRANKLIN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.2	32.9	43.2	44.7	Alcohol	17.0	11.5	18.1	20.2
Chewing Tobacco	11.0	11.2	12.5	14.9	Alcohol (5+ drinks on single occasion past 2 weeks)	7.4	4.6		
Cigarettes	17.3	19.2	21.0	24.3	Chewing Tobacco	5.5	4.1	7.6	9.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	1.3	1.7	2.1	Cigarettes	6.6	8.0	9.6	13.5
Cocaine	1.3	0.7	0.9	1.6	Inhalants	0.9	1.2	2.3	3.7
Electronic Cigarettes	23.1	17.0			Marijuana	7.9	5.8	6.2	8.1
Hallucinogens	2.0	1.7	2.2	4.1	Over-the-counter medications for non-medical use	1.5	1.2	2.8	4.7
Heroin	0.4	0.3	0.5	0.6	Prescription medications not prescribed for student	8.6	2.9	3.6	7.7
Inhalants	3.0	3.2	5.0	8.5					
Marijuana	15.8	11.7	13.6	15.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.8	0.8	1.0	Alcohol (1 or 2 drinks daily)	67.6	59.6		
Over-the-counter medications for non-medical use	3.7	2.7	4.8	8.1	Alcohol (Binge: 5+ drinks once or twice a week)	76.9	74.2		
Prescription medications not prescribed for student	12.7	4.9	8.1	12.8	Cigarettes (1+ packs per day)	85.8	86.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.5	3.4	4.9		Marijuana (once or twice a week)	67.9	66.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	94.3	93.7	92.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.05	12.81	12.53	12.29	Alcohol	79.3	82.6	78.3	76.4
Cigarettes	12.95	12.77	12.14	11.87	Cigarettes	93.4	94.5	93.0	89.3
Inhalants	10.72	12.06	12.24	12.36	Marijuana	92.2	93.9	94.3	92.5
Marijuana	14.41	13.61	13.16	13.25					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.6	41.7	55.0	57.1	Alcohol	66.0	69.5	58.1	58.1
Cigarettes	30.5	34.2	39.5	44.5	Cigarettes	89.2	88.9	84.1	80.1
Marijuana	36.9	29.3	32.3	33.3	Marijuana	80.8	83.9	84.0	83.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.8	10.5	13.2	16.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	97.1	96.1	95.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.8	21.9	32.1	33.9	Alcohol	55.7	47.9	58.4	58.3
Cigarettes	7.4	9.1	11.2	14.4	Cigarettes	48.5	44.1	51.8	53.7
Marijuana	12.6	10.7	10.5	11.8	Marijuana	36.5	29.3	35.4	34.8
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	11.8	15.5	17.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.7	60.0	63.0	68.7	Were grouchy, irritable, or in a bad mood	31.5	24.5	26.1	21.9
Were victims of mean rumors or lies spread at school	47.4	48.8	51.8	55.1	Had difficulty concentrating on school work	30.2	23.8	24.8	20.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.6	21.6	20.0	19.5	Were very sad	22.9	20.5	19.7	18.7
					Felt hopeless about the future	13.7	12.6	11.0	10.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.0	11.8	11.9	10.9	Parents involve student in making family decisions	68.5	67.5	65.8	68.7
Made plan about how they would attempt suicide	10.6	9.6	9.8	8.5	Parents notice and comment on student's good work	82.5	84.1	82.4	84.2
Attempted suicide	6.0	5.8	5.4	5.7	Teachers notice and comment on student's good work	74.3	75.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

GASCONADE COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	15,222
2016 Estimate	14,808

BIRTH RISK	2015	2014	2013
Resident Births	164	138	183
Mother Reported Smoking while Pregnant	39	35	35

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	1	3
Hepatitis C Chronic and Acute	16	15	11
Tuberculosis Infection Cases	4	3	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	215	182	199
Suicide	3	4	3
Homicide	1	0	1
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	6	2	2
Smoking Attributable Deaths	27	27	30
Self-inflicted Injuries *	17	7	11
Assault Injuries *	32	31	50

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	112	77	75
Mental Illness Secondary Diagnosis	297	222	307
Alcohol Principal Diagnosis	7	2	4
Alcohol Secondary Diagnosis	27	15	21
Drug Principal Diagnosis	13	11	1
Drug Secondary Diagnosis	24	5	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	58	56	48
Mental Illness Secondary Diagnosis	215	224	254
Alcohol Principal Diagnosis	6	10	7
Alcohol Secondary Diagnosis	18	24	29
Drug Principal Diagnosis	7	7	9
Drug Secondary Diagnosis	12	11	9
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	137	115	101
Mental Illness Secondary Diagnosis	644	707	726
Alcohol Principal Diagnosis	24	34	22
Alcohol Secondary Diagnosis	33	29	27
Drug Principal Diagnosis	39	16	14
Drug Secondary Diagnosis	29	26	20

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	53	53	54
Alcohol Package Carry-out Licenses	19	20	19

EMPLOYMENT	2016	2015	2014
Labor Force	7,794	7,775	7,605
Employed	7,459	7,448	7,199
Unemployed	335	327	406
Unemployment Rate	4.3%	4.2%	5.3%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	15	22	23
Fatal Crashes	3	2	1
Injury Crashes	5	14	12
Property Damage Crashes	7	6	9
Crash Fatalities	3	2	1
Crash Injuries	9	16	17
Drug Involved Crashes	4	0	3
Fatal Crashes	1	0	0
Injury Crashes	2	0	3
Property Damage Crashes	1	0	0
Crash Fatalities	1	0	0
Crash Injuries	2	0	5

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	63	54	46
Liquor Law Arrests	8	9	2
Drug Arrests	80	43	28
Methamphetamine Lab Seizures	0	4	4
Violent Offenses	29	20	14
Domestic Violence Reports	12	9	6
Property Offenses	182	166	179

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	919	912	903
Drop-outs	16	15	12
Drop-out Rate	1.7%	1.6%	1.3%
School Discipline Involving Alcohol	5	8	4
School Discipline Involving Drugs	2	5	2
School Discipline Involving Tobacco	0	4	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	15	4	7
Juvenile Alcohol Offenses	2	5	14
Juvenile Drug Offenses	3	4	2
School Truancy Status Offense	13	2	10
Absent from Home Status Offense	5	3	2
Beyond Parental Control Status Offense	3	1	5
Injurious Behavior Status Offense	5	12	1
Child Abuse	0	0	0
Child Neglect	8	21	7
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	15	22	6
Parental Alcohol Use Related	0	4	0
Parental Drug Use Related	14	9	2
Parental Alcohol and Drug Use	1	2	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	2
Probation/Parole Admissions--Drug	37	25	20
Probation/Parole Admissions--DWI	6	4	7
Prison Admissions--Drug	9	13	15
Prison Admissions--DWI	3	2	4

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

GASCONADE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	12	7	5
CSTAR Adolescent	*	8	5
CSTAR Women and Children	6	*	*
CSTAR General Adult	58	61	43
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	11	11	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	46	52	41
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	13	19	15
- Weekend Intervention Program	14	11	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	*	0	0
Recovery Supports	*	0	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	77	84	61	Alcohol	26	25	16
AGE				Marijuana / Hashish	15	17	13
Under 18	5	8	5	Cocaine (total)	*	*	0
18 to 24	15	13	12	- Crack	0	*	0
25 to 29	16	17	15	Stimulant (total)	10	18	8
30 to 34	19	18	11	- Methamphetamine	9	18	8
35 to 39	6	7	*	Heroin	17	14	13
40 to 44	*	6	8	Analgesic except Heroin	7	7	9
45 to 54	8	8	7	- Non-Prescription Methadone	0	0	0
55 and Over	7	7	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	53	47	38	Inhalant	*	0	0
Female	24	37	23	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	76	84	61	Average Age at First Use of Drug	18.1	18.1	17.6
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	20	22	17
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	*	*
Hispanic	0	*	*	- Weekly Injection Use	6	*	6
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	8	16	9
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	17	30	25	0	45	51	40
High School Graduate or G.E.D.	44	39	25	1 or 2	26	22	15
Associate Degree or Some College	15	14	11	3 or More	6	11	6
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	45	30	29
Employed	27	23	15	School	*	0	*
Unemployed	28	33	29	Mental Health Provider	0	*	0
Not in Labor Force	22	28	17	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	22	37	23
Independent Living	65	70	50	Other Referral Source	5	13	6
Dependent Living	5	10	6	TREATMENT ACCOMMODATION			
Homeless	7	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	42	46	39	Special Education Services Needed	8	17	*
Married / Cohabiting	22	20	9	Co-Occurring Psychological Problem	44	39	30
Previously Married	13	18	13	Co-Occurring Developmental Problem	*	7	5

GASCONADE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 15,222
2016 POPULATION ESTIMATE 14,808

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	9	9	12
Anxiety Disorder	75	75	79
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	33	25	39
Mood Disorder	99	104	124
Personality Disorder	13	13	20
Psychotic Disorder	17	13	19
Sexual Disorder	0	0	0
Other Diagnosis	16	14	16
Diagnosis Unknown	6	17	13

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	133	147	174	Less than High School Diploma	47	45	66
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	*	Associate Degree or Some College	0	0	0
6 to 9	14	19	21	Bachelor or Advanced Degree	0	0	0
10 to 13	12	12	18	Education Level Unknown	86	102	108
14 to 17	6	7	12	EMPLOYMENT			
18 to 24	10	12	13	Employed	12	6	6
25 to 29	10	10	17	Unemployed	15	10	5
30 to 34	9	15	17	Not in Labor Force	78	69	80
35 to 39	13	16	16	Employment Status Unknown	28	62	83
40 to 44	13	13	11	HOUSING / LIVING ARRANGEMENT			
45 to 49	8	10	14	Independent Living	48	37	36
50 to 54	16	19	19	Dependent Living	52	47	53
55 to 59	16	7	9	Homeless	*	0	*
60 and Over	6	*	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	29	63	84
GENDER				TREATMENT REFERRAL SOURCE			
Male	64	72	80	Self / Family / Friend	84	79	87
Female	69	75	94	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	24	26	28
Caucasian	127	142	170	Court / Criminal Justice	*	*	*
African American	*	*	0	Other	20	35	55
Native American / Alaskan	*	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	*	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	133	146	173
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	7	10	7	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

GASCONADE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.4	39.5	44.7	52.4	Alcohol	14.8	15.5	17.7	28.6
Chewing Tobacco	15.6	8.0	15.1	16.6	Alcohol (5+ drinks on single occasion past 2 weeks)	7.1	7.5		
Cigarettes	23.9	16.7	20.3	28.5	Chewing Tobacco	7.6	4.3	9.7	10.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	0.6	1.3	2.2	Cigarettes	9.5	6.8	9.7	13.9
Cocaine	1.9	0.0	1.7	2.6	Inhalants	1.4	0.6	2.9	2.9
Electronic Cigarettes	26.5	16.7			Marijuana	6.6	2.5	6.8	7.7
Hallucinogens	1.4	0.6	2.6	4.8	Over-the-counter medications for non-medical use	2.8	0.6	2.9	3.2
Heroin	0.0	0.0	0.4	0.6	Prescription medications not prescribed for student	9.5	2.5	5.9	7.6
Inhalants	2.9	1.8	6.7	7.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	12.8	8.6	10.1	17.3	Alcohol (1 or 2 drinks daily)	60.5	56.8		
Methamphetamine	0.5	0.0	1.3	1.0	Alcohol (Binge: 5+ drinks once or twice a week)	72.7	69.1		
Over-the-counter medications for non-medical use	5.7	1.8	5.9	6.4	Cigarettes (1+ packs per day)	86.1	87.7		
Prescription medications not prescribed for student	14.8	6.8	10.5	13.7	Marijuana (once or twice a week)	73.4	72.8		
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	1.9	3.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	93.2	92.7	93.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.34	13.05	11.79	12.44	Alcohol	78.1	72.2	70.4	65.7
Cigarettes	12.15	13.22	11.45	12.43	Cigarettes	91.9	92.6	94.1	86.6
Inhalants		10.38	11.31	13.60	Marijuana	91.8	94.4	95.8	93.6
Marijuana	14.21	14.44	12.15	14.00	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	67.6	57.4	55.9	50.8
Alcohol	44.3	51.2	53.0	67.9	Cigarettes	86.7	85.8	84.3	75.0
Cigarettes	34.1	37.4	37.6	47.5	Marijuana	86.2	86.3	86.1	84.8
Marijuana	25.7	28.8	26.9	34.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	95.0	95.8	96.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.7	10.4	14.4	17.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	51.9	59.3	62.9	66.6
Alcohol	27.1	32.9	31.9	43.7	Cigarettes	46.2	50.9	47.3	60.8
Cigarettes	11.4	10.5	11.8	15.9	Marijuana	24.5	27.2	28.4	36.3
Marijuana	10.5	8.0	11.4	12.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.6	10.6	14.3	18.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.9	62.0	67.2	73.6	Were grouchy, irritable, or in a bad mood	29.0	25.8	23.3	18.9
Were victims of mean rumors or lies spread at school	52.1	51.2	55.3	54.7	Had difficulty concentrating on school work	25.6	22.7	21.9	18.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.2	24.7	27.1	19.6	Were very sad	19.0	22.7	22.8	10.1
					Felt hopeless about the future	11.0	14.8	11.0	8.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.3	10.4	13.6	12.6	Parents involve student in making family decisions	67.6	67.7	68.5	68.8
Made plan about how they would attempt suicide	10.0	8.0	10.2	8.8	Parents notice and comment on student's good work	83.3	79.0	84.4	83.8
Attempted suicide	4.3	4.3	5.9	4.7	Teachers notice and comment on student's good work	71.6	72.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

GENTRY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	6,738
2016 Estimate	6,661

BIRTH RISK	2015	2014	2013
Resident Births	114	86	88
Mother Reported Smoking while Pregnant	23	13	19

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	1	3
Tuberculosis Infection Cases	0	0	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	75	93	100
Suicide	0	1	2
Homicide	0	0	0
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	1	1
Smoking Attributable Deaths	13	19	22
Self-inflicted Injuries *	14	16	11
Assault Injuries *	15	12	23

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	65	52	56
Mental Illness Secondary Diagnosis	117	114	138
Alcohol Principal Diagnosis	3	1	1
Alcohol Secondary Diagnosis	5	4	6
Drug Principal Diagnosis	2	2	2
Drug Secondary Diagnosis	12	6	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	20	35	40
Mental Illness Secondary Diagnosis	73	74	97
Alcohol Principal Diagnosis	0	1	2
Alcohol Secondary Diagnosis	1	6	8
Drug Principal Diagnosis	1	3	3
Drug Secondary Diagnosis	2	1	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	52	52	67
Mental Illness Secondary Diagnosis	171	208	179
Alcohol Principal Diagnosis	13	3	3
Alcohol Secondary Diagnosis	14	5	11
Drug Principal Diagnosis	3	2	7
Drug Secondary Diagnosis	16	10	16

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	5	4	6
Alcohol Package Carry-out Licenses	11	12	9

EMPLOYMENT	2016	2015	2014
Labor Force	3,634	3,685	3,636
Employed	3,500	3,530	3,430
Unemployed	134	155	206
Unemployment Rate	3.7%	4.2%	5.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	2	5	4
Fatal Crashes	0	1	0
Injury Crashes	1	3	2
Property Damage Crashes	1	1	1
Crash Fatalities	0	1	0
Crash Injuries	1	3	3
Drug Involved Crashes	2	1	1
Fatal Crashes	0	1	0
Injury Crashes	2	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	1	0
Crash Injuries	6	0	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	23	14	30
Liquor Law Arrests	3	1	10
Drug Arrests	18	7	8
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	7	5	1
Domestic Violence Reports	5	7	3
Property Offenses	38	32	33

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	342	338	322
Drop-outs	3	2	8
Drop-out Rate	0.9%	0.6%	2.5%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	2	2	1
Juvenile Alcohol Offenses	1	1	4
Juvenile Drug Offenses	3	0	1
School Truancy Status Offense	3	1	11
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	5	5	3
Injurious Behavior Status Offense	3	3	6
Child Abuse	0	0	0
Child Neglect	58	34	35
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	17	16	7
Parental Alcohol Use Related	2	0	0
Parental Drug Use Related	1	10	2
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	1	0	1
Probation/Parole Admissions--Drug	8	4	5
Probation/Parole Admissions--DWI	5	1	1
Prison Admissions--Drug	5	4	3
Prison Admissions--DWI	5	1	0

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

GENTRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	6
CSTAR Adolescent	*	0	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	12	15	11
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	13
Clinical SATOP (CIP, YCIP, SROP)	*	*	0
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	16	26	24
- Adolescent Diversion Education Program	0	*	5
- Offender Education Program	5	14	7
- Weekend Intervention Program	*	6	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	0	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	16	20	25	Alcohol	5	7	8
AGE				Marijuana / Hashish	5	7	7
Under 18	*	0	*	Cocaine (total)	0	0	0
18 to 24	*	*	*	- Crack	0	0	0
25 to 29	*	6	9	Stimulant (total)	*	*	5
30 to 34	*	7	5	- Methamphetamine	*	*	5
35 to 39	0	*	*	Heroin	0	0	*
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	9	11	16	Inhalant	0	0	0
Female	7	9	9	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	15	20	25	Average Age at First Use of Drug	18.9	17.0	18.6
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	*	0	0	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	5	6	0	12	13	11
High School Graduate or G.E.D.	7	11	13	1 or 2	*	*	8
Associate Degree or Some College	*	*	5	3 or More	*	*	6
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	*	11
Employed	6	7	11	School	0	0	0
Unemployed	*	*	8	Mental Health Provider	*	0	0
Not in Labor Force	7	12	6	Health Care Provider	0	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	9	8	8
Independent Living	13	15	21	Other Referral Source	0	7	6
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	0	*
Never Married	7	7	9	Special Education Services Needed	0	*	*
Married / Cohabiting	7	6	12	Co-Occurring Psychological Problem	*	*	7
Previously Married	*	7	*	Co-Occurring Developmental Problem	0	*	0

GENTRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 6,738
2016 POPULATION ESTIMATE 6,661

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	19	10	14
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	8	*	*
Mood Disorder	29	16	19
Personality Disorder	*	*	*
Psychotic Disorder	*	7	*
Sexual Disorder	0	0	0
Other Diagnosis	*	0	0
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	38	27	26	Less than High School Diploma	13	12	10
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	*	Associate Degree or Some College	0	0	0
6 to 9	*	0	0	Bachelor or Advanced Degree	0	0	0
10 to 13	*	0	*	Education Level Unknown	25	15	16
14 to 17	6	*	*	EMPLOYMENT			
18 to 24	*	5	*	Employed	7	*	*
25 to 29	*	*	0	Unemployed	*	*	0
30 to 34	*	*	*	Not in Labor Force	21	15	16
35 to 39	*	*	*	Employment Status Unknown	7	6	6
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	5	*	*	Independent Living	20	14	14
50 to 54	*	*	*	Dependent Living	10	8	5
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	8	5	7
GENDER				TREATMENT REFERRAL SOURCE			
Male	17	12	11	Self / Family / Friend	16	7	6
Female	21	15	15	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	7	7
RACE / ETHNICITY				Health Care Provider	11	9	8
Caucasian	38	27	26	Court / Criminal Justice	*	*	0
African American	0	0	0	Other	*	*	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	37	25	25
Other Race	0	0	0	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		2.2	29.1		Alcohol	0.0	14.7		
Chewing Tobacco		0.0	12.9		Alcohol (5+ drinks on single occasion past 2 weeks)	0.0			
Cigarettes		28.9	18.1		Chewing Tobacco	0.0	6.9		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0	3.4		Cigarettes	0.0	9.4		
Cocaine		0.0	3.5		Inhalants	0.0	0.0		
Electronic Cigarettes		29.2			Marijuana	0.0	3.4		
Hallucinogens		0.0	3.4		Over-the-counter medications for non-medical use	28.9	0.0		
Heroin		0.0	3.4		Prescription medications not prescribed for student	2.2	0.0		
Inhalants		0.0	8.5						
Marijuana		0.0	6.8		<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	3.5		Alcohol (1 or 2 drinks daily)	82.2			
Over-the-counter medications for non-medical use		28.9	11.1		Alcohol (Binge: 5+ drinks once or twice a week)	88.9			
Prescription medications not prescribed for student		3.3	6.9		Cigarettes (1+ packs per day)	95.6			
Synthetic drugs (K2, bath salts, Spice, etc)		0.0	3.4		Marijuana (once or twice a week)	65.6			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	67.8	88.0		
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	10.88	12.59			Alcohol	98.9	85.5		
Cigarettes	9.00	14.10			Cigarettes	100.0	100.0		
Inhalants	8.88	11.50			Marijuana	100.0	100.0		
Marijuana		13.27							
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	4.4	43.6			Alcohol	68.9	76.1		
Cigarettes	2.2	34.2			Cigarettes	100.0	83.8		
Marijuana	28.9	21.4			Marijuana	70.0	92.3		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	3.4			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	100.0		
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	1.1	19.8			Alcohol	44.4	53.8		
Cigarettes	0.0	12.8			Cigarettes	42.2	53.0		
Marijuana	0.0	7.7			Marijuana	1.1	6.8		
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	2.6		
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.9	52.1			Were grouchy, irritable, or in a bad mood	40.0	21.6		
Were victims of mean rumors or lies spread at school	23.3	40.2			Had difficulty concentrating on school work	32.2	8.5		
Were victims of an embarrassing or hurtful text message or something posted on the Internet	8.9	16.5			Were very sad	38.9	16.2		
					Felt hopeless about the future	6.7	11.2		
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	3.3	9.5			Parents involve student in making family decisions	36.7	76.1		
Made plan about how they would attempt suicide	3.4	9.4			Parents notice and comment on student's good work	96.7	81.2		
Attempted suicide	2.2	3.4			Teachers notice and comment on student's good work	97.8			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

GREENE COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	275,174
2016 Estimate	288,690

BIRTH RISK	2015	2014	2013
Resident Births	3,565	3,623	3,506
Mother Reported Smoking while Pregnant	654	658	670

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	10	20	9
Hepatitis B Chronic, Acute, Prenatal	36	41	32
Hepatitis C Chronic and Acute	359	403	451
Tuberculosis Infection Cases	165	147	146

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	2,859	2,674	2,643
Suicide	73	51	44
Homicide	10	18	11
Alcohol Induced Deaths	37	41	23
Drug Induced Deaths	91	75	64
Smoking Attributable Deaths	442	419	424
Self-inflicted Injuries *	480	568	491
Assault Injuries *	1,082	1,056	1,105

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,181	1,620	1,573
Mental Illness Secondary Diagnosis	3,724	2,432	2,449
Alcohol Principal Diagnosis	303	98	156
Alcohol Secondary Diagnosis	308	106	114
Drug Principal Diagnosis	216	109	145
Drug Secondary Diagnosis	533	210	182
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,713	2,157	2,120
Mental Illness Secondary Diagnosis	4,621	6,108	5,972
Alcohol Principal Diagnosis	661	824	778
Alcohol Secondary Diagnosis	501	700	735
Drug Principal Diagnosis	386	563	469
Drug Secondary Diagnosis	554	641	571
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	3,036	3,048	2,947
Mental Illness Secondary Diagnosis	13,187	12,648	12,821
Alcohol Principal Diagnosis	1,395	1,415	1,502
Alcohol Secondary Diagnosis	623	577	718
Drug Principal Diagnosis	1,110	985	897
Drug Secondary Diagnosis	1,191	1,148	1,042

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	360	335	334
Alcohol Package Carry-out Licenses	221	223	223

EMPLOYMENT	2016	2015	2014
Labor Force	151,066	151,652	147,884
Employed	145,401	145,413	140,723
Unemployed	5,665	6,239	7,161
Unemployment Rate	3.8%	4.1%	4.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	277	299	271
Fatal Crashes	7	5	1
Injury Crashes	107	118	105
Property Damage Crashes	163	176	203
Crash Fatalities	8	5	1
Crash Injuries	167	168	145
Drug Involved Crashes	94	78	85
Fatal Crashes	5	2	3
Injury Crashes	41	41	40
Property Damage Crashes	48	35	42
Crash Fatalities	5	2	3
Crash Injuries	64	65	72

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	1,257	1,127	1,453
Liquor Law Arrests	531	296	126
Drug Arrests	1,793	1,547	1,287
Methamphetamine Lab Seizures	10	22	26
Violent Offenses	2,391	2,386	2,050
Domestic Violence Reports	3,668	3,455	3,290
Property Offenses	16,413	15,260	14,616

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	11,599	11,351	11,328
Drop-outs	250	222	202
Drop-out Rate	2.2%	2.0%	1.8%
School Discipline Involving Alcohol	19	34	29
School Discipline Involving Drugs	132	146	175
School Discipline Involving Tobacco	5	8	11

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	456	469	338
Juvenile Alcohol Offenses	42	41	33
Juvenile Drug Offenses	115	149	115
School Truancy Status Offense	3	9	1
Absent from Home Status Offense	106	157	80
Beyond Parental Control Status Offense	20	22	15
Injurious Behavior Status Offense	292	317	282
Child Abuse	38	40	53
Child Neglect	221	252	315
Child Custody Issues	86	62	81

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	281	297	364
Parental Alcohol Use Related	11	9	7
Parental Drug Use Related	89	110	127
Parental Alcohol and Drug Use	7	9	25

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	1,852	1,626	1,605
Probation/Parole Admissions--Drug	450	451	511
Probation/Parole Admissions--DWI	121	135	117
Prison Admissions--Drug	215	260	291
Prison Admissions--DWI	39	38	51

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

GREENE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	540	519	470
CSTAR Adolescent	115	119	106
CSTAR Women and Children	295	285	264
CSTAR General Adult	649	420	494
CSTAR Opioid	*	0	*
Primary Recovery Treatment	104	532	495
Clinical SATOP (CIP, YCIP, SROP)	294	324	299
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	1,263	1,302	1,387
- Adolescent Diversion Education Program	17	19	12
- Offender Education Program	475	483	539
- Weekend Intervention Program	244	246	279
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	92	90	105
Compulsive Gambling	*	0	0
Recovery Supports	536	506	783
Early Intervention	108	78	115

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	1,657	1,915	1,863	Alcohol	630	826	737
AGE				Marijuana / Hashish	290	299	369
Under 18	115	120	101	Cocaine (total)	11	26	21
18 to 24	241	291	292	- Crack	8	11	12
25 to 29	298	362	349	Stimulant (total)	465	538	482
30 to 34	296	331	316	- Methamphetamine	447	522	464
35 to 39	211	219	222	Heroin	114	81	69
40 to 44	135	172	183	Analgesic except Heroin	116	118	139
45 to 54	256	323	307	- Non-Prescription Methadone	*	0	*
55 and Over	105	97	93	PCP, LSD, other Hallucinogen	*	5	6
GENDER				Tranquilizer	21	13	26
Male	1,016	1,206	1,239	Inhalant	0	*	*
Female	641	709	624	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	9	6	8
Caucasian	1,469	1,687	1,637	Average Age at First Use of Drug	17.6	17.5	17.5
African American	104	122	120	INJECTION DRUG USE			
Native American / Alaskan	*	5	10	Any Injection Use at Admission	387	430	375
Asian / Pacific Islander	0	9	6	- Daily Injection Use	131	101	84
Hispanic	30	51	38	- Weekly Injection Use	122	140	108
Other Race / Two or More Races	61	60	65	- Less than Weekly Injection Use	134	189	183
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	533	578	575	0	903	1,000	927
High School Graduate or G.E.D.	638	763	758	1 or 2	456	535	594
Associate Degree or Some College	472	554	509	3 or More	298	380	342
Bachelor or Advanced Degree	14	20	21	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	809	681	573
Employed	456	550	526	School	6	11	7
Unemployed	566	481	557	Mental Health Provider	*	13	40
Not in Labor Force	635	884	780	Health Care Provider	135	147	115
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	556	838	914
Independent Living	1,170	1,388	1,403	Other Referral Source	137	214	205
Dependent Living	257	270	236	TREATMENT ACCOMMODATION			
Homeless	194	224	196	Pregnant when Admitted to any Episode	49	53	36
MARITAL / FAMILY STATUS				Military Veteran	57	71	73
Never Married	922	1,026	972	Special Education Services Needed	90	100	122
Married / Cohabiting	365	411	413	Co-Occurring Psychological Problem	658	744	752
Previously Married	370	478	478	Co-Occurring Developmental Problem	46	46	76

GREENE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 275,174
2016 POPULATION ESTIMATE 288,690

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	105	74	66
Anxiety Disorder	1,310	1,111	977
Dementia	19	19	13
Developmental Disorder	75	58	54
Impulse Control Disorder	375	258	230
Mood Disorder	1,675	1,541	1,512
Personality Disorder	446	408	366
Psychotic Disorder	650	615	618
Sexual Disorder	13	8	8
Other Diagnosis	443	242	226
Diagnosis Unknown	183	174	182

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	2,541	2,311	2,308	Less than High School Diploma	764	569	587
AGE				High School Grad or G.E.D.	0	0	*
Under 6	58	54	62	Associate Degree or Some College	0	0	0
6 to 9	148	123	103	Bachelor or Advanced Degree	0	0	0
10 to 13	169	96	89	Education Level Unknown	1,777	1,742	1,720
14 to 17	109	63	70	EMPLOYMENT			
18 to 24	156	148	151	Employed	117	73	86
25 to 29	179	177	180	Unemployed	106	75	92
30 to 34	217	225	229	Not in Labor Force	1,588	1,204	1,312
35 to 39	260	238	255	Employment Status Unknown	730	959	818
40 to 44	219	234	233	HOUSING / LIVING ARRANGEMENT			
45 to 49	261	237	276	Independent Living	990	666	827
50 to 54	317	318	296	Dependent Living	620	541	577
55 to 59	238	206	199	Homeless	116	94	55
60 and Over	210	192	165	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	815	1,010	849
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,249	1,102	1,094	Self / Family / Friend	1,154	1,074	1,206
Female	1,292	1,209	1,214	School	18	6	10
Gender Unknown	0	0	0	Mental Health Provider	112	146	108
RACE / ETHNICITY				Health Care Provider	600	437	382
Caucasian	2,196	2,018	2,001	Court / Criminal Justice	196	199	157
African American	128	129	128	Other	412	397	387
Native American / Alaskan	*	5	8	Referral Source Unknown	49	52	58
Asian / Pacific Islander	8	5	6	TYPE OF COMMITMENT			
Hispanic	64	59	62	Voluntary	2,462	2,226	2,223
Other Race	142	95	103	Civil	13	14	7
Race/Ethnicity Unknown	0	0	0	Criminal	14	16	17
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	63	62	72	Commitment Type Unknown	51	53	59
Past or Current Military Service	77	75	74				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	29.3	32.0	33.1	38.0	Alcohol	10.6	12.9	13.9	16.6
Chewing Tobacco	6.3	7.7	9.7	11.0	Alcohol (5+ drinks on single occasion past 2 weeks)	3.7	6.5		
Cigarettes	16.5	20.1	22.9	27.0	Chewing Tobacco	2.0	4.1	5.1	5.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.9	3.0	3.1	Cigarettes	5.8	9.2	11.3	14.5
Cocaine	1.1	1.6	2.6	2.5	Inhalants	0.7	1.1	2.6	2.8
Electronic Cigarettes	21.1	15.8			Marijuana	8.7	8.9	9.8	11.5
Hallucinogens	2.2	4.0	4.5	4.6	Over-the-counter medications for non-medical use	1.7	1.6	4.4	5.8
Heroin	0.3	0.5	1.1	0.9	Prescription medications not prescribed for student	8.2	3.8	5.1	7.4
Inhalants	2.7	3.4	5.6	7.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	16.2	16.5	18.0	20.3	Alcohol (1 or 2 drinks daily)	73.2	64.6		
Methamphetamine	0.7	1.0	1.7	1.3	Alcohol (Binge: 5+ drinks once or twice a week)	82.2	74.4		
Over-the-counter medications for non-medical use	3.8	2.8	7.2	9.4	Cigarettes (1+ packs per day)	87.3	86.5		
Prescription medications not prescribed for student	12.6	8.7	9.4	13.3	Marijuana (once or twice a week)	63.9	64.2		
Synthetic drugs (K2, bath salts, Spice, etc)	2.3	4.8	8.3		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	92.2	93.0	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.12	13.12	12.63	12.55	Alcohol	86.2	84.8	81.9	81.6
Cigarettes	12.57	12.69	12.39	12.24	Cigarettes	94.8	93.5	90.9	89.4
Inhalants	10.72	12.27	12.20	12.32	Marijuana	90.9	92.1	92.0	91.1
Marijuana	13.75	13.52	13.19	13.46	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	73.1	69.0	66.1	62.4
Alcohol	39.2	42.7	47.5	54.3	Cigarettes	90.3	83.7	79.7	75.6
Cigarettes	27.4	36.7	40.9	48.0	Marijuana	77.5	77.3	77.9	76.5
Marijuana	36.7	35.6	38.6	42.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	95.0	93.5	92.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.4	17.8	19.2	23.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	47.9	49.2	54.2	57.3
Alcohol	19.6	21.6	25.5	29.4	Cigarettes	43.1	47.2	52.0	57.8
Cigarettes	7.0	12.3	14.4	16.2	Marijuana	38.1	38.4	41.1	41.9
Marijuana	16.5	16.3	16.8	17.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.8	18.6	21.8	23.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.5	61.4	58.1	65.8	Were grouchy, irritable, or in a bad mood	32.7	24.4	24.3	24.3
Were victims of mean rumors or lies spread at school	46.9	51.8	47.0	51.2	Had difficulty concentrating on school work	29.1	24.4	22.4	26.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.0	26.7	21.6	18.4	Were very sad	24.7	24.2	19.0	18.9
					Felt hopeless about the future	14.9	13.1	11.4	11.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	16.6	13.3	13.0	11.7	Parents involve student in making family decisions	72.2	69.7	69.8	70.5
Made plan about how they would attempt suicide	12.3	10.0	9.2	8.6	Parents notice and comment on student's good work	83.1	83.2	82.0	83.4
Attempted suicide	6.8	6.2	5.8	5.2	Teachers notice and comment on student's good work	75.3	72.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

GRUNDY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	10,261
2016 Estimate	10,165

BIRTH RISK	2015	2014	2013
Resident Births	136	170	163
Mother Reported Smoking while Pregnant	31	49	35

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	1	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	7	13	5
Tuberculosis Infection Cases	2	3	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	155	144	142
Suicide	1	2	1
Homicide	0	1	0
Alcohol Induced Deaths	0	2	1
Drug Induced Deaths	3	3	1
Smoking Attributable Deaths	15	20	21
Self-inflicted Injuries *	17	10	14
Assault Injuries *	30	31	28

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	71	96	91
Mental Illness Secondary Diagnosis	258	211	165
Alcohol Principal Diagnosis	2	3	4
Alcohol Secondary Diagnosis	13	13	12
Drug Principal Diagnosis	2	1	6
Drug Secondary Diagnosis	24	9	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	8	13	14
Mental Illness Secondary Diagnosis	114	112	130
Alcohol Principal Diagnosis	1	3	1
Alcohol Secondary Diagnosis	10	7	16
Drug Principal Diagnosis	0	2	2
Drug Secondary Diagnosis	5	6	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	96	94	89
Mental Illness Secondary Diagnosis	311	224	231
Alcohol Principal Diagnosis	11	6	10
Alcohol Secondary Diagnosis	58	33	29
Drug Principal Diagnosis	18	12	10
Drug Secondary Diagnosis	38	17	22

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	9	11	10
Alcohol Package Carry-out Licenses	10	10	11

EMPLOYMENT	2016	2015	2014
Labor Force	4,947	5,012	4,913
Employed	4,721	4,806	4,648
Unemployed	226	206	265
Unemployment Rate	4.6%	4.1%	5.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	6	13	9
Fatal Crashes	0	1	0
Injury Crashes	0	7	3
Property Damage Crashes	6	5	8
Crash Fatalities	0	1	0
Crash Injuries	0	8	5
Drug Involved Crashes	1	1	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	29	24	39
Liquor Law Arrests	10	15	27
Drug Arrests	78	56	58
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	9	13	9
Domestic Violence Reports	112	120	121
Property Offenses	154	198	158

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	404	412	425
Drop-outs	9	5	8
Drop-out Rate	2.2%	1.2%	1.9%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	2	1	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	7	9	11
Juvenile Alcohol Offenses	0	1	0
Juvenile Drug Offenses	3	0	2
School Truancy Status Offense	24	21	19
Absent from Home Status Offense	4	5	5
Beyond Parental Control Status Offense	4	9	0
Injurious Behavior Status Offense	11	6	12
Child Abuse	35	33	47
Child Neglect	27	57	47
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	11	21	21
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	9	7
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	16	12	20
Probation/Parole Admissions--Drug	52	34	22
Probation/Parole Admissions--DWI	2	2	4
Prison Admissions--Drug	27	22	16
Prison Admissions--DWI	2	1	2

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

GRUNDY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	11	11	11
CSTAR Adolescent	*	5	*
CSTAR Women and Children	*	5	*
CSTAR General Adult	70	63	90
CSTAR Opioid	*	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	8	8	9
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	29	25	29
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	8	7	11
- Weekend Intervention Program	*	8	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	77	83	113	Alcohol	24	29	30
AGE				Marijuana / Hashish	22	24	38
Under 18	6	5	5	Cocaine (total)	0	0	0
18 to 24	17	23	19	- Crack	0	0	0
25 to 29	12	13	19	Stimulant (total)	27	17	21
30 to 34	14	8	27	- Methamphetamine	27	15	20
35 to 39	12	8	18	Heroin	*	0	*
40 to 44	*	*	5	Analgesic except Heroin	*	10	20
45 to 54	7	19	15	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	46	47	66	Inhalant	0	0	0
Female	31	36	47	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	74	78	110	Average Age at First Use of Drug	16.9	18.1	17.8
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	17	11	24
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	7	*	7
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	9	8	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	25	35	44	0	47	55	71
High School Graduate or G.E.D.	39	34	52	1 or 2	24	21	32
Associate Degree or Some College	13	13	17	3 or More	6	7	10
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	16	31	20
Employed	37	23	26	School	0	0	0
Unemployed	11	37	71	Mental Health Provider	0	*	0
Not in Labor Force	29	22	16	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	20	18	26
Independent Living	62	69	99	Other Referral Source	22	27	62
Dependent Living	8	11	8	TREATMENT ACCOMMODATION			
Homeless	*	*	6	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	6	*
Never Married	40	49	56	Special Education Services Needed	10	5	9
Married / Cohabiting	20	20	31	Co-Occurring Psychological Problem	39	33	53
Previously Married	17	14	26	Co-Occurring Developmental Problem	*	*	*

GRUNDY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 10,261
2016 POPULATION ESTIMATE 10,165

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	16	9	8
Anxiety Disorder	167	129	121
Dementia	*	*	*
Developmental Disorder	6	8	11
Impulse Control Disorder	70	53	53
Mood Disorder	234	186	188
Personality Disorder	29	25	25
Psychotic Disorder	36	23	25
Sexual Disorder	*	0	0
Other Diagnosis	49	50	40
Diagnosis Unknown	14	12	14

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	374	278	275	Less than High School Diploma	157	113	130
AGE				High School Grad or G.E.D.	0	0	9
Under 6	*	*	*	Associate Degree or Some College	0	0	*
6 to 9	36	20	21	Bachelor or Advanced Degree	0	0	0
10 to 13	38	39	38	Education Level Unknown	217	165	135
14 to 17	37	23	29	EMPLOYMENT			
18 to 24	37	22	23	Employed	55	31	22
25 to 29	28	20	20	Unemployed	33	32	26
30 to 34	31	21	11	Not in Labor Force	231	175	195
35 to 39	28	18	18	Employment Status Unknown	55	40	32
40 to 44	23	21	30	HOUSING / LIVING ARRANGEMENT			
45 to 49	31	27	18	Independent Living	196	138	142
50 to 54	34	24	26	Dependent Living	108	91	103
55 to 59	16	14	18	Homeless	9	*	*
60 and Over	34	27	22	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	61	45	29
GENDER				TREATMENT REFERRAL SOURCE			
Male	152	103	111	Self / Family / Friend	205	161	165
Female	222	175	164	School	19	7	5
Gender Unknown	0	0	0	Mental Health Provider	11	13	15
RACE / ETHNICITY				Health Care Provider	67	51	41
Caucasian	353	267	265	Court / Criminal Justice	13	7	8
African American	10	*	*	Other	53	34	37
Native American / Alaskan	*	0	0	Referral Source Unknown	6	5	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	369	273	271
Other Race	7	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	6	8	Commitment Type Unknown	5	5	*
Past or Current Military Service	11	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.5	36.9	45.7	43.1	Alcohol	13.3	11.8	25.2	17.9
Chewing Tobacco	17.3	22.3	11.0	14.4	Alcohol (5+ drinks on single occasion past 2 weeks)	5.7	4.7		
Cigarettes	22.5	23.8	30.5	24.8	Chewing Tobacco	7.5	9.9	4.9	6.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	0.0	3.1	0.5	Cigarettes	11.6	14.6	15.9	14.9
Cocaine	1.2	2.3	3.0	2.0	Inhalants	0.6	1.5	4.3	8.2
Electronic Cigarettes	20.2	11.7			Marijuana	5.2	3.9	6.7	1.0
Hallucinogens	1.2	3.1	3.7	0.0	Over-the-counter medications for non-medical use	3.4	4.6	6.7	5.0
Heroin	0.0	0.0	2.5	2.0	Prescription medications not prescribed for student	9.2	6.2	7.3	3.5
Inhalants	4.0	5.3	6.7	11.3	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	12.7	13.2	13.4	3.0	Alcohol (1 or 2 drinks daily)	68.4	56.6		
Methamphetamine	0.0	0.8	2.4	2.1	Alcohol (Binge: 5+ drinks once or twice a week)	75.7	72.7		
Over-the-counter medications for non-medical use	6.4	7.7	9.1	7.9	Cigarettes (1+ packs per day)	84.4	82.2		
Prescription medications not prescribed for student	15.7	9.3	14.6	7.9	Marijuana (once or twice a week)	70.9	69.5		
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	3.9	6.7		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	93.9	92.6	98.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.17	12.61	13.13	11.34	Alcohol	84.9	81.5	86.0	81.7
Cigarettes	12.94	11.18	12.52	11.16	Cigarettes	92.4	96.2	93.2	95.0
Inhalants		11.12	12.27	12.26	Marijuana	94.7	96.9	95.0	99.5
Marijuana	14.05	13.25	13.32	10.30	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	72.3	68.7	55.2	62.4
Alcohol	40.1	38.2	59.5	59.2	Cigarettes	85.0	84.7	77.2	85.4
Cigarettes	31.0	31.3	51.2	46.0	Marijuana	86.0	89.2	82.7	88.5
Marijuana	22.0	16.8	38.9	27.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	98.5	92.5	98.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	6.9	15.3	9.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	46.2	42.3	60.4	67.2
Alcohol	23.7	30.0	39.6	35.6	Cigarettes	43.0	42.0	59.1	64.9
Cigarettes	12.7	17.6	14.7	14.9	Marijuana	26.2	26.7	34.4	23.3
Marijuana	10.4	10.0	13.4	7.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	14.5	16.0	11.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	65.9	69.2	69.5	61.7	Were grouchy, irritable, or in a bad mood	38.7	24.2	25.0	22.4
Were victims of mean rumors or lies spread at school	54.3	53.4	59.1	54.3	Had difficulty concentrating on school work	24.3	24.0	24.1	22.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	32.6	31.5	29.4	19.3	Were very sad	24.3	25.2	21.3	16.8
					Felt hopeless about the future	9.8	12.3	15.2	13.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.2	15.3	14.0	14.9	Parents involve student in making family decisions	75.0	66.2	61.0	73.8
Made plan about how they would attempt suicide	9.2	11.5	10.4	11.4	Parents notice and comment on student's good work	83.8	78.3	78.5	82.6
Attempted suicide	7.0	9.4	5.5	9.5	Teachers notice and comment on student's good work	83.3	71.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

HARRISON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	8,957
2016 Estimate	8,556

BIRTH RISK	2015	2014	2013
Resident Births	110	105	122
Mother Reported Smoking while Pregnant	30	31	38

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	1	0
Hepatitis C Chronic and Acute	3	4	5
Tuberculosis Infection Cases	1	0	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	115	127	120
Suicide	2	1	0
Homicide	0	0	0
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	0	3	2
Smoking Attributable Deaths	22	26	20
Self-inflicted Injuries *	7	5	20
Assault Injuries *	18	6	12

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	74	58	81
Mental Illness Secondary Diagnosis	259	227	214
Alcohol Principal Diagnosis	2	0	2
Alcohol Secondary Diagnosis	15	10	11
Drug Principal Diagnosis	2	3	5
Drug Secondary Diagnosis	15	1	6
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	13	16	27
Mental Illness Secondary Diagnosis	29	51	60
Alcohol Principal Diagnosis	2	2	0
Alcohol Secondary Diagnosis	8	4	8
Drug Principal Diagnosis	0	1	1
Drug Secondary Diagnosis	1	5	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	124	120	98
Mental Illness Secondary Diagnosis	121	93	108
Alcohol Principal Diagnosis	18	8	14
Alcohol Secondary Diagnosis	16	13	14
Drug Principal Diagnosis	10	4	15
Drug Secondary Diagnosis	19	11	16

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	6	5	5
Alcohol Package Carry-out Licenses	16	17	18

EMPLOYMENT	2016	2015	2014
Labor Force	4,025	4,036	3,988
Employed	3,856	3,831	3,730
Unemployed	169	205	258
Unemployment Rate	4.2%	5.1%	6.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	8	7	8
Fatal Crashes	0	0	0
Injury Crashes	8	3	4
Property Damage Crashes	0	4	11
Crash Fatalities	0	0	0
Crash Injuries	12	3	4
Drug Involved Crashes	2	1	0
Fatal Crashes	0	0	0
Injury Crashes	1	1	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	1	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	44	43	49
Liquor Law Arrests	5	25	17
Drug Arrests	89	64	75
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	4	6	6
Domestic Violence Reports	12	14	15
Property Offenses	157	83	112

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	397	406	378
Drop-outs	2	3	2
Drop-out Rate	0.5%	0.7%	0.5%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	8	9	12
Juvenile Alcohol Offenses	2	9	0
Juvenile Drug Offenses	1	3	0
School Truancy Status Offense	4	8	2
Absent from Home Status Offense	3	2	4
Beyond Parental Control Status Offense	3	0	4
Injurious Behavior Status Offense	7	3	2
Child Abuse	1	4	4
Child Neglect	46	64	53
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	22	12	7
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	7	4	4
Parental Alcohol and Drug Use	0	1	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	10	10	13
Probation/Parole Admissions--Drug	24	27	27
Probation/Parole Admissions--DWI	3	1	5
Prison Admissions--Drug	7	9	17
Prison Admissions--DWI	2	2	3

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

HARRISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	*
CSTAR Adolescent	0	*	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	24	31	39
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	0	*
Clinical SATOP (CIP, YCIP, SROP)	7	*	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	20	18	29
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	6	7	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2016	FY2015	FY2014		FY2016	FY2015	FY2014
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	33	37	52	Alcohol	14	12	22
AGE				Marijuana / Hashish	8	11	7
Under 18	0	*	0	Cocaine (total)	0	*	*
18 to 24	5	7	15	- Crack	0	0	0
25 to 29	7	8	12	Stimulant (total)	9	8	13
30 to 34	7	8	8	- Methamphetamine	9	8	12
35 to 39	*	5	6	Heroin	0	0	*
40 to 44	*	*	*	Analgesic except Heroin	*	*	5
45 to 54	*	5	*	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	18	24	35	Inhalant	0	0	0
Female	15	13	17	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	31	34	51	Average Age at First Use of Drug	16.2	17.7	17.9
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	7	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	14	20	0	17	26	33
High School Graduate or G.E.D.	18	20	27	1 or 2	13	8	11
Associate Degree or Some College	5	*	5	3 or More	*	*	8
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	6	12	9
Employed	13	16	22	School	0	0	0
Unemployed	5	13	24	Mental Health Provider	0	0	0
Not in Labor Force	15	8	6	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	6	9	14
Independent Living	29	32	48	Other Referral Source	10	12	27
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	13	18	24	Special Education Services Needed	*	*	0
Married / Cohabiting	14	15	21	Co-Occurring Psychological Problem	11	13	16
Previously Married	6	*	7	Co-Occurring Developmental Problem	0	*	0

HARRISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 8,957
2016 POPULATION ESTIMATE 8,556

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	77	65	51
Dementia	*	*	*
Developmental Disorder	0	0	0
Impulse Control Disorder	24	27	15
Mood Disorder	103	80	66
Personality Disorder	15	18	20
Psychotic Disorder	13	14	14
Sexual Disorder	0	0	0
Other Diagnosis	18	20	11
Diagnosis Unknown	6	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	138	108	87	Less than High School Diploma	51	47	34
AGE				High School Grad or G.E.D.	0	0	*
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	7	5	*	Bachelor or Advanced Degree	0	0	0
10 to 13	14	14	7	Education Level Unknown	87	61	52
14 to 17	11	*	*	EMPLOYMENT			
18 to 24	17	14	12	Employed	17	12	14
25 to 29	16	11	8	Unemployed	13	18	9
30 to 34	17	10	*	Not in Labor Force	75	64	55
35 to 39	7	5	7	Employment Status Unknown	33	14	9
40 to 44	6	*	7	HOUSING / LIVING ARRANGEMENT			
45 to 49	10	13	9	Independent Living	69	60	58
50 to 54	8	10	12	Dependent Living	33	32	21
55 to 59	6	7	*	Homeless	*	*	0
60 and Over	17	11	10	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	35	14	8
GENDER				TREATMENT REFERRAL SOURCE			
Male	68	58	44	Self / Family / Friend	44	33	30
Female	70	50	43	School	5	*	0
Gender Unknown	0	0	0	Mental Health Provider	8	7	8
RACE / ETHNICITY				Health Care Provider	35	32	32
Caucasian	132	104	84	Court / Criminal Justice	26	20	12
African American	*	*	0	Other	20	14	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	137	108	87
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	6	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

HARRISON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.6	40.6	43.6	40.2	Alcohol	15.0	14.6	27.6	16.2
Chewing Tobacco	14.3	21.4	28.4	20.2	Alcohol (5+ drinks on single occasion past 2 weeks)	6.7	5.2		
Cigarettes	23.1	32.0	32.3	32.4	Chewing Tobacco	7.5	11.2	14.9	13.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	0.0	0.0	1.6	Cigarettes	9.8	15.3	15.7	15.5
Cocaine	0.8	1.1	0.0	1.1	Inhalants	1.5	3.1	0.0	2.2
Electronic Cigarettes	16.4	13.4			Marijuana	2.2	2.1	11.2	3.3
Hallucinogens	1.5	1.0	0.0	1.1	Over-the-counter medications for non-medical use	2.3	1.0	0.8	4.4
Heroin	0.8	0.0	0.0	1.1	Prescription medications not prescribed for student	9.0	1.0	2.2	5.5
Inhalants	3.0	6.3	3.7	3.8					
Marijuana	6.8	5.2	15.7	9.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.8	1.1	0.0	0.5	Alcohol (1 or 2 drinks daily)	60.6	52.9		
Over-the-counter medications for non-medical use	3.8	1.0	0.8	7.1	Alcohol (Binge: 5+ drinks once or twice a week)	70.5	70.0		
Prescription medications not prescribed for student	11.4	2.1	2.2	12.6	Cigarettes (1+ packs per day)	85.5	88.2		
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	4.2	3.0		Marijuana (once or twice a week)	77.9	80.8		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.9	93.0	91.7	92.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.86	13.91	12.49	12.63	Alcohol	80.3	83.0	70.2	76.6
Cigarettes	12.66	13.33	13.49	12.36	Cigarettes	90.9	93.6	82.2	85.8
Inhalants		9.31	11.98	12.18	Marijuana	96.2	95.7	94.8	97.8
Marijuana		13.78	13.64	14.32					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	42.1	41.6	61.2	53.0	Alcohol	68.4	65.3	43.9	62.5
Cigarettes	35.1	37.6	59.0	55.4	Cigarettes	85.1	83.0	72.3	71.6
Marijuana	19.5	13.9	18.8	20.2	Marijuana	93.2	86.7	88.1	89.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	4.0	0.0	11.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	98.0	100.0	95.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	24.2	29.2	35.4	29.0	Alcohol	47.3	40.8	45.7	62.0
Cigarettes	12.7	16.3	16.4	17.7	Cigarettes	45.5	47.5	56.7	65.4
Marijuana	5.3	6.1	6.8	6.7	Marijuana	21.4	15.5	14.3	28.2
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	6.2	6.0	13.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	66.7	56.6	56.4	72.3	Were grouchy, irritable, or in a bad mood	34.8	20.8	14.3	23.5
Were victims of mean rumors or lies spread at school	56.1	45.0	46.3	50.3	Had difficulty concentrating on school work	29.1	18.8	14.9	19.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.3	26.0	20.3	16.2	Were very sad	24.2	22.5	6.8	21.3
					Felt hopeless about the future	10.4	12.9	7.8	8.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.6	14.9	3.8	8.7	Parents involve student in making family decisions	68.4	76.0	74.6	67.6
Made plan about how they would attempt suicide	6.8	11.0	3.8	8.6	Parents notice and comment on student's good work	79.1	87.5	81.2	82.0
Attempted suicide	3.7	8.0	1.5	4.3	Teachers notice and comment on student's good work	76.1	82.2		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

HENRY COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	22,272
2016 Estimate	21,594

BIRTH RISK	2015	2014	2013
Resident Births	250	249	250
Mother Reported Smoking while Pregnant	71	58	64

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	0	3
Hepatitis B Chronic, Acute, Prenatal	0	1	4
Hepatitis C Chronic and Acute	12	39	20
Tuberculosis Infection Cases	2	0	4

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	335	306	299
Suicide	4	5	6
Homicide	1	1	0
Alcohol Induced Deaths	1	2	2
Drug Induced Deaths	3	3	2
Smoking Attributable Deaths	63	63	58
Self-inflicted Injuries *	49	57	27
Assault Injuries *	74	63	73

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	261	254	269
Mental Illness Secondary Diagnosis	619	567	537
Alcohol Principal Diagnosis	11	22	6
Alcohol Secondary Diagnosis	56	44	37
Drug Principal Diagnosis	16	6	10
Drug Secondary Diagnosis	42	31	35
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	22	38	28
Mental Illness Secondary Diagnosis	289	439	442
Alcohol Principal Diagnosis	18	17	19
Alcohol Secondary Diagnosis	35	39	41
Drug Principal Diagnosis	9	8	5
Drug Secondary Diagnosis	18	28	25
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	281	301	268
Mental Illness Secondary Diagnosis	197	440	348
Alcohol Principal Diagnosis	68	68	36
Alcohol Secondary Diagnosis	57	76	45
Drug Principal Diagnosis	68	43	37
Drug Secondary Diagnosis	61	92	50

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	30	24	24
Alcohol Package Carry-out Licenses	31	30	32

EMPLOYMENT	2016	2015	2014
Labor Force	9,991	10,235	10,082
Employed	9,496	9,677	9,434
Unemployed	495	558	648
Unemployment Rate	5.0%	5.5%	6.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	21	19	18
Fatal Crashes	0	0	0
Injury Crashes	10	11	8
Property Damage Crashes	11	8	4
Crash Fatalities	0	0	0
Crash Injuries	16	14	10
Drug Involved Crashes	8	8	4
Fatal Crashes	0	1	0
Injury Crashes	4	3	1
Property Damage Crashes	4	4	3
Crash Fatalities	0	1	0
Crash Injuries	6	5	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	90	92	90
Liquor Law Arrests	25	26	24
Drug Arrests	279	268	133
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	80	70	54
Domestic Violence Reports	91	70	98
Property Offenses	592	726	787

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	880	906	888
Drop-outs	22	25	14
Drop-out Rate	2.5%	2.8%	1.6%
School Discipline Involving Alcohol	4	1	0
School Discipline Involving Drugs	5	19	8
School Discipline Involving Tobacco	3	1	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	16	17	21
Juvenile Alcohol Offenses	6	13	6
Juvenile Drug Offenses	5	10	4
School Truancy Status Offense	9	8	25
Absent from Home Status Offense	3	5	4
Beyond Parental Control Status Offense	10	10	5
Injurious Behavior Status Offense	36	69	78
Child Abuse	17	3	24
Child Neglect	100	110	126
Child Custody Issues	9	9	18

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	31	38	35
Parental Alcohol Use Related	2	1	4
Parental Drug Use Related	21	14	11
Parental Alcohol and Drug Use	1	0	2

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	15	15	10
Probation/Parole Admissions--Drug	129	68	71
Probation/Parole Admissions--DWI	10	7	14
Prison Admissions--Drug	48	40	43
Prison Admissions--DWI	6	8	8

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

HENRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	15	9	8
CSTAR Adolescent	18	19	17
CSTAR Women and Children	5	*	8
CSTAR General Adult	135	168	139
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	6	6	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	45	32	60
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	22	12	20
- Weekend Intervention Program	9	5	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	5	5
Compulsive Gambling	0	0	0
Recovery Supports	17	37	113
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	170	217	263	Alcohol	35	61	78
AGE				Marijuana / Hashish	45	69	71
Under 18	17	19	16	Cocaine (total)	0	*	0
18 to 24	30	39	43	- Crack	0	*	0
25 to 29	26	40	40	Stimulant (total)	70	65	87
30 to 34	21	24	37	- Methamphetamine	49	65	82
35 to 39	23	26	41	Heroin	*	0	*
40 to 44	21	28	21	Analgesic except Heroin	11	17	20
45 to 54	19	33	46	- Non-Prescription Methadone	0	0	*
55 and Over	13	8	19	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	102	147	171	Inhalant	0	0	0
Female	68	70	92	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	165	204	253	Average Age at First Use of Drug	17.7	17.2	18.3
African American	*	8	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	22	23	26
Asian / Pacific Islander	0	0	*	- Daily Injection Use	9	5	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	7
Other Race / Two or More Races	*	5	*	- Less than Weekly Injection Use	9	16	18
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	71	78	82	0	114	137	172
High School Graduate or G.E.D.	70	112	146	1 or 2	36	55	54
Associate Degree or Some College	27	27	32	3 or More	20	25	37
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	100	39	62
Employed	30	46	65	School	*	0	0
Unemployed	52	70	61	Mental Health Provider	*	*	5
Not in Labor Force	88	101	137	Health Care Provider	6	*	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	27	64	44
Independent Living	119	156	212	Other Referral Source	33	107	141
Dependent Living	23	24	23	TREATMENT ACCOMMODATION			
Homeless	10	8	*	Pregnant when Admitted to any Episode	8	*	6
MARITAL / FAMILY STATUS				Military Veteran	*	*	5
Never Married	100	116	137	Special Education Services Needed	*	*	*
Married / Cohabiting	31	59	71	Co-Occurring Psychological Problem	60	83	59
Previously Married	39	42	55	Co-Occurring Developmental Problem	6	*	*

HENRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 22,272
2016 POPULATION ESTIMATE 21,594

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	28	27	27
Anxiety Disorder	295	237	240
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	68	46	37
Mood Disorder	341	297	338
Personality Disorder	47	39	38
Psychotic Disorder	64	57	69
Sexual Disorder	0	0	0
Other Diagnosis	57	51	54
Diagnosis Unknown	20	28	38

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	470	438	493	Less than High School Diploma	167	153	208
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	9	5	Associate Degree or Some College	0	0	0
6 to 9	32	22	26	Bachelor or Advanced Degree	0	0	0
10 to 13	33	28	33	Education Level Unknown	303	285	285
14 to 17	47	41	23	EMPLOYMENT			
18 to 24	28	24	47	Employed	29	19	35
25 to 29	29	19	39	Unemployed	13	13	17
30 to 34	33	42	57	Not in Labor Force	347	310	333
35 to 39	45	37	40	Employment Status Unknown	81	96	108
40 to 44	44	42	43	HOUSING / LIVING ARRANGEMENT			
45 to 49	42	43	43	Independent Living	237	217	252
50 to 54	49	62	73	Dependent Living	145	124	125
55 to 59	43	31	35	Homeless	10	8	14
60 and Over	44	38	29	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	78	89	102
GENDER				TREATMENT REFERRAL SOURCE			
Male	190	179	207	Self / Family / Friend	170	189	275
Female	280	259	286	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	8	16	18
RACE / ETHNICITY				Health Care Provider	37	34	28
Caucasian	455	424	481	Court / Criminal Justice	7	7	10
African American	5	*	*	Other	243	187	155
Native American / Alaskan	*	*	*	Referral Source Unknown	5	5	6
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	463	433	486
Other Race	6	5	5	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	8	8	7	Commitment Type Unknown	5	5	6
Past or Current Military Service	9	12	10				

HENRY COUNTY

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.3	41.6	39.8	51.1	Alcohol	15.7	21.0	12.5	23.7
Chewing Tobacco	12.4	20.9	11.8	12.8	Alcohol (5+ drinks on single occasion past 2 weeks)	6.2	6.7		
Cigarettes	22.0	27.3	22.5	34.4	Chewing Tobacco	4.6	14.7	4.7	5.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	3.7	1.2	4.0	Cigarettes	8.4	13.1	8.3	17.3
Cocaine	0.9	1.7	0.6	2.5	Inhalants	1.5	2.0	1.2	2.2
Electronic Cigarettes	21.3	9.0			Marijuana	6.5	4.1	3.6	10.7
Hallucinogens	1.6	1.6	0.6	3.4	Over-the-counter medications for non-medical use	0.6	2.0	3.3	6.2
Heroin	0.0	0.4	0.3	0.5	Prescription medications not prescribed for student	6.8	2.1	2.7	7.2
Inhalants	3.7	4.9	3.3	5.6					
Marijuana	15.7	11.9	11.0	22.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.8	0.3	1.0	Alcohol (1 or 2 drinks daily)	65.0	52.9		
Over-the-counter medications for non-medical use	3.1	4.1	5.0	8.6	Alcohol (Binge: 5+ drinks once or twice a week)	77.6	61.5		
Prescription medications not prescribed for student	10.8	5.3	7.4	11.5	Cigarettes (1+ packs per day)	83.8	82.4		
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	5.1	3.6		Marijuana (once or twice a week)	72.0	75.3		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.4	94.2	96.1	95.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.97	12.81	12.55	12.89	Alcohol	83.7	81.4	80.3	75.1
Cigarettes	12.45	12.49	12.29	12.49	Cigarettes	93.5	92.2	92.1	86.2
Inhalants	11.75	11.53	12.05	13.04	Marijuana	90.9	95.1	95.1	91.1
Marijuana	13.47	12.45	13.38	13.94					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.6	46.9	52.8	68.3	Alcohol	70.2	66.4	62.3	59.7
Cigarettes	32.6	42.9	35.1	57.3	Cigarettes	88.2	83.8	84.5	75.7
Marijuana	37.1	27.0	21.5	38.7	Marijuana	85.0	88.9	89.6	82.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.8	9.9	8.3	17.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	97.5	96.4	93.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.8	30.2	25.0	42.6	Alcohol	50.8	46.9	56.4	65.5
Cigarettes	8.6	13.6	9.9	17.1	Cigarettes	45.7	46.1	50.7	66.5
Marijuana	10.5	6.5	6.3	15.7	Marijuana	38.0	17.1	26.6	46.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.9	10.4	11.4	26.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	70.2	61.2	69.9	71.8	Were grouchy, irritable, or in a bad mood	38.3	26.7	24.5	21.0
Were victims of mean rumors or lies spread at school	61.7	55.8	57.6	57.4	Had difficulty concentrating on school work	32.4	21.6	20.1	21.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	37.5	26.9	24.7	22.5	Were very sad	32.0	23.3	23.7	22.8
					Felt hopeless about the future	18.5	14.8	9.0	11.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	21.6	14.8	9.8	9.3	Parents involve student in making family decisions	68.5	67.3	70.6	64.0
Made plan about how they would attempt suicide	18.2	10.2	5.3	4.4	Parents notice and comment on student's good work	80.7	84.9	83.6	77.4
Attempted suicide	10.2	7.8	3.9	3.9	Teachers notice and comment on student's good work	69.9	82.0		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

HICKORY COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	9,627
2016 Estimate	9,269

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	8	5	4
Fatal Crashes	1	0	0
Injury Crashes	3	2	3
Property Damage Crashes	4	3	1
Crash Fatalities	1	0	0
Crash Injuries	4	3	4
Drug Involved Crashes	1	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

BIRTH RISK	2015	2014	2013
Resident Births	64	85	59
Mother Reported Smoking while Pregnant	19	22	19

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	5	10	8
Tuberculosis Infection Cases	2	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	158	149	137
Suicide	2	2	3
Homicide	1	0	0
Alcohol Induced Deaths	0	2	1
Drug Induced Deaths	3	2	2
Smoking Attributable Deaths	31	38	24
Self-inflicted Injuries *	6	5	9
Assault Injuries *	20	11	15

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	72	80	78
Mental Illness Secondary Diagnosis	133	99	103
Alcohol Principal Diagnosis	3	2	3
Alcohol Secondary Diagnosis	11	4	7
Drug Principal Diagnosis	4	1	4
Drug Secondary Diagnosis	15	9	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	14	26	40
Mental Illness Secondary Diagnosis	131	138	157
Alcohol Principal Diagnosis	1	2	8
Alcohol Secondary Diagnosis	8	12	16
Drug Principal Diagnosis	3	3	3
Drug Secondary Diagnosis	12	12	15
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	64	70	82
Mental Illness Secondary Diagnosis	651	532	460
Alcohol Principal Diagnosis	7	4	20
Alcohol Secondary Diagnosis	29	17	18
Drug Principal Diagnosis	9	8	19
Drug Secondary Diagnosis	25	31	33

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	12	9	11
Alcohol Package Carry-out Licenses	13	12	12

EMPLOYMENT	2016	2015	2014
Labor Force	3,732	3,783	3,705
Employed	3,523	3,531	3,394
Unemployed	209	252	311
Unemployment Rate	5.6%	6.7%	8.4%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	17	14	20
Liquor Law Arrests	0	3	0
Drug Arrests	30	20	23
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	0	2	2
Domestic Violence Reports	13	10	16
Property Offenses	93	119	143

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	473	468	484
Drop-outs	1	0	3
Drop-out Rate	0.2%	0.0%	0.6%
School Discipline Involving Alcohol	0	2	0
School Discipline Involving Drugs	0	9	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	14	13	5
Juvenile Alcohol Offenses	1	1	0
Juvenile Drug Offenses	0	4	5
School Truancy Status Offense	3	1	6
Absent from Home Status Offense	2	4	2
Beyond Parental Control Status Offense	4	2	9
Injurious Behavior Status Offense	2	1	9
Child Abuse	0	4	5
Child Neglect	20	7	19
Child Custody Issues	4	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	1	4	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	0	0
Parental Alcohol and Drug Use	0	2	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	19	14	11
Probation/Parole Admissions--DWI	3	2	2
Prison Admissions--Drug	13	9	4
Prison Admissions--DWI	1	0	3

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

HICKORY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	*
CSTAR Adolescent	0	0	0
CSTAR Women and Children	0	*	*
CSTAR General Adult	7	17	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	6	6	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	17	22	16
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	6	7	5
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	14	26	20	Alcohol	9	10	8
AGE				Marijuana / Hashish	*	*	*
Under 18	0	0	0	Cocaine (total)	0	0	0
18 to 24	0	*	*	- Crack	0	0	0
25 to 29	*	9	*	Stimulant (total)	*	8	7
30 to 34	*	7	*	- Methamphetamine	*	8	7
35 to 39	*	0	*	Heroin	0	0	0
40 to 44	*	0	*	Analgesic except Heroin	*	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	11	17	13	Inhalant	0	0	0
Female	*	9	7	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	13	26	20	Average Age at First Use of Drug	16.8	16.7	17.6
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	6	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	0	0	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	10	8	0	5	14	9
High School Graduate or G.E.D.	10	14	9	1 or 2	5	8	7
Associate Degree or Some College	*	*	*	3 or More	*	*	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	6	*	8
Employed	6	10	6	School	*	0	0
Unemployed	*	9	*	Mental Health Provider	0	0	*
Not in Labor Force	*	7	10	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	*	11	6
Independent Living	13	23	17	Other Referral Source	*	10	*
Dependent Living	0	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	*	13	10	Special Education Services Needed	*	0	0
Married / Cohabiting	6	5	5	Co-Occurring Psychological Problem	6	8	11
Previously Married	5	8	5	Co-Occurring Developmental Problem	0	0	0

HICKORY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 9,627
2016 POPULATION ESTIMATE 9,269

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	0	*
Anxiety Disorder	13	8	10
Dementia	0	0	0
Developmental Disorder	0	*	0
Impulse Control Disorder	9	5	*
Mood Disorder	21	19	17
Personality Disorder	*	*	*
Psychotic Disorder	0	0	*
Sexual Disorder	0	0	0
Other Diagnosis	6	5	*
Diagnosis Unknown	0	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	26	25	23	Less than High School Diploma	16	13	9
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	*	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	8	*	*	Education Level Unknown	10	12	14
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	0	*	*	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	*	0
30 to 34	*	*	*	Not in Labor Force	20	18	17
35 to 39	*	*	*	Employment Status Unknown	*	*	5
40 to 44	0	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	9	7	10
50 to 54	*	*	*	Dependent Living	12	13	9
55 to 59	0	*	*	Homeless	0	*	0
60 and Over	*	0	0	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	5	*	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	13	12	10	Self / Family / Friend	18	19	18
Female	13	13	13	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	0	0
RACE / ETHNICITY				Health Care Provider	5	5	*
Caucasian	25	23	23	Court / Criminal Justice	0	*	*
African American	0	0	0	Other	*	0	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	*	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	26	25	23
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

HICKORY COUNTY

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		36.5	39.5	47.6	Alcohol	21.2	14.0	20.7	
Chewing Tobacco		28.6	17.8	27.6	Alcohol (5+ drinks on single occasion past 2 weeks)	13.1			
Cigarettes		20.0	29.5	30.8	Chewing Tobacco	20.0	6.2	14.6	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0	0.0	1.4	Cigarettes	3.5	10.1	13.7	
Cocaine		0.0	0.8	1.4	Inhalants	1.2	3.1	1.4	
Electronic Cigarettes		10.7			Marijuana	7.1	1.6	6.2	
Hallucinogens		1.2	0.0	2.1	Over-the-counter medications for non-medical use	2.4	3.9	2.7	
Heroin		0.0	0.8	0.7	Prescription medications not prescribed for student	1.2	4.7	2.8	
Inhalants		1.2	6.2	3.4					
Marijuana		7.1	6.2	13.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	0.0	0.7	Alcohol (1 or 2 drinks daily)	52.9			
Over-the-counter medications for non-medical use		2.4	5.4	6.1	Alcohol (Binge: 5+ drinks once or twice a week)	64.7			
Prescription medications not prescribed for student		7.1	7.0	9.0	Cigarettes (1+ packs per day)	87.1			
Synthetic drugs (K2, bath salts, Spice, etc)		1.2	0.8		Marijuana (once or twice a week)	73.5			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	95.3	91.3	93.8	
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.10	12.79	12.51		Alcohol	85.7	81.9	75.5	
Cigarettes	13.11	12.07	12.19		Cigarettes	95.2	96.0	87.0	
Inhalants		11.93	11.45		Marijuana	95.2	96.1	93.1	
Marijuana	12.65	13.66	13.05						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	51.8	45.0	60.3		Alcohol	62.4	58.9	61.9	
Cigarettes	28.2	39.5	51.0		Cigarettes	89.3	82.2	77.6	
Marijuana	21.2	24.0	27.9		Marijuana	90.5	89.1	86.4	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.9	11.8	12.2		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	96.9	97.3	
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	31.8	31.3	33.8		Alcohol	49.4	54.3	55.5	
Cigarettes	4.8	12.4	16.0		Cigarettes	45.2	51.2	53.7	
Marijuana	7.1	6.9	8.8		Marijuana	27.1	24.8	26.0	
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	11.7	15.0	
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.2	59.7	68.0		Were grouchy, irritable, or in a bad mood	27.1	22.5	24.0	
Were victims of mean rumors or lies spread at school	50.0	47.3	56.9		Had difficulty concentrating on school work	21.4	18.6	18.6	
Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.8	20.2	18.6		Were very sad	14.1	7.0	17.8	
					Felt hopeless about the future	9.4	7.8	11.6	
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.2	10.2	5.4		Parents involve student in making family decisions	69.9	68.2	76.0	
Made plan about how they would attempt suicide	5.9	8.7	4.1		Parents notice and comment on student's good work	79.5	90.7	88.3	
Attempted suicide	3.6	3.1	4.0		Teachers notice and comment on student's good work	72.9			


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

HOLT COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	4,912
2016 Estimate	4,448

BIRTH RISK	2015	2014	2013
Resident Births	41	56	52
Mother Reported Smoking while Pregnant	7	12	11

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	1	4
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	67	64	69
Suicide	0	1	1
Homicide	0	0	0
Alcohol Induced Deaths	2	0	0
Drug Induced Deaths	0	0	1
Smoking Attributable Deaths	11	13	11
Self-inflicted Injuries *	0	7	4
Assault Injuries *	8	11	6

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	13	17	17
Mental Illness Secondary Diagnosis	55	43	40
Alcohol Principal Diagnosis	0	2	1
Alcohol Secondary Diagnosis	2	1	3
Drug Principal Diagnosis	1	2	2
Drug Secondary Diagnosis	7	0	1
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	20	22	9
Mental Illness Secondary Diagnosis	48	57	65
Alcohol Principal Diagnosis	1	7	3
Alcohol Secondary Diagnosis	7	9	8
Drug Principal Diagnosis	2	1	3
Drug Secondary Diagnosis	2	1	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	29	26	16
Mental Illness Secondary Diagnosis	55	76	67
Alcohol Principal Diagnosis	4	3	2
Alcohol Secondary Diagnosis	6	9	4
Drug Principal Diagnosis	4	0	2
Drug Secondary Diagnosis	3	2	1

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	9	7	8
Alcohol Package Carry-out Licenses	8	8	8

EMPLOYMENT	2016	2015	2014
Labor Force	2,718	2,761	2,726
Employed	2,629	2,660	2,592
Unemployed	89	101	134
Unemployment Rate	3.3%	3.7%	4.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	4	5	6
Fatal Crashes	1	1	0
Injury Crashes	1	2	2
Property Damage Crashes	2	2	4
Crash Fatalities	1	1	0
Crash Injuries	2	3	4
Drug Involved Crashes	2	1	3
Fatal Crashes	0	1	0
Injury Crashes	0	0	1
Property Damage Crashes	2	0	2
Crash Fatalities	0	1	0
Crash Injuries	0	0	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	22	16	22
Liquor Law Arrests	1	0	0
Drug Arrests	46	17	21
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	5	11	12
Domestic Violence Reports	9	11	7
Property Offenses	69	69	73

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	159	151	153
Drop-outs	1	0	1
Drop-out Rate	0.6%	0.0%	0.7%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	1	0	0
Juvenile Alcohol Offenses	1	0	0
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	7	6	12
Absent from Home Status Offense	2	0	0
Beyond Parental Control Status Offense	15	11	12
Injurious Behavior Status Offense	5	16	11
Child Abuse	7	3	0
Child Neglect	36	24	42
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	5	7	7
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	3	2	2
Probation/Parole Admissions--Drug	10	17	15
Probation/Parole Admissions--DWI	4	4	3
Prison Admissions--Drug	5	10	10
Prison Admissions--DWI	3	2	2

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

HOLT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	0	0	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	0	*	0
CSTAR General Adult	12	7	5
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	5
Clinical SATOP (CIP, YCIP, SROP)	0	0	0
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	16	15	10
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	6	6	6
- Weekend Intervention Program	*	6	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	*	0	0
Recovery Supports	0	0	0
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	14	9	11	Alcohol	*	*	*
AGE				Marijuana / Hashish	6	*	5
Under 18	*	0	*	Cocaine (total)	0	0	0
18 to 24	*	*	*	- Crack	0	0	0
25 to 29	5	0	0	Stimulant (total)	*	*	5
30 to 34	0	*	*	- Methamphetamine	*	*	5
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	0
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	10	5	8	Inhalant	0	0	0
Female	*	*	*	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	14	9	10	Average Age at First Use of Drug	16.4	20.1	17.5
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	5	*	5	0	10	6	8
High School Graduate or G.E.D.	7	5	*	1 or 2	*	*	*
Associate Degree or Some College	*	*	*	3 or More	*	0	0
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	*	*
Employed	*	5	*	School	0	0	0
Unemployed	*	0	*	Mental Health Provider	0	0	0
Not in Labor Force	10	*	5	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	9	6	6
Independent Living	10	7	9	Other Referral Source	*	0	0
Dependent Living	*	0	*	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	8	*	*	Special Education Services Needed	*	*	*
Married / Cohabiting	*	*	*	Co-Occurring Psychological Problem	7	*	7
Previously Married	*	*	5	Co-Occurring Developmental Problem	*	*	0

HOLT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 4,912
2016 POPULATION ESTIMATE 4,448

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	12	6	7
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	10	5	*
Mood Disorder	25	16	16
Personality Disorder	*	*	*
Psychotic Disorder	6	5	*
Sexual Disorder	0	0	0
Other Diagnosis	7	*	*
Diagnosis Unknown	*	0	0

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	36	22	21	Less than High School Diploma	10	7	8
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	*	Associate Degree or Some College	0	0	0
6 to 9	5	0	0	Bachelor or Advanced Degree	0	0	0
10 to 13	5	0	*	Education Level Unknown	26	15	13
14 to 17	5	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	0
25 to 29	5	*	*	Unemployed	*	*	*
30 to 34	*	*	0	Not in Labor Force	19	13	17
35 to 39	0	*	0	Employment Status Unknown	13	*	*
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	14	11	13
50 to 54	*	*	*	Dependent Living	12	7	7
55 to 59	*	*	*	Homeless	*	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	9	*	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	18	10	8	Self / Family / Friend	10	7	9
Female	18	12	13	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	11	7	7
Caucasian	34	22	21	Court / Criminal Justice	9	*	*
African American	*	0	0	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	36	22	21
Other Race	*	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	0	0				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		20.9	49.2	18.4	Alcohol		4.7	21.5	3.1
Chewing Tobacco		9.3	23.4	0.0	Alcohol (5+ drinks on single occasion past 2 weeks)		2.3		
Cigarettes		7.0	31.3	7.1	Chewing Tobacco		4.7	18.5	0.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0	4.6	0.0	Cigarettes		0.0	16.9	0.0
Cocaine		2.3	1.5	0.0	Inhalants		2.3	4.6	1.1
Electronic Cigarettes		0.0			Marijuana		0.0	7.7	0.0
Hallucinogens		2.3	1.5	0.0	Over-the-counter medications for non-medical use		2.3	6.2	0.0
Heroin		2.3	1.6	0.0	Prescription medications not prescribed for student		0.0	9.2	5.3
Inhalants		2.3	6.2	4.2					
Marijuana		2.3	13.8	0.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		2.3	1.6	0.0	Alcohol (1 or 2 drinks daily)		72.7		
Over-the-counter medications for non-medical use		2.3	10.8	0.0	Alcohol (Binge: 5+ drinks once or twice a week)		77.3		
Prescription medications not prescribed for student		2.3	13.8	6.3	Cigarettes (1+ packs per day)		90.9		
Synthetic drugs (K2, bath salts, Spice, etc)		0.0	6.2		Marijuana (once or twice a week)		88.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)		93.0	95.3	94.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol		14.02	12.40	12.93	Alcohol		93.0	71.4	100.0
Cigarettes	9.67	14.57	12.72	15.00	Cigarettes		100.0	87.7	97.9
Inhalants		13.29		9.82	Marijuana		100.0	95.3	100.0
Marijuana			14.58						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol		20.9	64.1	17.3	Alcohol		81.4	56.3	82.7
Cigarettes		9.1	56.9	17.3	Cigarettes		100.0	73.8	96.9
Marijuana		4.7	41.5	10.2	Marijuana		97.7	88.9	92.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		4.5	12.3	3.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		97.7	95.4	100.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol		13.6	34.4	9.6	Alcohol		39.5	63.1	42.6
Cigarettes		0.0	17.5	0.0	Cigarettes		30.2	58.5	29.6
Marijuana		0.0	7.8	6.3	Marijuana		9.1	36.9	15.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		4.5	13.8	1.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others		55.8	64.6	73.5	Were grouchy, irritable, or in a bad mood		18.2	26.2	26.5
Were victims of mean rumors or lies spread at school		41.9	49.2	44.9	Had difficulty concentrating on school work		14.0	13.8	24.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet		11.6	21.5	23.5	Were very sad		11.6	18.5	20.4
					Felt hopeless about the future		4.7	12.5	17.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	5.5	9.3	9.4	5.1	Parents involve student in making family decisions		81.8	69.2	75.8
Made plan about how they would attempt suicide	12.7	9.1	6.3	5.1	Parents notice and comment on student's good work	90.9	88.6	83.1	98.9
Attempted suicide	1.8	4.5	4.6	1.0	Teachers notice and comment on student's good work		90.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

HOWARD COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	10,144
2016 Estimate	10,058

BIRTH RISK	2015	2014	2013
Resident Births	126	112	124
Mother Reported Smoking while Pregnant	30	29	35

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	2	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	1	3	0
Tuberculosis Infection Cases	1	2	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	94	109	110
Suicide	1	2	1
Homicide	0	0	0
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	0	1
Smoking Attributable Deaths	14	13	16
Self-inflicted Injuries *	6	4	6
Assault Injuries *	19	11	18

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	39	34	47
Mental Illness Secondary Diagnosis	146	109	122
Alcohol Principal Diagnosis	3	0	1
Alcohol Secondary Diagnosis	9	5	11
Drug Principal Diagnosis	2	0	0
Drug Secondary Diagnosis	14	7	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	48	58	53
Mental Illness Secondary Diagnosis	135	158	172
Alcohol Principal Diagnosis	11	8	9
Alcohol Secondary Diagnosis	14	17	10
Drug Principal Diagnosis	5	5	5
Drug Secondary Diagnosis	6	14	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	57	60	71
Mental Illness Secondary Diagnosis	142	115	236
Alcohol Principal Diagnosis	5	11	9
Alcohol Secondary Diagnosis	12	12	27
Drug Principal Diagnosis	7	6	3
Drug Secondary Diagnosis	15	8	33

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	16	16	14
Alcohol Package Carry-out Licenses	9	9	10

EMPLOYMENT	2016	2015	2014
Labor Force	5,100	5,108	4,978
Employed	4,876	4,859	4,709
Unemployed	224	249	269
Unemployment Rate	4.4%	4.9%	5.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	9	9	6
Fatal Crashes	0	0	0
Injury Crashes	6	4	4
Property Damage Crashes	3	5	4
Crash Fatalities	0	0	0
Crash Injuries	13	5	5
Drug Involved Crashes	1	0	1
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	1	0	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	35	30	56
Liquor Law Arrests	26	26	39
Drug Arrests	200	114	68
Methamphetamine Lab Seizures	0	3	5
Violent Offenses	15	33	9
Domestic Violence Reports	39	39	21
Property Offenses	136	104	136

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	433	418	408
Drop-outs	7	8	9
Drop-out Rate	1.6%	1.9%	2.2%
School Discipline Involving Alcohol	0	0	1
School Discipline Involving Drugs	0	0	5
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	4	6	7
Juvenile Alcohol Offenses	2	3	0
Juvenile Drug Offenses	3	4	1
School Truancy Status Offense	5	9	6
Absent from Home Status Offense	2	1	2
Beyond Parental Control Status Offense	3	1	3
Injurious Behavior Status Offense	42	54	30
Child Abuse	15	16	5
Child Neglect	49	29	17
Child Custody Issues	0	0	4

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	28	17	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	12	13	2
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	62	36	22
Probation/Parole Admissions--DWI	0	5	6
Prison Admissions--Drug	23	17	11
Prison Admissions--DWI	1	0	6

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

HOWARD COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	7	*	*
CSTAR Adolescent	6	*	8
CSTAR Women and Children	8	*	8
CSTAR General Adult	14	15	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	6	7
Clinical SATOP (CIP, YCIP, SROP)	6	10	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	29	32	31
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	7	14	8
- Weekend Intervention Program	5	5	8
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	7	5	5
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	34	39	35	Alcohol	11	16	10
AGE				Marijuana / Hashish	9	11	10
Under 18	5	*	9	Cocaine (total)	0	0	*
18 to 24	*	*	*	- Crack	0	0	*
25 to 29	5	5	0	Stimulant (total)	10	9	10
30 to 34	6	9	*	- Methamphetamine	10	9	10
35 to 39	*	7	*	Heroin	0	0	0
40 to 44	*	6	5	Analgesic except Heroin	*	*	*
45 to 54	7	*	9	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	0	0	0
Male	17	28	20	Inhalant	0	0	*
Female	17	11	15	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	32	36	30	Average Age at First Use of Drug	17.9	17.2	17.3
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	*	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	0	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	11	15	15	0	10	18	20
High School Graduate or G.E.D.	18	18	14	1 or 2	15	14	8
Associate Degree or Some College	*	6	6	3 or More	9	7	7
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	18	11	13
Employed	9	11	5	School	0	0	0
Unemployed	11	18	11	Mental Health Provider	0	0	*
Not in Labor Force	14	10	19	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	10	17	14
Independent Living	26	28	20	Other Referral Source	*	10	*
Dependent Living	6	6	12	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	18	20	18	Special Education Services Needed	*	6	*
Married / Cohabiting	7	9	8	Co-Occurring Psychological Problem	16	14	17
Previously Married	9	10	9	Co-Occurring Developmental Problem	*	*	*

HOWARD COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 10,144
2016 POPULATION ESTIMATE 10,058

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	28	39	27
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	10	13	6
Mood Disorder	55	52	41
Personality Disorder	6	8	*
Psychotic Disorder	30	27	22
Sexual Disorder	0	0	0
Other Diagnosis	11	6	*
Diagnosis Unknown	9	9	18

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	93	95	79	Less than High School Diploma	38	32	33
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	0	0	0	Bachelor or Advanced Degree	0	0	0
10 to 13	5	*	*	Education Level Unknown	55	63	46
14 to 17	6	8	6	EMPLOYMENT			
18 to 24	9	10	8	Employed	8	13	11
25 to 29	7	5	*	Unemployed	*	*	*
30 to 34	11	12	7	Not in Labor Force	67	59	57
35 to 39	7	8	6	Employment Status Unknown	15	19	10
40 to 44	8	11	10	HOUSING / LIVING ARRANGEMENT			
45 to 49	7	*	6	Independent Living	37	30	31
50 to 54	10	12	11	Dependent Living	40	50	36
55 to 59	13	11	12	Homeless	0	0	*
60 and Over	10	10	8	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	16	15	11
GENDER				TREATMENT REFERRAL SOURCE			
Male	58	60	52	Self / Family / Friend	50	52	40
Female	35	35	27	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	12	14	16
RACE / ETHNICITY				Health Care Provider	22	23	17
Caucasian	70	70	62	Court / Criminal Justice	*	*	*
African American	14	19	14	Other	6	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	*	0	0	Voluntary	90	91	74
Other Race	6	5	*	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	6	7	7				

HOWARD COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	51.7	37.6	44.1	51.6	Alcohol	20.0	14.4	20.2	21.5
Chewing Tobacco	20.0	11.9	19.6	10.9	Alcohol (5+ drinks on single occasion past 2 weeks)	10.2	6.6		
Cigarettes	27.2	24.0	26.3	30.0	Chewing Tobacco	12.6	4.0	11.8	6.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	0.0	1.7	1.4	Cigarettes	15.1	14.4	15.7	11.7
Cocaine	1.7	0.8	2.2	2.7	Inhalants	2.3	0.0	2.2	0.9
Electronic Cigarettes	22.3	11.9			Marijuana	7.4	5.6	8.4	6.4
Hallucinogens	1.1	3.2	1.7	2.7	Over-the-counter medications for non-medical use	2.9	1.6	2.2	5.0
Heroin	0.0	0.8	1.7	0.0	Prescription medications not prescribed for student	9.7	0.0	5.0	5.0
Inhalants	4.6	4.0	6.1	2.3					
Marijuana	18.8	11.2	15.1	14.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.6	1.7	0.9	Alcohol (1 or 2 drinks daily)	58.4	53.2		
Over-the-counter medications for non-medical use	6.3	1.6	6.1	5.9	Alcohol (Binge: 5+ drinks once or twice a week)	60.1	57.1		
Prescription medications not prescribed for student	16.7	5.6	7.8	7.3	Cigarettes (1+ packs per day)	79.2	88.8		
Synthetic drugs (K2, bath salts, Spice, etc)	5.2	4.8	7.8		Marijuana (once or twice a week)	68.8	65.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.6	94.4	91.5	95.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.96	13.01	12.54	13.04	Alcohol	73.6	73.6	76.0	73.3
Cigarettes		12.64	13.13	12.91	Cigarettes	93.7	94.4	92.7	92.8
Inhalants		11.02	11.37	12.40	Marijuana	93.1	95.1	93.7	96.8
Marijuana	14.45	14.48	14.43	13.82					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	61.1	49.2	49.4	77.4	Alcohol	52.0	65.9	57.1	47.5
Cigarettes	49.1	38.1	44.1	48.9	Cigarettes	81.1	79.2	74.3	82.8
Marijuana	31.4	22.2	21.3	32.9	Marijuana	79.3	86.4	84.7	82.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.4	6.3	3.9	9.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	97.6	96.6	98.2
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	37.7	25.4	28.5	48.0	Alcohol	54.7	53.2	45.8	76.6
Cigarettes	17.1	13.5	12.8	14.1	Cigarettes	47.1	46.8	41.1	69.4
Marijuana	16.7	9.8	8.6	13.2	Marijuana	22.1	21.6	21.8	28.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.6	7.2	8.4	12.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	69.1	56.0	52.0	76.5	Were grouchy, irritable, or in a bad mood	36.6	22.4	21.9	15.8
Were victims of mean rumors or lies spread at school	55.4	46.8	41.3	61.5	Had difficulty concentrating on school work	27.4	20.0	16.9	15.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.6	21.0	12.2	23.1	Were very sad	17.1	12.7	19.0	12.7
					Felt hopeless about the future	9.8	7.2	10.1	6.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.9	4.8	7.8	7.7	Parents involve student in making family decisions	72.0	84.8	81.4	67.4
Made plan about how they would attempt suicide	8.0	5.6	3.9	6.3	Parents notice and comment on student's good work	85.1	92.0	88.8	82.0
Attempted suicide	2.9	1.6	2.8	3.6	Teachers notice and comment on student's good work	78.6	85.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

HOWELL COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	40,400
2016 Estimate	40,210

BIRTH RISK	2015	2014	2013
Resident Births	509	503	508
Mother Reported Smoking while Pregnant	135	125	162

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	1
Hepatitis B Chronic, Acute, Prenatal	2	2	1
Hepatitis C Chronic and Acute	63	77	54
Tuberculosis Infection Cases	12	5	8

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	535	497	547
Suicide	11	11	14
Homicide	0	2	2
Alcohol Induced Deaths	3	3	2
Drug Induced Deaths	3	6	7
Smoking Attributable Deaths	99	85	103
Self-inflicted Injuries *	51	99	82
Assault Injuries *	73	123	121

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	592	532	573
Mental Illness Secondary Diagnosis	856	1,106	1,140
Alcohol Principal Diagnosis	72	81	81
Alcohol Secondary Diagnosis	86	66	83
Drug Principal Diagnosis	81	99	98
Drug Secondary Diagnosis	94	71	63
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	21	37	29
Mental Illness Secondary Diagnosis	133	162	144
Alcohol Principal Diagnosis	12	7	3
Alcohol Secondary Diagnosis	13	14	20
Drug Principal Diagnosis	1	4	5
Drug Secondary Diagnosis	15	29	12
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	314	489	435
Mental Illness Secondary Diagnosis	1,196	2,554	2,936
Alcohol Principal Diagnosis	60	85	55
Alcohol Secondary Diagnosis	62	87	104
Drug Principal Diagnosis	71	63	59
Drug Secondary Diagnosis	98	112	87

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	36	31	31
Alcohol Package Carry-out Licenses	45	47	50

EMPLOYMENT	2016	2015	2014
Labor Force	16,265	16,543	16,169
Employed	15,238	15,480	15,026
Unemployed	1,027	1,063	1,143
Unemployment Rate	6.3%	6.4%	7.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	32	30	42
Fatal Crashes	2	1	0
Injury Crashes	13	13	20
Property Damage Crashes	17	16	36
Crash Fatalities	2	1	0
Crash Injuries	16	16	27
Drug Involved Crashes	13	17	12
Fatal Crashes	1	1	0
Injury Crashes	7	10	8
Property Damage Crashes	5	6	4
Crash Fatalities	1	1	0
Crash Injuries	12	12	9

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	186	203	183
Liquor Law Arrests	19	33	26
Drug Arrests	435	429	376
Methamphetamine Lab Seizures	1	5	11
Violent Offenses	123	96	88
Domestic Violence Reports	242	507	511
Property Offenses	905	1,003	1,251

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,819	1,863	1,911
Drop-outs	17	24	16
Drop-out Rate	0.9%	1.3%	0.8%
School Discipline Involving Alcohol	0	4	0
School Discipline Involving Drugs	5	4	12
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	27	19	12
Juvenile Alcohol Offenses	8	17	10
Juvenile Drug Offenses	7	9	8
School Truancy Status Offense	100	137	100
Absent from Home Status Offense	28	28	17
Beyond Parental Control Status Offense	56	72	80
Injurious Behavior Status Offense	39	54	76
Child Abuse	4	17	33
Child Neglect	113	77	101
Child Custody Issues	49	27	24

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	51	40	47
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	19	14	21
Parental Alcohol and Drug Use	2	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	11	13	14
Probation/Parole Admissions--Drug	108	122	105
Probation/Parole Admissions--DWI	6	11	17
Prison Admissions--Drug	28	33	36
Prison Admissions--DWI	2	1	4

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

HOWELL COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	53	72	67
CSTAR Adolescent	14	17	30
CSTAR Women and Children	9	17	14
CSTAR General Adult	133	128	115
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	*	13
Clinical SATOP (CIP, YCIP, SROP)	35	56	25
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	133	138	144
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	54	46	69
- Weekend Intervention Program	19	17	38
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	9	7
Compulsive Gambling	0	0	0
Recovery Supports	*	6	7
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	205	218	199	Alcohol	74	83	70
AGE				Marijuana / Hashish	42	40	47
Under 18	16	17	31	Cocaine (total)	0	0	0
18 to 24	33	41	36	- Crack	0	0	0
25 to 29	27	49	31	Stimulant (total)	69	57	52
30 to 34	34	35	23	- Methamphetamine	69	57	52
35 to 39	25	25	17	Heroin	*	*	*
40 to 44	20	21	23	Analgesic except Heroin	14	29	25
45 to 54	36	21	29	- Non-Prescription Methadone	0	*	*
55 and Over	14	9	9	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	5	*
Male	115	132	125	Inhalant	0	0	0
Female	90	86	74	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	194	204	192	Average Age at First Use of Drug	18.5	17.9	17.4
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	55	50	44
Asian / Pacific Islander	0	0	0	- Daily Injection Use	12	10	12
Hispanic	5	5	*	- Weekly Injection Use	18	15	19
Other Race / Two or More Races	6	9	5	- Less than Weekly Injection Use	25	25	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	84	71	86	0	106	117	120
High School Graduate or G.E.D.	82	100	84	1 or 2	61	60	49
Associate Degree or Some College	36	46	25	3 or More	38	41	30
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	111	94	84
Employed	30	34	20	School	*	*	*
Unemployed	53	65	64	Mental Health Provider	0	0	0
Not in Labor Force	122	119	115	Health Care Provider	17	16	13
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	53	83	64
Independent Living	148	173	155	Other Referral Source	16	21	36
Dependent Living	27	27	37	TREATMENT ACCOMMODATION			
Homeless	23	11	6	Pregnant when Admitted to any Episode	6	*	*
MARITAL / FAMILY STATUS				Military Veteran	11	7	5
Never Married	92	106	101	Special Education Services Needed	32	26	9
Married / Cohabiting	64	64	54	Co-Occurring Psychological Problem	103	115	65
Previously Married	49	48	44	Co-Occurring Developmental Problem	*	7	*

HOWELL COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 40,400
2016 POPULATION ESTIMATE 40,210

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	71	78	114
Anxiety Disorder	533	530	611
Dementia	*	*	*
Developmental Disorder	*	7	10
Impulse Control Disorder	146	159	163
Mood Disorder	614	687	824
Personality Disorder	51	55	53
Psychotic Disorder	81	97	107
Sexual Disorder	*	*	*
Other Diagnosis	60	58	58
Diagnosis Unknown	105	88	68

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,014	1,044	1,221	Less than High School Diploma	234	245	255
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	56	42	44	Bachelor or Advanced Degree	0	0	0
10 to 13	42	45	55	Education Level Unknown	780	799	966
14 to 17	46	44	61	EMPLOYMENT			
18 to 24	119	140	160	Employed	140	137	157
25 to 29	119	141	155	Unemployed	67	75	140
30 to 34	119	127	141	Not in Labor Force	578	559	567
35 to 39	117	108	125	Employment Status Unknown	229	273	357
40 to 44	101	112	119	HOUSING / LIVING ARRANGEMENT			
45 to 49	100	106	102	Independent Living	476	480	562
50 to 54	79	81	127	Dependent Living	185	167	162
55 to 59	55	49	77	Homeless	33	70	50
60 and Over	59	49	55	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	320	327	447
GENDER				TREATMENT REFERRAL SOURCE			
Male	454	473	542	Self / Family / Friend	397	445	679
Female	560	571	679	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	22	31	22
RACE / ETHNICITY				Health Care Provider	463	360	336
Caucasian	976	996	1,179	Court / Criminal Justice	21	13	*
African American	*	*	9	Other	109	194	180
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	*	0	TYPE OF COMMITMENT			
Hispanic	14	16	17	Voluntary	1,011	1,043	1,219
Other Race	18	26	14	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	19	26	29	Commitment Type Unknown	0	0	0
Past or Current Military Service	48	39	30				

HOWELL COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	11.8	39.9	41.4	43.9	Alcohol	0.0	19.9	16.2	19.8
Chewing Tobacco	1.5	27.1	26.5	21.9	Alcohol (5+ drinks on single occasion past 2 weeks)	0.0	11.0		
Cigarettes	5.7	31.0	30.7	33.5	Chewing Tobacco	0.0	21.0	16.1	12.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.2	3.4	2.0	Cigarettes	0.0	13.6	14.4	17.9
Cocaine	0.0	0.0	2.1	1.3	Inhalants	0.0	0.0	3.1	3.3
Electronic Cigarettes	1.8	11.5			Marijuana	0.0	1.3	2.2	7.7
Hallucinogens	0.0	0.0	2.8	3.3	Over-the-counter medications for non-medical use	0.0	0.2	2.5	5.5
Heroin	0.0	0.0	1.6	0.6	Prescription medications not prescribed for student	3.4	0.4	2.6	8.0
Inhalants	0.0	0.2	7.7	7.4					
Marijuana	0.0	7.2	10.4	17.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0	1.5	1.1	Alcohol (1 or 2 drinks daily)	74.5	51.9		
Over-the-counter medications for non-medical use	1.5	0.2	5.1	8.2	Alcohol (Binge: 5+ drinks once or twice a week)	84.8	59.5		
Prescription medications not prescribed for student	7.1	2.2	7.7	12.6	Cigarettes (1+ packs per day)	94.9	86.2		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	2.4	8.0		Marijuana (once or twice a week)	86.3	71.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.4	91.1	94.7	94.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	11.82	13.26	12.33	12.49	Alcohol	96.2	75.8	76.8	77.3
Cigarettes	10.28	13.53	12.33	12.00	Cigarettes	100.0	82.4	84.9	87.1
Inhalants		10.27	12.66	12.26	Marijuana	98.2	93.4	96.2	93.5
Marijuana		14.19	12.66	13.85					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	4.1	51.6	50.9	55.2	Alcohol	95.3	62.6	58.0	59.7
Cigarettes	7.0	44.2	41.7	50.2	Cigarettes	98.2	71.3	75.1	75.2
Marijuana	1.5	19.7	21.8	33.5	Marijuana	96.7	87.0	87.4	83.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.5	7.4	9.8	17.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.2	97.9	96.6	94.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	1.8	31.2	33.4	31.8	Alcohol	12.6	48.2	51.4	55.2
Cigarettes	0.0	18.1	17.3	18.1	Cigarettes	5.4	47.7	53.9	55.7
Marijuana	1.8	7.8	6.9	12.7	Marijuana	2.5	28.9	29.1	36.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.5	11.4	17.0	20.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	85.7	56.6	62.4	67.1	Were grouchy, irritable, or in a bad mood	20.7	20.6	19.0	19.8
Were victims of mean rumors or lies spread at school	28.6	55.2	51.9	57.9	Had difficulty concentrating on school work	17.0	22.9	17.3	20.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.2	21.4	18.5	17.1	Were very sad	8.2	12.6	17.1	19.1
					Felt hopeless about the future	5.6	9.6	10.6	10.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	3.4	4.6	8.5	11.9	Parents involve student in making family decisions	82.7	77.5	65.9	70.8
Made plan about how they would attempt suicide	3.3	4.0	8.7	9.0	Parents notice and comment on student's good work	90.5	85.2	83.4	83.2
Attempted suicide	0.0	1.3	4.8	5.2	Teachers notice and comment on student's good work	83.8	75.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

IRON COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17B
POPULATION	
Census 2010	10,630
2016 Estimate	10,022

BIRTH RISK	2015	2014	2013
Resident Births	107	101	91
Mother Reported Smoking while Pregnant	31	34	32

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	9	21	14
Tuberculosis Infection Cases	4	5	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	162	161	126
Suicide	2	3	4
Homicide	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	3	4
Smoking Attributable Deaths	36	35	27
Self-inflicted Injuries *	30	28	21
Assault Injuries *	62	52	31

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	272	262	248
Mental Illness Secondary Diagnosis	352	345	317
Alcohol Principal Diagnosis	6	3	3
Alcohol Secondary Diagnosis	20	29	24
Drug Principal Diagnosis	12	14	11
Drug Secondary Diagnosis	26	24	29
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	23	31	19
Mental Illness Secondary Diagnosis	149	169	161
Alcohol Principal Diagnosis	3	1	5
Alcohol Secondary Diagnosis	13	25	11
Drug Principal Diagnosis	3	1	5
Drug Secondary Diagnosis	12	10	10
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	183	189	174
Mental Illness Secondary Diagnosis	432	387	504
Alcohol Principal Diagnosis	23	20	27
Alcohol Secondary Diagnosis	36	30	26
Drug Principal Diagnosis	29	34	30
Drug Secondary Diagnosis	78	31	46

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	9	10	11
Alcohol Package Carry-out Licenses	11	10	8

EMPLOYMENT	2016	2015	2014
Labor Force	3,745	3,900	3,859
Employed	3,478	3,594	3,487
Unemployed	267	306	372
Unemployment Rate	7.1%	7.8%	9.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	19	5	5
Fatal Crashes	1	0	0
Injury Crashes	11	3	2
Property Damage Crashes	7	2	5
Crash Fatalities	1	0	0
Crash Injuries	13	3	2
Drug Involved Crashes	2	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	2	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	35	21	33
Liquor Law Arrests	0	0	8
Drug Arrests	27	17	16
Methamphetamine Lab Seizures	3	2	3
Violent Offenses	19	26	37
Domestic Violence Reports	30	25	33
Property Offenses	126	139	133

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	558	544	576
Drop-outs	8	9	2
Drop-out Rate	1.4%	1.7%	0.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	3	0
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	2	10	1
Juvenile Alcohol Offenses	0	1	1
Juvenile Drug Offenses	2	3	0
School Truancy Status Offense	18	29	31
Absent from Home Status Offense	1	0	0
Beyond Parental Control Status Offense	4	4	2
Injurious Behavior Status Offense	17	49	19
Child Abuse	10	31	14
Child Neglect	65	87	41
Child Custody Issues	0	1	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	22	16	25
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	13	9	10
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	16	18	21
Probation/Parole Admissions--Drug	15	17	23
Probation/Parole Admissions--DWI	2	5	1
Prison Admissions--Drug	14	10	11
Prison Admissions--DWI	0	1	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

IRON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	10	9	12
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	*	0
CSTAR General Adult	55	56	50
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	*
Clinical SATOP (CIP, YCIP, SROP)	7	*	9
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	32	23	30
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	10	11	10
- Weekend Intervention Program	5	8	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	67	71	56	Alcohol	24	17	19
AGE				Marijuana / Hashish	7	14	13
Under 18	0	*	*	Cocaine (total)	*	*	*
18 to 24	8	13	5	- Crack	*	*	0
25 to 29	18	15	10	Stimulant (total)	17	16	6
30 to 34	13	6	12	- Methamphetamine	17	16	6
35 to 39	7	9	5	Heroin	7	6	6
40 to 44	5	12	7	Analgesic except Heroin	9	11	9
45 to 54	13	8	10	- Non-Prescription Methadone	0	*	0
55 and Over	*	6	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	5	*
Male	42	44	36	Inhalant	0	0	0
Female	25	27	20	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	65	64	54	Average Age at First Use of Drug	19.7	20.5	18.6
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	16	15	11
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	*	0	- Weekly Injection Use	*	5	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	10	9	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	19	25	0	40	52	38
High School Graduate or G.E.D.	36	31	25	1 or 2	19	14	11
Associate Degree or Some College	17	21	6	3 or More	8	5	7
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	29	20	15
Employed	21	15	10	School	0	0	0
Unemployed	22	29	25	Mental Health Provider	0	0	*
Not in Labor Force	24	27	21	Health Care Provider	10	6	11
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	24	35	21
Independent Living	58	62	47	Other Referral Source	*	7	8
Dependent Living	*	6	8	TREATMENT ACCOMMODATION			
Homeless	6	*	0	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	7	*
Never Married	29	33	24	Special Education Services Needed	*	11	11
Married / Cohabiting	22	15	18	Co-Occurring Psychological Problem	27	31	25
Previously Married	16	23	14	Co-Occurring Developmental Problem	*	*	5

IRON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17B
CENSUS 2010 10,630
2016 POPULATION ESTIMATE 10,022

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	0	*
Anxiety Disorder	41	45	43
Dementia	*	*	*
Developmental Disorder	6	5	*
Impulse Control Disorder	15	19	15
Mood Disorder	90	99	86
Personality Disorder	12	10	10
Psychotic Disorder	38	49	39
Sexual Disorder	*	*	*
Other Diagnosis	12	*	*
Diagnosis Unknown	13	19	18

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	166	191	184	Less than High School Diploma	46	46	47
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	9	13	14	Bachelor or Advanced Degree	0	0	0
10 to 13	9	7	11	Education Level Unknown	120	145	137
14 to 17	11	14	15	EMPLOYMENT			
18 to 24	10	13	15	Employed	*	*	*
25 to 29	14	16	12	Unemployed	8	*	*
30 to 34	11	12	11	Not in Labor Force	102	115	88
35 to 39	18	24	17	Employment Status Unknown	52	71	89
40 to 44	18	19	26	HOUSING / LIVING ARRANGEMENT			
45 to 49	12	15	12	Independent Living	32	37	32
50 to 54	21	21	21	Dependent Living	70	77	60
55 to 59	12	14	12	Homeless	5	*	*
60 and Over	19	22	16	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	59	76	90
GENDER				TREATMENT REFERRAL SOURCE			
Male	75	86	91	Self / Family / Friend	51	65	60
Female	91	105	93	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	40	37	27
RACE / ETHNICITY				Health Care Provider	40	41	40
Caucasian	152	179	177	Court / Criminal Justice	*	6	7
African American	8	5	*	Other	29	40	49
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	160	182	177
Other Race	5	6	*	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	7	6
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	14	12	10	Commitment Type Unknown	0	0	0
Past or Current Military Service	7	8	5				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	35.0	29.5	44.8	55.6	Alcohol	13.0	1.5	17.6	24.6
Chewing Tobacco	22.0	14.4	23.2	22.7	Alcohol (5+ drinks on single occasion past 2 weeks)	7.5	0.0		
Cigarettes	29.7	31.1	30.3	45.7	Chewing Tobacco	5.0	6.8	12.7	17.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.5	0.0	1.8	2.4	Cigarettes	11.3	1.5	10.3	23.0
Cocaine	2.5	0.0	0.6	1.9	Inhalants	0.0	1.5	1.8	2.4
Electronic Cigarettes	16.7	3.8			Marijuana	5.0	1.5	7.3	11.0
Hallucinogens	5.6	0.0	1.2	4.8	Over-the-counter medications for non-medical use	2.5	1.5	3.6	9.6
Heroin	0.0	0.0	0.6	0.0	Prescription medications not prescribed for student	1.9	2.3	5.5	14.4
Inhalants	2.5	16.7	2.4	9.1					
Marijuana	9.3	1.5	14.6	22.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0	0.6	1.0	Alcohol (1 or 2 drinks daily)	65.8	84.0		
Over-the-counter medications for non-medical use	6.2	1.5	5.5	16.3	Alcohol (Binge: 5+ drinks once or twice a week)	74.8	91.7		
Prescription medications not prescribed for student	11.2	3.8	8.5	24.4	Cigarettes (1+ packs per day)	81.4	93.2		
Synthetic drugs (K2, bath salts, Spice, etc)	6.8	0.0	5.5		Marijuana (once or twice a week)	69.2	72.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	92.4	93.9	91.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.30	10.42	12.25	11.53	Alcohol	89.4	92.2	77.3	74.5
Cigarettes	13.14	10.80	11.72	11.24	Cigarettes	83.9	94.7	87.7	80.6
Inhalants		10.58		12.85	Marijuana	97.5	98.5	93.9	92.7
Marijuana	14.49	12.00	13.25	13.08					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	49.1	20.5	54.9	70.0	Alcohol	83.2	87.1	55.2	50.7
Cigarettes	39.8	12.9	41.8	54.5	Cigarettes	79.0	90.7	75.6	68.5
Marijuana	14.2	1.5	27.3	39.8	Marijuana	89.3	96.2	85.5	79.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	0.0	9.7	15.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	100.0	95.2	93.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	16.3	5.3	38.7	41.8	Alcohol	41.9	31.8	57.3	63.2
Cigarettes	14.9	4.5	14.5	23.8	Cigarettes	44.7	35.6	52.1	60.1
Marijuana	6.5	1.5	8.5	15.8	Marijuana	27.8	9.8	30.1	37.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.1	6.1	15.3	20.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	52.2	50.8	66.5	72.8	Were grouchy, irritable, or in a bad mood	28.6	9.8	25.6	23.0
Were victims of mean rumors or lies spread at school	41.0	66.2	55.8	63.4	Had difficulty concentrating on school work	16.1	14.5	16.4	23.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	14.3	37.2	24.2	20.7	Were very sad	6.2	8.3	23.0	13.7
					Felt hopeless about the future	14.8	6.1	10.4	14.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	3.7	3.8	9.8	15.5	Parents involve student in making family decisions	70.8	88.5	68.1	68.6
Made plan about how they would attempt suicide	3.7	1.5	8.5	14.1	Parents notice and comment on student's good work	90.1	77.9	84.8	83.2
Attempted suicide	3.1	0.0	3.7	7.9	Teachers notice and comment on student's good work	97.5	69.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

JACKSON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	2-5 (JC)
Adult Psychiatric	2, 3, 4, 5
POPULATION	
Census 2010	674,158
2016 Estimate	691,801

BIRTH RISK	2015	2014	2013
Resident Births	9,345	9,520	9,478
Mother Reported Smoking while Pregnant	1,152	1,347	1,357

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	123	98	105
Hepatitis B Chronic, Acute, Prenatal	115	95	130
Hepatitis C Chronic and Acute	694	780	519
Tuberculosis Infection Cases	635	776	828

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	6,320	6,073	6,091
Suicide	119	104	116
Homicide	119	83	109
Alcohol Induced Deaths	69	83	77
Drug Induced Deaths	132	119	118
Smoking Attributable Deaths	1,036	989	1,005
Self-inflicted Injuries *	854	990	1,122
Assault Injuries *	4,194	3,866	4,242

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	6,323	6,460	6,521
Mental Illness Secondary Diagnosis	11,529	7,606	6,771
Alcohol Principal Diagnosis	817	607	815
Alcohol Secondary Diagnosis	1,936	1,328	1,622
Drug Principal Diagnosis	326	276	392
Drug Secondary Diagnosis	2,116	1,630	1,301
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,157	1,429	1,615
Mental Illness Secondary Diagnosis	11,305	13,597	12,373
Alcohol Principal Diagnosis	463	644	544
Alcohol Secondary Diagnosis	1,607	2,046	1,923
Drug Principal Diagnosis	196	261	263
Drug Secondary Diagnosis	1,234	1,663	1,557
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	6,473	5,551	5,482
Mental Illness Secondary Diagnosis	10,763	15,080	17,292
Alcohol Principal Diagnosis	4,598	4,012	4,099
Alcohol Secondary Diagnosis	2,836	2,729	3,119
Drug Principal Diagnosis	1,803	1,535	1,854
Drug Secondary Diagnosis	4,833	3,521	2,978

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	876	838	825
Alcohol Package Carry-out Licenses	457	469	461

EMPLOYMENT	2016	2015	2014
Labor Force	369,829	367,147	363,483
Employed	351,092	345,606	338,018
Unemployed	18,737	21,541	25,465
Unemployment Rate	5.1%	5.9%	7.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	606	562	615
Fatal Crashes	13	10	13
Injury Crashes	226	227	248
Property Damage Crashes	367	325	388
Crash Fatalities	14	10	13
Crash Injuries	328	341	367
Drug Involved Crashes	152	105	127
Fatal Crashes	3	2	3
Injury Crashes	79	57	67
Property Damage Crashes	70	46	57
Crash Fatalities	3	2	3
Crash Injuries	112	87	104

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	2,532	2,704	3,034
Liquor Law Arrests	350	450	683
Drug Arrests	3,841	3,323	3,770
Methamphetamine Lab Seizures	7	8	11
Violent Offenses	9,201	7,774	6,885
Domestic Violence Reports	8,633	8,768	8,183
Property Offenses	34,121	34,198	36,464

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	29,622	29,123	28,224
Drop-outs	842	907	1,541
Drop-out Rate	2.8%	3.1%	5.5%
School Discipline Involving Alcohol	29	46	44
School Discipline Involving Drugs	183	301	288
School Discipline Involving Tobacco	4	2	6

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	404	414	463
Juvenile Alcohol Offenses	12	12	15
Juvenile Drug Offenses	81	95	94
School Truancy Status Offense	5	3	4
Absent from Home Status Offense	33	21	18
Beyond Parental Control Status Offense	4	2	11
Injurious Behavior Status Offense	9	11	14
Child Abuse	359	382	417
Child Neglect	999	752	787
Child Custody Issues	568	144	165

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	989	793	976
Parental Alcohol Use Related	16	23	14
Parental Drug Use Related	419	283	290
Parental Alcohol and Drug Use	37	30	39

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	1,193	1,097	1,109
Probation/Parole Admissions--Drug	725	626	642
Probation/Parole Admissions--DWI	169	176	172
Prison Admissions--Drug	126	144	163
Prison Admissions--DWI	33	55	62

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

JACKSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	799	819	860
CSTAR Adolescent	200	237	243
CSTAR Women and Children	769	787	775
CSTAR General Adult	2,074	1,988	2,031
CSTAR Opioid	247	142	124
Primary Recovery Treatment	480	441	491
Clinical SATOP (CIP, YCIP, SROP)	527	615	622
Other Substance Abuse Treatment	*	*	8


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	2,324	2,372	2,449
- Adolescent Diversion Education Program	9	9	5
- Offender Education Program	888	789	859
- Weekend Intervention Program	437	468	502
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	127	120	171
Compulsive Gambling	*	15	8
Recovery Supports	1,374	1,300	1,669
Early Intervention	42	21	32

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	4,625	4,686	4,709	Alcohol	1,615	1,793	1,805
AGE				Marijuana / Hashish	1,023	1,150	1,161
Under 18	195	228	245	Cocaine (total)	351	337	420
18 to 24	546	586	637	- Crack	196	178	251
25 to 29	742	696	689	Stimulant (total)	926	854	745
30 to 34	743	773	772	- Methamphetamine	880	836	706
35 to 39	612	600	558	Heroin	255	150	156
40 to 44	455	454	510	Analgesic except Heroin	289	225	208
45 to 54	873	919	955	- Non-Prescription Methadone	*	0	*
55 and Over	459	430	343	PCP, LSD, other Hallucinogen	131	140	168
GENDER				Tranquilizer	28	27	25
Male	3,067	3,144	3,254	Inhalant	*	*	0
Female	1,557	1,542	1,454	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	5	19
Caucasian	2,685	2,804	2,669	Average Age at First Use of Drug	18.5	18.2	18.0
African American	1,557	1,521	1,701	INJECTION DRUG USE			
Native American / Alaskan	20	19	16	Any Injection Use at Admission	554	406	408
Asian / Pacific Islander	18	17	11	- Daily Injection Use	138	133	125
Hispanic	219	212	208	- Weekly Injection Use	173	106	112
Other Race / Two or More Races	175	170	170	- Less than Weekly Injection Use	243	167	171
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,466	1,460	1,568	0	2,943	2,836	2,806
High School Graduate or G.E.D.	2,033	2,068	1,972	1 or 2	1,072	1,159	1,224
Associate Degree or Some College	1,090	1,112	1,114	3 or More	610	691	679
Bachelor or Advanced Degree	36	46	55	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	1,788	1,528	1,707
Employed	1,298	1,275	1,129	School	38	31	25
Unemployed	1,818	1,927	1,948	Mental Health Provider	53	77	87
Not in Labor Force	1,509	1,484	1,632	Health Care Provider	288	339	233
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,751	1,917	1,885
Independent Living	3,341	3,297	3,274	Other Referral Source	559	667	562
Dependent Living	462	583	637	TREATMENT ACCOMMODATION			
Homeless	690	631	612	Pregnant when Admitted to any Episode	73	67	75
MARITAL / FAMILY STATUS				Military Veteran	133	169	180
Never Married	2,959	2,951	2,986	Special Education Services Needed	284	318	293
Married / Cohabiting	781	825	844	Co-Occurring Psychological Problem	1,688	1,799	1,794
Previously Married	885	910	879	Co-Occurring Developmental Problem	141	101	104

JACKSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 2, 3, 4, 5
CENSUS 2010 674,158
2016 POPULATION ESTIMATE 691,801

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	633	724	640
Anxiety Disorder	4,559	5,068	4,150
Dementia	28	28	24
Developmental Disorder	133	156	135
Impulse Control Disorder	2,073	2,241	1,993
Mood Disorder	6,943	7,947	7,051
Personality Disorder	690	543	550
Psychotic Disorder	2,699	2,930	2,810
Sexual Disorder	30	24	18
Other Diagnosis	1,109	1,038	874
Diagnosis Unknown	1,931	1,576	1,770

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	12,692	13,574	12,448	Less than High School Diploma	2,511	2,613	2,188
AGE				High School Grad or G.E.D.	*	0	0
Under 6	45	54	102	Associate Degree or Some College	0	0	0
6 to 9	686	706	718	Bachelor or Advanced Degree	0	0	0
10 to 13	910	914	855	Education Level Unknown	10,180	10,961	10,260
14 to 17	1,055	1,046	870	EMPLOYMENT			
18 to 24	1,020	1,060	1,055	Employed	512	548	413
25 to 29	958	1,103	1,002	Unemployed	575	811	690
30 to 34	1,023	1,216	1,157	Not in Labor Force	4,710	5,079	4,135
35 to 39	1,038	1,145	1,065	Employment Status Unknown	6,895	7,136	7,210
40 to 44	1,039	1,157	1,090	HOUSING / LIVING ARRANGEMENT			
45 to 49	1,177	1,254	1,189	Independent Living	3,229	3,472	2,654
50 to 54	1,386	1,568	1,411	Dependent Living	2,103	2,446	2,114
55 to 59	1,241	1,250	1,059	Homeless	384	415	338
60 and Over	1,114	1,101	875	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	6,976	7,241	7,342
GENDER				TREATMENT REFERRAL SOURCE			
Male	6,228	6,636	6,102	Self / Family / Friend	5,603	5,995	5,822
Female	6,464	6,938	6,346	School	208	197	165
Gender Unknown	0	0	0	Mental Health Provider	1,243	1,250	1,314
RACE / ETHNICITY				Health Care Provider	1,990	2,240	1,914
Caucasian	6,272	6,733	6,316	Court / Criminal Justice	469	505	503
African American	4,978	5,310	4,966	Other	3,112	3,316	2,651
Native American / Alaskan	43	44	52	Referral Source Unknown	67	71	79
Asian / Pacific Islander	52	57	45	TYPE OF COMMITMENT			
Hispanic	565	532	390	Voluntary	12,489	13,350	12,204
Other Race	781	898	679	Civil	42	66	49
Race/Ethnicity Unknown	*	0	0	Criminal	90	86	119
TREATMENT ACCOMMODATION				Sexual Predatory	8	9	10
Hearing Impaired	351	330	253	Commitment Type Unknown	63	63	66
Past or Current Military Service	264	295	274				

JACKSON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	29.8	30.5	36.7	37.7	Alcohol	11.1	11.5	14.9	16.3
Chewing Tobacco	6.6	7.1	7.8	6.3	Alcohol (5+ drinks on single occasion past 2 weeks)	3.1	5.1		
Cigarettes	15.6	17.3	21.1	24.7	Chewing Tobacco	2.5	3.5	3.8	3.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.9	2.4	2.1	Cigarettes	5.1	6.7	9.2	12.4
Cocaine	1.4	1.5	2.1	1.8	Inhalants	1.0	1.4	2.0	2.7
Electronic Cigarettes	17.8	12.6			Marijuana	6.8	8.1	10.2	10.5
Hallucinogens	1.9	1.8	3.0	2.5	Over-the-counter medications for non-medical use	2.2	2.2	3.5	4.6
Heroin	0.2	0.5	1.0	0.6	Prescription medications not prescribed for student	9.3	3.9	4.5	6.2
Inhalants	2.6	3.4	5.0	5.8					
Marijuana	17.2	16.6	19.6	19.7	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.6	1.3	0.9	Alcohol (1 or 2 drinks daily)	68.0	60.3		
Over-the-counter medications for non-medical use	4.7	3.7	5.9	7.3	Alcohol (Binge: 5+ drinks once or twice a week)	78.4	73.1		
Prescription medications not prescribed for student	13.8	8.5	8.0	9.9	Cigarettes (1+ packs per day)	82.7	83.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.3	6.4		Marijuana (once or twice a week)	60.3	56.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	87.6	88.2	91.8	89.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.73	12.99	12.94	12.46	Alcohol	84.6	83.3	79.3	80.4
Cigarettes	12.25	12.76	12.65	12.12	Cigarettes	94.1	93.5	90.6	90.0
Inhalants	10.32	11.00	11.55	11.21	Marijuana	90.5	90.7	91.5	92.0
Marijuana	13.62	13.73	13.61	13.33					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	39.9	40.8	51.5	50.9	Alcohol	73.2	66.5	61.1	62.8
Cigarettes	27.3	30.9	41.0	42.5	Cigarettes	89.8	86.1	81.3	79.3
Marijuana	36.0	35.2	42.9	39.6	Marijuana	77.7	76.0	76.9	78.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	13.0	15.1	17.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	95.0	93.9	93.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	19.9	23.7	29.3	29.3	Alcohol	47.5	48.3	56.9	52.7
Cigarettes	6.3	9.7	12.4	13.5	Cigarettes	41.7	44.3	54.4	51.7
Marijuana	16.5	16.0	17.0	15.4	Marijuana	40.0	37.4	43.6	39.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	15.7	18.7	19.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.3	57.9	58.0	63.7	Were grouchy, irritable, or in a bad mood	34.8	27.6	25.5	23.4
Were victims of mean rumors or lies spread at school	44.3	48.7	44.7	48.6	Had difficulty concentrating on school work	27.4	24.7	23.3	22.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.6	24.1	18.3	17.2	Were very sad	22.8	20.8	19.9	17.1
					Felt hopeless about the future	14.3	12.2	11.8	11.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.7	13.3	12.5	11.4	Parents involve student in making family decisions	68.2	68.8	67.0	69.1
Made plan about how they would attempt suicide	10.0	9.6	8.8	8.6	Parents notice and comment on student's good work	80.5	80.8	80.9	82.2
Attempted suicide	6.4	5.9	5.6	6.2	Teachers notice and comment on student's good work	69.4	70.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

JASPER COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	117,404
2016 Estimate	119,111

BIRTH RISK	2015	2014	2013
Resident Births	1,669	1,672	1,686
Mother Reported Smoking while Pregnant	278	333	319

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	3	7	10
Hepatitis B Chronic, Acute, Prenatal	10	8	5
Hepatitis C Chronic and Acute	119	157	123
Tuberculosis Infection Cases	63	59	66

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,108	1,212	1,154
Suicide	25	34	23
Homicide	6	5	3
Alcohol Induced Deaths	11	6	4
Drug Induced Deaths	7	22	12
Smoking Attributable Deaths	205	233	241
Self-inflicted Injuries *	93	135	130
Assault Injuries *	314	330	329

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,083	799	878
Mental Illness Secondary Diagnosis	2,296	1,558	1,832
Alcohol Principal Diagnosis	153	47	92
Alcohol Secondary Diagnosis	192	95	120
Drug Principal Diagnosis	133	67	60
Drug Secondary Diagnosis	207	92	109
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	746	967	807
Mental Illness Secondary Diagnosis	1,606	2,195	2,157
Alcohol Principal Diagnosis	200	258	207
Alcohol Secondary Diagnosis	166	208	240
Drug Principal Diagnosis	184	188	174
Drug Secondary Diagnosis	151	158	119
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	999	938	1,207
Mental Illness Secondary Diagnosis	9,915	11,087	11,246
Alcohol Principal Diagnosis	488	449	363
Alcohol Secondary Diagnosis	768	2,154	346
Drug Principal Diagnosis	350	260	251
Drug Secondary Diagnosis	762	910	436

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	115	118	124
Alcohol Package Carry-out Licenses	128	131	136

EMPLOYMENT	2016	2015	2014
Labor Force	58,430	58,753	57,830
Employed	56,029	56,261	54,779
Unemployed	2,401	2,492	3,051
Unemployment Rate	4.1%	4.2%	5.3%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	110	92	89
Fatal Crashes	1	2	1
Injury Crashes	36	35	34
Property Damage Crashes	73	55	64
Crash Fatalities	2	2	1
Crash Injuries	48	46	52
Drug Involved Crashes	47	39	29
Fatal Crashes	1	2	0
Injury Crashes	11	10	14
Property Damage Crashes	35	27	15
Crash Fatalities	2	2	0
Crash Injuries	14	17	24

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	946	835	1,055
Liquor Law Arrests	88	83	175
Drug Arrests	595	523	555
Methamphetamine Lab Seizures	16	8	35
Violent Offenses	542	513	517
Domestic Violence Reports	1,192	1,231	1,283
Property Offenses	5,705	5,478	6,165

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	6,146	5,964	5,803
Drop-outs	158	130	139
Drop-out Rate	2.6%	2.2%	2.4%
School Discipline Involving Alcohol	5	1	3
School Discipline Involving Drugs	17	17	52
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	222	118	89
Juvenile Alcohol Offenses	21	8	11
Juvenile Drug Offenses	55	52	23
School Truancy Status Offense	131	238	41
Absent from Home Status Offense	177	66	33
Beyond Parental Control Status Offense	199	81	66
Injurious Behavior Status Offense	185	119	67
Child Abuse	1	8	15
Child Neglect	379	411	334
Child Custody Issues	0	3	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	187	278	310
Parental Alcohol Use Related	4	2	5
Parental Drug Use Related	76	109	130
Parental Alcohol and Drug Use	3	10	9

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	176	99	66
Probation/Parole Admissions--Drug	175	172	201
Probation/Parole Admissions--DWI	75	56	79
Prison Admissions--Drug	78	78	115
Prison Admissions--DWI	18	24	21

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

JASPER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	209	168	166
CSTAR Adolescent	110	65	74
CSTAR Women and Children	194	167	168
CSTAR General Adult	470	593	470
CSTAR Opioid	*	0	*
Primary Recovery Treatment	8	27	25
Clinical SATOP (CIP, YCIP, SROP)	100	125	125
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	419	515	589
- Adolescent Diversion Education Program	5	26	29
- Offender Education Program	134	201	198
- Weekend Intervention Program	76	101	109
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	36	24	34
Compulsive Gambling	*	*	*
Recovery Supports	123	62	270
Early Intervention	81	96	97

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	913	967	973	Alcohol	325	377	407
AGE				Marijuana / Hashish	221	220	206
Under 18	106	69	76	Cocaine (total)	6	8	17
18 to 24	114	142	129	- Crack	*	5	10
25 to 29	140	150	133	Stimulant (total)	275	278	242
30 to 34	150	164	167	- Methamphetamine	268	270	236
35 to 39	101	126	124	Heroin	8	*	6
40 to 44	87	106	97	Analgesic except Heroin	66	62	76
45 to 54	149	136	181	- Non-Prescription Methadone	*	0	*
55 and Over	66	74	66	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	10	12	9
Male	556	632	613	Inhalant	0	*	*
Female	357	335	360	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	807	851	868	Average Age at First Use of Drug	18.1	18.3	18.1
African American	37	53	55	INJECTION DRUG USE			
Native American / Alaskan	7	7	*	Any Injection Use at Admission	142	153	151
Asian / Pacific Islander	*	*	*	- Daily Injection Use	33	32	30
Hispanic	40	36	32	- Weekly Injection Use	61	47	54
Other Race / Two or More Races	34	28	25	- Less than Weekly Injection Use	48	74	67
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	344	333	334	0	441	466	479
High School Graduate or G.E.D.	345	397	384	1 or 2	293	303	302
Associate Degree or Some College	218	231	246	3 or More	179	198	192
Bachelor or Advanced Degree	6	6	9	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	284	355	339
Employed	257	312	265	School	0	0	*
Unemployed	319	346	386	Mental Health Provider	*	*	6
Not in Labor Force	337	309	322	Health Care Provider	199	115	125
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	352	422	399
Independent Living	639	747	744	Other Referral Source	72	71	100
Dependent Living	174	119	125	TREATMENT ACCOMMODATION			
Homeless	87	77	72	Pregnant when Admitted to any Episode	23	20	15
MARITAL / FAMILY STATUS				Military Veteran	51	54	51
Never Married	459	453	445	Special Education Services Needed	110	142	139
Married / Cohabiting	206	253	252	Co-Occurring Psychological Problem	549	543	542
Previously Married	248	261	276	Co-Occurring Developmental Problem	47	28	40

JASPER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 117,404
2016 POPULATION ESTIMATE 119,111

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	143	177	149
Anxiety Disorder	894	915	845
Dementia	5	*	*
Developmental Disorder	20	29	32
Impulse Control Disorder	366	430	420
Mood Disorder	1,334	1,416	1,201
Personality Disorder	247	322	340
Psychotic Disorder	261	241	202
Sexual Disorder	8	12	13
Other Diagnosis	323	271	205
Diagnosis Unknown	211	220	416

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	2,313	2,420	2,332	Less than High School Diploma	610	702	587
AGE				High School Grad or G.E.D.	0	0	0
Under 6	9	37	62	Associate Degree or Some College	0	0	0
6 to 9	90	133	157	Bachelor or Advanced Degree	0	0	0
10 to 13	160	174	200	Education Level Unknown	1,703	1,718	1,745
14 to 17	200	194	183	EMPLOYMENT			
18 to 24	208	222	186	Employed	190	222	179
25 to 29	207	215	214	Unemployed	102	120	162
30 to 34	263	248	202	Not in Labor Force	1,037	1,154	999
35 to 39	240	224	214	Employment Status Unknown	984	924	992
40 to 44	213	210	209	HOUSING / LIVING ARRANGEMENT			
45 to 49	209	219	225	Independent Living	826	946	741
50 to 54	235	247	229	Dependent Living	465	521	523
55 to 59	190	196	152	Homeless	62	56	35
60 and Over	89	101	99	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	960	897	1,033
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,133	1,161	1,079	Self / Family / Friend	1,745	1,863	1,928
Female	1,180	1,259	1,253	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	20	24	28
RACE / ETHNICITY				Health Care Provider	237	209	123
Caucasian	2,100	2,188	2,104	Court / Criminal Justice	251	244	136
African American	72	79	73	Other	54	70	104
Native American / Alaskan	12	10	7	Referral Source Unknown	6	10	13
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	65	75	96	Voluntary	2,064	2,165	2,196
Other Race	62	67	49	Civil	229	235	114
Race/Ethnicity Unknown	0	0	0	Criminal	11	7	5
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	31	24	32	Commitment Type Unknown	7	11	14
Past or Current Military Service	48	46	38				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.4	30.0	31.5	39.4	Alcohol	12.0	12.0	12.8	16.9
Chewing Tobacco	12.4	14.3	9.1	12.7	Alcohol (5+ drinks on single occasion past 2 weeks)	4.3	4.8		
Cigarettes	20.3	20.2	22.3	28.4	Chewing Tobacco	6.7	8.7	4.4	6.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	1.1	1.6	2.5	Cigarettes	6.3	8.1	10.4	14.9
Cocaine	1.0	0.3	1.6	2.0	Inhalants	0.5	1.3	1.9	3.8
Electronic Cigarettes	25.1	15.9			Marijuana	5.3	3.6	5.6	7.9
Hallucinogens	0.8	0.8	2.8	3.4	Over-the-counter medications for non-medical use	0.9	0.8	3.3	4.9
Heroin	0.0	0.5	0.8	0.5	Prescription medications not prescribed for student	7.4	2.2	3.5	6.5
Inhalants	1.8	2.4	5.2	7.5					
Marijuana	11.8	9.6	13.3	16.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.5	1.2	1.3	Alcohol (1 or 2 drinks daily)	72.6	61.9		
Over-the-counter medications for non-medical use	2.6	2.0	5.7	8.2	Alcohol (Binge: 5+ drinks once or twice a week)	81.0	75.3		
Prescription medications not prescribed for student	10.7	5.5	6.5	11.7	Cigarettes (1+ packs per day)	87.7	86.6		
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	2.4	6.4		Marijuana (once or twice a week)	78.2	76.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.7	94.3	93.8	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.85	13.05	12.70	12.62	Alcohol	87.0	83.9	81.7	81.0
Cigarettes	12.19	12.68	12.48	12.42	Cigarettes	94.3	94.3	91.0	88.4
Inhalants	10.30	11.32	12.06	12.44	Marijuana	95.6	94.2	93.8	93.0
Marijuana	14.01	14.41	13.66	13.66					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	37.4	37.1	44.0	51.1	Alcohol	71.2	70.0	68.5	64.4
Cigarettes	27.8	26.8	39.1	44.7	Cigarettes	88.7	86.6	82.9	77.1
Marijuana	28.1	16.6	30.3	35.0	Marijuana	86.7	88.1	83.9	81.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	5.4	13.3	17.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	96.9	95.2	93.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	21.3	22.2	22.4	28.4	Alcohol	48.4	45.7	47.4	52.2
Cigarettes	10.2	11.7	12.0	15.7	Cigarettes	41.1	42.3	46.7	55.6
Marijuana	10.0	6.6	10.0	12.7	Marijuana	27.8	22.7	31.3	37.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	11.2	15.6	19.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.5	57.3	57.6	61.6	Were grouchy, irritable, or in a bad mood	30.7	20.2	20.8	23.6
Were victims of mean rumors or lies spread at school	47.2	50.7	47.3	50.0	Had difficulty concentrating on school work	23.2	19.4	21.7	22.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.9	24.0	20.7	17.5	Were very sad	24.2	21.6	17.3	20.9
					Felt hopeless about the future	14.4	11.8	10.5	10.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.7	11.8	9.7	10.3	Parents involve student in making family decisions	70.9	70.5	69.1	71.7
Made plan about how they would attempt suicide	10.5	8.1	7.0	7.7	Parents notice and comment on student's good work	83.0	83.1	82.0	84.5
Attempted suicide	7.0	3.7	4.6	4.7	Teachers notice and comment on student's good work	74.9	69.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

JEFFERSON COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	22
Adult Psychiatric	22
POPULATION	
Census 2010	218,733
2016 Estimate	224,226

BIRTH RISK	2015	2014	2013
Resident Births	2,581	2,529	2,639
Mother Reported Smoking while Pregnant	511	497	561

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	6	6	4
Hepatitis B Chronic, Acute, Prenatal	12	12	9
Hepatitis C Chronic and Acute	197	248	145
Tuberculosis Infection Cases	46	34	45

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,980	1,954	1,834
Suicide	46	48	35
Homicide	9	3	3
Alcohol Induced Deaths	14	16	15
Drug Induced Deaths	65	73	63
Smoking Attributable Deaths	411	381	354
Self-inflicted Injuries *	165	234	208
Assault Injuries *	453	442	453

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,388	1,238	1,594
Mental Illness Secondary Diagnosis	3,007	2,042	2,267
Alcohol Principal Diagnosis	72	56	44
Alcohol Secondary Diagnosis	203	113	141
Drug Principal Diagnosis	148	98	96
Drug Secondary Diagnosis	219	129	148
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,294	1,445	984
Mental Illness Secondary Diagnosis	3,735	4,952	4,716
Alcohol Principal Diagnosis	90	138	103
Alcohol Secondary Diagnosis	375	477	411
Drug Principal Diagnosis	96	143	107
Drug Secondary Diagnosis	229	255	235
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,289	1,113	1,388
Mental Illness Secondary Diagnosis	9,771	9,019	6,371
Alcohol Principal Diagnosis	311	247	248
Alcohol Secondary Diagnosis	262	295	225
Drug Principal Diagnosis	523	399	356
Drug Secondary Diagnosis	407	504	370

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	184	176	177
Alcohol Package Carry-out Licenses	145	147	147

EMPLOYMENT	2016	2015	2014
Labor Force	118,727	118,671	115,975
Employed	113,646	112,917	108,717
Unemployed	5,081	5,754	7,258
Unemployment Rate	4.3%	4.8%	6.3%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	191	217	209
Fatal Crashes	7	7	9
Injury Crashes	73	81	87
Property Damage Crashes	111	129	115
Crash Fatalities	9	7	9
Crash Injuries	106	107	135
Drug Involved Crashes	53	50	46
Fatal Crashes	8	4	8
Injury Crashes	22	15	21
Property Damage Crashes	23	31	17
Crash Fatalities	11	4	9
Crash Injuries	38	17	36

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	854	952	1,096
Liquor Law Arrests	173	280	472
Drug Arrests	1,483	1,470	1,540
Methamphetamine Lab Seizures	51	127	205
Violent Offenses	372	450	485
Domestic Violence Reports	1,530	1,485	1,308
Property Offenses	4,010	3,904	3,745

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	10,629	10,624	10,646
Drop-outs	152	153	154
Drop-out Rate	1.4%	1.4%	1.4%
School Discipline Involving Alcohol	49	8	9
School Discipline Involving Drugs	80	86	94
School Discipline Involving Tobacco	5	1	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	317	317	402
Juvenile Alcohol Offenses	43	47	47
Juvenile Drug Offenses	91	99	111
School Truancy Status Offense	181	211	194
Absent from Home Status Offense	92	45	55
Beyond Parental Control Status Offense	48	53	50
Injurious Behavior Status Offense	139	97	78
Child Abuse	135	187	234
Child Neglect	499	538	578
Child Custody Issues	121	131	82

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	420	360	370
Parental Alcohol Use Related	21	24	10
Parental Drug Use Related	206	186	170
Parental Alcohol and Drug Use	18	4	8

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	68	90	106
Probation/Parole Admissions--Drug	573	449	471
Probation/Parole Admissions--DWI	124	122	122
Prison Admissions--Drug	269	249	255
Prison Admissions--DWI	38	46	37

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

JEFFERSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	166	127	111
CSTAR Adolescent	107	125	154
CSTAR Women and Children	79	77	79
CSTAR General Adult	848	821	726
CSTAR Opioid	20	7	19
Primary Recovery Treatment	23	21	22
Clinical SATOP (CIP, YCIP, SROP)	218	286	312
Other Substance Abuse Treatment	17	9	12

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	698	872	985
- Adolescent Diversion Education Program	8	13	12
- Offender Education Program	214	295	330
- Weekend Intervention Program	133	198	213
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	11	*	13
Compulsive Gambling	5	*	*
Recovery Supports	16	17	38
Early Intervention	35	28	38


The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014
Total Individuals	1,312	1,334	1,323
AGE			
Under 18	118	127	157
18 to 24	192	192	208
25 to 29	258	266	246
30 to 34	218	239	219
35 to 39	182	153	156
40 to 44	106	126	114
45 to 54	175	166	175
55 and Over	63	65	48
GENDER			
Male	835	859	883
Female	477	475	440
RACE / ETHNICITY			
Caucasian	1,255	1,278	1,275
African American	21	25	19
Native American / Alaskan	*	0	*
Asian / Pacific Islander	0	*	*
Hispanic	7	14	14
Other Race / Two or More Races	32	21	18
EDUCATION			
Less than High School Diploma	414	408	457
High School Graduate or G.E.D.	555	585	533
Associate Degree or Some College	337	333	324
Bachelor or Advanced Degree	6	8	9
EMPLOYMENT			
Employed	402	423	389
Unemployed	532	532	520
Not in Labor Force	378	379	414
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,058	1,068	1,023
Dependent Living	133	150	183
Homeless	48	25	37
MARITAL / FAMILY STATUS			
Never Married	856	842	830
Married / Cohabiting	227	261	257
Previously Married	229	231	236

PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Alcohol	366	444	490
Marijuana / Hashish	202	281	274
Cocaine (total)	16	16	16
- Crack	7	11	9
Stimulant (total)	254	192	187
- Methamphetamine	245	186	175
Heroin	359	310	269
Analgesic except Heroin	81	59	55
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	15	6	5
Tranquilizer	14	13	11
Inhalant	0	*	0
Sedative	0	*	0
Other Medication or Illicit Drug	5	9	16
Average Age at First Use of Drug	20.0	19.0	18.8
INJECTION DRUG USE			
Any Injection Use at Admission	416	361	339
- Daily Injection Use	140	93	104
- Weekly Injection Use	122	95	81
- Less than Weekly Injection Use	154	173	154
LIFETIME DUI / DWI ARRESTS			
0	753	716	687
1 or 2	380	419	413
3 or More	179	199	223
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	451	372	349
School	*	5	13
Mental Health Provider	5	*	*
Health Care Provider	51	28	42
Court / Criminal Justice	660	754	747
Other Referral Source	133	158	137
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	32	16	28
Military Veteran	42	43	56
Special Education Services Needed	89	76	72
Co-Occurring Psychological Problem	624	668	605
Co-Occurring Developmental Problem	25	22	28

JEFFERSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 22
CENSUS 2010 218,733
2016 POPULATION ESTIMATE 224,226

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	35	35	39
Anxiety Disorder	1,316	1,277	1,085
Dementia	17	12	12
Developmental Disorder	61	61	61
Impulse Control Disorder	344	353	340
Mood Disorder	1,672	1,697	1,575
Personality Disorder	317	341	365
Psychotic Disorder	309	315	312
Sexual Disorder	*	*	*
Other Diagnosis	223	164	174
Diagnosis Unknown	81	82	87

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	2,079	2,115	1,982	Less than High School Diploma	416	390	431
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	5	6	Associate Degree or Some College	0	0	0
6 to 9	34	23	34	Bachelor or Advanced Degree	0	0	0
10 to 13	67	75	71	Education Level Unknown	1,663	1,725	1,551
14 to 17	80	85	111	EMPLOYMENT			
18 to 24	174	158	164	Employed	233	208	213
25 to 29	169	195	195	Unemployed	117	144	151
30 to 34	226	253	252	Not in Labor Force	934	897	897
35 to 39	214	239	196	Employment Status Unknown	795	866	721
40 to 44	210	209	195	HOUSING / LIVING ARRANGEMENT			
45 to 49	225	234	219	Independent Living	1,012	958	890
50 to 54	275	270	240	Dependent Living	266	315	370
55 to 59	223	203	164	Homeless	16	16	18
60 and Over	179	166	135	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	785	826	704
GENDER				TREATMENT REFERRAL SOURCE			
Male	870	916	851	Self / Family / Friend	887	980	799
Female	1,209	1,199	1,131	School	8	7	8
Gender Unknown	0	0	0	Mental Health Provider	129	126	130
RACE / ETHNICITY				Health Care Provider	480	437	452
Caucasian	1,978	2,019	1,897	Court / Criminal Justice	82	83	96
African American	34	40	37	Other	474	462	476
Native American / Alaskan	*	*	*	Referral Source Unknown	19	20	21
Asian / Pacific Islander	10	9	8	TYPE OF COMMITMENT			
Hispanic	21	12	12	Voluntary	2,052	2,083	1,951
Other Race	33	34	26	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	8	9	8
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	14	15	14	Commitment Type Unknown	16	18	20
Past or Current Military Service	43	48	40				

JEFFERSON COUNTY

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.6	40.0	43.9	49.4	Alcohol	15.3	18.1	20.0	25.1
Chewing Tobacco	7.5	9.8	10.5	11.2	Alcohol (5+ drinks on single occasion past 2 weeks)	5.4	8.5		
Cigarettes	16.8	22.0	25.8	27.6	Chewing Tobacco	3.4	5.1	6.2	5.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.1	2.6	2.6	Cigarettes	6.6	10.3	13.3	14.2
Cocaine	1.1	1.5	2.1	1.9	Inhalants	1.0	1.3	2.7	3.1
Electronic Cigarettes	31.1	30.9			Marijuana	10.6	11.4	11.1	11.3
Hallucinogens	2.3	3.1	3.6	3.8	Over-the-counter medications for non-medical use	1.5	2.2	4.7	5.4
Heroin	0.1	0.5	1.1	0.7	Prescription medications not prescribed for student	8.7	4.6	5.8	7.9
Inhalants	2.5	3.6	6.1	6.4					
Marijuana	19.3	20.3	20.2	20.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.2	0.6	1.2	0.8	Alcohol (1 or 2 drinks daily)	69.3	58.8		
Over-the-counter medications for non-medical use	3.7	3.7	7.2	9.5	Alcohol (Binge: 5+ drinks once or twice a week)	79.4	71.2		
Prescription medications not prescribed for student	12.7	9.4	9.7	13.4	Cigarettes (1+ packs per day)	87.1	87.5		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	5.4	8.3		Marijuana (once or twice a week)	61.0	57.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	93.3	93.5	94.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.06	12.89	12.75	12.69	Alcohol	82.7	79.4	77.1	75.3
Cigarettes	12.69	12.83	12.85	12.44	Cigarettes	95.2	93.6	91.2	89.9
Inhalants	11.07	12.53	12.48	12.20	Marijuana	90.3	90.0	92.8	92.0
Marijuana	13.75	13.79	13.79	13.68					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	46.7	51.8	57.1	64.4	Alcohol	66.9	61.9	59.1	54.6
Cigarettes	30.2	43.8	47.7	51.4	Cigarettes	89.7	84.5	80.6	78.8
Marijuana	41.2	43.3	43.1	44.1	Marijuana	75.1	72.9	77.7	78.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	17.4	18.5	21.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	95.2	95.0	94.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	26.0	30.5	34.0	39.0	Alcohol	52.0	58.0	59.6	63.0
Cigarettes	8.2	12.2	13.9	15.8	Cigarettes	45.6	53.6	57.1	61.6
Marijuana	18.4	19.2	15.9	15.6	Marijuana	41.8	44.8	44.5	44.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	20.7	21.6	21.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.5	60.6	59.9	67.1	Were grouchy, irritable, or in a bad mood	31.9	28.0	24.2	28.4
Were victims of mean rumors or lies spread at school	48.3	48.8	48.5	50.7	Had difficulty concentrating on school work	31.4	29.7	26.1	23.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.2	28.7	21.8	19.1	Were very sad	23.0	23.9	21.0	20.5
					Felt hopeless about the future	12.5	13.5	11.3	11.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.7	14.4	12.2	11.5	Parents involve student in making family decisions	67.9	66.1	67.2	67.6
Made plan about how they would attempt suicide	9.1	10.0	8.6	8.1	Parents notice and comment on student's good work	82.4	79.4	81.8	83.1
Attempted suicide	5.6	5.9	5.3	5.2	Teachers notice and comment on student's good work	69.4	67.1		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

JOHNSON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	7
Adult Psychiatric	7
POPULATION	
Census 2010	52,595
2016 Estimate	53,942

BIRTH RISK	2015	2014	2013
Resident Births	714	736	714
Mother Reported Smoking while Pregnant	99	111	112

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	5	1	2
Hepatitis B Chronic, Acute, Prenatal	2	9	0
Hepatitis C Chronic and Acute	20	19	11
Tuberculosis Infection Cases	184	65	103

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	448	408	371
Suicide	7	17	8
Homicide	0	2	1
Alcohol Induced Deaths	4	7	2
Drug Induced Deaths	2	3	2
Smoking Attributable Deaths	84	72	69
Self-inflicted Injuries *	54	80	70
Assault Injuries *	127	117	114

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	400	357	328
Mental Illness Secondary Diagnosis	1,025	500	551
Alcohol Principal Diagnosis	47	21	26
Alcohol Secondary Diagnosis	85	51	43
Drug Principal Diagnosis	14	8	12
Drug Secondary Diagnosis	74	31	41
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	26	46	51
Mental Illness Secondary Diagnosis	307	704	692
Alcohol Principal Diagnosis	7	30	29
Alcohol Secondary Diagnosis	39	93	68
Drug Principal Diagnosis	1	9	9
Drug Secondary Diagnosis	13	42	39
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	474	324	367
Mental Illness Secondary Diagnosis	559	359	323
Alcohol Principal Diagnosis	118	69	75
Alcohol Secondary Diagnosis	115	88	69
Drug Principal Diagnosis	55	37	35
Drug Secondary Diagnosis	91	50	56

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	53	48	47
Alcohol Package Carry-out Licenses	37	40	41

EMPLOYMENT	2016	2015	2014
Labor Force	23,508	23,374	23,101
Employed	22,362	22,112	21,639
Unemployed	1,146	1,262	1,462
Unemployment Rate	4.9%	5.4%	6.3%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	61	40	54
Fatal Crashes	1	0	2
Injury Crashes	28	14	11
Property Damage Crashes	32	26	37
Crash Fatalities	2	0	2
Crash Injuries	33	20	14
Drug Involved Crashes	11	5	7
Fatal Crashes	0	0	0
Injury Crashes	6	3	3
Property Damage Crashes	5	2	4
Crash Fatalities	0	0	0
Crash Injuries	6	4	3

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	206	179	193
Liquor Law Arrests	132	153	281
Drug Arrests	433	301	289
Methamphetamine Lab Seizures	0	1	0
Violent Offenses	118	102	93
Domestic Violence Reports	233	231	233
Property Offenses	1,119	1,380	1,281

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	2,097	2,084	2,090
Drop-outs	28	22	24
Drop-out Rate	1.3%	1.1%	1.1%
School Discipline Involving Alcohol	2	3	6
School Discipline Involving Drugs	4	10	16
School Discipline Involving Tobacco	0	1	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	62	45	27
Juvenile Alcohol Offenses	5	8	3
Juvenile Drug Offenses	13	29	17
School Truancy Status Offense	31	49	62
Absent from Home Status Offense	22	29	16
Beyond Parental Control Status Offense	44	52	27
Injurious Behavior Status Offense	84	120	104
Child Abuse	0	2	3
Child Neglect	113	93	193
Child Custody Issues	10	10	16

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	68	57	60
Parental Alcohol Use Related	3	1	1
Parental Drug Use Related	12	20	23
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	2	0	0
Probation/Parole Admissions--Drug	85	88	80
Probation/Parole Admissions--DWI	7	12	17
Prison Admissions--Drug	42	39	35
Prison Admissions--DWI	3	5	13

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

JOHNSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	17	11	7
CSTAR Adolescent	17	16	22
CSTAR Women and Children	11	8	6
CSTAR General Adult	78	111	131
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	*	*
Clinical SATOP (CIP, YCIP, SROP)	36	45	31
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	147	175	193
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	60	63	88
- Weekend Intervention Program	32	37	47
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	11	*
Compulsive Gambling	0	0	0
Recovery Supports	238	153	112
Early Intervention	6	6	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	148	166	196	Alcohol	62	77	74
AGE				Marijuana / Hashish	32	35	59
Under 18	18	16	21	Cocaine (total)	*	*	5
18 to 24	19	34	35	- Crack	0	0	*
25 to 29	25	28	37	Stimulant (total)	37	39	40
30 to 34	24	26	35	- Methamphetamine	31	38	38
35 to 39	8	21	16	Heroin	*	*	*
40 to 44	19	12	19	Analgesic except Heroin	11	8	13
45 to 54	30	20	27	- Non-Prescription Methadone	*	*	0
55 and Over	5	9	6	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	*	0
Male	80	105	118	Inhalant	0	0	0
Female	68	61	78	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	134	146	173	Average Age at First Use of Drug	17.2	16.5	17.6
African American	10	10	17	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	21	12	22
Asian / Pacific Islander	0	*	*	- Daily Injection Use	6	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	6
Other Race / Two or More Races	*	6	*	- Less than Weekly Injection Use	11	8	15
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	48	42	53	0	88	83	114
High School Graduate or G.E.D.	63	81	83	1 or 2	34	55	63
Associate Degree or Some College	35	39	58	3 or More	26	28	19
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	95	72	97
Employed	53	50	59	School	0	0	0
Unemployed	34	61	79	Mental Health Provider	0	*	*
Not in Labor Force	61	55	58	Health Care Provider	6	9	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	23	42	39
Independent Living	117	131	147	Other Referral Source	24	38	53
Dependent Living	18	21	23	TREATMENT ACCOMMODATION			
Homeless	9	7	8	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	9	11
Never Married	73	97	111	Special Education Services Needed	6	*	6
Married / Cohabiting	45	32	45	Co-Occurring Psychological Problem	43	64	87
Previously Married	30	37	40	Co-Occurring Developmental Problem	*	*	0

JOHNSON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 7
CENSUS 2010 52,595
2016 POPULATION ESTIMATE 53,942

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	32	24	29
Anxiety Disorder	302	264	250
Dementia	*	0	0
Developmental Disorder	8	11	12
Impulse Control Disorder	94	69	66
Mood Disorder	384	346	341
Personality Disorder	21	22	10
Psychotic Disorder	88	87	69
Sexual Disorder	*	0	0
Other Diagnosis	55	39	29
Diagnosis Unknown	14	24	33

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	504	464	463	Less than High School Diploma	165	136	116
AGE				High School Grad or G.E.D.	0	0	0
Under 6	7	5	6	Associate Degree or Some College	0	0	0
6 to 9	26	23	22	Bachelor or Advanced Degree	0	0	0
10 to 13	39	35	43	Education Level Unknown	339	328	347
14 to 17	45	32	42	EMPLOYMENT			
18 to 24	45	49	35	Employed	35	18	13
25 to 29	38	38	40	Unemployed	52	21	19
30 to 34	46	44	41	Not in Labor Force	255	239	193
35 to 39	51	45	49	Employment Status Unknown	162	186	238
40 to 44	47	54	50	HOUSING / LIVING ARRANGEMENT			
45 to 49	51	39	38	Independent Living	192	164	114
50 to 54	52	49	53	Dependent Living	144	105	103
55 to 59	28	24	21	Homeless	19	13	7
60 and Over	29	27	23	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	149	182	239
GENDER				TREATMENT REFERRAL SOURCE			
Male	228	208	203	Self / Family / Friend	425	369	378
Female	276	256	260	School	0	*	0
Gender Unknown	0	0	0	Mental Health Provider	5	11	10
RACE / ETHNICITY				Health Care Provider	34	34	32
Caucasian	460	427	428	Court / Criminal Justice	8	11	10
African American	23	19	16	Other	31	37	31
Native American / Alaskan	*	*	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	*	*	7	Voluntary	497	458	459
Other Race	15	12	10	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	6	5	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	17	17	16	Commitment Type Unknown	*	*	*
Past or Current Military Service	20	18	16				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.6	39.3	38.3	45.4	Alcohol	15.7	20.1	17.1	20.1
Chewing Tobacco	11.8	16.3	10.9	11.9	Alcohol (5+ drinks on single occasion past 2 weeks)	6.5	8.6		
Cigarettes	19.7	24.6	23.0	29.1	Chewing Tobacco	3.1	9.5	6.1	5.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	3.8	2.2	2.5	Cigarettes	8.3	10.6	11.6	15.3
Cocaine	1.8	2.8	1.2	2.2	Inhalants	1.1	1.2	2.0	3.3
Electronic Cigarettes	20.7	15.8			Marijuana	5.3	9.6	5.9	7.5
Hallucinogens	2.3	4.1	2.8	3.8	Over-the-counter medications for non-medical use	1.5	2.5	2.4	5.1
Heroin	0.8	0.6	0.4	0.4	Prescription medications not prescribed for student	10.5	4.7	4.3	7.9
Inhalants	4.1	4.0	5.4	9.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.1	17.9	14.5	15.3	Alcohol (1 or 2 drinks daily)	69.7	57.5		
Methamphetamine	0.1	0.9	0.6	1.2	Alcohol (Binge: 5+ drinks once or twice a week)	79.5	69.4		
Over-the-counter medications for non-medical use	3.4	4.0	4.8	7.9	Cigarettes (1+ packs per day)	85.2	84.4		
Prescription medications not prescribed for student	15.5	9.9	7.8	12.5	Marijuana (once or twice a week)	67.2	64.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.5	6.7	4.9		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	92.0	95.3	92.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.23	13.14	13.08	12.72	Alcohol	76.9	76.0	76.9	78.5
Cigarettes	13.32	12.85	12.82	12.60	Cigarettes	93.0	91.1	92.5	91.1
Inhalants	11.22	13.64	12.54	12.62	Marijuana	91.8	94.2	94.6	94.7
Marijuana	14.19	14.24	13.79	13.77	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.5	59.3	60.8	58.4
Alcohol	44.2	46.9	55.5	61.0	Cigarettes	88.1	80.9	80.5	78.2
Cigarettes	28.0	40.5	41.8	51.3	Marijuana	82.2	78.7	81.3	83.0
Marijuana	27.5	35.7	34.8	38.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	93.8	95.9	94.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.0	17.6	12.7	18.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	45.9	54.9	58.4	63.1
Alcohol	23.4	31.8	30.9	33.9	Cigarettes	43.1	48.5	52.3	62.7
Cigarettes	7.4	15.2	13.7	16.3	Marijuana	28.6	36.3	37.3	39.8
Marijuana	12.0	13.4	13.2	13.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	18.0	15.9	21.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.0	62.0	57.5	68.7	Were grouchy, irritable, or in a bad mood	36.3	28.0	23.6	29.6
Were victims of mean rumors or lies spread at school	51.6	51.3	47.2	53.8	Had difficulty concentrating on school work	27.8	25.5	19.8	23.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.3	25.6	17.4	19.9	Were very sad	23.2	23.3	16.7	24.2
					Felt hopeless about the future	13.0	15.7	10.0	14.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.1	14.7	10.6	11.7	Parents involve student in making family decisions	71.5	69.2	70.0	70.1
Made plan about how they would attempt suicide	9.0	12.8	8.6	8.8	Parents notice and comment on student's good work	87.1	81.2	85.2	82.8
Attempted suicide	5.9	6.5	4.8	5.1	Teachers notice and comment on student's good work	83.1	69.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

KNOX COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	4,131
2016 Estimate	3,934

BIRTH RISK	2015	2014	2013
Resident Births	42	58	57
Mother Reported Smoking while Pregnant	4	8	7

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	0	3	0
Tuberculosis Infection Cases	0	0	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	47	47	56
Suicide	2	1	1
Homicide	0	0	2
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	9	10	7
Self-inflicted Injuries *	0	4	8
Assault Injuries *	6	9	5

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	23	27	30
Mental Illness Secondary Diagnosis	79	86	84
Alcohol Principal Diagnosis	2	1	1
Alcohol Secondary Diagnosis	6	5	4
Drug Principal Diagnosis	0	0	0
Drug Secondary Diagnosis	4	0	4
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1	2	2
Mental Illness Secondary Diagnosis	10	13	22
Alcohol Principal Diagnosis	0	1	1
Alcohol Secondary Diagnosis	1	1	8
Drug Principal Diagnosis	1	0	0
Drug Secondary Diagnosis	1	0	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	12	21	15
Mental Illness Secondary Diagnosis	63	39	47
Alcohol Principal Diagnosis	5	3	3
Alcohol Secondary Diagnosis	2	3	1
Drug Principal Diagnosis	4	6	3
Drug Secondary Diagnosis	3	1	3

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	3	3	3
Alcohol Package Carry-out Licenses	3	3	3

EMPLOYMENT	2016	2015	2014
Labor Force	2,009	2,005	1,994
Employed	1,938	1,926	1,903
Unemployed	71	79	91
Unemployment Rate	3.5%	3.9%	4.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	2	2	5
Fatal Crashes	0	0	0
Injury Crashes	1	1	4
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	1	2	4
Drug Involved Crashes	0	0	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	2
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	2

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	8	8	11
Liquor Law Arrests	0	0	0
Drug Arrests	14	5	11
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	0	4	0
Domestic Violence Reports	0	4	0
Property Offenses	20	39	39

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	162	176	171
Drop-outs	1	1	2
Drop-out Rate	0.6%	0.6%	1.2%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	1	1	5
Juvenile Alcohol Offenses	0	0	1
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	7	14	6
Absent from Home Status Offense	0	0	1
Beyond Parental Control Status Offense	10	7	12
Injurious Behavior Status Offense	33	34	44
Child Abuse	0	0	3
Child Neglect	7	16	22
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	1	6	8
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	1	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	3	2	4
Probation/Parole Admissions--DWI	0	0	0
Prison Admissions--Drug	1	2	1
Prison Admissions--DWI	0	0	0

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

KNOX COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	0	*	*
CSTAR Adolescent	*	0	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	11	22	23
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	0
Clinical SATOP (CIP, YCIP, SROP)	*	6	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	9	12	12
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	0	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	*	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	11	29	29	Alcohol	6	12	11
AGE				Marijuana / Hashish	*	7	8
Under 18	0	0	0	Cocaine (total)	0	0	0
18 to 24	*	*	8	- Crack	0	0	0
25 to 29	0	7	9	Stimulant (total)	*	5	5
30 to 34	*	5	6	- Methamphetamine	*	5	5
35 to 39	*	5	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	0	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	*	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	0	0	0
Male	9	18	19	Inhalant	0	0	*
Female	*	11	10	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	10	26	28	Average Age at First Use of Drug	15.9	17.1	18.4
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	0	*	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	5	10	9	0	6	12	15
High School Graduate or G.E.D.	*	14	16	1 or 2	*	12	13
Associate Degree or Some College	*	5	*	3 or More	*	5	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	5	6
Employed	*	8	9	School	0	0	0
Unemployed	0	5	*	Mental Health Provider	0	0	0
Not in Labor Force	8	16	16	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	5	8	5
Independent Living	9	22	27	Other Referral Source	*	*	7
Dependent Living	0	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	*	15	18	Special Education Services Needed	*	*	*
Married / Cohabiting	*	6	6	Co-Occurring Psychological Problem	7	14	17
Previously Married	*	8	5	Co-Occurring Developmental Problem	0	*	*

KNOX COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 4,131
2016 POPULATION ESTIMATE 3,934

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	5	*	*
Anxiety Disorder	21	17	13
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	13	6	7
Mood Disorder	38	33	31
Personality Disorder	*	*	*
Psychotic Disorder	27	21	27
Sexual Disorder	0	0	0
Other Diagnosis	7	*	5
Diagnosis Unknown	5	7	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	72	63	64	Less than High School Diploma	24	21	21
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	48	42	43
14 to 17	7	*	*	EMPLOYMENT			
18 to 24	5	*	*	Employed	*	*	0
25 to 29	5	6	*	Unemployed	*	0	0
30 to 34	5	6	6	Not in Labor Force	57	53	55
35 to 39	6	5	8	Employment Status Unknown	11	8	9
40 to 44	*	10	9	HOUSING / LIVING ARRANGEMENT			
45 to 49	11	8	11	Independent Living	13	15	17
50 to 54	13	9	8	Dependent Living	45	39	37
55 to 59	*	*	*	Homeless	*	*	0
60 and Over	7	6	6	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	12	8	10
GENDER				TREATMENT REFERRAL SOURCE			
Male	40	30	31	Self / Family / Friend	15	15	19
Female	32	33	33	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	6	8	7
RACE / ETHNICITY				Health Care Provider	27	22	21
Caucasian	54	51	52	Court / Criminal Justice	0	0	*
African American	12	8	10	Other	24	18	16
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	*	0	Voluntary	72	63	63
Other Race	6	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	0	0				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		31.4			Alcohol		10.0		
Chewing Tobacco		5.9			Alcohol (5+ drinks on single occasion past 2 weeks)		3.9		
Cigarettes		13.7			Chewing Tobacco		3.9		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0			Cigarettes		5.9		
Cocaine		0.0			Inhalants		0.0		
Electronic Cigarettes		2.0			Marijuana		0.0		
Hallucinogens		0.0			Over-the-counter medications for non-medical use		2.0		
Heroin		0.0			Prescription medications not prescribed for student		2.0		
Inhalants		2.0							
Marijuana		3.8			<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		2.0			Alcohol (1 or 2 drinks daily)		62.0		
Over-the-counter medications for non-medical use		2.0			Alcohol (Binge: 5+ drinks once or twice a week)		72.0		
Prescription medications not prescribed for student		3.9			Cigarettes (1+ packs per day)		86.0		
Synthetic drugs (K2, bath salts, Spice, etc)		0.0			Marijuana (once or twice a week)		85.7		
					Other: Cocaine, LSD, Meth, Club Drug (any use)		96.0		
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol		12.46			Alcohol		74.5		
Cigarettes		14.22			Cigarettes		90.4		
Inhalants					Marijuana		96.0		
Marijuana		14.98							
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol		40.4			Alcohol		68.6		
Cigarettes		21.6			Cigarettes		90.2		
Marijuana		9.8			Marijuana		94.1		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		2.0			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		100.0		
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol		25.0			Alcohol		49.0		
Cigarettes		5.9			Cigarettes		43.1		
Marijuana		0.0			Marijuana		15.7		
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.8		
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others		70.6			Were grouchy, irritable, or in a bad mood		27.5		
Were victims of mean rumors or lies spread at school		58.8			Had difficulty concentrating on school work		25.0		
Were victims of an embarrassing or hurtful text message or something posted on the Internet		24.0			Were very sad		14.0		
					Felt hopeless about the future		7.8		
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide		13.7			Parents involve student in making family decisions		60.8		
Made plan about how they would attempt suicide		7.8			Parents notice and comment on student's good work		82.4		
Attempted suicide		2.0			Teachers notice and comment on student's good work		68.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LACLEDE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	35,571
2016 Estimate	35,490

BIRTH RISK	2015	2014	2013
Resident Births	474	500	441
Mother Reported Smoking while Pregnant	133	130	138

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	4	0
Hepatitis C Chronic and Acute	21	34	33
Tuberculosis Infection Cases	6	5	5

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	412	394	380
Suicide	7	5	7
Homicide	2	2	0
Alcohol Induced Deaths	1	2	1
Drug Induced Deaths	5	2	2
Smoking Attributable Deaths	83	74	72
Self-inflicted Injuries *	44	68	50
Assault Injuries *	127	114	122

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	382	360	368
Mental Illness Secondary Diagnosis	682	575	503
Alcohol Principal Diagnosis	21	18	22
Alcohol Secondary Diagnosis	38	27	24
Drug Principal Diagnosis	29	22	23
Drug Secondary Diagnosis	43	28	24
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	51	70	67
Mental Illness Secondary Diagnosis	547	663	586
Alcohol Principal Diagnosis	15	23	23
Alcohol Secondary Diagnosis	38	41	54
Drug Principal Diagnosis	12	13	19
Drug Secondary Diagnosis	35	33	37
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	465	400	414
Mental Illness Secondary Diagnosis	5,210	5,229	2,960
Alcohol Principal Diagnosis	108	101	112
Alcohol Secondary Diagnosis	71	87	101
Drug Principal Diagnosis	72	61	54
Drug Secondary Diagnosis	125	71	92

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	28	28	25
Alcohol Package Carry-out Licenses	48	43	41

EMPLOYMENT	2016	2015	2014
Labor Force	16,201	16,153	15,786
Employed	15,316	15,125	14,511
Unemployed	885	1,028	1,275
Unemployment Rate	5.5%	6.4%	8.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	52	39	33
Fatal Crashes	1	1	2
Injury Crashes	34	15	8
Property Damage Crashes	17	23	17
Crash Fatalities	1	1	2
Crash Injuries	57	18	14
Drug Involved Crashes	7	12	12
Fatal Crashes	1	0	2
Injury Crashes	4	4	5
Property Damage Crashes	2	8	5
Crash Fatalities	1	0	2
Crash Injuries	8	8	7

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	141	130	132
Liquor Law Arrests	27	16	17
Drug Arrests	303	397	234
Methamphetamine Lab Seizures	4	2	15
Violent Offenses	117	93	91
Domestic Violence Reports	464	443	385
Property Offenses	740	986	864

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,742	1,715	1,734
Drop-outs	21	19	24
Drop-out Rate	1.2%	1.1%	1.4%
School Discipline Involving Alcohol	4	8	11
School Discipline Involving Drugs	13	13	11
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	21	20	15
Juvenile Alcohol Offenses	1	0	2
Juvenile Drug Offenses	2	3	0
School Truancy Status Offense	8	37	24
Absent from Home Status Offense	14	14	15
Beyond Parental Control Status Offense	4	8	5
Injurious Behavior Status Offense	19	37	24
Child Abuse	35	133	5
Child Neglect	126	165	55
Child Custody Issues	69	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	94	92	60
Parental Alcohol Use Related	1	4	0
Parental Drug Use Related	41	37	21
Parental Alcohol and Drug Use	2	2	8

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	282	208	210
Probation/Parole Admissions--DWI	15	26	18
Prison Admissions--Drug	126	124	119
Prison Admissions--DWI	11	18	12

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

LACLEDE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	28	21	25
CSTAR Adolescent	11	12	10
CSTAR Women and Children	19	17	14
CSTAR General Adult	83	102	95
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	6	7
Clinical SATOP (CIP, YCIP, SROP)	22	19	25
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	88	96	106
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	25	43	26
- Weekend Intervention Program	18	12	27
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	6	6	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	152	164	154	Alcohol	35	54	55
AGE				Marijuana / Hashish	26	28	29
Under 18	11	10	13	Cocaine (total)	*	0	0
18 to 24	25	35	35	- Crack	0	0	0
25 to 29	31	27	23	Stimulant (total)	62	51	46
30 to 34	23	28	32	- Methamphetamine	53	50	45
35 to 39	25	24	14	Heroin	9	5	6
40 to 44	9	13	15	Analgesic except Heroin	16	21	16
45 to 54	21	18	19	- Non-Prescription Methadone	0	0	0
55 and Over	7	9	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	92	94	98	Inhalant	0	0	0
Female	60	70	56	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	150	157	147	Average Age at First Use of Drug	18.8	18.2	17.8
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	42	36	42
Asian / Pacific Islander	0	0	0	- Daily Injection Use	16	11	7
Hispanic	*	*	*	- Weekly Injection Use	16	11	17
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	10	14	18
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	50	61	60	0	94	97	92
High School Graduate or G.E.D.	71	77	66	1 or 2	43	49	45
Associate Degree or Some College	30	25	27	3 or More	15	18	17
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	80	72	59
Employed	39	31	26	School	0	0	*
Unemployed	50	66	72	Mental Health Provider	0	0	*
Not in Labor Force	63	67	56	Health Care Provider	8	11	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	34	34	39
Independent Living	109	124	120	Other Referral Source	30	47	43
Dependent Living	29	28	23	TREATMENT ACCOMMODATION			
Homeless	6	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	7
Never Married	73	84	86	Special Education Services Needed	7	*	5
Married / Cohabiting	45	45	29	Co-Occurring Psychological Problem	58	85	74
Previously Married	34	35	39	Co-Occurring Developmental Problem	6	*	*

LACLEDE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 35,571
2016 POPULATION ESTIMATE 35,490

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	23	11	16
Anxiety Disorder	369	323	285
Dementia	0	0	0
Developmental Disorder	7	6	*
Impulse Control Disorder	99	88	76
Mood Disorder	407	378	348
Personality Disorder	39	41	20
Psychotic Disorder	88	93	73
Sexual Disorder	*	*	*
Other Diagnosis	60	46	48
Diagnosis Unknown	9	17	31

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	523	498	485	Less than High School Diploma	233	237	228
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	8	Associate Degree or Some College	0	0	0
6 to 9	36	34	32	Bachelor or Advanced Degree	0	0	0
10 to 13	55	43	50	Education Level Unknown	290	261	257
14 to 17	51	47	54	EMPLOYMENT			
18 to 24	39	40	42	Employed	24	17	32
25 to 29	24	34	31	Unemployed	29	33	21
30 to 34	47	41	44	Not in Labor Force	390	357	340
35 to 39	50	52	43	Employment Status Unknown	80	91	92
40 to 44	37	39	41	HOUSING / LIVING ARRANGEMENT			
45 to 49	48	49	42	Independent Living	229	202	212
50 to 54	52	51	46	Dependent Living	219	192	185
55 to 59	45	36	24	Homeless	8	5	*
60 and Over	36	29	28	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	67	99	84
GENDER				TREATMENT REFERRAL SOURCE			
Male	225	222	218	Self / Family / Friend	297	252	200
Female	298	276	267	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	11	16	18
RACE / ETHNICITY				Health Care Provider	80	73	80
Caucasian	476	465	455	Court / Criminal Justice	24	44	71
African American	7	8	6	Other	109	110	112
Native American / Alaskan	*	*	*	Referral Source Unknown	*	0	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	16	8	10	Voluntary	519	492	479
Other Race	20	14	12	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	5
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	14	13	14	Commitment Type Unknown	0	0	0
Past or Current Military Service	13	11	8				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.6	27.1	22.4	41.9	Alcohol	13.4	10.9	16.2	20.3
Chewing Tobacco	14.0	15.3	6.4	20.7	Alcohol (5+ drinks on single occasion past 2 weeks)	4.5	0.0		
Cigarettes	16.9	35.6	4.3	30.9	Chewing Tobacco	4.8	1.6	2.8	13.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	0.0	0.0	3.0	Cigarettes	5.3	11.6	1.6	17.1
Cocaine	0.5	0.0	0.0	1.7	Inhalants	0.3	0.0	0.8	4.5
Electronic Cigarettes	23.2	1.6			Marijuana	5.0	0.5	0.2	7.3
Hallucinogens	2.1	0.0	0.0	4.6	Over-the-counter medications for non-medical use	2.1	0.5	0.2	6.6
Heroin	0.0	0.0	0.0	1.7	Prescription medications not prescribed for student	9.6	0.5	0.7	9.0
Inhalants	1.7	0.5	1.8	9.3	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	11.9	1.0	0.2	13.0	Alcohol (1 or 2 drinks daily)	62.8	63.4		
Methamphetamine	0.3	0.0	0.0	0.9	Alcohol (Binge: 5+ drinks once or twice a week)	76.8	72.5		
Over-the-counter medications for non-medical use	3.6	0.5	0.7	9.2	Cigarettes (1+ packs per day)	81.0	92.4		
Prescription medications not prescribed for student	12.5	0.5	0.7	14.8	Marijuana (once or twice a week)	72.4	87.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	0.0	0.0		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.9	92.3	93.9	90.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.01	10.16	12.09	11.93	Alcohol	87.8	77.5	80.2	81.5
Cigarettes	11.34	9.05	11.33	11.60	Cigarettes	95.2	100.0	98.5	90.7
Inhalants	12.11	9.38	11.11	12.15	Marijuana	94.1	100.0	99.3	94.5
Marijuana	13.32	10.36		12.59	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	70.5	72.8	62.1	61.6
Alcohol	40.5	16.3	39.6	58.1	Cigarettes	90.0	98.4	80.2	75.9
Cigarettes	30.3	15.3	28.3	50.3	Marijuana	84.2	98.4	97.7	82.2
Marijuana	26.0	0.5	4.1	34.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	99.5	98.8	93.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.6	0.5	2.1	23.4	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	41.5	18.8	40.9	47.6
Alcohol	22.8	11.5	34.5	36.3	Cigarettes	41.1	31.3	42.3	50.8
Cigarettes	7.8	1.0	15.9	17.6	Marijuana	28.6	0.5	5.6	27.6
Marijuana	11.6	0.5	15.6	12.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	2.1	3.8	18.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.3	52.1	34.4	68.7	Were grouchy, irritable, or in a bad mood	29.1	19.3	21.7	23.6
Were victims of mean rumors or lies spread at school	52.8	42.7	31.3	56.1	Had difficulty concentrating on school work	28.8	11.4	20.7	19.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.1	20.7	3.8	18.0	Were very sad	28.3	14.8	3.6	17.7
					Felt hopeless about the future	15.3	4.9	3.1	8.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.7	14.2	17.2	12.5	Parents involve student in making family decisions	71.4	74.9	67.5	72.8
Made plan about how they would attempt suicide	7.5	3.4	2.5	11.5	Parents notice and comment on student's good work	79.3	92.7	78.8	83.4
Attempted suicide	4.9	10.4	0.7	6.4	Teachers notice and comment on student's good work	72.6	82.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LAFAYETTE COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	7
Adult Psychiatric	7
POPULATION	
Census 2010	33,381
2016 Estimate	32,618

BIRTH RISK	2015	2014	2013
Resident Births	350	396	361
Mother Reported Smoking while Pregnant	87	95	92

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	2	1
Hepatitis B Chronic, Acute, Prenatal	1	1	1
Hepatitis C Chronic and Acute	18	22	15
Tuberculosis Infection Cases	3	2	3

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	399	386	376
Suicide	1	6	5
Homicide	1	0	0
Alcohol Induced Deaths	1	2	3
Drug Induced Deaths	4	3	2
Smoking Attributable Deaths	75	70	69
Self-inflicted Injuries *	39	43	46
Assault Injuries *	119	94	71

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	288	254	315
Mental Illness Secondary Diagnosis	923	673	735
Alcohol Principal Diagnosis	15	15	13
Alcohol Secondary Diagnosis	63	37	37
Drug Principal Diagnosis	14	11	15
Drug Secondary Diagnosis	47	40	26
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	22	30	38
Mental Illness Secondary Diagnosis	507	518	520
Alcohol Principal Diagnosis	12	13	12
Alcohol Secondary Diagnosis	38	51	57
Drug Principal Diagnosis	6	9	6
Drug Secondary Diagnosis	33	39	33
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	304	300	273
Mental Illness Secondary Diagnosis	442	418	347
Alcohol Principal Diagnosis	50	67	57
Alcohol Secondary Diagnosis	56	52	39
Drug Principal Diagnosis	56	31	50
Drug Secondary Diagnosis	64	65	60

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	38	38	43
Alcohol Package Carry-out Licenses	42	39	39

EMPLOYMENT	2016	2015	2014
Labor Force	17,600	17,474	17,445
Employed	16,849	16,636	16,428
Unemployed	751	838	1,017
Unemployment Rate	4.3%	4.8%	5.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	39	39	32
Fatal Crashes	1	2	0
Injury Crashes	14	16	10
Property Damage Crashes	24	21	16
Crash Fatalities	1	2	0
Crash Injuries	16	19	13
Drug Involved Crashes	6	7	4
Fatal Crashes	0	1	0
Injury Crashes	3	2	2
Property Damage Crashes	3	4	2
Crash Fatalities	0	1	0
Crash Injuries	3	2	3

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	128	149	178
Liquor Law Arrests	23	21	54
Drug Arrests	403	410	356
Methamphetamine Lab Seizures	0	0	1
Violent Offenses	48	43	35
Domestic Violence Reports	43	51	31
Property Offenses	373	416	408

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,601	1,628	1,572
Drop-outs	10	7	13
Drop-out Rate	0.6%	0.4%	0.8%
School Discipline Involving Alcohol	0	1	1
School Discipline Involving Drugs	5	5	4
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	31	39	53
Juvenile Alcohol Offenses	3	6	8
Juvenile Drug Offenses	12	8	13
School Truancy Status Offense	2	20	5
Absent from Home Status Offense	25	20	18
Beyond Parental Control Status Offense	14	24	15
Injurious Behavior Status Offense	12	15	12
Child Abuse	0	4	5
Child Neglect	15	11	18
Child Custody Issues	6	2	16

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	25	14	34
Parental Alcohol Use Related	0	0	3
Parental Drug Use Related	19	4	15
Parental Alcohol and Drug Use	2	0	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	24	29	29
Probation/Parole Admissions--Drug	248	213	146
Probation/Parole Admissions--DWI	15	20	24
Prison Admissions--Drug	142	139	105
Prison Admissions--DWI	11	16	22

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

LAFAYETTE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	5
CSTAR Adolescent	17	11	9
CSTAR Women and Children	*	5	8
CSTAR General Adult	79	66	103
CSTAR Opioid	*	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	12	29	32
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	96	116	143
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	35	35	55
- Weekend Intervention Program	14	29	27
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	6	*
Compulsive Gambling	0	0	0
Recovery Supports	19	11	17
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	124	114	157	Alcohol	44	54	64
AGE				Marijuana / Hashish	42	22	33
Under 18	18	11	9	Cocaine (total)	0	0	*
18 to 24	16	18	37	- Crack	0	0	0
25 to 29	14	17	30	Stimulant (total)	27	27	41
30 to 34	17	15	22	- Methamphetamine	16	27	38
35 to 39	19	8	15	Heroin	0	*	*
40 to 44	10	10	15	Analgesic except Heroin	8	6	6
45 to 54	21	22	22	- Non-Prescription Methadone	*	0	0
55 and Over	9	13	7	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	75	74	111	Inhalant	0	0	0
Female	49	40	46	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	110	100	148	Average Age at First Use of Drug	16.6	16.7	18.0
African American	9	8	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	11	10	22
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	5	- Weekly Injection Use	*	*	9
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	7	*	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	43	27	46	0	84	59	80
High School Graduate or G.E.D.	66	68	83	1 or 2	22	38	52
Associate Degree or Some College	13	19	27	3 or More	18	17	25
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	54	39	51
Employed	33	35	53	School	0	0	0
Unemployed	29	31	44	Mental Health Provider	*	0	*
Not in Labor Force	62	48	60	Health Care Provider	11	5	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	25	45	55
Independent Living	96	92	128	Other Referral Source	28	24	37
Dependent Living	20	14	16	TREATMENT ACCOMMODATION			
Homeless	*	5	*	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	60	63	92	Special Education Services Needed	*	*	*
Married / Cohabiting	34	29	31	Co-Occurring Psychological Problem	54	44	57
Previously Married	30	22	34	Co-Occurring Developmental Problem	*	*	*

LAFAYETTE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 7
CENSUS 2010 33,381
2016 POPULATION ESTIMATE 32,618

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	51	44	45
Anxiety Disorder	187	176	171
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	80	71	69
Mood Disorder	227	220	221
Personality Disorder	14	13	13
Psychotic Disorder	36	36	42
Sexual Disorder	*	*	*
Other Diagnosis	53	43	30
Diagnosis Unknown	12	11	31

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	302	295	330	Less than High School Diploma	96	123	112
AGE				High School Grad or G.E.D.	0	0	0
Under 6	9	7	6	Associate Degree or Some College	0	0	0
6 to 9	27	23	25	Bachelor or Advanced Degree	0	0	0
10 to 13	34	34	32	Education Level Unknown	206	172	218
14 to 17	49	37	41	EMPLOYMENT			
18 to 24	14	24	27	Employed	8	11	11
25 to 29	17	13	19	Unemployed	15	*	8
30 to 34	13	17	20	Not in Labor Force	206	205	169
35 to 39	15	16	25	Employment Status Unknown	73	75	142
40 to 44	22	19	26	HOUSING / LIVING ARRANGEMENT			
45 to 49	25	26	34	Independent Living	115	108	93
50 to 54	32	38	34	Dependent Living	115	110	94
55 to 59	27	25	28	Homeless	7	*	0
60 and Over	18	16	13	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	65	74	143
GENDER				TREATMENT REFERRAL SOURCE			
Male	116	112	138	Self / Family / Friend	257	234	253
Female	186	183	192	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	7	5	6
RACE / ETHNICITY				Health Care Provider	15	19	17
Caucasian	272	271	309	Court / Criminal Justice	*	9	22
African American	15	14	9	Other	18	26	30
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	299	291	327
Other Race	11	8	8	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	*	0
Hearing Impaired	5	5	9	Commitment Type Unknown	*	*	*
Past or Current Military Service	9	9	14				

LAFAYETTE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	16.1	33.8	39.9	45.1	Alcohol	6.3	11.6	17.3	22.8
Chewing Tobacco	7.1	13.2	16.4	16.6	Alcohol (5+ drinks on single occasion past 2 weeks)	3.1	6.0		
Cigarettes	9.2	19.2	25.8	27.5	Chewing Tobacco	0.7	7.0	9.5	10.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.3	1.2	1.2	1.5	Cigarettes	4.4	7.5	13.0	14.5
Cocaine	1.0	0.2	1.2	1.4	Inhalants	2.0	1.2	2.4	3.8
Electronic Cigarettes	8.6	9.0			Marijuana	1.0	5.5	8.1	5.2
Hallucinogens	0.3	0.7	1.4	2.2	Over-the-counter medications for non-medical use	1.0	0.7	3.9	4.0
Heroin	0.0	0.3	0.3	0.6	Prescription medications not prescribed for student	7.9	2.5	5.6	6.3
Inhalants	2.8	4.0	5.7	6.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	4.0	12.9	14.2	13.1	Alcohol (1 or 2 drinks daily)	29.0	61.1		
Methamphetamine	0.3	0.3	0.9	0.7	Alcohol (Binge: 5+ drinks once or twice a week)	29.3	69.5		
Over-the-counter medications for non-medical use	2.0	1.5	6.9	6.9	Cigarettes (1+ packs per day)	90.4	85.7		
Prescription medications not prescribed for student	9.1	4.5	9.1	11.4	Marijuana (once or twice a week)	86.0	68.4		
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	4.0	5.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.7	92.2	92.7	92.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	10.42	13.12	12.37	12.46	Alcohol	90.3	81.5	80.0	78.0
Cigarettes	11.37	13.98	12.22	12.01	Cigarettes	97.5	91.6	92.8	90.6
Inhalants	9.82	10.39	11.59	12.39	Marijuana	98.5	94.8	95.5	95.1
Marijuana	12.20	14.75	13.33	13.17	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	87.9	68.4	64.0	58.3
Alcohol	14.7	43.2	53.8	61.0	Cigarettes	93.2	87.3	83.4	78.8
Cigarettes	12.4	33.7	47.6	49.2	Marijuana	93.5	82.4	85.5	87.0
Marijuana	9.6	29.2	31.4	28.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	97.8	95.9	95.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.1	8.2	11.7	13.6	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	74.6	49.3	51.3	58.9
Alcohol	8.7	25.6	29.2	38.1	Cigarettes	71.0	45.8	50.3	55.1
Cigarettes	5.6	9.9	13.1	16.2	Marijuana	10.1	27.5	27.2	27.4
Marijuana	3.3	10.7	11.2	9.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.6	9.6	10.5	15.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	84.2	62.5	60.9	67.4	Were grouchy, irritable, or in a bad mood	15.0	24.9	23.4	30.6
Were victims of mean rumors or lies spread at school	83.4	51.1	49.4	58.5	Had difficulty concentrating on school work	17.6	22.8	19.9	26.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	13.0	22.9	19.8	19.8	Were very sad	10.7	19.6	20.5	26.7
<i>Percent of students who, in past 12 months:</i>					Felt hopeless about the future	7.6	10.4	10.2	12.6
Seriously considered attempting suicide	4.8	7.2	12.4	11.6	<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide	5.0	5.5	9.7	8.6	Parents involve student in making family decisions	29.3	68.5	68.4	71.1
Attempted suicide	3.1	2.2	6.1	6.0	Parents notice and comment on student's good work	92.6	85.3	82.5	83.8
					Teachers notice and comment on student's good work	36.1	74.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LAWRENCE COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	8A
POPULATION	
Census 2010	38,634
2016 Estimate	38,381

BIRTH RISK	2015	2014	2013
Resident Births	486	491	498
Mother Reported Smoking while Pregnant	96	93	100

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	3
Hepatitis B Chronic, Acute, Prenatal	2	2	4
Hepatitis C Chronic and Acute	24	54	25
Tuberculosis Infection Cases	14	10	8

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	442	444	461
Suicide	8	8	6
Homicide	1	0	1
Alcohol Induced Deaths	3	2	5
Drug Induced Deaths	9	6	6
Smoking Attributable Deaths	73	81	84
Self-inflicted Injuries *	41	51	63
Assault Injuries *	85	112	88

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	239	226	182
Mental Illness Secondary Diagnosis	483	374	342
Alcohol Principal Diagnosis	22	16	14
Alcohol Secondary Diagnosis	42	27	25
Drug Principal Diagnosis	17	14	21
Drug Secondary Diagnosis	57	25	23
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	136	134	125
Mental Illness Secondary Diagnosis	513	656	639
Alcohol Principal Diagnosis	36	44	27
Alcohol Secondary Diagnosis	42	55	66
Drug Principal Diagnosis	27	28	32
Drug Secondary Diagnosis	41	46	34
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	336	312	257
Mental Illness Secondary Diagnosis	936	926	896
Alcohol Principal Diagnosis	88	79	55
Alcohol Secondary Diagnosis	56	86	51
Drug Principal Diagnosis	96	82	76
Drug Secondary Diagnosis	122	95	103

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	20	19	17
Alcohol Package Carry-out Licenses	42	42	42

EMPLOYMENT	2016	2015	2014
Labor Force	17,938	18,131	17,416
Employed	17,159	17,245	16,388
Unemployed	779	886	1,028
Unemployment Rate	4.3%	4.9%	5.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	45	40	34
Fatal Crashes	1	1	1
Injury Crashes	17	16	18
Property Damage Crashes	27	23	21
Crash Fatalities	1	1	1
Crash Injuries	20	20	22
Drug Involved Crashes	13	10	8
Fatal Crashes	0	0	0
Injury Crashes	5	2	5
Property Damage Crashes	8	8	3
Crash Fatalities	0	0	0
Crash Injuries	6	2	7

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	262	133	153
Liquor Law Arrests	49	48	29
Drug Arrests	219	138	172
Methamphetamine Lab Seizures	0	4	16
Violent Offenses	149	194	165
Domestic Violence Reports	148	186	186
Property Offenses	764	1,077	951

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,827	1,787	1,714
Drop-outs	35	27	24
Drop-out Rate	1.9%	1.5%	1.4%
School Discipline Involving Alcohol	0	3	5
School Discipline Involving Drugs	10	21	13
School Discipline Involving Tobacco	0	1	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	48	59	28
Juvenile Alcohol Offenses	3	2	1
Juvenile Drug Offenses	9	19	7
School Truancy Status Offense	0	56	3
Absent from Home Status Offense	13	23	3
Beyond Parental Control Status Offense	23	12	14
Injurious Behavior Status Offense	35	59	16
Child Abuse	24	30	21
Child Neglect	137	222	75
Child Custody Issues	72	76	100

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	89	86	115
Parental Alcohol Use Related	8	2	6
Parental Drug Use Related	44	26	31
Parental Alcohol and Drug Use	2	6	2

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	81	74	66
Probation/Parole Admissions--Drug	126	99	92
Probation/Parole Admissions--DWI	13	10	24
Prison Admissions--Drug	66	56	35
Prison Admissions--DWI	3	4	9

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

LAWRENCE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	35	43	24
CSTAR Adolescent	9	10	5
CSTAR Women and Children	30	26	24
CSTAR General Adult	147	176	160
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	37	21
Clinical SATOP (CIP, YCIP, SROP)	28	38	31
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	116	140	141
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	38	41	50
- Weekend Intervention Program	24	28	22
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	5	7
Compulsive Gambling	0	0	0
Recovery Supports	9	*	12
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	226	284	248	Alcohol	82	104	91
AGE				Marijuana / Hashish	31	51	53
Under 18	8	10	6	Cocaine (total)	0	0	0
18 to 24	38	45	41	- Crack	0	0	0
25 to 29	39	49	46	Stimulant (total)	86	102	73
30 to 34	27	51	45	- Methamphetamine	82	97	67
35 to 39	37	38	36	Heroin	5	*	*
40 to 44	27	36	25	Analgesic except Heroin	19	20	24
45 to 54	36	39	35	- Non-Prescription Methadone	*	0	0
55 and Over	14	16	14	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	*	*
Male	119	174	156	Inhalant	0	0	0
Female	107	110	92	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	221	271	238	Average Age at First Use of Drug	19.3	17.9	17.2
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	60	65	46
Asian / Pacific Islander	0	0	*	- Daily Injection Use	12	9	7
Hispanic	*	11	10	- Weekly Injection Use	13	27	6
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	35	29	33
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	82	108	83	0	126	143	128
High School Graduate or G.E.D.	107	126	128	1 or 2	63	91	78
Associate Degree or Some College	37	49	37	3 or More	37	50	42
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	61	67	54
Employed	84	98	80	School	0	0	0
Unemployed	84	96	86	Mental Health Provider	*	6	*
Not in Labor Force	58	90	82	Health Care Provider	16	19	16
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	112	160	146
Independent Living	188	256	225	Other Referral Source	34	32	25
Dependent Living	26	21	19	TREATMENT ACCOMMODATION			
Homeless	9	5	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	9	7	12
Never Married	93	139	115	Special Education Services Needed	30	44	36
Married / Cohabiting	73	74	61	Co-Occurring Psychological Problem	91	121	84
Previously Married	60	71	72	Co-Occurring Developmental Problem	10	11	8

LAWRENCE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8A
CENSUS 2010 38,634
2016 POPULATION ESTIMATE 38,381

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	34	33	27
Anxiety Disorder	259	214	181
Dementia	*	*	*
Developmental Disorder	9	11	9
Impulse Control Disorder	122	99	92
Mood Disorder	406	308	253
Personality Disorder	75	65	51
Psychotic Disorder	70	56	52
Sexual Disorder	*	0	0
Other Diagnosis	88	54	45
Diagnosis Unknown	132	158	205

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	726	616	582	Less than High School Diploma	272	245	167
AGE				High School Grad or G.E.D.	0	0	0
Under 6	7	8	5	Associate Degree or Some College	0	0	0
6 to 9	36	42	34	Bachelor or Advanced Degree	0	0	0
10 to 13	64	55	52	Education Level Unknown	454	371	415
14 to 17	96	81	51	EMPLOYMENT			
18 to 24	55	43	47	Employed	47	30	21
25 to 29	53	41	47	Unemployed	41	31	20
30 to 34	51	54	59	Not in Labor Force	416	392	283
35 to 39	65	38	52	Employment Status Unknown	222	163	258
40 to 44	62	54	60	HOUSING / LIVING ARRANGEMENT			
45 to 49	65	58	43	Independent Living	264	236	160
50 to 54	62	60	62	Dependent Living	181	175	129
55 to 59	50	46	35	Homeless	7	*	*
60 and Over	60	36	35	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	274	201	291
GENDER				TREATMENT REFERRAL SOURCE			
Male	330	279	280	Self / Family / Friend	347	300	351
Female	395	337	302	School	39	35	25
Gender Unknown	*	0	0	Mental Health Provider	34	20	22
RACE / ETHNICITY				Health Care Provider	103	88	63
Caucasian	684	579	554	Court / Criminal Justice	46	30	21
African American	5	*	*	Other	155	142	98
Native American / Alaskan	*	0	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	24	21	15	Voluntary	710	606	575
Other Race	11	11	8	Civil	9	5	*
Race/Ethnicity Unknown	0	0	0	Criminal	5	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	0	0
Hearing Impaired	32	27	28	Commitment Type Unknown	*	*	*
Past or Current Military Service	12	8	11				

LAWRENCE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	31.8	35.4	27.3	38.3	Alcohol	13.8	15.2	9.2	14.4
Chewing Tobacco	12.1	13.6	12.1	17.7	Alcohol (5+ drinks on single occasion past 2 weeks)	6.5	9.9		
Cigarettes	22.8	18.9	18.8	27.2	Chewing Tobacco	4.8	6.3	7.1	9.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.1	1.9	2.0	Cigarettes	9.0	7.4	9.6	13.5
Cocaine	0.9	0.0	1.1	0.7	Inhalants	0.6	0.2	1.3	2.7
Electronic Cigarettes	24.3	10.7			Marijuana	5.9	3.2	5.8	4.7
Hallucinogens	1.4	2.1	3.4	1.8	Over-the-counter medications for non-medical use	1.4	2.9	2.7	4.7
Heroin	0.2	0.2	1.0	0.8	Prescription medications not prescribed for student	7.6	3.8	3.2	6.8
Inhalants	2.0	0.2	3.8	7.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.1	10.4	10.2	11.4	Alcohol (1 or 2 drinks daily)	67.8	55.1		
Methamphetamine	0.3	1.1	1.6	1.0	Alcohol (Binge: 5+ drinks once or twice a week)	76.0	63.7		
Over-the-counter medications for non-medical use	4.2	2.9	5.2	8.4	Cigarettes (1+ packs per day)	82.7	81.7		
Prescription medications not prescribed for student	11.4	6.7	6.8	10.9	Marijuana (once or twice a week)	67.7	66.8		
Synthetic drugs (K2, bath salts, Spice, etc)	2.0	2.1	9.0		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	88.4	94.3	92.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.06	13.45	11.93	12.24	Alcohol	85.9	82.0	87.5	82.6
Cigarettes	12.71	12.91	11.58	11.74	Cigarettes	94.1	91.0	94.4	91.3
Inhalants	10.42	12.85	12.12	12.15	Marijuana	93.9	93.4	96.0	94.3
Marijuana	14.02	14.50	12.84	13.39	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	74.8	70.0	72.7	63.9
Alcohol	42.2	44.3	40.7	52.7	Cigarettes	86.8	85.4	87.7	80.2
Cigarettes	33.1	31.5	29.3	41.6	Marijuana	85.9	86.3	88.5	86.3
Marijuana	30.2	22.9	16.8	30.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	96.6	97.2	95.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.0	8.8	9.2	16.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	49.8	52.5	43.5	49.1
Alcohol	21.7	25.9	19.0	29.2	Cigarettes	47.0	50.8	40.1	50.8
Cigarettes	10.5	10.7	9.8	15.2	Marijuana	32.0	27.8	21.7	29.4
Marijuana	10.4	7.1	8.6	8.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	14.6	13.6	17.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	57.5	55.4	61.4	72.3	Were grouchy, irritable, or in a bad mood	30.4	20.0	19.5	20.2
Were victims of mean rumors or lies spread at school	46.7	44.4	49.4	57.9	Had difficulty concentrating on school work	24.1	23.1	15.8	19.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.3	18.8	15.2	20.3	Were very sad	22.5	18.9	19.2	15.6
					Felt hopeless about the future	12.4	14.5	10.5	10.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.1	11.1	9.8	12.9	Parents involve student in making family decisions	73.3	74.0	74.8	70.8
Made plan about how they would attempt suicide	7.6	8.4	7.4	9.9	Parents notice and comment on student's good work	85.3	86.0	86.4	84.6
Attempted suicide	5.0	5.0	5.5	6.2	Teachers notice and comment on student's good work	78.8	79.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LEWIS COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	10,211
2016 Estimate	10,134

BIRTH RISK	2015	2014	2013
Resident Births	120	114	117
Mother Reported Smoking while Pregnant	24	20	24

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	10	10	2
Tuberculosis Infection Cases	1	2	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	129	101	91
Suicide	0	4	1
Homicide	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	0	2
Smoking Attributable Deaths	18	20	19
Self-inflicted Injuries *	0	3	1
Assault Injuries *	0	3	2

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	28	22	14
Mental Illness Secondary Diagnosis	67	66	76
Alcohol Principal Diagnosis	3	0	0
Alcohol Secondary Diagnosis	7	3	8
Drug Principal Diagnosis	0	1	1
Drug Secondary Diagnosis	1	0	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2	7	7
Mental Illness Secondary Diagnosis	37	44	47
Alcohol Principal Diagnosis	2	1	0
Alcohol Secondary Diagnosis	2	5	5
Drug Principal Diagnosis	1	1	1
Drug Secondary Diagnosis	1	1	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	12	21	19
Mental Illness Secondary Diagnosis	27	36	28
Alcohol Principal Diagnosis	4	2	1
Alcohol Secondary Diagnosis	3	0	3
Drug Principal Diagnosis	3	0	4
Drug Secondary Diagnosis	2	1	3

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	15	12	12
Alcohol Package Carry-out Licenses	12	11	10

EMPLOYMENT	2016	2015	2014
Labor Force	5,202	5,274	5,141
Employed	4,967	5,016	4,873
Unemployed	235	258	268
Unemployment Rate	4.5%	4.9%	5.2%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	7	6	6
Fatal Crashes	1	1	0
Injury Crashes	2	2	4
Property Damage Crashes	4	3	2
Crash Fatalities	1	1	0
Crash Injuries	2	5	6
Drug Involved Crashes	2	1	4
Fatal Crashes	0	1	0
Injury Crashes	1	0	2
Property Damage Crashes	1	0	2
Crash Fatalities	0	1	0
Crash Injuries	1	3	3

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	42	51	44
Liquor Law Arrests	22	13	17
Drug Arrests	85	68	34
Methamphetamine Lab Seizures	3	3	7
Violent Offenses	17	24	13
Domestic Violence Reports	54	53	54
Property Offenses	90	77	73

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	448	484	513
Drop-outs	1	2	4
Drop-out Rate	0.2%	0.4%	0.8%
School Discipline Involving Alcohol	0	5	0
School Discipline Involving Drugs	3	6	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	16	5	10
Juvenile Alcohol Offenses	13	4	1
Juvenile Drug Offenses	4	5	5
School Truancy Status Offense	24	26	21
Absent from Home Status Offense	1	1	2
Beyond Parental Control Status Offense	24	11	11
Injurious Behavior Status Offense	36	51	56
Child Abuse	4	3	2
Child Neglect	38	24	17
Child Custody Issues	0	1	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	14	17	12
Parental Alcohol Use Related	4	3	0
Parental Drug Use Related	7	6	3
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	19	16	17
Probation/Parole Admissions--Drug	24	25	23
Probation/Parole Admissions--DWI	6	2	2
Prison Admissions--Drug	14	4	9
Prison Admissions--DWI	0	1	0

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

LEWIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	5	9	0
CSTAR Adolescent	*	5	*
CSTAR Women and Children	*	5	*
CSTAR General Adult	41	37	39
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	17	6	6
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	50	33	49
- Adolescent Diversion Education Program	*	*	6
- Offender Education Program	11	9	12
- Weekend Intervention Program	*	*	8
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	61	50	48	Alcohol	35	22	31
AGE				Marijuana / Hashish	11	13	12
Under 18	*	*	*	Cocaine (total)	*	0	0
18 to 24	7	10	6	- Crack	*	0	0
25 to 29	8	9	*	Stimulant (total)	8	7	*
30 to 34	11	9	10	- Methamphetamine	7	7	*
35 to 39	7	*	5	Heroin	*	0	0
40 to 44	7	6	*	Analgesic except Heroin	*	*	*
45 to 54	15	5	12	- Non-Prescription Methadone	*	*	*
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	42	40	36	Inhalant	0	0	0
Female	19	10	12	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	5	0
Caucasian	56	45	41	Average Age at First Use of Drug	16.6	17.6	17.0
African American	*	*	5	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	6	*	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	19	15	13	0	16	31	19
High School Graduate or G.E.D.	33	29	27	1 or 2	30	13	19
Associate Degree or Some College	9	5	8	3 or More	15	6	10
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	8	*
Employed	28	21	20	School	0	0	0
Unemployed	20	19	16	Mental Health Provider	*	0	*
Not in Labor Force	13	10	12	Health Care Provider	*	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	29	23	36
Independent Living	50	41	42	Other Referral Source	9	10	5
Dependent Living	5	9	6	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	26	29	21	Special Education Services Needed	11	*	5
Married / Cohabiting	20	15	9	Co-Occurring Psychological Problem	24	15	13
Previously Married	15	6	18	Co-Occurring Developmental Problem	*	*	*

LEWIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 10,211
2016 POPULATION ESTIMATE 10,134

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	40	31	27
Dementia	*	*	0
Developmental Disorder	7	*	*
Impulse Control Disorder	31	27	27
Mood Disorder	69	61	52
Personality Disorder	8	7	*
Psychotic Disorder	*	7	*
Sexual Disorder	0	0	0
Other Diagnosis	19	18	11
Diagnosis Unknown	0	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	86	79	68	Less than High School Diploma	37	38	29
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	12	9	9	Bachelor or Advanced Degree	0	0	0
10 to 13	7	8	5	Education Level Unknown	49	41	39
14 to 17	9	11	7	EMPLOYMENT			
18 to 24	6	*	6	Employed	6	*	6
25 to 29	7	*	*	Unemployed	7	*	6
30 to 34	*	7	6	Not in Labor Force	56	63	45
35 to 39	11	10	6	Employment Status Unknown	17	14	11
40 to 44	*	*	5	HOUSING / LIVING ARRANGEMENT			
45 to 49	10	*	5	Independent Living	40	31	36
50 to 54	8	14	8	Dependent Living	28	32	14
55 to 59	8	6	5	Homeless	*	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	17	16	18
GENDER				TREATMENT REFERRAL SOURCE			
Male	35	33	29	Self / Family / Friend	16	14	9
Female	51	46	39	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	9	6	7
Caucasian	78	73	61	Court / Criminal Justice	0	0	0
African American	*	*	*	Other	58	56	49
Native American / Alaskan	*	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	*	Voluntary	86	78	67
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	*	*
Past or Current Military Service	0	0	0				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		39.3	38.3	44.0	Alcohol	13.0	13.8	17.4	
Chewing Tobacco		11.3	11.4	8.6	Alcohol (5+ drinks on single occasion past 2 weeks)	7.4			
Cigarettes		17.1	18.6	25.2	Chewing Tobacco	4.8	5.4	3.9	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.8	0.6	3.1	Cigarettes	9.8	8.3	17.8	
Cocaine		0.8	1.2	3.5	Inhalants	0.8	1.8	3.5	
Electronic Cigarettes		9.8			Marijuana	3.2	3.0	6.0	
Hallucinogens		0.8	1.8	3.0	Over-the-counter medications for non-medical use	1.6	1.8	7.4	
Heroin		0.0	1.8	0.0	Prescription medications not prescribed for student	2.4	2.4	8.2	
Inhalants		3.3	3.6	6.1					
Marijuana		5.6	7.2	13.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	0.6	1.3	Alcohol (1 or 2 drinks daily)	54.8			
Over-the-counter medications for non-medical use		1.6	6.0	9.1	Alcohol (Binge: 5+ drinks once or twice a week)	64.5			
Prescription medications not prescribed for student		4.0	6.0	12.5	Cigarettes (1+ packs per day)	87.0			
Synthetic drugs (K2, bath salts, Spice, etc)		1.6	4.2		Marijuana (once or twice a week)	74.0			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	95.9	92.7	92.6	
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.36	13.12	12.52		Alcohol	83.1	79.1	75.2	
Cigarettes	12.65	13.58	12.06		Cigarettes	96.0	93.3	87.9	
Inhalants	11.43	10.98	10.86		Marijuana	97.6	96.4	94.8	
Marijuana	12.29	13.99	13.67						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	47.2	49.7	50.4		Alcohol	60.2	60.0	52.0	
Cigarettes	35.5	40.4	42.0		Cigarettes	86.2	84.2	79.6	
Marijuana	18.5	26.3	25.5		Marijuana	87.9	88.6	85.2	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	13.9	12.1		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.4	94.3	
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	35.0	33.5	37.0		Alcohol	54.0	54.2	57.4	
Cigarettes	11.3	12.0	17.4		Cigarettes	48.4	50.0	53.0	
Marijuana	6.5	8.4	12.6		Marijuana	22.1	25.6	29.6	
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	15.1	16.8	
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.9	60.5	75.8		Were grouchy, irritable, or in a bad mood	20.2	20.4	13.4	
Were victims of mean rumors or lies spread at school	45.6	52.7	59.8		Had difficulty concentrating on school work	16.3	20.5	15.2	
Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.8	22.9	25.4		Were very sad	16.9	15.1	10.4	
					Felt hopeless about the future	8.9	7.8	6.6	
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.8	10.8	8.6		Parents involve student in making family decisions	70.2	68.5	69.3	
Made plan about how they would attempt suicide	7.3	8.4	7.4		Parents notice and comment on student's good work	82.4	83.1	83.0	
Attempted suicide	4.0	6.5	4.8		Teachers notice and comment on student's good work	77.4			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LINCOLN COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	52,566
2016 Estimate	55,267

BIRTH RISK	2015	2014	2013
Resident Births	750	698	736
Mother Reported Smoking while Pregnant	177	145	212

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	3	2	0
Hepatitis B Chronic, Acute, Prenatal	2	3	1
Hepatitis C Chronic and Acute	30	65	36
Tuberculosis Infection Cases	11	10	10

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	504	429	420
Suicide	14	10	7
Homicide	4	0	0
Alcohol Induced Deaths	1	2	1
Drug Induced Deaths	14	11	9
Smoking Attributable Deaths	99	86	73
Self-inflicted Injuries *	70	74	67
Assault Injuries *	152	153	187

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	564	508	581
Mental Illness Secondary Diagnosis	1,141	864	995
Alcohol Principal Diagnosis	39	19	24
Alcohol Secondary Diagnosis	104	65	60
Drug Principal Diagnosis	41	37	34
Drug Secondary Diagnosis	83	47	56
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	382	471	352
Mental Illness Secondary Diagnosis	859	921	876
Alcohol Principal Diagnosis	21	25	15
Alcohol Secondary Diagnosis	93	105	95
Drug Principal Diagnosis	9	19	14
Drug Secondary Diagnosis	40	58	65
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	592	547	492
Mental Illness Secondary Diagnosis	1,127	1,153	1,490
Alcohol Principal Diagnosis	88	78	89
Alcohol Secondary Diagnosis	166	130	166
Drug Principal Diagnosis	104	118	81
Drug Secondary Diagnosis	152	221	218

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	42	43	44
Alcohol Package Carry-out Licenses	43	40	37

EMPLOYMENT	2016	2015	2014
Labor Force	27,223	27,136	26,446
Employed	25,995	25,738	24,727
Unemployed	1,228	1,398	1,719
Unemployment Rate	4.5%	5.2%	6.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	58	58	51
Fatal Crashes	1	1	4
Injury Crashes	28	24	21
Property Damage Crashes	29	33	22
Crash Fatalities	1	1	6
Crash Injuries	36	28	35
Drug Involved Crashes	10	6	9
Fatal Crashes	2	1	0
Injury Crashes	5	4	1
Property Damage Crashes	3	1	8
Crash Fatalities	2	1	0
Crash Injuries	5	5	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	183	203	218
Liquor Law Arrests	14	16	23
Drug Arrests	281	216	230
Methamphetamine Lab Seizures	2	1	4
Violent Offenses	192	184	119
Domestic Violence Reports	301	276	256
Property Offenses	591	551	619

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	2,824	2,776	2,800
Drop-outs	43	53	25
Drop-out Rate	1.5%	1.9%	0.9%
School Discipline Involving Alcohol	8	4	2
School Discipline Involving Drugs	30	12	30
School Discipline Involving Tobacco	1	3	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	73	80	54
Juvenile Alcohol Offenses	6	3	7
Juvenile Drug Offenses	25	12	16
School Truancy Status Offense	112	97	144
Absent from Home Status Offense	27	11	19
Beyond Parental Control Status Offense	6	3	5
Injurious Behavior Status Offense	54	38	59
Child Abuse	13	12	4
Child Neglect	259	237	244
Child Custody Issues	4	7	6

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	62	52	32
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	21	14	9
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	102	105	121
Probation/Parole Admissions--Drug	113	124	107
Probation/Parole Admissions--DWI	17	22	21
Prison Admissions--Drug	49	62	75
Prison Admissions--DWI	11	9	12

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

LINCOLN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	22	26	26
CSTAR Adolescent	28	31	27
CSTAR Women and Children	67	40	29
CSTAR General Adult	193	263	229
CSTAR Opioid	5	*	*
Primary Recovery Treatment	7	5	7
Clinical SATOP (CIP, YCIP, SROP)	80	67	86
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	215	203	250
- Adolescent Diversion Education Program	*	*	7
- Offender Education Program	59	62	80
- Weekend Intervention Program	30	32	41
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	6	*
Compulsive Gambling	*	*	*
Recovery Supports	0	*	*
Early Intervention	0	5	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	377	384	366	Alcohol	128	140	150
AGE				Marijuana / Hashish	94	98	85
Under 18	29	31	27	Cocaine (total)	*	*	6
18 to 24	71	68	78	- Crack	*	*	*
25 to 29	86	76	54	Stimulant (total)	52	42	43
30 to 34	65	59	66	- Methamphetamine	46	41	40
35 to 39	41	45	37	Heroin	78	77	65
40 to 44	28	30	33	Analgesic except Heroin	17	18	12
45 to 54	42	48	62	- Non-Prescription Methadone	0	0	0
55 and Over	15	27	9	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	*	*
Male	243	253	244	Inhalant	0	0	*
Female	134	131	122	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	342	358	343	Average Age at First Use of Drug	18.1	18.1	17.4
African American	23	17	15	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	82	78	82
Asian / Pacific Islander	*	0	*	- Daily Injection Use	26	19	12
Hispanic	8	*	*	- Weekly Injection Use	21	17	18
Other Race / Two or More Races	8	7	6	- Less than Weekly Injection Use	35	42	52
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	147	127	139	0	232	238	193
High School Graduate or G.E.D.	167	189	159	1 or 2	93	91	118
Associate Degree or Some College	61	65	65	3 or More	52	55	55
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	107	62	67
Employed	147	146	132	School	14	15	8
Unemployed	130	140	157	Mental Health Provider	0	*	5
Not in Labor Force	100	98	77	Health Care Provider	13	*	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	203	258	231
Independent Living	322	331	309	Other Referral Source	24	23	36
Dependent Living	36	37	40	TREATMENT ACCOMMODATION			
Homeless	11	9	11	Pregnant when Admitted to any Episode	8	9	*
MARITAL / FAMILY STATUS				Military Veteran	15	19	9
Never Married	234	211	198	Special Education Services Needed	36	34	27
Married / Cohabiting	77	95	93	Co-Occurring Psychological Problem	116	101	97
Previously Married	66	78	75	Co-Occurring Developmental Problem	7	9	8

LINCOLN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 52,566
2016 POPULATION ESTIMATE 55,267

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	14	16	8
Anxiety Disorder	503	561	495
Dementia	*	*	*
Developmental Disorder	30	40	36
Impulse Control Disorder	230	230	191
Mood Disorder	717	769	697
Personality Disorder	72	76	78
Psychotic Disorder	142	153	164
Sexual Disorder	*	*	*
Other Diagnosis	166	50	48
Diagnosis Unknown	153	61	57

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,085	1,052	982	Less than High School Diploma	337	354	351
AGE				High School Grad or G.E.D.	0	0	*
Under 6	7	*	5	Associate Degree or Some College	0	0	*
6 to 9	76	81	73	Bachelor or Advanced Degree	0	0	0
10 to 13	118	110	79	Education Level Unknown	748	698	628
14 to 17	132	113	100	EMPLOYMENT			
18 to 24	90	99	85	Employed	41	70	67
25 to 29	83	79	73	Unemployed	76	80	68
30 to 34	71	76	93	Not in Labor Force	555	540	553
35 to 39	81	71	79	Employment Status Unknown	413	362	294
40 to 44	75	91	84	HOUSING / LIVING ARRANGEMENT			
45 to 49	82	78	75	Independent Living	461	465	465
50 to 54	101	106	107	Dependent Living	183	198	205
55 to 59	82	69	61	Homeless	10	10	10
60 and Over	87	76	68	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	431	379	302
GENDER				TREATMENT REFERRAL SOURCE			
Male	494	493	467	Self / Family / Friend	403	399	333
Female	591	559	515	School	152	171	137
Gender Unknown	0	0	0	Mental Health Provider	47	52	58
RACE / ETHNICITY				Health Care Provider	125	129	111
Caucasian	976	949	883	Court / Criminal Justice	25	24	36
African American	49	45	50	Other	332	273	303
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	16	15	15	Voluntary	1,076	1,039	970
Other Race	40	39	29	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	39	39	33	Commitment Type Unknown	*	6	6
Past or Current Military Service	21	26	22				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	42.9		51.2	45.6	Alcohol	27.0		22.7	22.4
Chewing Tobacco	20.0		14.8	12.7	Alcohol (5+ drinks on single occasion past 2 weeks)	16.0			
Cigarettes	22.0		29.2	27.6	Chewing Tobacco	11.3		8.3	7.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		1.9	1.4	Cigarettes	9.9		10.4	15.4
Cocaine	1.4		1.4	1.5	Inhalants	0.0		1.2	2.9
Electronic Cigarettes	16.9	1.8			Marijuana	2.7		6.7	6.7
Hallucinogens	0.0		2.6	3.3	Over-the-counter medications for non-medical use	0.0		3.3	4.0
Heroin	0.0		0.4	0.6	Prescription medications not prescribed for student	4.3		3.8	5.1
Inhalants	0.6		3.7	6.4					
Marijuana	7.8		17.2	13.7	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7		1.2	0.6	Alcohol (1 or 2 drinks daily)	49.6			
Over-the-counter medications for non-medical use	0.3		7.2	6.3	Alcohol (Binge: 5+ drinks once or twice a week)	62.6			
Prescription medications not prescribed for student	8.5		8.8	8.7	Cigarettes (1+ packs per day)	78.8			
Synthetic drugs (K2, bath salts, Spice, etc)	0.7		6.8		Marijuana (once or twice a week)	74.8			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	88.0		93.6	91.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.35		12.64	12.56	Alcohol	81.9		70.1	73.7
Cigarettes	13.42		12.44	12.16	Cigarettes	94.2		88.9	87.5
Inhalants			12.72	11.18	Marijuana	96.4		93.3	92.6
Marijuana	14.63		13.86	13.57					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.6		63.4	65.4	Alcohol	54.3		53.1	56.6
Cigarettes	28.8		44.7	54.2	Cigarettes	82.9		79.8	77.7
Marijuana	15.7		40.4	35.7	Marijuana	88.6		78.9	83.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3		15.3	17.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4		96.1	94.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	34.2		39.9	37.1	Alcohol	46.4		64.4	61.7
Cigarettes	14.3		12.7	16.0	Cigarettes	34.3		60.2	60.7
Marijuana	9.4		14.4	10.0	Marijuana	12.8		37.7	37.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.4		14.1	19.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	54.4		57.2	68.8	Were grouchy, irritable, or in a bad mood	25.9		25.1	21.7
Were victims of mean rumors or lies spread at school	46.0		48.3	52.1	Had difficulty concentrating on school work	17.3		22.0	19.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	17.4		22.0	16.9	Were very sad	12.3		20.0	15.2
					Felt hopeless about the future	5.2		14.6	9.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.9		10.4	9.6	Parents involve student in making family decisions	77.1		64.9	70.7
Made plan about how they would attempt suicide	1.5		6.0	7.4	Parents notice and comment on student's good work	91.4		80.0	83.1
Attempted suicide	5.6		4.6	4.4	Teachers notice and comment on student's good work	85.6			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LINN COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	12,761
2016 Estimate	12,164

BIRTH RISK	2015	2014	2013
Resident Births	149	163	144
Mother Reported Smoking while Pregnant	35	39	38

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	1	0
Hepatitis C Chronic and Acute	12	9	2
Tuberculosis Infection Cases	0	3	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	185	177	182
Suicide	2	2	1
Homicide	0	0	0
Alcohol Induced Deaths	1	2	0
Drug Induced Deaths	0	2	1
Smoking Attributable Deaths	38	38	38
Self-inflicted Injuries *	18	29	33
Assault Injuries *	24	29	28

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	96	74	83
Mental Illness Secondary Diagnosis	408	364	418
Alcohol Principal Diagnosis	3	6	4
Alcohol Secondary Diagnosis	26	22	50
Drug Principal Diagnosis	2	5	7
Drug Secondary Diagnosis	26	36	32
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	20	34	40
Mental Illness Secondary Diagnosis	58	68	71
Alcohol Principal Diagnosis	3	7	4
Alcohol Secondary Diagnosis	6	17	8
Drug Principal Diagnosis	1	3	3
Drug Secondary Diagnosis	7	7	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	135	164	137
Mental Illness Secondary Diagnosis	611	650	505
Alcohol Principal Diagnosis	10	18	6
Alcohol Secondary Diagnosis	31	47	29
Drug Principal Diagnosis	7	26	28
Drug Secondary Diagnosis	35	44	24

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	17	17	21
Alcohol Package Carry-out Licenses	17	17	17

EMPLOYMENT	2016	2015	2014
Labor Force	5,302	5,341	5,191
Employed	4,943	4,970	4,773
Unemployed	359	371	418
Unemployment Rate	6.8%	6.9%	8.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	6	6	14
Fatal Crashes	0	0	0
Injury Crashes	1	2	9
Property Damage Crashes	5	4	7
Crash Fatalities	0	0	0
Crash Injuries	1	2	11
Drug Involved Crashes	2	1	6
Fatal Crashes	0	0	0
Injury Crashes	1	1	2
Property Damage Crashes	1	0	4
Crash Fatalities	0	0	0
Crash Injuries	1	1	2

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	33	35	52
Liquor Law Arrests	9	4	8
Drug Arrests	92	51	39
Methamphetamine Lab Seizures	1	0	0
Violent Offenses	31	34	50
Domestic Violence Reports	107	98	124
Property Offenses	175	236	237

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	688	702	734
Drop-outs	8	8	8
Drop-out Rate	1.2%	1.1%	1.1%
School Discipline Involving Alcohol	0	0	1
School Discipline Involving Drugs	2	3	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	3	6	7
Juvenile Alcohol Offenses	0	2	2
Juvenile Drug Offenses	1	8	2
School Truancy Status Offense	33	93	76
Absent from Home Status Offense	1	1	0
Beyond Parental Control Status Offense	5	7	4
Injurious Behavior Status Offense	6	20	32
Child Abuse	1	0	0
Child Neglect	15	30	47
Child Custody Issues	1	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	33	24	29
Parental Alcohol Use Related	1	0	3
Parental Drug Use Related	14	15	7
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	34	33	22
Probation/Parole Admissions--Drug	36	25	27
Probation/Parole Admissions--DWI	1	3	4
Prison Admissions--Drug	16	21	26
Prison Admissions--DWI	1	0	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

LINN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	11	9	12
CSTAR Adolescent	*	12	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	100	80	101
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	12	13	15
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	30	39	52
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	*	14	8
- Weekend Intervention Program	5	*	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	122	100	124	Alcohol	29	26	44
AGE				Marijuana / Hashish	42	35	29
Under 18	*	12	*	Cocaine (total)	*	*	0
18 to 24	33	15	23	- Crack	0	*	0
25 to 29	17	15	26	Stimulant (total)	32	23	27
30 to 34	19	18	29	- Methamphetamine	28	20	27
35 to 39	16	14	13	Heroin	*	0	*
40 to 44	14	10	13	Analgesic except Heroin	14	10	18
45 to 54	12	14	10	- Non-Prescription Methadone	0	0	0
55 and Over	7	*	7	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	0	0
Male	78	62	74	Inhalant	0	0	0
Female	44	38	50	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	113	95	119	Average Age at First Use of Drug	17.0	17.7	19.0
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	27	16	24
Asian / Pacific Islander	0	0	0	- Daily Injection Use	5	*	8
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	21	10	12
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	36	34	35	0	78	67	72
High School Graduate or G.E.D.	69	47	73	1 or 2	32	26	41
Associate Degree or Some College	17	16	13	3 or More	12	7	11
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	60	24	25
Employed	54	39	35	School	0	*	0
Unemployed	27	32	49	Mental Health Provider	0	0	*
Not in Labor Force	41	29	40	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	38	43	48
Independent Living	103	78	109	Other Referral Source	15	24	44
Dependent Living	10	18	5	TREATMENT ACCOMMODATION			
Homeless	*	*	7	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	*
Never Married	69	53	58	Special Education Services Needed	17	13	12
Married / Cohabiting	32	25	33	Co-Occurring Psychological Problem	65	49	70
Previously Married	21	22	33	Co-Occurring Developmental Problem	7	*	*

LINN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 12,761
2016 POPULATION ESTIMATE 12,164

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	12	9	5
Anxiety Disorder	163	151	122
Dementia	0	0	0
Developmental Disorder	12	11	16
Impulse Control Disorder	88	80	62
Mood Disorder	238	207	161
Personality Disorder	36	24	23
Psychotic Disorder	10	12	14
Sexual Disorder	*	*	*
Other Diagnosis	51	48	37
Diagnosis Unknown	15	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	332	288	235	Less than High School Diploma	135	133	103
AGE				High School Grad or G.E.D.	0	0	*
Under 6	5	*	*	Associate Degree or Some College	0	0	0
6 to 9	27	24	23	Bachelor or Advanced Degree	0	0	0
10 to 13	41	36	33	Education Level Unknown	197	155	131
14 to 17	36	38	26	EMPLOYMENT			
18 to 24	35	23	14	Employed	27	29	20
25 to 29	17	15	13	Unemployed	27	18	21
30 to 34	35	28	30	Not in Labor Force	219	215	174
35 to 39	25	18	14	Employment Status Unknown	59	26	20
40 to 44	26	21	21	HOUSING / LIVING ARRANGEMENT			
45 to 49	21	22	12	Independent Living	148	151	123
50 to 54	23	25	19	Dependent Living	129	109	87
55 to 59	24	16	10	Homeless	0	*	*
60 and Over	17	21	17	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	55	25	23
GENDER				TREATMENT REFERRAL SOURCE			
Male	150	133	126	Self / Family / Friend	181	174	117
Female	182	155	109	School	11	7	6
Gender Unknown	0	0	0	Mental Health Provider	15	17	15
RACE / ETHNICITY				Health Care Provider	64	38	39
Caucasian	314	272	225	Court / Criminal Justice	22	14	22
African American	6	*	6	Other	39	38	36
Native American / Alaskan	0	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	7	8	*	Voluntary	332	288	234
Other Race	5	*	0	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	9	8	8	Commitment Type Unknown	0	0	0
Past or Current Military Service	11	8	7				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	51.5	46.2	51.5	50.0	Alcohol	21.8	21.4	25.1	22.8
Chewing Tobacco	18.7	20.5	18.6	21.7	Alcohol (5+ drinks on single occasion past 2 weeks)	10.2	11.0		
Cigarettes	27.6	31.7	38.2	29.3	Chewing Tobacco	7.2	11.6	11.3	12.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.4	1.5	0.7	Cigarettes	12.8	13.9	19.7	15.6
Cocaine	2.0	0.0	1.5	0.4	Inhalants	0.5	2.1	1.5	2.2
Electronic Cigarettes	22.6	15.6			Marijuana	4.1	8.9	7.9	4.3
Hallucinogens	1.6	2.1	2.0	1.5	Over-the-counter medications for non-medical use	2.0	4.1	4.4	3.2
Heroin	0.5	0.0	1.0	0.4	Prescription medications not prescribed for student	8.1	3.5	5.4	3.3
Inhalants	2.0	4.1	4.4	4.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	12.8	15.2	15.3	9.4	Alcohol (1 or 2 drinks daily)	55.6	47.9		
Methamphetamine	0.5	1.4	1.0	0.7	Alcohol (Binge: 5+ drinks once or twice a week)	69.4	64.6		
Over-the-counter medications for non-medical use	3.0	5.6	6.9	6.1	Cigarettes (1+ packs per day)	83.2	81.3		
Prescription medications not prescribed for student	11.8	9.0	9.8	7.7	Marijuana (once or twice a week)	73.5	67.6		
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	4.8	6.9		Other: Cocaine, LSD, Meth, Club Drug (any use)	97.9	92.5	95.0	93.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.31	12.25	12.64	12.37	Alcohol	71.4	71.5	71.8	75.1
Cigarettes	12.56	12.74	12.81	12.64	Cigarettes	90.9	90.4	90.6	90.3
Inhalants		11.81	12.19	12.54	Marijuana	94.4	93.1	94.0	98.2
Marijuana	13.88	13.26	13.74	13.83	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	59.2	51.4	52.5	54.3
Alcohol	61.7	56.2	58.9	63.7	Cigarettes	83.7	75.3	72.4	75.8
Cigarettes	43.9	48.6	54.2	51.1	Marijuana	84.7	82.1	85.6	89.9
Marijuana	32.1	30.1	32.7	24.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	97.9	97.0	97.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.8	10.3	11.9	14.4	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	67.9	63.4	63.9	62.9
Alcohol	30.2	41.4	39.2	40.7	Cigarettes	59.7	54.5	63.7	58.1
Cigarettes	15.3	20.7	23.5	19.9	Marijuana	34.7	34.2	41.4	25.2
Marijuana	9.7	13.1	10.3	6.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.3	16.7	20.9	14.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	65.8	70.3	65.8	71.7	Were grouchy, irritable, or in a bad mood	29.9	24.8	23.2	26.4
Were victims of mean rumors or lies spread at school	57.4	58.2	55.0	59.4	Had difficulty concentrating on school work	23.5	23.1	19.6	27.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.4	30.3	22.3	18.9	Were very sad	25.9	20.4	20.2	21.7
					Felt hopeless about the future	11.3	11.6	10.3	13.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.8	12.3	13.2	11.1	Parents involve student in making family decisions	73.5	67.8	71.1	70.7
Made plan about how they would attempt suicide	8.2	11.0	10.3	7.9	Parents notice and comment on student's good work	88.8	79.5	80.3	85.5
Attempted suicide	3.0	4.1	5.9	5.0	Teachers notice and comment on student's good work	76.1	68.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

LIVINGSTON COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	15,195
2016 Estimate	15,235

BIRTH RISK	2015	2014	2013
Resident Births	159	153	165
Mother Reported Smoking while Pregnant	55	36	35

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	7	50	6
Tuberculosis Infection Cases	3	1	5

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	197	212	167
Suicide	1	3	4
Homicide	0	0	0
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	6	5	4
Smoking Attributable Deaths	34	34	31
Self-inflicted Injuries *	14	22	14
Assault Injuries *	36	42	45

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	128	144	111
Mental Illness Secondary Diagnosis	410	300	278
Alcohol Principal Diagnosis	5	5	4
Alcohol Secondary Diagnosis	37	16	19
Drug Principal Diagnosis	4	4	0
Drug Secondary Diagnosis	16	16	12
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	19	29	25
Mental Illness Secondary Diagnosis	189	264	251
Alcohol Principal Diagnosis	0	11	1
Alcohol Secondary Diagnosis	18	22	24
Drug Principal Diagnosis	2	5	3
Drug Secondary Diagnosis	5	22	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	174	179	188
Mental Illness Secondary Diagnosis	284	477	731
Alcohol Principal Diagnosis	26	12	11
Alcohol Secondary Diagnosis	35	37	30
Drug Principal Diagnosis	13	21	13
Drug Secondary Diagnosis	23	25	27

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	20	20	21
Alcohol Package Carry-out Licenses	14	15	15

EMPLOYMENT	2016	2015	2014
Labor Force	7,392	7,364	7,274
Employed	7,104	7,048	6,909
Unemployed	288	316	365
Unemployment Rate	3.9%	4.3%	5.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	13	14	5
Fatal Crashes	0	0	0
Injury Crashes	4	8	3
Property Damage Crashes	9	6	11
Crash Fatalities	0	0	0
Crash Injuries	5	14	6
Drug Involved Crashes	2	4	3
Fatal Crashes	0	0	0
Injury Crashes	2	2	2
Property Damage Crashes	0	2	1
Crash Fatalities	0	0	0
Crash Injuries	2	5	4

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	40	71	59
Liquor Law Arrests	12	30	24
Drug Arrests	124	191	150
Methamphetamine Lab Seizures	0	1	0
Violent Offenses	40	43	25
Domestic Violence Reports	73	69	49
Property Offenses	194	218	206

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	631	628	620
Drop-outs	3	7	7
Drop-out Rate	0.5%	1.1%	1.1%
School Discipline Involving Alcohol	6	3	0
School Discipline Involving Drugs	0	4	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	5	28	9
Juvenile Alcohol Offenses	4	14	0
Juvenile Drug Offenses	3	3	3
School Truancy Status Offense	12	26	15
Absent from Home Status Offense	2	7	1
Beyond Parental Control Status Offense	12	24	9
Injurious Behavior Status Offense	17	14	17
Child Abuse	2	2	1
Child Neglect	7	21	27
Child Custody Issues	4	5	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	9	27	22
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	22	18
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	107	140	124
Probation/Parole Admissions--DWI	1	6	8
Prison Admissions--Drug	68	109	76
Prison Admissions--DWI	1	3	7

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

LIVINGSTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	9	*	12
CSTAR Adolescent	*	5	5
CSTAR Women and Children	11	*	*
CSTAR General Adult	88	80	120
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	9	9	11
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	40	47	41
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	13	19	17
- Weekend Intervention Program	10	12	5
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	5	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	104	97	139	Alcohol	27	23	49
AGE				Marijuana / Hashish	26	29	31
Under 18	*	5	6	Cocaine (total)	*	*	*
18 to 24	8	23	27	- Crack	0	0	*
25 to 29	23	17	21	Stimulant (total)	38	34	36
30 to 34	16	17	24	- Methamphetamine	37	34	36
35 to 39	12	15	25	Heroin	*	0	*
40 to 44	21	6	13	Analgesic except Heroin	7	7	16
45 to 54	15	11	19	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	55	54	76	Inhalant	0	0	*
Female	49	43	63	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	97	89	130	Average Age at First Use of Drug	19.3	18.8	18.9
African American	6	7	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	13	12	24
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	0	*	- Weekly Injection Use	*	*	5
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	9	11	19
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	26	38	50	0	60	73	80
High School Graduate or G.E.D.	59	50	71	1 or 2	33	15	42
Associate Degree or Some College	19	8	18	3 or More	11	9	17
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	25	43	33
Employed	50	32	37	School	*	0	0
Unemployed	23	35	78	Mental Health Provider	0	*	*
Not in Labor Force	31	30	24	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	34	22	60
Independent Living	83	78	112	Other Referral Source	20	25	33
Dependent Living	12	12	15	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	9	8
Never Married	45	55	69	Special Education Services Needed	10	6	11
Married / Cohabiting	34	30	27	Co-Occurring Psychological Problem	51	38	62
Previously Married	25	12	43	Co-Occurring Developmental Problem	*	*	*

LIVINGSTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 15,195
2016 POPULATION ESTIMATE 15,235

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	18	13	11
Anxiety Disorder	302	273	197
Dementia	5	5	*
Developmental Disorder	9	5	5
Impulse Control Disorder	98	80	60
Mood Disorder	393	353	289
Personality Disorder	51	58	52
Psychotic Disorder	85	66	60
Sexual Disorder	*	*	*
Other Diagnosis	56	38	34
Diagnosis Unknown	23	18	18

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	579	501	403	Less than High School Diploma	203	180	134
AGE				High School Grad or G.E.D.	0	0	*
Under 6	9	*	*	Associate Degree or Some College	0	0	0
6 to 9	27	25	17	Bachelor or Advanced Degree	0	0	0
10 to 13	38	33	25	Education Level Unknown	376	321	267
14 to 17	49	41	37	EMPLOYMENT			
18 to 24	65	63	52	Employed	78	74	48
25 to 29	43	38	27	Unemployed	40	33	45
30 to 34	58	40	29	Not in Labor Force	387	348	260
35 to 39	45	41	38	Employment Status Unknown	74	46	50
40 to 44	44	39	34	HOUSING / LIVING ARRANGEMENT			
45 to 49	49	41	25	Independent Living	234	244	196
50 to 54	45	35	34	Dependent Living	254	191	154
55 to 59	47	49	39	Homeless	14	18	6
60 and Over	60	53	44	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	77	48	47
GENDER				TREATMENT REFERRAL SOURCE			
Male	259	218	167	Self / Family / Friend	327	277	211
Female	320	283	236	School	19	11	9
Gender Unknown	0	0	0	Mental Health Provider	18	21	32
RACE / ETHNICITY				Health Care Provider	120	95	62
Caucasian	551	471	378	Court / Criminal Justice	39	37	42
African American	7	12	9	Other	55	59	45
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	7	6	7	Voluntary	577	498	401
Other Race	13	11	8	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	14	14	6	Commitment Type Unknown	*	*	*
Past or Current Military Service	8	8	7				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	44.1	41.5	46.7	54.2	Alcohol	24.8	13.0	24.4	26.2
Chewing Tobacco	16.3	17.4	13.7	21.4	Alcohol (5+ drinks on single occasion past 2 weeks)	13.3	9.7		
Cigarettes	24.0	25.7	32.1	39.8	Chewing Tobacco	8.4	11.5	7.5	11.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.4	0.9	0.8	Cigarettes	11.3	10.7	17.5	22.7
Cocaine	1.5	1.4	1.4	0.4	Inhalants	1.5	2.0	3.3	1.5
Electronic Cigarettes	19.7	9.5			Marijuana	5.4	2.7	8.0	6.1
Hallucinogens	1.0	0.0	2.4	0.8	Over-the-counter medications for non-medical use	2.5	0.0	3.8	3.5
Heroin	0.5	1.4	1.0	0.0	Prescription medications not prescribed for student	7.9	2.7	5.2	6.6
Inhalants	4.0	5.4	5.7	5.0					
Marijuana	12.9	6.8	15.1	14.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.0	0.0	1.4	0.0	Alcohol (1 or 2 drinks daily)	63.1	49.7		
Over-the-counter medications for non-medical use	5.9	1.4	6.6	8.5	Alcohol (Binge: 5+ drinks once or twice a week)	71.8	61.5		
Prescription medications not prescribed for student	12.3	3.4	8.0	11.3	Cigarettes (1+ packs per day)	84.7	87.2		
Synthetic drugs (K2, bath salts, Spice, etc)	2.0	1.4	8.0		Marijuana (once or twice a week)	75.2	80.3		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.1	93.8	91.4	97.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.97	12.43	12.24	12.87	Alcohol	80.5	72.8	79.5	73.6
Cigarettes	13.00	13.41	12.60	12.74	Cigarettes	93.5	90.3	90.6	86.2
Inhalants		12.42	12.36	12.39	Marijuana	95.0	95.1	96.2	98.1
Marijuana	14.06	15.24	13.81	14.38					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	51.2	45.6	65.4	65.5	Alcohol	61.3	64.4	56.6	51.3
Cigarettes	34.2	27.5	58.0	66.0	Cigarettes	85.6	82.8	76.8	65.9
Marijuana	29.2	10.2	42.6	31.0	Marijuana	84.0	93.8	85.8	83.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	4.1	18.4	13.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	95.8	96.2	98.1
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	37.1	34.7	36.3	44.4	Alcohol	50.7	51.0	67.0	64.0
Cigarettes	11.9	12.8	18.0	25.2	Cigarettes	43.1	39.9	59.7	61.3
Marijuana	11.9	3.4	12.3	8.9	Marijuana	26.0	16.4	33.5	30.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	9.5	16.2	16.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.9	61.2	67.6	73.3	Were grouchy, irritable, or in a bad mood	29.4	17.4	25.4	30.2
Were victims of mean rumors or lies spread at school	53.2	52.4	57.8	64.9	Had difficulty concentrating on school work	25.1	18.8	23.8	18.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.8	17.7	27.1	25.6	Were very sad	21.6	16.1	20.8	31.0
					Felt hopeless about the future	11.5	8.1	11.8	17.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.3	9.5	11.8	12.2	Parents involve student in making family decisions	71.6	70.3	67.8	64.6
Made plan about how they would attempt suicide	10.9	6.8	8.1	6.9	Parents notice and comment on student's good work	85.1	79.3	83.5	83.9
Attempted suicide	6.4	4.7	5.2	6.5	Teachers notice and comment on student's good work	74.9	80.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MC DONALD COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	23,083
2016 Estimate	22,620

BIRTH RISK	2015	2014	2013
Resident Births	340	284	315
Mother Reported Smoking while Pregnant	58	53	62

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	2	3	9
Hepatitis C Chronic and Acute	25	33	28
Tuberculosis Infection Cases	18	15	20

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	236	238	227
Suicide	4	5	6
Homicide	2	2	1
Alcohol Induced Deaths	0	2	3
Drug Induced Deaths	3	2	2
Smoking Attributable Deaths	57	57	48
Self-inflicted Injuries *	20	14	25
Assault Injuries *	48	37	35

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	156	130	136
Mental Illness Secondary Diagnosis	399	328	360
Alcohol Principal Diagnosis	17	10	19
Alcohol Secondary Diagnosis	46	37	47
Drug Principal Diagnosis	13	12	9
Drug Secondary Diagnosis	32	31	14
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	74	100	78
Mental Illness Secondary Diagnosis	149	237	190
Alcohol Principal Diagnosis	13	19	14
Alcohol Secondary Diagnosis	21	27	19
Drug Principal Diagnosis	11	14	9
Drug Secondary Diagnosis	13	12	13
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	72	75	96
Mental Illness Secondary Diagnosis	700	794	765
Alcohol Principal Diagnosis	29	22	28
Alcohol Secondary Diagnosis	49	81	32
Drug Principal Diagnosis	27	26	12
Drug Secondary Diagnosis	43	40	27

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	19	15	17
Alcohol Package Carry-out Licenses	38	41	39

EMPLOYMENT	2016	2015	2014
Labor Force	10,786	10,808	10,364
Employed	10,326	10,314	9,770
Unemployed	460	494	594
Unemployment Rate	4.3%	4.6%	5.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	40	40	48
Fatal Crashes	1	3	3
Injury Crashes	18	20	27
Property Damage Crashes	21	17	25
Crash Fatalities	1	4	3
Crash Injuries	22	36	40
Drug Involved Crashes	1	2	4
Fatal Crashes	0	0	0
Injury Crashes	1	1	2
Property Damage Crashes	0	1	2
Crash Fatalities	0	0	0
Crash Injuries	1	1	3

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	143	167	221
Liquor Law Arrests	5	3	12
Drug Arrests	94	113	158
Methamphetamine Lab Seizures	2	5	15
Violent Offenses	125	129	141
Domestic Violence Reports	350	442	475
Property Offenses	492	549	437

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,174	1,146	1,099
Drop-outs	19	17	16
Drop-out Rate	1.6%	1.5%	1.5%
School Discipline Involving Alcohol	2	3	3
School Discipline Involving Drugs	5	8	13
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	26	28	27
Juvenile Alcohol Offenses	4	6	7
Juvenile Drug Offenses	10	4	10
School Truancy Status Offense	2	1	0
Absent from Home Status Offense	1	1	6
Beyond Parental Control Status Offense	14	7	4
Injurious Behavior Status Offense	16	13	19
Child Abuse	3	8	13
Child Neglect	44	66	75
Child Custody Issues	3	0	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	43	64	72
Parental Alcohol Use Related	0	1	2
Parental Drug Use Related	21	17	20
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	55	46	46
Probation/Parole Admissions--Drug	35	28	30
Probation/Parole Admissions--DWI	26	25	21
Prison Admissions--Drug	19	10	17
Prison Admissions--DWI	9	15	15

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MC DONALD COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	19	15	11
CSTAR Adolescent	13	8	7
CSTAR Women and Children	24	12	24
CSTAR General Adult	65	88	64
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	5	*
Clinical SATOP (CIP, YCIP, SROP)	12	22	21
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	59	76	68
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	22	27	17
- Weekend Intervention Program	15	19	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	25
Early Intervention	5	9	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	123	134	140	Alcohol	37	49	56
AGE				Marijuana / Hashish	32	32	38
Under 18	14	8	7	Cocaine (total)	0	*	0
18 to 24	20	17	24	- Crack	0	*	0
25 to 29	18	20	25	Stimulant (total)	46	42	40
30 to 34	24	24	17	- Methamphetamine	46	42	39
35 to 39	11	23	20	Heroin	0	0	0
40 to 44	11	13	9	Analgesic except Heroin	6	9	5
45 to 54	19	24	28	- Non-Prescription Methadone	0	0	0
55 and Over	6	5	10	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	79	91	103	Inhalant	0	*	0
Female	44	43	37	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	113	119	125	Average Age at First Use of Drug	17.4	16.8	17.0
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	20	24	25
Asian / Pacific Islander	*	*	*	- Daily Injection Use	5	*	*
Hispanic	7	6	8	- Weekly Injection Use	7	*	5
Other Race / Two or More Races	*	6	5	- Less than Weekly Injection Use	8	18	17
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	56	61	58	0	71	72	74
High School Graduate or G.E.D.	44	42	58	1 or 2	33	41	34
Associate Degree or Some College	23	31	24	3 or More	19	21	32
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	28	27	37
Employed	47	55	54	School	0	0	0
Unemployed	35	53	55	Mental Health Provider	0	0	0
Not in Labor Force	41	26	31	Health Care Provider	16	8	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	66	87	81
Independent Living	100	118	126	Other Referral Source	13	11	18
Dependent Living	18	9	10	TREATMENT ACCOMMODATION			
Homeless	5	*	0	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	5	7	8
Never Married	56	51	58	Special Education Services Needed	15	24	14
Married / Cohabiting	38	46	48	Co-Occurring Psychological Problem	78	75	62
Previously Married	29	37	34	Co-Occurring Developmental Problem	6	*	*

MC DONALD COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 23,083
2016 POPULATION ESTIMATE 22,620

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	52	51	26
Anxiety Disorder	100	96	81
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	85	77	73
Mood Disorder	145	145	110
Personality Disorder	16	22	24
Psychotic Disorder	27	20	16
Sexual Disorder	0	*	*
Other Diagnosis	58	41	29
Diagnosis Unknown	32	17	33

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	357	314	254	Less than High School Diploma	180	137	91
AGE				High School Grad or G.E.D.	0	0	0
Under 6	6	*	10	Associate Degree or Some College	0	0	0
6 to 9	44	33	32	Bachelor or Advanced Degree	0	0	0
10 to 13	87	60	39	Education Level Unknown	177	177	163
14 to 17	57	52	46	EMPLOYMENT			
18 to 24	29	25	17	Employed	10	10	*
25 to 29	14	18	18	Unemployed	7	8	9
30 to 34	21	19	14	Not in Labor Force	206	189	126
35 to 39	21	17	11	Employment Status Unknown	134	107	115
40 to 44	16	20	15	HOUSING / LIVING ARRANGEMENT			
45 to 49	15	18	15	Independent Living	67	75	41
50 to 54	29	27	24	Dependent Living	166	121	99
55 to 59	9	12	7	Homeless	*	*	0
60 and Over	9	9	6	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	123	115	114
GENDER				TREATMENT REFERRAL SOURCE			
Male	204	171	137	Self / Family / Friend	302	244	216
Female	153	143	117	School	0	*	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	16	15	8
Caucasian	324	290	230	Court / Criminal Justice	34	44	13
African American	*	0	*	Other	*	8	16
Native American / Alaskan	*	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	*	0	TYPE OF COMMITMENT			
Hispanic	25	18	20	Voluntary	327	272	243
Other Race	5	*	*	Civil	29	42	11
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	6	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol					Alcohol				
Chewing Tobacco					Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes					Chewing Tobacco				
Club drugs (Ecstasy, GHB, roofie, Special K, etc)					Cigarettes				
Cocaine					Inhalants				
Electronic Cigarettes					Marijuana				
Hallucinogens					Over-the-counter medications for non-medical use				
Heroin					Prescription medications not prescribed for student				
Inhalants									
Marijuana					<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine					Alcohol (1 or 2 drinks daily)				
Over-the-counter medications for non-medical use					Alcohol (Binge: 5+ drinks once or twice a week)				
Prescription medications not prescribed for student					Cigarettes (1+ packs per day)				
Synthetic drugs (K2, bath salts, Spice, etc)					Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)				
<i>Among students who have ever used, average age of first use of:</i>									
Alcohol					<i>Percent whose parents would disapprove if they use:</i>				
Cigarettes					Alcohol				
Inhalants					Cigarettes				
Marijuana					Marijuana				
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others					Were grouchy, irritable, or in a bad mood				
Were victims of mean rumors or lies spread at school					Had difficulty concentrating on school work				
Were victims of an embarrassing or hurtful text message or something posted on the Internet					Were very sad				
					Felt hopeless about the future				
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide					Parents involve student in making family decisions				
Made plan about how they would attempt suicide					Parents notice and comment on student's good work				
Attempted suicide					Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MACON COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	15,566
2016 Estimate	15,170

BIRTH RISK	2015	2014	2013
Resident Births	184	163	198
Mother Reported Smoking while Pregnant	34	35	51

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	2	4	0
Hepatitis C Chronic and Acute	6	5	5
Tuberculosis Infection Cases	2	0	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	203	208	188
Suicide	2	2	9
Homicide	0	0	0
Alcohol Induced Deaths	0	1	2
Drug Induced Deaths	2	0	1
Smoking Attributable Deaths	34	41	30
Self-inflicted Injuries *	10	14	26
Assault Injuries *	20	16	17

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	68	75	71
Mental Illness Secondary Diagnosis	506	363	330
Alcohol Principal Diagnosis	4	5	6
Alcohol Secondary Diagnosis	29	26	25
Drug Principal Diagnosis	2	4	3
Drug Secondary Diagnosis	15	17	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	31	46	45
Mental Illness Secondary Diagnosis	110	183	184
Alcohol Principal Diagnosis	4	4	10
Alcohol Secondary Diagnosis	9	10	11
Drug Principal Diagnosis	4	7	5
Drug Secondary Diagnosis	3	9	6
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	113	91	90
Mental Illness Secondary Diagnosis	189	177	110
Alcohol Principal Diagnosis	14	17	22
Alcohol Secondary Diagnosis	7	7	6
Drug Principal Diagnosis	15	18	12
Drug Secondary Diagnosis	8	10	6

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	23	23	25
Alcohol Package Carry-out Licenses	22	21	21

EMPLOYMENT	2016	2015	2014
Labor Force	7,680	7,624	7,446
Employed	7,311	7,216	6,988
Unemployed	369	408	458
Unemployment Rate	4.8%	5.4%	6.2%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	13	13	12
Fatal Crashes	0	1	0
Injury Crashes	6	6	7
Property Damage Crashes	7	6	3
Crash Fatalities	0	1	0
Crash Injuries	7	9	8
Drug Involved Crashes	6	1	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	2
Property Damage Crashes	6	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	3

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	80	70	61
Liquor Law Arrests	7	21	16
Drug Arrests	119	135	104
Methamphetamine Lab Seizures	0	2	1
Violent Offenses	31	34	42
Domestic Violence Reports	121	91	112
Property Offenses	226	227	249

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	717	716	718
Drop-outs	5	10	13
Drop-out Rate	0.7%	1.4%	1.8%
School Discipline Involving Alcohol	1	0	1
School Discipline Involving Drugs	2	7	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	11	9	13
Juvenile Alcohol Offenses	0	12	5
Juvenile Drug Offenses	2	4	3
School Truancy Status Offense	5	8	16
Absent from Home Status Offense	1	0	0
Beyond Parental Control Status Offense	22	40	28
Injurious Behavior Status Offense	20	34	23
Child Abuse	12	16	27
Child Neglect	45	81	83
Child Custody Issues	1	1	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	22	56	21
Parental Alcohol Use Related	2	3	0
Parental Drug Use Related	8	24	13
Parental Alcohol and Drug Use	1	4	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	27	28	19
Probation/Parole Admissions--Drug	36	46	40
Probation/Parole Admissions--DWI	4	10	14
Prison Admissions--Drug	14	18	17
Prison Admissions--DWI	2	2	0

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MACON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	10	11	15
CSTAR Adolescent	6	14	13
CSTAR Women and Children	15	10	10
CSTAR General Adult	105	108	112
CSTAR Opioid	0	0	0
Primary Recovery Treatment	8	15	14
Clinical SATOP (CIP, YCIP, SROP)	20	5	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	58	40	49
- Adolescent Diversion Education Program	*	*	5
- Offender Education Program	18	13	15
- Weekend Intervention Program	11	7	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	15	5	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	142	142	147	Alcohol	46	43	51
AGE				Marijuana / Hashish	40	45	44
Under 18	7	15	12	Cocaine (total)	0	*	*
18 to 24	26	28	43	- Crack	0	0	0
25 to 29	23	22	32	Stimulant (total)	49	37	34
30 to 34	22	22	23	- Methamphetamine	48	37	33
35 to 39	21	23	11	Heroin	0	*	*
40 to 44	12	12	8	Analgesic except Heroin	5	5	6
45 to 54	18	15	11	- Non-Prescription Methadone	0	0	0
55 and Over	13	5	7	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	*	*
Male	90	99	94	Inhalant	0	0	*
Female	52	43	53	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	5	*
Caucasian	122	123	121	Average Age at First Use of Drug	18.9	17.5	17.4
African American	10	12	17	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	17	15	13
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	*	*	- Weekly Injection Use	6	*	*
Other Race / Two or More Races	9	*	6	- Less than Weekly Injection Use	9	9	11
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	36	48	48	0	84	90	86
High School Graduate or G.E.D.	83	64	74	1 or 2	40	37	48
Associate Degree or Some College	22	29	24	3 or More	18	15	13
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	31	44	25
Employed	53	42	54	School	0	0	*
Unemployed	25	46	41	Mental Health Provider	0	0	0
Not in Labor Force	64	54	52	Health Care Provider	*	11	11
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	53	34	50
Independent Living	115	112	121	Other Referral Source	30	28	25
Dependent Living	15	22	18	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	9	10	7
Never Married	68	81	90	Special Education Services Needed	12	12	11
Married / Cohabiting	41	34	26	Co-Occurring Psychological Problem	62	66	47
Previously Married	33	27	31	Co-Occurring Developmental Problem	0	6	*

MACON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 15,566
2016 POPULATION ESTIMATE 15,170

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	6	7	*
Anxiety Disorder	63	40	33
Dementia	*	*	*
Developmental Disorder	*	6	*
Impulse Control Disorder	46	29	23
Mood Disorder	92	79	81
Personality Disorder	20	19	21
Psychotic Disorder	8	7	8
Sexual Disorder	*	*	*
Other Diagnosis	17	14	14
Diagnosis Unknown	*	*	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	125	109	112	Less than High School Diploma	60	47	46
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	10	6	*	Bachelor or Advanced Degree	0	0	0
10 to 13	11	8	7	Education Level Unknown	65	62	66
14 to 17	26	18	20	EMPLOYMENT			
18 to 24	18	15	12	Employed	10	7	6
25 to 29	5	7	6	Unemployed	*	*	*
30 to 34	10	*	13	Not in Labor Force	101	87	84
35 to 39	7	8	12	Employment Status Unknown	11	11	20
40 to 44	*	*	8	HOUSING / LIVING ARRANGEMENT			
45 to 49	10	15	12	Independent Living	60	59	58
50 to 54	10	9	12	Dependent Living	56	37	32
55 to 59	10	12	5	Homeless	0	0	0
60 and Over	5	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	9	13	22
GENDER				TREATMENT REFERRAL SOURCE			
Male	58	50	54	Self / Family / Friend	17	24	27
Female	67	59	58	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	19	13	17
Caucasian	105	90	92	Court / Criminal Justice	*	*	*
African American	15	15	17	Other	83	66	58
Native American / Alaskan	*	*	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	123	106	107
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	0				

MACON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		36.0	50.8	58.3	Alcohol	13.3	25.0	24.8	
Chewing Tobacco		19.9	17.4	28.6	Alcohol (5+ drinks on single occasion past 2 weeks)	6.4			
Cigarettes		13.2	35.2	36.0	Chewing Tobacco	11.0	9.7	16.7	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0	1.2	1.0	Cigarettes	1.7	18.8	24.2	
Cocaine		0.0	1.6	2.8	Inhalants	0.0	1.6	5.0	
Electronic Cigarettes		8.4			Marijuana	6.3	6.5	6.2	
Hallucinogens		0.0	1.6	1.0	Over-the-counter medications for non-medical use	3.9	4.5	3.4	
Heroin		0.0	0.4	1.8	Prescription medications not prescribed for student	1.7	5.3	3.2	
Inhalants		2.8	4.9	8.4					
Marijuana	11.4	15.0	12.1		<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.2	1.9		Alcohol (1 or 2 drinks daily)	49.7			
Over-the-counter medications for non-medical use	5.0	5.7	5.5		Alcohol (Binge: 5+ drinks once or twice a week)	57.1			
Prescription medications not prescribed for student	5.0	10.5	7.9		Cigarettes (1+ packs per day)	85.4			
Synthetic drugs (K2, bath salts, Spice, etc)	6.9	10.9			Marijuana (once or twice a week)	63.8			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	85.3	93.0	95.7	
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.86	12.28	12.21		Alcohol	87.0	69.0	74.7	
Cigarettes	11.07	12.36	12.29		Cigarettes	93.1	86.1	84.7	
Inhalants	11.00	11.18	12.21		Marijuana	98.2	93.4	93.7	
Marijuana	14.33	13.59	14.68						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	35.8	66.0	60.7		Alcohol	67.0	47.3	40.4	
Cigarettes	28.3	57.6	49.9		Cigarettes	82.4	69.5	71.3	
Marijuana	7.8	34.0	18.4		Marijuana	73.9	84.0	77.4	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	15.4	9.9		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.6	96.7	94.8	
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	22.2	38.2	41.9		Alcohol	52.5	63.0	63.2	
Cigarettes	8.4	22.8	22.6		Cigarettes	53.9	63.0	69.7	
Marijuana	16.2	11.3	14.8		Marijuana	35.5	27.8	18.3	
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	16.8	7.2	
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.5	64.6	66.8		Were grouchy, irritable, or in a bad mood	30.7	24.8	27.0	
Were victims of mean rumors or lies spread at school	62.8	53.3	50.7		Had difficulty concentrating on school work	44.7	25.4	13.9	
Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.0	25.6	17.2		Were very sad	27.9	19.9	17.5	
					Felt hopeless about the future	20.7	12.2	7.3	
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.7	14.8	7.4		Parents involve student in making family decisions	47.8	64.0	64.6	
Made plan about how they would attempt suicide	4.0	11.4	4.2		Parents notice and comment on student's good work	65.6	80.5	82.6	
Attempted suicide	2.8	6.1	2.1		Teachers notice and comment on student's good work	45.0			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MADISON COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	12,226
2016 Estimate	12,443

BIRTH RISK	2015	2014	2013
Resident Births	141	135	136
Mother Reported Smoking while Pregnant	44	52	43

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	8	15	15
Tuberculosis Infection Cases	1	0	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	175	157	188
Suicide	1	4	4
Homicide	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	3	1	4
Smoking Attributable Deaths	39	26	41
Self-inflicted Injuries *	8	16	24
Assault Injuries *	51	47	59

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	174	207	178
Mental Illness Secondary Diagnosis	345	313	347
Alcohol Principal Diagnosis	7	8	4
Alcohol Secondary Diagnosis	20	15	19
Drug Principal Diagnosis	8	14	9
Drug Secondary Diagnosis	27	19	21
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	17	45	16
Mental Illness Secondary Diagnosis	126	124	153
Alcohol Principal Diagnosis	0	1	3
Alcohol Secondary Diagnosis	5	7	12
Drug Principal Diagnosis	2	2	0
Drug Secondary Diagnosis	6	14	5
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	191	206	176
Mental Illness Secondary Diagnosis	394	362	432
Alcohol Principal Diagnosis	21	14	34
Alcohol Secondary Diagnosis	18	23	18
Drug Principal Diagnosis	27	30	40
Drug Secondary Diagnosis	39	54	87

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	10	11	10
Alcohol Package Carry-out Licenses	11	12	12

EMPLOYMENT	2016	2015	2014
Labor Force	5,520	5,585	5,469
Employed	5,217	5,260	5,099
Unemployed	303	325	370
Unemployment Rate	5.5%	5.8%	6.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	11	9	8
Fatal Crashes	0	1	1
Injury Crashes	6	3	4
Property Damage Crashes	5	5	2
Crash Fatalities	0	1	1
Crash Injuries	9	3	5
Drug Involved Crashes	1	6	4
Fatal Crashes	0	1	1
Injury Crashes	0	0	2
Property Damage Crashes	1	5	1
Crash Fatalities	0	1	1
Crash Injuries	0	1	3

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	41	66	39
Liquor Law Arrests	6	4	8
Drug Arrests	94	129	35
Methamphetamine Lab Seizures	0	1	0
Violent Offenses	32	31	53
Domestic Violence Reports	102	100	149
Property Offenses	135	187	249

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	630	614	624
Drop-outs	2	1	1
Drop-out Rate	0.3%	0.2%	0.2%
School Discipline Involving Alcohol	7	1	7
School Discipline Involving Drugs	1	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	31	22	33
Juvenile Alcohol Offenses	4	0	1
Juvenile Drug Offenses	2	2	1
School Truancy Status Offense	13	18	15
Absent from Home Status Offense	2	2	1
Beyond Parental Control Status Offense	7	4	5
Injurious Behavior Status Offense	21	11	13
Child Abuse	3	2	0
Child Neglect	15	7	8
Child Custody Issues	0	0	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	12	10	8
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	4	5
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	3	6	13
Probation/Parole Admissions--Drug	47	43	26
Probation/Parole Admissions--DWI	3	4	5
Prison Admissions--Drug	18	9	16
Prison Admissions--DWI	0	3	3

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MADISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	10	9	13
CSTAR Adolescent	*	6	7
CSTAR Women and Children	5	10	*
CSTAR General Adult	43	34	35
CSTAR Opioid	0	0	0
Primary Recovery Treatment	13	15	*
Clinical SATOP (CIP, YCIP, SROP)	6	6	*
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	18	19	28
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	11	10
- Weekend Intervention Program	*	*	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	7
Early Intervention	18	11	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	70	62	48	Alcohol	12	16	10
AGE				Marijuana / Hashish	22	14	10
Under 18	5	5	*	Cocaine (total)	*	0	0
18 to 24	10	9	9	- Crack	0	0	0
25 to 29	13	14	12	Stimulant (total)	23	22	10
30 to 34	11	8	10	- Methamphetamine	21	20	10
35 to 39	12	6	7	Heroin	7	*	*
40 to 44	5	5	*	Analgesic except Heroin	*	5	13
45 to 54	9	11	*	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	34	41	28	Inhalant	0	0	0
Female	36	21	20	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	68	62	46	Average Age at First Use of Drug	18.6	17.0	18.8
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	17	16	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	5
Hispanic	*	0	0	- Weekly Injection Use	6	*	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	7	10	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	32	22	15	0	44	36	27
High School Graduate or G.E.D.	30	36	25	1 or 2	17	13	14
Associate Degree or Some College	8	*	8	3 or More	9	13	7
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	31	24	19
Employed	12	20	7	School	0	0	0
Unemployed	30	21	29	Mental Health Provider	*	0	0
Not in Labor Force	28	21	12	Health Care Provider	*	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	24	27	19
Independent Living	61	51	40	Other Referral Source	8	6	6
Dependent Living	7	11	6	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	5
Never Married	34	31	22	Special Education Services Needed	8	*	*
Married / Cohabiting	18	17	17	Co-Occurring Psychological Problem	30	35	22
Previously Married	18	14	9	Co-Occurring Developmental Problem	*	*	*

MADISON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 12,226
2016 POPULATION ESTIMATE 12,443

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	24	21	24
Anxiety Disorder	59	78	81
Dementia	*	*	0
Developmental Disorder	5	*	5
Impulse Control Disorder	99	159	208
Mood Disorder	318	389	454
Personality Disorder	6	8	6
Psychotic Disorder	61	57	50
Sexual Disorder	0	0	0
Other Diagnosis	20	26	41
Diagnosis Unknown	62	45	28

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	550	666	772	Less than High School Diploma	96	70	99
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	45	60	72	Bachelor or Advanced Degree	0	0	0
10 to 13	62	87	102	Education Level Unknown	454	596	673
14 to 17	66	106	118	EMPLOYMENT			
18 to 24	53	43	79	Employed	*	6	11
25 to 29	37	46	59	Unemployed	8	6	5
30 to 34	25	42	46	Not in Labor Force	197	175	187
35 to 39	34	56	55	Employment Status Unknown	341	479	569
40 to 44	42	39	55	HOUSING / LIVING ARRANGEMENT			
45 to 49	34	41	47	Independent Living	87	79	100
50 to 54	52	52	59	Dependent Living	115	108	113
55 to 59	49	53	36	Homeless	*	*	0
60 and Over	50	39	40	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	347	478	559
GENDER				TREATMENT REFERRAL SOURCE			
Male	245	326	375	Self / Family / Friend	366	425	459
Female	305	340	397	School	12	15	9
Gender Unknown	0	0	0	Mental Health Provider	17	28	41
RACE / ETHNICITY				Health Care Provider	55	62	82
Caucasian	522	624	715	Court / Criminal Justice	35	32	12
African American	*	6	7	Other	65	104	169
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	7	16	26	Voluntary	547	666	771
Other Race	15	19	23	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	39	39	39	Commitment Type Unknown	*	0	0
Past or Current Military Service	17	19	15				

MADISON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	57.5	34.0	37.1	48.1	Alcohol	32.2	16.1	15.5	28.7
Chewing Tobacco	45.0	19.6	20.6	21.8	Alcohol (5+ drinks on single occasion past 2 weeks)	13.3	9.9		
Cigarettes	57.1	32.2	29.2	37.8	Chewing Tobacco	21.1	10.4	13.4	14.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	6.1	2.8	0.5	1.9	Cigarettes	27.8	11.3	17.4	23.4
Cocaine	0.0	0.7	1.0	1.2	Inhalants	0.0	2.1	1.5	2.3
Electronic Cigarettes	30.0	26.1			Marijuana	5.6	4.2	5.2	9.5
Hallucinogens	11.1	2.1	2.1	2.7	Over-the-counter medications for non-medical use	6.1	1.4	2.6	6.9
Heroin	0.0	0.7	1.0	1.1	Prescription medications not prescribed for student	13.9	2.1	4.6	5.8
Inhalants	12.2	4.2	4.1	6.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	33.9	11.1	11.3	14.1	Alcohol (1 or 2 drinks daily)	41.8	52.8		
Methamphetamine	0.6	2.8	2.1	0.4	Alcohol (Binge: 5+ drinks once or twice a week)	66.3	54.6		
Over-the-counter medications for non-medical use	14.1	2.1	4.6	8.1	Cigarettes (1+ packs per day)	78.7	86.7		
Prescription medications not prescribed for student	15.6	4.3	6.7	9.3	Marijuana (once or twice a week)	54.8	66.4		
Synthetic drugs (K2, bath salts, Spice, etc)	12.2	3.5	3.6		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.4	94.4	92.8	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	11.68	13.06	12.76	12.26	Alcohol	78.5	75.0	79.8	72.1
Cigarettes	12.58	12.96	12.37	12.03	Cigarettes	87.0	92.3	87.6	85.5
Inhalants	11.94	13.13	11.85	12.39	Marijuana	82.2	93.0	95.3	95.8
Marijuana	12.26	13.78	13.49	13.14	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	40.1	53.8	56.5	48.7
Alcohol	56.1	52.8	56.4	74.8	Cigarettes	65.7	76.4	75.8	65.4
Cigarettes	57.2	47.2	55.2	67.2	Marijuana	61.2	82.5	85.9	82.9
Marijuana	47.2	30.7	30.3	38.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.4	95.7	94.8	94.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.9	8.6	12.3	21.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	70.6	54.6	52.8	66.4
Alcohol	53.1	34.7	32.5	43.6	Cigarettes	69.4	56.9	58.2	66.9
Cigarettes	33.3	18.2	20.6	24.5	Marijuana	53.9	33.6	32.0	35.0
Marijuana	30.3	9.0	10.3	12.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	35.6	18.6	19.4	22.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	52.2	45.5	53.9	66.7	Were grouchy, irritable, or in a bad mood	50.3	26.6	24.0	27.5
Were victims of mean rumors or lies spread at school	46.7	41.7	41.5	59.4	Had difficulty concentrating on school work	26.1	22.4	19.9	22.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.1	21.5	16.7	22.0	Were very sad	31.1	17.4	17.9	18.6
					Felt hopeless about the future	19.1	10.6	10.8	16.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.4	10.5	10.4	12.9	Parents involve student in making family decisions	66.3	63.4	64.1	64.6
Made plan about how they would attempt suicide	12.6	12.0	9.3	12.8	Parents notice and comment on student's good work	66.9	79.0	82.5	80.5
Attempted suicide	8.0	4.9	4.1	6.0	Teachers notice and comment on student's good work	74.4	81.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MARIES COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	9,176
2016 Estimate	8,858

BIRTH RISK	2015	2014	2013
Resident Births	105	75	62
Mother Reported Smoking while Pregnant	27	20	14

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	5	7
Tuberculosis Infection Cases	0	0	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	101	100	107
Suicide	3	3	3
Homicide	1	1	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	2	0
Smoking Attributable Deaths	22	14	19
Self-inflicted Injuries *	0	6	1
Assault Injuries *	17	15	20

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	55	42	50
Mental Illness Secondary Diagnosis	130	80	84
Alcohol Principal Diagnosis	4	2	1
Alcohol Secondary Diagnosis	11	6	4
Drug Principal Diagnosis	7	3	3
Drug Secondary Diagnosis	7	5	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	49	37	33
Mental Illness Secondary Diagnosis	113	123	132
Alcohol Principal Diagnosis	4	6	2
Alcohol Secondary Diagnosis	9	11	4
Drug Principal Diagnosis	7	6	0
Drug Secondary Diagnosis	10	6	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	73	63	75
Mental Illness Secondary Diagnosis	239	412	396
Alcohol Principal Diagnosis	20	10	4
Alcohol Secondary Diagnosis	16	8	11
Drug Principal Diagnosis	10	9	5
Drug Secondary Diagnosis	9	9	8

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	6	6	4
Alcohol Package Carry-out Licenses	11	12	13

EMPLOYMENT	2016	2015	2014
Labor Force	3,964	4,008	3,982
Employed	3,764	3,798	3,738
Unemployed	200	210	244
Unemployment Rate	5.0%	5.2%	6.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	3	9	7
Fatal Crashes	0	2	2
Injury Crashes	3	2	4
Property Damage Crashes	0	5	5
Crash Fatalities	0	2	2
Crash Injuries	4	6	7
Drug Involved Crashes	3	3	0
Fatal Crashes	0	2	0
Injury Crashes	3	0	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	2	0
Crash Injuries	3	3	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	17	30	20
Liquor Law Arrests	8	14	7
Drug Arrests	87	111	96
Methamphetamine Lab Seizures	0	5	4
Violent Offenses	13	15	13
Domestic Violence Reports	54	70	72
Property Offenses	76	70	98

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	404	410	424
Drop-outs	9	5	8
Drop-out Rate	2.2%	1.2%	1.9%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	4	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	0	1	2
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	0	1	0
School Truancy Status Offense	12	10	18
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	7	1	0
Injurious Behavior Status Offense	13	20	7
Child Abuse	14	4	12
Child Neglect	50	25	29
Child Custody Issues	2	5	3

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	21	13	11
Parental Alcohol Use Related	4	1	0
Parental Drug Use Related	14	3	8
Parental Alcohol and Drug Use	0	3	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	22	16	19
Probation/Parole Admissions--DWI	1	2	2
Prison Admissions--Drug	11	7	8
Prison Admissions--DWI	0	0	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MARIES COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	17	9	*
CSTAR Adolescent	*	*	0
CSTAR Women and Children	*	5	0
CSTAR General Adult	39	31	26
CSTAR Opioid	*	0	0
Primary Recovery Treatment	0	*	0
Clinical SATOP (CIP, YCIP, SROP)	5	*	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	36	18	29
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	8	8	8
- Weekend Intervention Program	*	*	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	48	41	39	Alcohol	14	14	14
AGE				Marijuana / Hashish	*	5	9
Under 18	*	*	*	Cocaine (total)	*	0	0
18 to 24	6	*	9	- Crack	*	0	0
25 to 29	7	6	*	Stimulant (total)	12	13	10
30 to 34	12	12	9	- Methamphetamine	9	12	8
35 to 39	11	*	*	Heroin	7	*	*
40 to 44	*	*	*	Analgesic except Heroin	7	6	*
45 to 54	*	9	6	- Non-Prescription Methadone	0	0	0
55 and Over	6	5	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	27	25	26	Inhalant	0	0	0
Female	21	16	13	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	48	38	38	Average Age at First Use of Drug	19.0	19.0	17.5
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	12	8	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	8	*	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	17	14	12	0	26	24	23
High School Graduate or G.E.D.	23	17	17	1 or 2	14	11	8
Associate Degree or Some College	8	9	9	3 or More	8	6	8
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	25	18	6
Employed	17	14	16	School	0	0	0
Unemployed	16	15	13	Mental Health Provider	*	*	0
Not in Labor Force	15	12	10	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	13	9	24
Independent Living	44	35	36	Other Referral Source	*	9	6
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	26	18	19	Special Education Services Needed	6	*	0
Married / Cohabiting	12	11	9	Co-Occurring Psychological Problem	13	22	14
Previously Married	10	12	11	Co-Occurring Developmental Problem	*	0	*

MARIES COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 9,176
2016 POPULATION ESTIMATE 8,858

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	0
Anxiety Disorder	24	25	34
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	11	13	6
Mood Disorder	29	32	45
Personality Disorder	5	6	5
Psychotic Disorder	5	9	11
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	42	45	60	Less than High School Diploma	19	15	14
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	5	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	23	30	46
14 to 17	5	6	5	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	6	5	6	Unemployed	*	0	*
30 to 34	*	*	9	Not in Labor Force	32	30	28
35 to 39	*	*	6	Employment Status Unknown	8	14	26
40 to 44	6	*	8	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	5	*	Independent Living	19	12	17
50 to 54	*	*	6	Dependent Living	16	20	18
55 to 59	*	*	*	Homeless	*	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	6	13	25
GENDER				TREATMENT REFERRAL SOURCE			
Male	23	22	21	Self / Family / Friend	25	33	32
Female	19	23	39	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	7	*	6
Caucasian	40	43	56	Court / Criminal Justice	0	0	*
African American	*	*	*	Other	9	6	18
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	*	0	Voluntary	42	45	60
Other Race	*	0	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol					Alcohol				
Chewing Tobacco					Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes					Chewing Tobacco				
Club drugs (Ecstasy, GHB, roofie, Special K, etc)					Cigarettes				
Cocaine					Inhalants				
Electronic Cigarettes					Marijuana				
Hallucinogens					Over-the-counter medications for non-medical use				
Heroin					Prescription medications not prescribed for student				
Inhalants									
Marijuana									
Methamphetamine					<i>Percent who believe they risk harm if they use:</i>				
Over-the-counter medications for non-medical use					Alcohol (1 or 2 drinks daily)				
Prescription medications not prescribed for student					Alcohol (Binge: 5+ drinks once or twice a week)				
Synthetic drugs (K2, bath salts, Spice, etc)					Cigarettes (1+ packs per day)				
					Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)				
<i>Among students who have ever used, average age of first use of:</i>									
Alcohol					<i>Percent whose parents would disapprove if they use:</i>				
Cigarettes					Alcohol				
Inhalants					Cigarettes				
Marijuana					Marijuana				
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
<i>Percent of students who, in past 3 months:</i>									
Were emotionally bullied or made fun of by others					<i>Percent of students who, in past 30 days:</i>				
Were victims of mean rumors or lies spread at school					Were grouchy, irritable, or in a bad mood				
Were victims of an embarrassing or hurtful text message or something posted on the Internet					Had difficulty concentrating on school work				
					Were very sad				
					Felt hopeless about the future				
<i>Percent of students who, in past 12 months:</i>									
Seriously considered attempting suicide					<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide					Parents involve student in making family decisions				
Attempted suicide					Parents notice and comment on student's good work				
					Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MARION COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	28,781
2016 Estimate	28,894

BIRTH RISK	2015	2014	2013
Resident Births	398	351	389
Mother Reported Smoking while Pregnant	92	83	104

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	1	3
Hepatitis B Chronic, Acute, Prenatal	2	0	1
Hepatitis C Chronic and Acute	29	27	19
Tuberculosis Infection Cases	4	2	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	343	338	307
Suicide	5	4	4
Homicide	2	0	1
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	8	3	6
Smoking Attributable Deaths	59	56	60
Self-inflicted Injuries *	39	43	31
Assault Injuries *	82	117	107

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	208	260	227
Mental Illness Secondary Diagnosis	407	279	334
Alcohol Principal Diagnosis	7	8	5
Alcohol Secondary Diagnosis	31	22	14
Drug Principal Diagnosis	7	9	7
Drug Secondary Diagnosis	16	13	29
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	38	54	42
Mental Illness Secondary Diagnosis	438	628	693
Alcohol Principal Diagnosis	5	12	11
Alcohol Secondary Diagnosis	39	79	56
Drug Principal Diagnosis	7	15	13
Drug Secondary Diagnosis	36	40	34
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	258	251	328
Mental Illness Secondary Diagnosis	223	528	475
Alcohol Principal Diagnosis	60	64	87
Alcohol Secondary Diagnosis	40	59	55
Drug Principal Diagnosis	67	62	45
Drug Secondary Diagnosis	41	40	20

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	51	44	49
Alcohol Package Carry-out Licenses	42	39	40

EMPLOYMENT	2016	2015	2014
Labor Force	14,708	14,896	14,535
Employed	14,081	14,234	13,728
Unemployed	627	662	807
Unemployment Rate	4.3%	4.4%	5.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	39	29	27
Fatal Crashes	0	0	0
Injury Crashes	15	10	8
Property Damage Crashes	24	19	16
Crash Fatalities	0	0	0
Crash Injuries	20	12	8
Drug Involved Crashes	9	4	14
Fatal Crashes	0	0	0
Injury Crashes	2	2	6
Property Damage Crashes	7	2	8
Crash Fatalities	0	0	0
Crash Injuries	2	2	6

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	152	135	160
Liquor Law Arrests	133	91	101
Drug Arrests	383	271	211
Methamphetamine Lab Seizures	5	19	25
Violent Offenses	83	93	75
Domestic Violence Reports	182	154	191
Property Offenses	962	1,126	1,125

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,443	1,462	1,457
Drop-outs	16	11	22
Drop-out Rate	1.1%	0.8%	1.5%
School Discipline Involving Alcohol	10	1	1
School Discipline Involving Drugs	3	1	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	28	22	41
Juvenile Alcohol Offenses	6	15	8
Juvenile Drug Offenses	6	8	6
School Truancy Status Offense	39	35	26
Absent from Home Status Offense	1	9	3
Beyond Parental Control Status Offense	3	2	1
Injurious Behavior Status Offense	88	77	97
Child Abuse	3	3	3
Child Neglect	78	93	78
Child Custody Issues	1	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	80	66	47
Parental Alcohol Use Related	2	5	2
Parental Drug Use Related	36	34	10
Parental Alcohol and Drug Use	6	0	3

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	38	38	29
Probation/Parole Admissions--Drug	186	162	143
Probation/Parole Admissions--DWI	13	11	18
Prison Admissions--Drug	142	96	97
Prison Admissions--DWI	5	10	14

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MARION COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	68	63	54
CSTAR Adolescent	34	28	34
CSTAR Women and Children	108	93	93
CSTAR General Adult	218	187	232
CSTAR Opioid	*	0	*
Primary Recovery Treatment	7	10	31
Clinical SATOP (CIP, YCIP, SROP)	8	13	17
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	112	128	168
- Adolescent Diversion Education Program	18	12	16
- Offender Education Program	35	36	47
- Weekend Intervention Program	12	21	28
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	14	24	23
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	372	334	381	Alcohol	106	105	123
AGE				Marijuana / Hashish	96	92	132
Under 18	35	30	34	Cocaine (total)	12	7	11
18 to 24	73	72	89	- Crack	*	6	8
25 to 29	67	59	69	Stimulant (total)	85	63	65
30 to 34	63	56	56	- Methamphetamine	79	62	62
35 to 39	46	34	42	Heroin	46	35	27
40 to 44	26	26	28	Analgesic except Heroin	8	7	9
45 to 54	45	41	54	- Non-Prescription Methadone	0	0	0
55 and Over	17	16	9	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	6	*	*
Male	230	204	264	Inhalant	0	*	*
Female	142	130	117	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	12	20	9
Caucasian	292	287	316	Average Age at First Use of Drug	19.6	18.5	17.5
African American	58	34	46	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	58	58	52
Asian / Pacific Islander	0	*	0	- Daily Injection Use	13	10	9
Hispanic	7	*	*	- Weekly Injection Use	15	13	6
Other Race / Two or More Races	16	9	15	- Less than Weekly Injection Use	30	35	37
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	129	114	122	0	245	217	239
High School Graduate or G.E.D.	205	171	216	1 or 2	87	80	99
Associate Degree or Some College	36	48	42	3 or More	40	37	43
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	69	62	34
Employed	114	100	139	School	*	0	0
Unemployed	169	150	161	Mental Health Provider	10	*	*
Not in Labor Force	89	84	81	Health Care Provider	9	11	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	138	142	174
Independent Living	244	238	274	Other Referral Source	64	45	70
Dependent Living	112	84	93	TREATMENT ACCOMMODATION			
Homeless	13	9	9	Pregnant when Admitted to any Episode	7	*	5
MARITAL / FAMILY STATUS				Military Veteran	7	12	16
Never Married	246	208	251	Special Education Services Needed	35	35	29
Married / Cohabiting	56	54	66	Co-Occurring Psychological Problem	131	105	99
Previously Married	70	72	64	Co-Occurring Developmental Problem	*	9	7

MARION COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 28,781
2016 POPULATION ESTIMATE 28,894

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	49	28	24
Anxiety Disorder	326	266	243
Dementia	*	*	0
Developmental Disorder	40	38	28
Impulse Control Disorder	317	272	272
Mood Disorder	648	565	552
Personality Disorder	65	51	54
Psychotic Disorder	215	200	199
Sexual Disorder	*	0	0
Other Diagnosis	171	103	96
Diagnosis Unknown	47	45	74

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,027	889	881	Less than High School Diploma	432	393	363
AGE				High School Grad or G.E.D.	0	0	0
Under 6	15	5	5	Associate Degree or Some College	0	0	0
6 to 9	68	56	48	Bachelor or Advanced Degree	0	0	0
10 to 13	90	69	64	Education Level Unknown	595	496	518
14 to 17	82	76	64	EMPLOYMENT			
18 to 24	91	83	107	Employed	113	88	74
25 to 29	82	73	75	Unemployed	63	77	58
30 to 34	88	75	90	Not in Labor Force	692	610	610
35 to 39	99	90	85	Employment Status Unknown	159	114	139
40 to 44	73	83	80	HOUSING / LIVING ARRANGEMENT			
45 to 49	84	63	72	Independent Living	422	371	343
50 to 54	101	90	80	Dependent Living	397	353	335
55 to 59	77	62	45	Homeless	10	7	6
60 and Over	77	64	66	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	198	158	197
GENDER				TREATMENT REFERRAL SOURCE			
Male	532	459	458	Self / Family / Friend	250	216	227
Female	495	430	423	School	8	*	*
Gender Unknown	0	0	0	Mental Health Provider	82	53	55
RACE / ETHNICITY				Health Care Provider	105	100	85
Caucasian	849	740	726	Court / Criminal Justice	25	19	19
African American	125	102	108	Other	548	487	478
Native American / Alaskan	*	*	*	Referral Source Unknown	9	10	14
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	10	13	16	Voluntary	1,007	871	858
Other Race	41	33	30	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	10	7	8
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	17	15	13	Commitment Type Unknown	9	10	14
Past or Current Military Service	40	27	26				

MARION COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.6	38.0	34.0	53.9	Alcohol	17.1	9.0	17.1	24.6
Chewing Tobacco	21.2	10.7	8.4	15.7	Alcohol (5+ drinks on single occasion past 2 weeks)	6.9	2.3		
Cigarettes	22.0	14.5	17.8	30.7	Chewing Tobacco	15.6	7.5	4.4	9.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.2	0.9	1.4	1.8	Cigarettes	10.4	9.3	11.4	18.3
Cocaine	0.2	0.9	1.4	0.7	Inhalants	2.9	1.4	1.3	3.4
Electronic Cigarettes	19.6	7.6			Marijuana	0.0	0.9	3.8	4.7
Hallucinogens	0.0	1.8	2.7	1.6	Over-the-counter medications for non-medical use	2.2	0.9	4.9	5.5
Heroin	0.9	0.0	0.0	0.5	Prescription medications not prescribed for student	10.3	2.9	2.4	6.4
Inhalants	3.4	2.3	3.6	6.7					
Marijuana	3.6	4.6	7.3	11.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.2	0.9	0.7	1.3	Alcohol (1 or 2 drinks daily)	61.8	58.0		
Over-the-counter medications for non-medical use	4.5	1.7	6.0	9.8	Alcohol (Binge: 5+ drinks once or twice a week)	73.2	72.5		
Prescription medications not prescribed for student	13.8	5.3	6.0	11.6	Cigarettes (1+ packs per day)	83.5	83.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	3.2	3.3		Marijuana (once or twice a week)	79.7	77.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	91.3	93.0	94.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.33	11.78	11.97	12.11	Alcohol	78.9	85.4	84.2	71.3
Cigarettes	13.39	11.80	12.07	11.77	Cigarettes	91.3	94.8	91.5	90.2
Inhalants	11.07	14.48	11.61	11.77	Marijuana	96.2	96.7	96.6	94.6
Marijuana	13.18	12.40	12.81	12.75					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	40.8	52.0	45.9	69.1	Alcohol	62.6	63.8	66.4	49.0
Cigarettes	32.2	37.1	37.5	54.9	Cigarettes	88.0	87.6	82.3	73.4
Marijuana	11.8	18.0	21.1	35.9	Marijuana	94.6	92.2	88.2	83.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.2	11.9	10.0	18.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.9	98.2	96.2	94.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.1	18.6	26.0	43.0	Alcohol	52.4	56.6	52.3	65.4
Cigarettes	11.7	8.4	12.4	18.8	Cigarettes	43.6	47.2	44.0	60.5
Marijuana	3.6	5.5	6.5	10.7	Marijuana	17.5	18.8	18.7	31.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.5	14.7	8.0	17.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	69.9	62.1	63.2	75.0	Were grouchy, irritable, or in a bad mood	32.2	33.5	24.9	24.0
Were victims of mean rumors or lies spread at school	58.9	43.7	49.9	63.0	Had difficulty concentrating on school work	20.0	22.9	25.3	25.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.6	29.4	21.7	23.8	Were very sad	20.4	24.8	22.9	14.7
					Felt hopeless about the future	10.2	12.5	13.6	11.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.9	14.2	15.1	15.3	Parents involve student in making family decisions	71.3	68.0	61.9	63.2
Made plan about how they would attempt suicide	10.8	6.4	13.8	11.3	Parents notice and comment on student's good work	85.1	80.1	78.4	79.1
Attempted suicide	7.4	7.0	7.6	6.1	Teachers notice and comment on student's good work	83.9	68.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MERCER COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	3,785
2016 Estimate	3,699

BIRTH RISK	2015	2014	2013
Resident Births	51	44	34
Mother Reported Smoking while Pregnant	10	7	9

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	0	2	3
Tuberculosis Infection Cases	1	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	43	47	28
Suicide	0	1	0
Homicide	0	1	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	15	11	9
Self-inflicted Injuries *	0	2	9
Assault Injuries *	0	3	2

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	24	18	17
Mental Illness Secondary Diagnosis	89	69	50
Alcohol Principal Diagnosis	1	1	0
Alcohol Secondary Diagnosis	8	6	6
Drug Principal Diagnosis	1	0	4
Drug Secondary Diagnosis	3	4	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	4	8	7
Mental Illness Secondary Diagnosis	26	26	21
Alcohol Principal Diagnosis	1	1	0
Alcohol Secondary Diagnosis	3	7	0
Drug Principal Diagnosis	1	0	0
Drug Secondary Diagnosis	0	3	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	22	16	17
Mental Illness Secondary Diagnosis	36	33	27
Alcohol Principal Diagnosis	2	10	1
Alcohol Secondary Diagnosis	15	5	0
Drug Principal Diagnosis	3	2	1
Drug Secondary Diagnosis	7	4	3

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	3	4	4
Alcohol Package Carry-out Licenses	6	6	7

EMPLOYMENT	2016	2015	2014
Labor Force	1,944	1,919	1,857
Employed	1,855	1,834	1,763
Unemployed	89	85	94
Unemployment Rate	4.6%	4.4%	5.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	3	6	3
Fatal Crashes	0	1	0
Injury Crashes	2	3	3
Property Damage Crashes	1	2	0
Crash Fatalities	0	1	0
Crash Injuries	3	6	4
Drug Involved Crashes	0	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	2	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	6	15	15
Liquor Law Arrests	7	0	4
Drug Arrests	20	10	7
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	0	4	3
Domestic Violence Reports	1	5	6
Property Offenses	30	15	21

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	199	188	194
Drop-outs	0	0	0
Drop-out Rate	0.0%	0.0%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	5	5	9
Juvenile Alcohol Offenses	0	2	4
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	3	5	1
Absent from Home Status Offense	1	1	0
Beyond Parental Control Status Offense	8	1	0
Injurious Behavior Status Offense	1	2	1
Child Abuse	5	11	1
Child Neglect	14	15	17
Child Custody Issues	1	2	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	8	3	4
Parental Alcohol Use Related	0	0	4
Parental Drug Use Related	3	0	0
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	6	11	12
Probation/Parole Admissions--Drug	6	9	6
Probation/Parole Admissions--DWI	0	3	1
Prison Admissions--Drug	5	5	3
Prison Admissions--DWI	0	0	0

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MERCER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	0
CSTAR Adolescent	*	0	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	18	20	8
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	13	6	8
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	5	*	*
- Weekend Intervention Program	*	0	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2016	FY2015	FY2014		FY2016	FY2015	FY2014
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	29	19	14	Alcohol	12	7	7
AGE				Marijuana / Hashish	7	5	*
Under 18	*	0	*	Cocaine (total)	0	0	0
18 to 24	*	5	0	- Crack	0	0	0
25 to 29	5	*	*	Stimulant (total)	6	5	*
30 to 34	5	*	*	- Methamphetamine	6	5	*
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	5	*	5	Analgesic except Heroin	*	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	19	12	9	Inhalant	0	0	*
Female	10	7	5	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	27	19	14	Average Age at First Use of Drug	18.5	16.4	18.4
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	6	6	0	21	13	7
High School Graduate or G.E.D.	19	11	8	1 or 2	6	*	*
Associate Degree or Some College	*	*	0	3 or More	*	*	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	5	9	*
Employed	14	8	*	School	0	0	0
Unemployed	5	8	8	Mental Health Provider	0	0	*
Not in Labor Force	10	*	*	Health Care Provider	*	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	9	*	6
Independent Living	24	18	13	Other Referral Source	7	6	*
Dependent Living	*	0	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	0
Never Married	13	10	6	Special Education Services Needed	*	*	*
Married / Cohabiting	10	5	6	Co-Occurring Psychological Problem	12	*	7
Previously Married	6	*	*	Co-Occurring Developmental Problem	0	*	0

MERCER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 3,785
2016 POPULATION ESTIMATE 3,699

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	15	15	16
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	13	19	11
Mood Disorder	31	27	25
Personality Disorder	*	*	5
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	9	15	10
Diagnosis Unknown	*	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	52	45	37	Less than High School Diploma	28	26	19
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	7	*	Bachelor or Advanced Degree	0	0	0
10 to 13	12	9	7	Education Level Unknown	24	19	18
14 to 17	8	6	5	EMPLOYMENT			
18 to 24	*	5	*	Employed	5	*	*
25 to 29	*	*	*	Unemployed	0	*	*
30 to 34	*	*	*	Not in Labor Force	43	37	31
35 to 39	*	*	*	Employment Status Unknown	*	*	*
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	20	16	13
50 to 54	5	*	*	Dependent Living	28	25	18
55 to 59	6	*	*	Homeless	0	0	0
60 and Over	5	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	*	6
GENDER				TREATMENT REFERRAL SOURCE			
Male	26	27	15	Self / Family / Friend	27	23	18
Female	26	18	22	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	5
RACE / ETHNICITY				Health Care Provider	10	9	6
Caucasian	49	42	34	Court / Criminal Justice	*	*	0
African American	0	0	0	Other	11	10	8
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	52	45	37
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	5	0	0				

MERCER COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		32.5	43.3		Alcohol	15.0	19.1		
Chewing Tobacco		20.0	20.6		Alcohol (5+ drinks on single occasion past 2 weeks)	5.0			
Cigarettes		14.6	31.3		Chewing Tobacco	10.0	14.7		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0	0.0		Cigarettes	9.8	13.4		
Cocaine		0.0	1.5		Inhalants	0.0	3.0		
Electronic Cigarettes		4.9			Marijuana	0.0	1.5		
Hallucinogens		0.0	1.5		Over-the-counter medications for non-medical use	0.0	2.9		
Heroin		0.0	1.5		Prescription medications not prescribed for student	2.5	1.5		
Inhalants		2.5	6.0						
Marijuana		0.0	7.4		<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine		0.0	1.5		Alcohol (1 or 2 drinks daily)	47.5			
Over-the-counter medications for non-medical use		2.5	5.9		Alcohol (Binge: 5+ drinks once or twice a week)	65.0			
Prescription medications not prescribed for student		4.9	7.4		Cigarettes (1+ packs per day)	82.5			
Synthetic drugs (K2, bath salts, Spice, etc)		0.0	0.0		Marijuana (once or twice a week)	82.1			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	88.2		
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.84	12.71			Alcohol	82.5	81.5		
Cigarettes	12.57	13.69			Cigarettes	95.0	90.9		
Inhalants					Marijuana	97.4	98.5		
Marijuana			14.06						
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	58.5	45.6			Alcohol	68.3	56.7		
Cigarettes	41.5	35.8			Cigarettes	90.0	75.8		
Marijuana	15.0	14.9			Marijuana	92.3	89.6		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	4.5			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	94.1		
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	22.0	28.4			Alcohol	47.5	52.2		
Cigarettes	10.0	19.1			Cigarettes	41.5	52.2		
Marijuana	5.1	6.1			Marijuana	12.5	11.9		
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	9.0		
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	65.9	63.2			Were grouchy, irritable, or in a bad mood	20.0	28.4		
Were victims of mean rumors or lies spread at school	48.8	53.7			Had difficulty concentrating on school work	14.6	19.4		
Were victims of an embarrassing or hurtful text message or something posted on the Internet	31.7	25.0			Were very sad	12.5	23.9		
					Felt hopeless about the future	12.5	9.0		
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.8	10.4			Parents involve student in making family decisions	68.3	70.1		
Made plan about how they would attempt suicide	9.8	4.5			Parents notice and comment on student's good work	85.0	87.9		
Attempted suicide	2.5	4.4			Teachers notice and comment on student's good work	70.7			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MILLER COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	24,748
2016 Estimate	25,206

BIRTH RISK	2015	2014	2013
Resident Births	325	296	303
Mother Reported Smoking while Pregnant	82	79	70

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	0	0
Hepatitis B Chronic, Acute, Prenatal	3	1	3
Hepatitis C Chronic and Acute	7	16	17
Tuberculosis Infection Cases	0	4	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	317	261	294
Suicide	3	7	2
Homicide	0	0	1
Alcohol Induced Deaths	6	0	2
Drug Induced Deaths	1	3	1
Smoking Attributable Deaths	56	46	62
Self-inflicted Injuries *	17	21	26
Assault Injuries *	50	67	65

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	149	104	117
Mental Illness Secondary Diagnosis	316	222	252
Alcohol Principal Diagnosis	15	5	6
Alcohol Secondary Diagnosis	20	22	19
Drug Principal Diagnosis	9	4	4
Drug Secondary Diagnosis	16	19	15
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	91	120	112
Mental Illness Secondary Diagnosis	311	412	385
Alcohol Principal Diagnosis	24	20	20
Alcohol Secondary Diagnosis	38	64	53
Drug Principal Diagnosis	6	9	15
Drug Secondary Diagnosis	18	28	24
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	197	180	169
Mental Illness Secondary Diagnosis	726	863	650
Alcohol Principal Diagnosis	34	30	32
Alcohol Secondary Diagnosis	36	47	33
Drug Principal Diagnosis	30	36	36
Drug Secondary Diagnosis	45	55	30

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	52	54	57
Alcohol Package Carry-out Licenses	31	33	35

EMPLOYMENT	2016	2015	2014
Labor Force	12,030	11,808	11,611
Employed	11,411	11,102	10,718
Unemployed	619	706	893
Unemployment Rate	5.1%	6.0%	7.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	33	38	39
Fatal Crashes	1	2	3
Injury Crashes	15	17	16
Property Damage Crashes	17	19	18
Crash Fatalities	2	2	3
Crash Injuries	22	23	27
Drug Involved Crashes	6	11	7
Fatal Crashes	0	2	1
Injury Crashes	3	6	3
Property Damage Crashes	3	3	3
Crash Fatalities	0	2	1
Crash Injuries	3	9	6

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	125	131	169
Liquor Law Arrests	40	37	38
Drug Arrests	285	225	142
Methamphetamine Lab Seizures	2	0	2
Violent Offenses	94	81	85
Domestic Violence Reports	195	260	331
Property Offenses	433	444	560

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,495	1,492	1,480
Drop-outs	15	13	12
Drop-out Rate	1.0%	0.9%	0.8%
School Discipline Involving Alcohol	5	3	11
School Discipline Involving Drugs	23	13	16
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	16	15	18
Juvenile Alcohol Offenses	0	9	2
Juvenile Drug Offenses	7	7	9
School Truancy Status Offense	30	56	51
Absent from Home Status Offense	5	7	9
Beyond Parental Control Status Offense	6	3	8
Injurious Behavior Status Offense	24	24	11
Child Abuse	6	26	0
Child Neglect	19	28	30
Child Custody Issues	25	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	17	22	20
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	6	7
Parental Alcohol and Drug Use	0	2	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	132	88	105
Probation/Parole Admissions--DWI	6	1	15
Prison Admissions--Drug	61	51	55
Prison Admissions--DWI	5	3	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MILLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	15	10	6
CSTAR Adolescent	12	10	11
CSTAR Women and Children	9	11	11
CSTAR General Adult	108	101	82
CSTAR Opioid	*	0	0
Primary Recovery Treatment	13	9	8
Clinical SATOP (CIP, YCIP, SROP)	25	25	27
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	101	86	144
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	29	44	61
- Weekend Intervention Program	26	19	26
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	10	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	156	157	137	Alcohol	48	53	51
AGE				Marijuana / Hashish	37	31	25
Under 18	13	11	12	Cocaine (total)	*	0	0
18 to 24	37	33	29	- Crack	*	0	0
25 to 29	21	25	29	Stimulant (total)	50	51	42
30 to 34	22	28	19	- Methamphetamine	40	51	41
35 to 39	19	19	11	Heroin	5	*	*
40 to 44	17	11	9	Analgesic except Heroin	12	12	13
45 to 54	17	21	22	- Non-Prescription Methadone	0	0	0
55 and Over	10	9	6	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	0
Male	96	109	96	Inhalant	0	0	0
Female	60	48	41	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	151	153	133	Average Age at First Use of Drug	17.7	17.4	17.2
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	22	28	29
Asian / Pacific Islander	0	0	0	- Daily Injection Use	5	*	7
Hispanic	*	*	0	- Weekly Injection Use	10	9	9
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	7	15	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	53	52	54	0	95	92	75
High School Graduate or G.E.D.	75	78	54	1 or 2	44	37	49
Associate Degree or Some College	24	26	29	3 or More	17	28	13
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	87	43	47
Employed	44	35	36	School	0	*	*
Unemployed	53	60	55	Mental Health Provider	0	0	*
Not in Labor Force	59	62	46	Health Care Provider	*	8	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	37	62	54
Independent Living	127	117	107	Other Referral Source	28	40	26
Dependent Living	23	19	22	TREATMENT ACCOMMODATION			
Homeless	*	5	5	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	5	8	7
Never Married	78	97	67	Special Education Services Needed	5	7	*
Married / Cohabiting	38	30	39	Co-Occurring Psychological Problem	51	79	60
Previously Married	40	30	31	Co-Occurring Developmental Problem	*	*	*

MILLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 24,748
2016 POPULATION ESTIMATE 25,206

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	24	18	20
Anxiety Disorder	239	195	160
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	47	39	34
Mood Disorder	245	232	246
Personality Disorder	55	23	14
Psychotic Disorder	65	51	51
Sexual Disorder	*	0	*
Other Diagnosis	34	22	26
Diagnosis Unknown	18	7	25

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	372	357	369	Less than High School Diploma	167	162	149
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	5	7	Associate Degree or Some College	0	0	0
6 to 9	24	24	20	Bachelor or Advanced Degree	0	0	0
10 to 13	29	27	35	Education Level Unknown	205	195	220
14 to 17	30	35	33	EMPLOYMENT			
18 to 24	28	22	31	Employed	27	17	14
25 to 29	27	21	28	Unemployed	20	20	39
30 to 34	42	42	44	Not in Labor Force	279	271	243
35 to 39	33	30	37	Employment Status Unknown	46	49	73
40 to 44	33	44	31	HOUSING / LIVING ARRANGEMENT			
45 to 49	40	27	32	Independent Living	230	208	207
50 to 54	35	39	35	Dependent Living	88	103	94
55 to 59	24	19	21	Homeless	*	*	*
60 and Over	23	22	15	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	51	44	66
GENDER				TREATMENT REFERRAL SOURCE			
Male	181	170	193	Self / Family / Friend	261	252	244
Female	191	187	176	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	6	5
RACE / ETHNICITY				Health Care Provider	34	30	28
Caucasian	362	344	360	Court / Criminal Justice	16	21	34
African American	0	*	*	Other	56	48	58
Native American / Alaskan	*	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	372	356	365
Other Race	7	8	5	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	5	7	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.5	34.7	34.6	44.6	Alcohol	13.4	14.1	12.1	19.7
Chewing Tobacco	14.5	16.6	13.3	19.6	Alcohol (5+ drinks on single occasion past 2 weeks)	6.3	7.3		
Cigarettes	23.6	21.7	21.4	29.5	Chewing Tobacco	6.3	6.9	6.4	11.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	0.7	1.7	2.1	Cigarettes	9.0	9.4	8.9	14.5
Cocaine	0.3	0.7	1.5	1.5	Inhalants	0.5	1.1	2.0	2.4
Electronic Cigarettes	21.9	17.0			Marijuana	4.1	3.2	3.7	4.1
Hallucinogens	0.8	1.1	2.7	2.1	Over-the-counter medications for non-medical use	1.4	1.8	2.9	3.8
Heroin	0.3	0.4	1.0	0.6	Prescription medications not prescribed for student	8.7	3.2	4.2	5.4
Inhalants	3.6	3.3	4.9	5.0					
Marijuana	11.2	8.6	9.6	12.2	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.6	0.7	1.0	0.4	Alcohol (1 or 2 drinks daily)	62.9	56.7		
Over-the-counter medications for non-medical use	4.7	2.5	4.4	6.9	Alcohol (Binge: 5+ drinks once or twice a week)	72.5	68.2		
Prescription medications not prescribed for student	12.6	6.5	7.6	10.0	Cigarettes (1+ packs per day)	85.2	84.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.5	3.6	5.4		Marijuana (once or twice a week)	76.2	74.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	92.4	92.3	94.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.35	12.67	12.54	12.17	Alcohol	82.0	81.2	81.3	80.2
Cigarettes	11.73	12.29	12.17	12.22	Cigarettes	91.7	91.7	93.3	91.6
Inhalants	10.93	12.36	12.55	12.51	Marijuana	93.3	95.3	94.8	94.5
Marijuana	13.83	13.59	12.97	13.19					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	41.1	44.1	51.4	59.0	Alcohol	71.4	69.4	68.5	63.0
Cigarettes	28.8	33.9	42.4	47.3	Cigarettes	84.9	85.1	84.7	80.3
Marijuana	20.9	19.6	27.2	28.1	Marijuana	86.7	90.5	89.1	86.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.1	8.2	13.6	15.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	97.5	95.8	96.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	20.9	23.8	24.1	32.2	Alcohol	52.1	55.2	53.2	58.6
Cigarettes	8.2	10.8	11.1	15.1	Cigarettes	46.4	53.2	50.1	57.5
Marijuana	9.1	6.8	7.4	7.2	Marijuana	25.1	24.9	29.7	30.2
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.8	13.4	15.4	16.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	57.1	56.8	59.9	67.3	Were grouchy, irritable, or in a bad mood	32.8	28.0	23.2	32.7
Were victims of mean rumors or lies spread at school	44.7	47.0	49.6	53.7	Had difficulty concentrating on school work	27.5	23.7	23.9	28.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.8	22.6	17.4	18.2	Were very sad	18.9	20.1	19.2	24.0
					Felt hopeless about the future	12.3	12.6	9.4	14.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.7	11.1	10.1	10.4	Parents involve student in making family decisions	72.9	73.3	68.7	70.7
Made plan about how they would attempt suicide	8.5	7.6	8.1	7.3	Parents notice and comment on student's good work	84.9	83.1	83.3	83.1
Attempted suicide	6.3	4.7	5.7	3.5	Teachers notice and comment on student's good work	80.9	77.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MISSISSIPPI COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	20
POPULATION	
Census 2010	14,358
2016 Estimate	13,799

BIRTH RISK	2015	2014	2013
Resident Births	148	148	159
Mother Reported Smoking while Pregnant	47	47	52

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	3	0
Hepatitis B Chronic, Acute, Prenatal	2	3	0
Hepatitis C Chronic and Acute	31	30	34
Tuberculosis Infection Cases	2	0	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	156	149	168
Suicide	3	2	2
Homicide	0	3	0
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	3	0	0
Smoking Attributable Deaths	29	32	33
Self-inflicted Injuries *	17	21	12
Assault Injuries *	71	58	70

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	143	141	123
Mental Illness Secondary Diagnosis	281	180	273
Alcohol Principal Diagnosis	9	1	1
Alcohol Secondary Diagnosis	35	15	23
Drug Principal Diagnosis	16	13	5
Drug Secondary Diagnosis	65	17	19
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	18	10	19
Mental Illness Secondary Diagnosis	219	307	193
Alcohol Principal Diagnosis	5	8	4
Alcohol Secondary Diagnosis	29	30	24
Drug Principal Diagnosis	3	4	1
Drug Secondary Diagnosis	19	41	23
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	118	117	92
Mental Illness Secondary Diagnosis	247	159	113
Alcohol Principal Diagnosis	11	11	19
Alcohol Secondary Diagnosis	35	13	11
Drug Principal Diagnosis	21	30	16
Drug Secondary Diagnosis	59	39	35

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	8	7	8
Alcohol Package Carry-out Licenses	15	15	15

EMPLOYMENT	2016	2015	2014
Labor Force	6,285	6,375	6,212
Employed	5,872	6,001	5,750
Unemployed	413	374	462
Unemployment Rate	6.6%	5.9%	7.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	9	8	8
Fatal Crashes	0	0	0
Injury Crashes	5	4	3
Property Damage Crashes	4	4	7
Crash Fatalities	0	0	0
Crash Injuries	5	4	10
Drug Involved Crashes	6	9	1
Fatal Crashes	0	0	0
Injury Crashes	3	6	1
Property Damage Crashes	3	3	0
Crash Fatalities	0	0	0
Crash Injuries	3	6	2

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	61	57	58
Liquor Law Arrests	3	6	3
Drug Arrests	64	95	65
Methamphetamine Lab Seizures	0	1	1
Violent Offenses	58	62	75
Domestic Violence Reports	108	157	188
Property Offenses	253	235	331

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	615	564	576
Drop-outs	2	3	4
Drop-out Rate	0.3%	0.5%	0.7%
School Discipline Involving Alcohol	0	4	0
School Discipline Involving Drugs	5	4	5
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	18	15	30
Juvenile Alcohol Offenses	5	3	2
Juvenile Drug Offenses	2	7	7
School Truancy Status Offense	7	14	47
Absent from Home Status Offense	1	4	0
Beyond Parental Control Status Offense	8	8	9
Injurious Behavior Status Offense	5	1	26
Child Abuse	0	3	1
Child Neglect	46	44	37
Child Custody Issues	1	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	19	33	31
Parental Alcohol Use Related	2	3	0
Parental Drug Use Related	16	11	18
Parental Alcohol and Drug Use	0	1	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	22	20	21
Probation/Parole Admissions--Drug	55	55	45
Probation/Parole Admissions--DWI	5	4	1
Prison Admissions--Drug	31	27	30
Prison Admissions--DWI	2	0	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MISSISSIPPI COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	21	25	28
CSTAR Adolescent	11	11	7
CSTAR Women and Children	8	11	16
CSTAR General Adult	69	71	116
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	8	0
Clinical SATOP (CIP, YCIP, SROP)	13	14	14
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	39	39	51
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	11	7	17
- Weekend Intervention Program	9	10	13
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	33	29	39
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	105	118	168	Alcohol	28	28	45
AGE				Marijuana / Hashish	32	39	54
Under 18	12	11	7	Cocaine (total)	*	*	8
18 to 24	18	16	24	- Crack	*	*	5
25 to 29	16	23	28	Stimulant (total)	30	24	36
30 to 34	13	19	30	- Methamphetamine	29	24	34
35 to 39	16	17	18	Heroin	5	9	9
40 to 44	7	17	28	Analgesic except Heroin	5	10	15
45 to 54	18	9	22	- Non-Prescription Methadone	0	0	0
55 and Over	5	6	11	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	66	64	114	Inhalant	0	0	0
Female	39	54	54	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	83	97	115	Average Age at First Use of Drug	18.1	18.1	18.9
African American	21	20	49	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	17	20	19
Asian / Pacific Islander	0	0	0	- Daily Injection Use	5	6	7
Hispanic	*	*	*	- Weekly Injection Use	6	*	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	6	10	9
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	45	52	64	0	62	64	99
High School Graduate or G.E.D.	48	50	84	1 or 2	23	45	39
Associate Degree or Some College	11	16	20	3 or More	20	9	30
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	27	27	24
Employed	31	24	46	School	0	0	0
Unemployed	29	45	72	Mental Health Provider	0	*	0
Not in Labor Force	45	49	50	Health Care Provider	7	7	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	47	56	114
Independent Living	87	93	144	Other Referral Source	22	23	20
Dependent Living	14	13	12	TREATMENT ACCOMMODATION			
Homeless	*	8	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	*	5
Never Married	58	62	81	Special Education Services Needed	10	7	7
Married / Cohabiting	29	34	42	Co-Occurring Psychological Problem	44	53	27
Previously Married	18	22	45	Co-Occurring Developmental Problem	5	5	5

MISSISSIPPI COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 14,358
2016 POPULATION ESTIMATE 13,799

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	11
Anxiety Disorder	44	88	102
Dementia	0	0	0
Developmental Disorder	0	0	*
Impulse Control Disorder	40	63	56
Mood Disorder	204	255	243
Personality Disorder	8	20	27
Psychotic Disorder	54	58	54
Sexual Disorder	0	0	0
Other Diagnosis	19	22	35
Diagnosis Unknown	19	28	22

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	302	404	391	Less than High School Diploma	122	202	186
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	*	Associate Degree or Some College	0	0	0
6 to 9	9	18	16	Bachelor or Advanced Degree	0	0	0
10 to 13	32	52	46	Education Level Unknown	180	202	205
14 to 17	37	58	52	EMPLOYMENT			
18 to 24	21	33	28	Employed	16	21	24
25 to 29	18	26	37	Unemployed	10	28	34
30 to 34	24	36	37	Not in Labor Force	167	257	222
35 to 39	25	33	24	Employment Status Unknown	109	98	111
40 to 44	23	28	36	HOUSING / LIVING ARRANGEMENT			
45 to 49	26	29	38	Independent Living	145	217	201
50 to 54	33	42	32	Dependent Living	76	138	125
55 to 59	25	22	25	Homeless	*	*	*
60 and Over	29	25	19	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	80	47	63
GENDER				TREATMENT REFERRAL SOURCE			
Male	129	171	163	Self / Family / Friend	124	177	162
Female	173	233	228	School	7	10	8
Gender Unknown	0	0	0	Mental Health Provider	29	35	33
RACE / ETHNICITY				Health Care Provider	49	49	54
Caucasian	228	311	303	Court / Criminal Justice	34	58	47
African American	56	75	76	Other	59	75	87
Native American / Alaskan	*	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	5	5	*	Voluntary	298	402	390
Other Race	12	12	9	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	5	8	Commitment Type Unknown	*	0	0
Past or Current Military Service	5	6	*				

MISSISSIPPI COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	11.0	46.7	39.3	43.3	Alcohol	0.4	17.1	10.7	21.4
Chewing Tobacco	1.6	20.4	19.3	23.2	Alcohol (5+ drinks on single occasion past 2 weeks)	0.0	10.6		
Cigarettes	52.5	32.9	41.8	33.4	Chewing Tobacco	0.0	11.8	10.7	13.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.0	0.5	3.5	Cigarettes	2.0	15.1	25.0	18.3
Cocaine	0.0	0.7	4.1	4.2	Inhalants	0.0	2.6	5.1	3.1
Electronic Cigarettes	1.6	17.2			Marijuana	0.4	10.7	18.4	7.9
Hallucinogens	0.0	2.0	0.0	4.6	Over-the-counter medications for non-medical use	0.0	2.0	5.1	4.5
Heroin	0.0	2.0	0.0	1.4	Prescription medications not prescribed for student	6.3	3.9	11.7	7.3
Inhalants	0.4	3.3	9.6	9.9	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	44.9	23.3	27.0	17.9	Alcohol (1 or 2 drinks daily)	90.2	62.5		
Methamphetamine	0.0	2.0	0.0	1.4	Alcohol (Binge: 5+ drinks once or twice a week)	93.3	72.4		
Over-the-counter medications for non-medical use	0.0	2.6	5.1	4.9	Cigarettes (1+ packs per day)	94.1	86.7		
Prescription medications not prescribed for student	4.9	7.2	17.9	12.1	Marijuana (once or twice a week)	93.2	55.3		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	2.6	2.6		Other: Cocaine, LSD, Meth, Club Drug (any use)	95.7	89.4	86.2	83.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	10.31	13.20	12.02	12.57	Alcohol	94.1	79.6	76.5	74.7
Cigarettes	8.27	12.87	10.90	11.91	Cigarettes	95.3	89.3	84.1	84.9
Inhalants		13.03	11.05	11.86	Marijuana	96.9	90.7	88.7	86.6
Marijuana	11.99	13.72	14.31	13.60	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	52.2	61.3	56.6	55.1
Alcohol	53.3	58.6	48.0	56.1	Cigarettes	53.3	79.9	71.9	68.5
Cigarettes	50.4	55.3	54.6	51.4	Marijuana	51.8	70.2	76.5	75.5
Marijuana	7.1	47.0	37.1	40.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	53.7	95.4	94.8	89.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	9.9	8.2	15.2	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	11.8	57.6	43.1	60.5
Alcohol	3.5	33.1	33.0	41.1	Cigarettes	55.7	58.3	49.7	66.1
Cigarettes	44.5	18.3	24.9	19.7	Marijuana	54.5	50.3	35.2	52.7
Marijuana	46.5	21.3	24.1	13.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.7	20.5	13.8	29.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	76.1	64.9	68.0	62.2	Were grouchy, irritable, or in a bad mood	30.6	25.8	36.0	41.6
Were victims of mean rumors or lies spread at school	71.4	60.5	54.8	58.1	Had difficulty concentrating on school work	55.7	22.9	20.4	38.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	8.2	26.8	12.6	20.2	Were very sad	9.4	18.4	18.4	31.6
					Felt hopeless about the future	48.6	15.2	8.7	21.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	4.3	15.8	19.4	13.9	Parents involve student in making family decisions	50.8	72.8	74.0	64.9
Made plan about how they would attempt suicide	4.7	11.8	21.5	9.5	Parents notice and comment on student's good work	95.7	86.8	85.7	75.9
Attempted suicide	2.4	7.9	12.2	9.5	Teachers notice and comment on student's good work	96.5	79.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MONITEAU COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	12
POPULATION	
Census 2010	15,607
2016 Estimate	16,018

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	13	16	6
Fatal Crashes	1	1	2
Injury Crashes	7	4	3
Property Damage Crashes	5	11	12
Crash Fatalities	1	1	2
Crash Injuries	9	6	4
Drug Involved Crashes	0	1	5
Fatal Crashes	0	0	1
Injury Crashes	0	0	0
Property Damage Crashes	0	1	4
Crash Fatalities	0	0	1
Crash Injuries	0	0	0

BIRTH RISK	2015	2014	2013
Resident Births	221	194	220
Mother Reported Smoking while Pregnant	25	30	45

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	3	2	1
Hepatitis C Chronic and Acute	7	27	7
Tuberculosis Infection Cases	3	1	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	141	150	149
Suicide	1	2	2
Homicide	0	2	0
Alcohol Induced Deaths	0	2	1
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	19	28	32
Self-inflicted Injuries *	0	3	17
Assault Injuries *	23	38	28

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	59	45	46
Mental Illness Secondary Diagnosis	163	118	150
Alcohol Principal Diagnosis	5	5	6
Alcohol Secondary Diagnosis	7	6	20
Drug Principal Diagnosis	1	3	2
Drug Secondary Diagnosis	18	7	4
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	41	54	49
Mental Illness Secondary Diagnosis	134	203	183
Alcohol Principal Diagnosis	8	13	21
Alcohol Secondary Diagnosis	11	18	20
Drug Principal Diagnosis	5	4	3
Drug Secondary Diagnosis	7	9	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	91	97	97
Mental Illness Secondary Diagnosis	330	318	305
Alcohol Principal Diagnosis	11	14	12
Alcohol Secondary Diagnosis	12	13	17
Drug Principal Diagnosis	15	13	21
Drug Secondary Diagnosis	22	29	22

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	11	11	9
Alcohol Package Carry-out Licenses	16	17	15

EMPLOYMENT	2016	2015	2014
Labor Force	7,524	7,463	7,369
Employed	7,200	7,098	6,930
Unemployed	324	365	439
Unemployment Rate	4.3%	4.9%	6.0%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	35	64	46
Liquor Law Arrests	2	0	5
Drug Arrests	47	33	25
Methamphetamine Lab Seizures	0	0	2
Violent Offenses	27	27	28
Domestic Violence Reports	89	139	87
Property Offenses	126	141	105

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	720	724	720
Drop-outs	12	7	12
Drop-out Rate	1.7%	1.0%	1.7%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	1	4	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	3	7	4
Juvenile Alcohol Offenses	3	0	0
Juvenile Drug Offenses	2	2	1
School Truancy Status Offense	9	2	4
Absent from Home Status Offense	2	4	1
Beyond Parental Control Status Offense	2	3	1
Injurious Behavior Status Offense	1	8	9
Child Abuse	0	3	6
Child Neglect	11	21	6
Child Custody Issues	4	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	5	7	3
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	4	2
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	41	32	32
Probation/Parole Admissions--DWI	2	3	1
Prison Admissions--Drug	16	20	16
Prison Admissions--DWI	2	1	2

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MONITEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	6	*	*
CSTAR Adolescent	6	*	5
CSTAR Women and Children	19	8	7
CSTAR General Adult	37	38	54
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	5
Clinical SATOP (CIP, YCIP, SROP)	14	13	15
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	49	39	60
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	16	13	20
- Weekend Intervention Program	*	7	13
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	6	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	73	64	82	Alcohol	25	25	37
AGE				Marijuana / Hashish	13	12	13
Under 18	7	*	5	Cocaine (total)	0	0	0
18 to 24	8	7	11	- Crack	0	0	0
25 to 29	15	13	13	Stimulant (total)	27	22	22
30 to 34	16	13	8	- Methamphetamine	19	22	21
35 to 39	10	12	14	Heroin	*	0	*
40 to 44	6	6	8	Analgesic except Heroin	*	*	*
45 to 54	7	7	17	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	6	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	*	*
Male	41	40	60	Inhalant	*	0	0
Female	32	24	22	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	5
Caucasian	68	60	73	Average Age at First Use of Drug	17.4	16.8	18.3
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	12	*	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	*	*	5	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	5	*	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	24	17	22	0	44	40	41
High School Graduate or G.E.D.	33	32	41	1 or 2	21	19	23
Associate Degree or Some College	16	14	19	3 or More	8	5	18
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	41	17	15
Employed	21	17	22	School	0	0	0
Unemployed	23	23	30	Mental Health Provider	0	*	*
Not in Labor Force	29	24	30	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	18	30	52
Independent Living	59	50	70	Other Referral Source	12	14	11
Dependent Living	11	6	8	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	5	*	6
Never Married	38	36	35	Special Education Services Needed	*	*	*
Married / Cohabiting	17	13	34	Co-Occurring Psychological Problem	22	26	33
Previously Married	18	15	13	Co-Occurring Developmental Problem	*	0	*

MONITEAU COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 15,607
2016 POPULATION ESTIMATE 16,018

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	33	40	39
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	9	13	8
Mood Disorder	49	58	67
Personality Disorder	5	6	9
Psychotic Disorder	13	15	14
Sexual Disorder	0	0	0
Other Diagnosis	9	6	5
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	70	82	85	Less than High School Diploma	22	24	17
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	5	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	5	*	Education Level Unknown	48	58	68
14 to 17	*	8	5	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	*	7	5	Unemployed	0	*	*
30 to 34	*	*	7	Not in Labor Force	56	51	47
35 to 39	7	*	*	Employment Status Unknown	11	26	31
40 to 44	*	8	11	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	6	12	Independent Living	40	42	45
50 to 54	13	13	12	Dependent Living	17	16	11
55 to 59	*	6	7	Homeless	*	*	0
60 and Over	14	16	15	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	10	22	29
GENDER				TREATMENT REFERRAL SOURCE			
Male	27	24	28	Self / Family / Friend	40	46	46
Female	43	58	57	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	5
RACE / ETHNICITY				Health Care Provider	11	14	16
Caucasian	67	78	82	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	12	16	17
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	69	82	84
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	0	0
Past or Current Military Service	*	*	*				

MONITEAU COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	44.5	43.9	47.7	51.7	Alcohol	22.3	20.2	20.3	21.9
Chewing Tobacco	18.7	17.6	19.2	24.7	Alcohol (5+ drinks on single occasion past 2 weeks)	10.9	9.1		
Cigarettes	22.3	28.8	19.2	24.6	Chewing Tobacco	10.2	11.7	5.6	15.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.0	1.5	0.3	Cigarettes	8.4	15.2	8.6	11.1
Cocaine	1.1	4.3	1.1	1.0	Inhalants	0.7	0.5	2.6	1.6
Electronic Cigarettes	27.5	17.6			Marijuana	7.4	13.3	4.9	6.6
Hallucinogens	1.8	2.7	0.4	1.6	Over-the-counter medications for non-medical use	0.7	1.6	3.0	1.6
Heroin	0.4	0.0	0.4	0.9	Prescription medications not prescribed for student	8.0	2.7	2.3	2.6
Inhalants	2.2	2.1	4.5	3.8					
Marijuana	14.0	17.6	11.3	10.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.4	1.6	1.2	1.3	Alcohol (1 or 2 drinks daily)	63.4	55.1		
Over-the-counter medications for non-medical use	2.9	2.1	4.9	3.5	Alcohol (Binge: 5+ drinks once or twice a week)	75.2	69.1		
Prescription medications not prescribed for student	13.3	3.7	6.4	5.1	Cigarettes (1+ packs per day)	86.1	80.7		
Synthetic drugs (K2, bath salts, Spice, etc)	0.4	3.2	3.4		Marijuana (once or twice a week)	73.3	72.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.9	94.6	92.8	95.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.97	13.15	12.19	12.06	Alcohol	82.1	74.5	73.2	72.8
Cigarettes	12.96	13.20	11.63	12.64	Cigarettes	94.5	89.9	95.1	93.2
Inhalants		14.23	11.08	10.26	Marijuana	95.6	91.8	97.7	97.5
Marijuana	14.20	14.03	13.25	13.83					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	47.6	45.5	63.2	69.6	Alcohol	66.7	62.2	56.0	53.6
Cigarettes	34.2	31.9	32.5	42.6	Cigarettes	87.9	83.9	86.4	85.7
Marijuana	32.4	30.9	27.5	29.1	Marijuana	83.6	79.0	84.5	90.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.4	14.6	9.0	18.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	98.4	96.6	98.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	31.9	34.2	38.0	43.2	Alcohol	54.4	55.0	60.8	65.3
Cigarettes	10.8	21.3	9.0	13.2	Cigarettes	53.3	51.9	44.0	51.4
Marijuana	11.5	14.4	13.2	10.1	Marijuana	33.9	29.3	31.2	28.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	17.4	14.8	15.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.7	56.4	63.5	77.6	Were grouchy, irritable, or in a bad mood	26.4	16.6	16.5	29.2
Were victims of mean rumors or lies spread at school	51.5	52.7	47.7	60.4	Had difficulty concentrating on school work	23.2	16.0	17.7	31.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.1	18.1	24.0	19.2	Were very sad	16.4	14.4	15.4	16.5
					Felt hopeless about the future	11.7	8.5	7.5	12.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.7	9.0	12.8	9.8	Parents involve student in making family decisions	68.6	71.3	69.3	74.2
Made plan about how they would attempt suicide	7.4	7.0	8.6	5.7	Parents notice and comment on student's good work	85.3	79.8	80.5	82.5
Attempted suicide	3.7	4.3	6.7	3.5	Teachers notice and comment on student's good work	73.6	75.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MONROE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	8,840
2016 Estimate	8,558

BIRTH RISK	2015	2014	2013
Resident Births	100	87	91
Mother Reported Smoking while Pregnant	31	16	22

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	6	2	2
Tuberculosis Infection Cases	1	1	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	98	97	89
Suicide	1	1	1
Homicide	0	0	0
Alcohol Induced Deaths	1	2	0
Drug Induced Deaths	2	1	0
Smoking Attributable Deaths	13	14	20
Self-inflicted Injuries *	6	3	10
Assault Injuries *	14	9	21

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	32	38	63
Mental Illness Secondary Diagnosis	163	125	144
Alcohol Principal Diagnosis	3	2	3
Alcohol Secondary Diagnosis	13	9	9
Drug Principal Diagnosis	1	1	1
Drug Secondary Diagnosis	6	5	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	14	28	21
Mental Illness Secondary Diagnosis	120	137	115
Alcohol Principal Diagnosis	5	7	10
Alcohol Secondary Diagnosis	6	19	15
Drug Principal Diagnosis	3	7	7
Drug Secondary Diagnosis	2	3	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	42	45	42
Mental Illness Secondary Diagnosis	136	145	114
Alcohol Principal Diagnosis	6	2	8
Alcohol Secondary Diagnosis	4	7	11
Drug Principal Diagnosis	9	6	6
Drug Secondary Diagnosis	17	7	7

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	13	12	11
Alcohol Package Carry-out Licenses	12	11	12

EMPLOYMENT	2016	2015	2014
Labor Force	4,208	4,281	4,161
Employed	4,005	4,056	3,886
Unemployed	203	225	275
Unemployment Rate	4.8%	5.3%	6.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	8	7	8
Fatal Crashes	0	0	0
Injury Crashes	3	3	4
Property Damage Crashes	5	4	1
Crash Fatalities	0	0	0
Crash Injuries	3	5	4
Drug Involved Crashes	1	0	4
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	0	4
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	39	27	24
Liquor Law Arrests	3	4	2
Drug Arrests	48	27	68
Methamphetamine Lab Seizures	1	2	4
Violent Offenses	16	3	3
Domestic Violence Reports	42	26	18
Property Offenses	89	85	81

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	466	485	450
Drop-outs	1	7	8
Drop-out Rate	0.2%	1.4%	1.8%
School Discipline Involving Alcohol	0	1	0
School Discipline Involving Drugs	2	1	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	3	5	4
Juvenile Alcohol Offenses	6	1	1
Juvenile Drug Offenses	1	0	2
School Truancy Status Offense	1	5	3
Absent from Home Status Offense	0	3	0
Beyond Parental Control Status Offense	0	0	0
Injurious Behavior Status Offense	18	20	24
Child Abuse	2	1	2
Child Neglect	20	7	23
Child Custody Issues	4	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	17	6	11
Parental Alcohol Use Related	2	1	0
Parental Drug Use Related	5	1	9
Parental Alcohol and Drug Use	1	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	30	16	23
Probation/Parole Admissions--DWI	0	0	1
Prison Admissions--Drug	17	8	9
Prison Admissions--DWI	2	0	0

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MONROE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	5	*	*
CSTAR Adolescent	0	*	6
CSTAR Women and Children	6	11	*
CSTAR General Adult	28	25	18
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	5	9
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	36	33	33
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	12	13	14
- Weekend Intervention Program	5	8	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	46	43	42	Alcohol	22	15	16
AGE				Marijuana / Hashish	6	17	11
Under 18	0	*	6	Cocaine (total)	0	*	*
18 to 24	14	9	11	- Crack	0	*	*
25 to 29	*	10	*	Stimulant (total)	14	9	9
30 to 34	7	8	8	- Methamphetamine	14	9	9
35 to 39	7	*	*	Heroin	*	*	0
40 to 44	*	*	*	Analgesic except Heroin	*	0	*
45 to 54	7	6	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	5	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	0	0	0
Male	30	25	31	Inhalant	0	0	0
Female	16	18	11	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	42	36	38	Average Age at First Use of Drug	17.3	18.4	17.6
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	*	*	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	6	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	12	10	12	0	21	26	22
High School Graduate or G.E.D.	31	23	25	1 or 2	14	13	12
Associate Degree or Some College	*	10	*	3 or More	11	*	8
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	13	8	11
Employed	20	19	15	School	0	0	0
Unemployed	16	17	16	Mental Health Provider	*	*	0
Not in Labor Force	10	7	11	Health Care Provider	0	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	16	15	21
Independent Living	36	34	32	Other Referral Source	5	6	6
Dependent Living	6	6	8	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	22	23	26	Special Education Services Needed	*	8	*
Married / Cohabiting	9	14	8	Co-Occurring Psychological Problem	15	14	12
Previously Married	15	6	8	Co-Occurring Developmental Problem	*	*	*

MONROE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 8,840
2016 POPULATION ESTIMATE 8,558

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	7	6	9
Anxiety Disorder	42	42	49
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	37	35	42
Mood Disorder	67	56	74
Personality Disorder	*	*	6
Psychotic Disorder	9	10	13
Sexual Disorder	*	*	*
Other Diagnosis	23	18	18
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	106	87	105	Less than High School Diploma	43	40	44
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	10	10	5	Bachelor or Advanced Degree	0	0	0
10 to 13	15	11	14	Education Level Unknown	63	47	61
14 to 17	12	15	26	EMPLOYMENT			
18 to 24	12	8	6	Employed	13	9	5
25 to 29	*	*	*	Unemployed	7	7	*
30 to 34	5	5	8	Not in Labor Force	62	54	70
35 to 39	11	5	6	Employment Status Unknown	24	17	27
40 to 44	5	8	9	HOUSING / LIVING ARRANGEMENT			
45 to 49	5	*	8	Independent Living	34	31	27
50 to 54	13	9	7	Dependent Living	41	39	47
55 to 59	5	7	7	Homeless	0	0	*
60 and Over	7	*	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	31	17	30
GENDER				TREATMENT REFERRAL SOURCE			
Male	52	43	54	Self / Family / Friend	39	25	44
Female	54	44	51	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	8	6	9
RACE / ETHNICITY				Health Care Provider	6	6	5
Caucasian	94	78	96	Court / Criminal Justice	*	*	5
African American	10	6	6	Other	50	46	39
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	104	85	103
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.6	37.9	52.2	40.1	Alcohol	14.4	19.6	22.2	16.8
Chewing Tobacco	11.5	19.4	15.6	15.3	Alcohol (5+ drinks on single occasion past 2 weeks)	1.4	6.9		
Cigarettes	12.1	27.5	35.3	29.2	Chewing Tobacco	7.1	11.7	9.6	9.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.0	0.7	1.6	Cigarettes	5.0	6.9	13.2	17.2
Cocaine	0.0	1.0	0.7	0.5	Inhalants	0.0	1.0	2.2	2.1
Electronic Cigarettes	5.0	13.7			Marijuana	0.7	2.9	5.1	4.7
Hallucinogens	0.0	1.0	0.7	1.1	Over-the-counter medications for non-medical use	0.7	1.0	3.7	2.1
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	7.1	4.9	3.0	3.7
Inhalants	0.0	2.9	3.7	3.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	5.0	6.8	14.1	9.5	Alcohol (1 or 2 drinks daily)	56.4	51.5		
Methamphetamine	0.0	1.0	0.8	0.5	Alcohol (Binge: 5+ drinks once or twice a week)	62.1	69.6		
Over-the-counter medications for non-medical use	2.8	1.9	5.2	5.3	Cigarettes (1+ packs per day)	79.9	76.5		
Prescription medications not prescribed for student	9.2	10.8	7.4	9.5	Marijuana (once or twice a week)	75.5	76.7		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	2.9	4.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	94.1	93.3	92.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.11	13.43	12.55	11.67	Alcohol	77.9	72.5	69.6	81.3
Cigarettes	14.13	13.72	12.59	11.49	Cigarettes	95.0	85.3	88.1	91.5
Inhalants		11.51	10.47	11.31	Marijuana	97.2	94.1	94.8	96.8
Marijuana		13.80	13.29	12.95	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	73.0	57.4	51.9	60.4
Alcohol	31.9	43.1	61.0	56.3	Cigarettes	92.2	81.2	74.1	77.5
Cigarettes	23.4	30.4	54.1	50.5	Marijuana	94.3	92.2	85.3	87.6
Marijuana	9.3	13.7	29.6	28.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	98.0	95.6	96.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.7	6.9	11.2	11.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	46.4	53.5	58.2	51.3
Alcohol	27.0	35.0	40.4	28.8	Cigarettes	33.3	57.3	55.2	55.5
Cigarettes	5.8	10.7	20.0	17.6	Marijuana	8.5	21.0	31.3	27.7
Marijuana	3.5	4.9	8.9	7.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3	9.7	14.3	13.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.4	58.3	65.7	78.9	Were grouchy, irritable, or in a bad mood	34.8	16.5	26.7	33.0
Were victims of mean rumors or lies spread at school	51.1	47.6	55.6	71.9	Had difficulty concentrating on school work	16.3	15.7	21.8	32.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.6	18.4	20.9	27.0	Were very sad	18.6	12.6	19.1	25.4
					Felt hopeless about the future	7.1	7.8	11.8	17.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	5.0	5.9	11.2	11.9	Parents involve student in making family decisions	75.2	70.3	65.2	70.4
Made plan about how they would attempt suicide	2.2	4.9	9.0	8.8	Parents notice and comment on student's good work	89.3	81.4	80.0	86.8
Attempted suicide	0.0	3.9	5.1	7.3	Teachers notice and comment on student's good work	79.4	68.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MONTGOMERY COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	12,236
2016 Estimate	11,620

BIRTH RISK	2015	2014	2013
Resident Births	124	131	128
Mother Reported Smoking while Pregnant	32	29	42

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	5	7	2
Tuberculosis Infection Cases	2	0	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	154	170	152
Suicide	2	5	2
Homicide	0	1	0
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	4	4	2
Smoking Attributable Deaths	30	37	23
Self-inflicted Injuries *	19	19	12
Assault Injuries *	46	34	33

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	111	79	81
Mental Illness Secondary Diagnosis	206	157	175
Alcohol Principal Diagnosis	7	6	5
Alcohol Secondary Diagnosis	16	13	13
Drug Principal Diagnosis	6	0	7
Drug Secondary Diagnosis	16	6	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	60	80	70
Mental Illness Secondary Diagnosis	176	238	210
Alcohol Principal Diagnosis	12	4	4
Alcohol Secondary Diagnosis	18	25	19
Drug Principal Diagnosis	3	4	5
Drug Secondary Diagnosis	17	15	12
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	94	87	83
Mental Illness Secondary Diagnosis	221	164	212
Alcohol Principal Diagnosis	14	5	10
Alcohol Secondary Diagnosis	17	19	18
Drug Principal Diagnosis	25	13	9
Drug Secondary Diagnosis	25	35	23

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	21	19	19
Alcohol Package Carry-out Licenses	19	21	20

EMPLOYMENT	2016	2015	2014
Labor Force	5,824	5,784	5,696
Employed	5,558	5,496	5,354
Unemployed	266	288	342
Unemployment Rate	4.6%	5.0%	6.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	10	19	13
Fatal Crashes	1	1	0
Injury Crashes	3	8	8
Property Damage Crashes	6	10	8
Crash Fatalities	1	1	0
Crash Injuries	5	9	10
Drug Involved Crashes	3	2	2
Fatal Crashes	1	0	1
Injury Crashes	0	1	1
Property Damage Crashes	2	1	0
Crash Fatalities	2	0	1
Crash Injuries	0	2	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	49	50	53
Liquor Law Arrests	5	2	20
Drug Arrests	65	49	48
Methamphetamine Lab Seizures	1	1	6
Violent Offenses	23	24	22
Domestic Violence Reports	57	53	52
Property Offenses	174	195	155

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	479	434	454
Drop-outs	10	5	6
Drop-out Rate	2.1%	1.2%	1.3%
School Discipline Involving Alcohol	4	0	2
School Discipline Involving Drugs	5	2	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	7	37	7
Juvenile Alcohol Offenses	0	12	4
Juvenile Drug Offenses	2	25	2
School Truancy Status Offense	1	21	3
Absent from Home Status Offense	4	9	6
Beyond Parental Control Status Offense	2	13	1
Injurious Behavior Status Offense	17	56	6
Child Abuse	10	12	8
Child Neglect	43	37	23
Child Custody Issues	1	4	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	37	25	21
Parental Alcohol Use Related	1	1	1
Parental Drug Use Related	13	9	5
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	12	13	9
Probation/Parole Admissions--Drug	45	42	77
Probation/Parole Admissions--DWI	11	4	4
Prison Admissions--Drug	23	20	23
Prison Admissions--DWI	5	3	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MONTGOMERY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	5	6	*
CSTAR Adolescent	*	6	6
CSTAR Women and Children	6	9	*
CSTAR General Adult	71	76	78
CSTAR Opioid	*	0	0
Primary Recovery Treatment	7	6	7
Clinical SATOP (CIP, YCIP, SROP)	13	8	17
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	26	44	43
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	10	19	8
- Weekend Intervention Program	*	7	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	99	102	107	Alcohol	27	28	40
AGE				Marijuana / Hashish	21	29	34
Under 18	*	6	6	Cocaine (total)	*	0	*
18 to 24	17	14	20	- Crack	*	0	*
25 to 29	18	20	20	Stimulant (total)	28	31	22
30 to 34	17	22	14	- Methamphetamine	28	31	21
35 to 39	14	11	10	Heroin	11	8	*
40 to 44	6	5	6	Analgesic except Heroin	10	5	*
45 to 54	16	17	24	- Non-Prescription Methadone	0	0	0
55 and Over	9	7	7	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	66	62	74	Inhalant	0	0	0
Female	33	40	33	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	95	94	102	Average Age at First Use of Drug	18.5	18.8	18.2
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	19	20	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	*	*	0	- Weekly Injection Use	*	8	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	15	12	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	24	37	35	0	65	68	61
High School Graduate or G.E.D.	63	53	60	1 or 2	20	20	26
Associate Degree or Some College	12	12	12	3 or More	14	14	20
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	30	23	56
Employed	44	27	49	School	0	0	0
Unemployed	33	51	30	Mental Health Provider	0	*	0
Not in Labor Force	22	24	28	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	56	58	40
Independent Living	89	85	96	Other Referral Source	8	12	7
Dependent Living	6	7	6	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	6	8	7
Never Married	52	52	51	Special Education Services Needed	10	*	19
Married / Cohabiting	26	31	29	Co-Occurring Psychological Problem	23	38	37
Previously Married	21	19	27	Co-Occurring Developmental Problem	5	0	13

MONTGOMERY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 12,236
2016 POPULATION ESTIMATE 11,620

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	9	11	17
Anxiety Disorder	83	79	83
Dementia	*	0	*
Developmental Disorder	11	6	18
Impulse Control Disorder	61	49	58
Mood Disorder	127	106	118
Personality Disorder	16	20	20
Psychotic Disorder	24	20	32
Sexual Disorder	0	0	0
Other Diagnosis	29	17	21
Diagnosis Unknown	9	*	22

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	178	148	198	Less than High School Diploma	69	62	71
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	5	Associate Degree or Some College	0	0	0
6 to 9	17	17	17	Bachelor or Advanced Degree	0	0	0
10 to 13	15	11	18	Education Level Unknown	109	86	127
14 to 17	21	15	21	EMPLOYMENT			
18 to 24	17	14	18	Employed	19	11	13
25 to 29	17	9	11	Unemployed	15	8	20
30 to 34	13	9	16	Not in Labor Force	108	94	110
35 to 39	15	17	23	Employment Status Unknown	36	35	55
40 to 44	17	20	13	HOUSING / LIVING ARRANGEMENT			
45 to 49	10	11	15	Independent Living	73	60	76
50 to 54	18	16	23	Dependent Living	52	45	48
55 to 59	8	5	12	Homeless	*	0	*
60 and Over	7	*	6	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	49	43	73
GENDER				TREATMENT REFERRAL SOURCE			
Male	92	69	99	Self / Family / Friend	119	93	129
Female	86	79	99	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	8
RACE / ETHNICITY				Health Care Provider	25	23	18
Caucasian	170	140	184	Court / Criminal Justice	*	*	9
African American	*	5	7	Other	28	23	32
Native American / Alaskan	0	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	5	Voluntary	177	148	198
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	0	0
Past or Current Military Service	*	0	*				

MONTGOMERY COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.9	39.6	48.9	68.4	Alcohol	15.0	16.7	19.3	34.6
Chewing Tobacco	13.1	18.1	16.6	19.3	Alcohol (5+ drinks on single occasion past 2 weeks)	8.8	6.3		
Cigarettes	18.2	16.3	28.3	36.2	Chewing Tobacco	6.6	9.0	10.1	12.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.3	0.0	2.2	1.8	Cigarettes	6.7	2.8	12.8	19.7
Cocaine	0.5	0.7	1.6	2.6	Inhalants	0.0	0.0	1.6	0.9
Electronic Cigarettes	15.3	15.4			Marijuana	7.1	2.8	5.3	7.5
Hallucinogens	1.6	0.0	3.2	3.1	Over-the-counter medications for non-medical use	2.2	0.0	3.7	4.4
Heroin	0.0	0.0	1.1	0.4	Prescription medications not prescribed for student	11.4	0.7	5.9	7.5
Inhalants	1.6	0.0	3.7	3.5					
Marijuana	14.1	11.9	13.9	18.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0	1.1	0.9	Alcohol (1 or 2 drinks daily)	69.4	55.9		
Over-the-counter medications for non-medical use	3.8	2.1	6.9	8.0	Alcohol (Binge: 5+ drinks once or twice a week)	75.0	71.5		
Prescription medications not prescribed for student	14.3	3.5	9.0	14.1	Cigarettes (1+ packs per day)	86.7	88.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	1.4	7.4		Marijuana (once or twice a week)	67.6	65.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	92.4	91.9	94.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.54	13.05	12.36	12.57	Alcohol	77.6	70.6	70.4	58.6
Cigarettes	12.29	11.60	12.39	12.44	Cigarettes	95.1	90.3	89.8	85.5
Inhalants			11.79	12.54	Marijuana	93.4	91.7	95.1	94.3
Marijuana	14.19	13.88	13.61	13.11					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.2	47.9	62.6	83.8	Alcohol	69.4	60.3	54.8	31.9
Cigarettes	21.9	33.8	47.3	59.0	Cigarettes	91.7	89.6	81.2	71.9
Marijuana	30.6	31.7	32.3	38.0	Marijuana	78.8	83.8	83.8	80.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	6.3	15.0	16.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	96.5	94.1	94.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.6	28.5	36.4	60.9	Alcohol	49.5	54.5	51.9	73.2
Cigarettes	7.7	6.3	12.4	22.4	Cigarettes	39.2	50.0	50.3	66.7
Marijuana	13.0	7.7	7.4	10.5	Marijuana	35.2	30.6	28.6	35.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.7	10.6	14.8	15.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	55.7	59.9	62.6	69.1	Were grouchy, irritable, or in a bad mood	25.8	31.3	19.8	36.4
Were victims of mean rumors or lies spread at school	44.3	51.4	54.5	58.6	Had difficulty concentrating on school work	27.3	22.9	21.5	30.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.6	22.5	17.8	20.3	Were very sad	17.6	22.5	17.1	21.9
					Felt hopeless about the future	7.7	9.9	8.0	15.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.0	10.5	8.6	13.0	Parents involve student in making family decisions	70.9	69.2	70.3	74.7
Made plan about how they would attempt suicide	6.2	8.5	3.8	10.0	Parents notice and comment on student's good work	83.8	79.0	85.0	83.4
Attempted suicide	3.3	4.9	3.2	9.6	Teachers notice and comment on student's good work	83.6	77.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

MORGAN COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	20,565
2016 Estimate	20,213

BIRTH RISK	2015	2014	2013
Resident Births	288	264	236
Mother Reported Smoking while Pregnant	51	61	68

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	11	28	25
Tuberculosis Infection Cases	2	0	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	283	287	266
Suicide	3	2	1
Homicide	0	0	2
Alcohol Induced Deaths	1	0	3
Drug Induced Deaths	0	5	2
Smoking Attributable Deaths	54	60	54
Self-inflicted Injuries *	16	21	18
Assault Injuries *	41	47	55

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	126	95	93
Mental Illness Secondary Diagnosis	353	251	308
Alcohol Principal Diagnosis	11	6	4
Alcohol Secondary Diagnosis	40	30	38
Drug Principal Diagnosis	7	3	3
Drug Secondary Diagnosis	24	23	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	52	90	78
Mental Illness Secondary Diagnosis	276	400	395
Alcohol Principal Diagnosis	20	15	12
Alcohol Secondary Diagnosis	51	48	47
Drug Principal Diagnosis	4	20	8
Drug Secondary Diagnosis	24	19	24
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	135	137	132
Mental Illness Secondary Diagnosis	784	882	696
Alcohol Principal Diagnosis	26	16	24
Alcohol Secondary Diagnosis	45	43	40
Drug Principal Diagnosis	20	23	16
Drug Secondary Diagnosis	50	35	34

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	40	40	37
Alcohol Package Carry-out Licenses	33	36	36

EMPLOYMENT	2016	2015	2014
Labor Force	8,078	8,203	7,972
Employed	7,606	7,654	7,291
Unemployed	472	549	681
Unemployment Rate	5.8%	6.7%	8.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	25	27	28
Fatal Crashes	1	2	0
Injury Crashes	15	13	9
Property Damage Crashes	9	12	16
Crash Fatalities	1	2	0
Crash Injuries	20	15	9
Drug Involved Crashes	4	5	0
Fatal Crashes	0	3	0
Injury Crashes	2	0	0
Property Damage Crashes	2	2	0
Crash Fatalities	0	3	0
Crash Injuries	2	2	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	65	82	76
Liquor Law Arrests	3	3	10
Drug Arrests	161	147	150
Methamphetamine Lab Seizures	0	3	3
Violent Offenses	54	54	39
Domestic Violence Reports	235	274	245
Property Offenses	300	389	431

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	557	574	616
Drop-outs	1	3	2
Drop-out Rate	0.2%	0.5%	0.3%
School Discipline Involving Alcohol	5	0	0
School Discipline Involving Drugs	6	3	10
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	8	14	18
Juvenile Alcohol Offenses	2	2	5
Juvenile Drug Offenses	9	2	3
School Truancy Status Offense	4	12	7
Absent from Home Status Offense	3	7	9
Beyond Parental Control Status Offense	2	4	2
Injurious Behavior Status Offense	7	17	10
Child Abuse	3	1	14
Child Neglect	22	28	13
Child Custody Issues	1	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	18	18	17
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	11	8	2
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	134	79	82
Probation/Parole Admissions--DWI	7	6	8
Prison Admissions--Drug	65	38	50
Prison Admissions--DWI	4	6	8

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

MORGAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	10	*	*
CSTAR Adolescent	0	*	*
CSTAR Women and Children	5	9	10
CSTAR General Adult	53	56	42
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	6	*
Clinical SATOP (CIP, YCIP, SROP)	16	17	15
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	63	63	81
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	23	17	33
- Weekend Intervention Program	11	12	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	5	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	81	82	71	Alcohol	31	34	33
AGE				Marijuana / Hashish	9	13	9
Under 18	0	*	*	Cocaine (total)	0	0	*
18 to 24	15	10	9	- Crack	0	0	*
25 to 29	11	18	8	Stimulant (total)	29	21	20
30 to 34	16	12	14	- Methamphetamine	24	21	20
35 to 39	10	10	8	Heroin	*	*	*
40 to 44	6	9	*	Analgesic except Heroin	7	8	*
45 to 54	14	13	17	- Non-Prescription Methadone	0	0	0
55 and Over	9	7	8	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	54	50	41	Inhalant	0	0	0
Female	27	32	30	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	78	79	68	Average Age at First Use of Drug	19.7	17.2	19.2
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	17	13	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	*	- Weekly Injection Use	5	5	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	9	5	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	21	26	26	0	39	38	31
High School Graduate or G.E.D.	33	35	31	1 or 2	26	26	26
Associate Degree or Some College	26	21	13	3 or More	16	18	14
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	44	25	22
Employed	21	25	24	School	0	0	0
Unemployed	30	25	20	Mental Health Provider	0	*	0
Not in Labor Force	30	32	27	Health Care Provider	*	6	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	19	28	31
Independent Living	68	61	55	Other Referral Source	12	21	18
Dependent Living	6	9	6	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	42	39	31	Special Education Services Needed	*	*	*
Married / Cohabiting	19	23	14	Co-Occurring Psychological Problem	30	38	35
Previously Married	20	20	26	Co-Occurring Developmental Problem	*	0	0

MORGAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 20,565
2016 POPULATION ESTIMATE 20,213

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	6	*	5
Anxiety Disorder	102	118	129
Dementia	*	*	*
Developmental Disorder	*	7	11
Impulse Control Disorder	23	34	36
Mood Disorder	138	166	180
Personality Disorder	22	19	17
Psychotic Disorder	40	42	38
Sexual Disorder	0	*	*
Other Diagnosis	20	16	15
Diagnosis Unknown	8	6	7

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	195	217	229	Less than High School Diploma	64	69	60
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	8	6	6	Bachelor or Advanced Degree	0	0	0
10 to 13	7	8	13	Education Level Unknown	131	148	169
14 to 17	8	9	13	EMPLOYMENT			
18 to 24	10	16	24	Employed	12	12	11
25 to 29	16	16	18	Unemployed	*	*	11
30 to 34	16	14	21	Not in Labor Force	148	156	126
35 to 39	12	17	22	Employment Status Unknown	31	45	81
40 to 44	29	30	24	HOUSING / LIVING ARRANGEMENT			
45 to 49	20	25	27	Independent Living	129	150	116
50 to 54	28	32	27	Dependent Living	31	24	35
55 to 59	21	22	15	Homeless	*	6	*
60 and Over	18	21	17	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	32	37	74
GENDER				TREATMENT REFERRAL SOURCE			
Male	85	90	102	Self / Family / Friend	110	114	124
Female	110	127	127	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	9	11	13
RACE / ETHNICITY				Health Care Provider	30	36	42
Caucasian	184	207	218	Court / Criminal Justice	8	9	9
African American	*	*	*	Other	37	44	38
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	195	213	227
Other Race	9	6	6	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	6	Commitment Type Unknown	0	0	0
Past or Current Military Service	5	5	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.8	42.4	51.6	47.4	Alcohol	11.9	16.8	25.3	23.4
Chewing Tobacco	17.0	19.7	21.8	20.8	Alcohol (5+ drinks on single occasion past 2 weeks)	4.0	9.7		
Cigarettes	21.5	31.0	33.7	33.3	Chewing Tobacco	7.8	11.6	13.5	13.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	3.6	1.9	2.1	Cigarettes	8.5	13.7	17.0	18.4
Cocaine	1.9	1.5	2.3	1.0	Inhalants	1.1	1.0	3.5	3.3
Electronic Cigarettes	18.8	15.6			Marijuana	4.1	9.7	11.9	9.5
Hallucinogens	1.1	3.6	5.5	2.9	Over-the-counter medications for non-medical use	0.7	3.6	6.7	3.8
Heroin	0.4	1.0	1.0	0.5	Prescription medications not prescribed for student	10.0	4.1	6.1	6.5
Inhalants	4.1	2.0	6.7	7.9	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.0	16.2	22.4	18.9	Alcohol (1 or 2 drinks daily)	67.7	53.0		
Methamphetamine	1.1	2.6	2.0	1.4	Alcohol (Binge: 5+ drinks once or twice a week)	78.4	63.3		
Over-the-counter medications for non-medical use	4.1	6.1	9.3	7.5	Cigarettes (1+ packs per day)	87.9	81.6		
Prescription medications not prescribed for student	16.4	11.2	10.6	10.8	Marijuana (once or twice a week)	70.6	59.9		
Synthetic drugs (K2, bath salts, Spice, etc)	1.5	7.3	7.7		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	92.3	89.1	94.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.10	12.98	12.41	12.50	Alcohol	81.9	74.7	74.9	73.4
Cigarettes	12.42	12.94	11.62	12.10	Cigarettes	91.8	87.9	91.0	84.9
Inhalants	12.03	11.46	11.73	13.21	Marijuana	92.8	90.8	91.8	94.0
Marijuana	13.77	13.32	12.87	13.76	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	74.1	63.5	48.2	56.5
Alcohol	37.9	57.9	66.0	62.6	Cigarettes	88.2	80.3	70.5	73.3
Cigarettes	31.6	47.2	57.7	53.1	Marijuana	85.8	77.4	71.9	81.4
Marijuana	29.7	34.5	48.7	39.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	93.9	93.3	94.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	15.7	18.4	18.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	44.8	55.3	65.7	56.6
Alcohol	23.2	31.2	42.6	37.9	Cigarettes	45.4	55.8	62.2	54.8
Cigarettes	9.3	14.6	20.6	19.9	Marijuana	29.5	38.5	42.9	36.1
Marijuana	10.0	14.8	17.6	13.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	16.9	21.0	19.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	66.5	69.5	69.1	69.7	Were grouchy, irritable, or in a bad mood	32.8	35.0	34.2	30.1
Were victims of mean rumors or lies spread at school	56.6	56.1	56.6	54.5	Had difficulty concentrating on school work	27.7	32.1	26.9	28.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.8	25.1	23.4	19.4	Were very sad	21.0	24.1	19.9	21.1
					Felt hopeless about the future	11.1	11.7	14.9	16.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.3	13.1	15.4	12.8	Parents involve student in making family decisions	70.5	61.9	62.6	72.0
Made plan about how they would attempt suicide	11.2	8.6	14.1	8.5	Parents notice and comment on student's good work	82.5	83.3	81.7	85.9
Attempted suicide	6.4	5.6	4.2	5.4	Teachers notice and comment on student's good work	74.9	64.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

NEW MADRID COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	20
POPULATION	
Census 2010	18,956
2016 Estimate	17,915

BIRTH RISK	2015	2014	2013
Resident Births	222	231	274
Mother Reported Smoking while Pregnant	61	64	88

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	2	3
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	16	8	14
Tuberculosis Infection Cases	2	4	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	226	244	237
Suicide	1	1	1
Homicide	1	1	0
Alcohol Induced Deaths	5	0	1
Drug Induced Deaths	3	1	6
Smoking Attributable Deaths	41	51	47
Self-inflicted Injuries *	14	29	20
Assault Injuries *	57	58	69

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	248	225	242
Mental Illness Secondary Diagnosis	401	292	374
Alcohol Principal Diagnosis	15	6	5
Alcohol Secondary Diagnosis	31	21	34
Drug Principal Diagnosis	21	19	7
Drug Secondary Diagnosis	35	21	21
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	15	24	35
Mental Illness Secondary Diagnosis	290	411	328
Alcohol Principal Diagnosis	3	7	11
Alcohol Secondary Diagnosis	33	35	29
Drug Principal Diagnosis	7	4	5
Drug Secondary Diagnosis	13	22	16
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	132	155	184
Mental Illness Secondary Diagnosis	264	219	152
Alcohol Principal Diagnosis	20	19	29
Alcohol Secondary Diagnosis	43	30	27
Drug Principal Diagnosis	23	24	19
Drug Secondary Diagnosis	47	42	24

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	13	14	15
Alcohol Package Carry-out Licenses	24	22	23

EMPLOYMENT	2016	2015	2014
Labor Force	8,373	8,694	8,380
Employed	7,596	8,156	7,760
Unemployed	777	538	620
Unemployment Rate	9.3%	6.2%	7.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	13	25	22
Fatal Crashes	0	1	3
Injury Crashes	9	14	11
Property Damage Crashes	4	10	15
Crash Fatalities	0	1	3
Crash Injuries	10	18	18
Drug Involved Crashes	3	7	7
Fatal Crashes	0	2	1
Injury Crashes	1	3	5
Property Damage Crashes	2	2	1
Crash Fatalities	0	2	1
Crash Injuries	1	6	8

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	91	110	94
Liquor Law Arrests	3	1	3
Drug Arrests	185	121	121
Methamphetamine Lab Seizures	2	0	2
Violent Offenses	28	27	26
Domestic Violence Reports	49	44	80
Property Offenses	129	140	170

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	770	771	806
Drop-outs	3	4	5
Drop-out Rate	0.4%	0.5%	0.6%
School Discipline Involving Alcohol	1	5	0
School Discipline Involving Drugs	1	3	6
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	7	13	25
Juvenile Alcohol Offenses	0	0	1
Juvenile Drug Offenses	6	2	12
School Truancy Status Offense	6	19	11
Absent from Home Status Offense	13	9	11
Beyond Parental Control Status Offense	20	20	28
Injurious Behavior Status Offense	59	25	32
Child Abuse	39	7	14
Child Neglect	76	31	18
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	58	24	26
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	25	14	19
Parental Alcohol and Drug Use	1	0	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	11	11	10
Probation/Parole Admissions--Drug	149	104	97
Probation/Parole Admissions--DWI	23	22	27
Prison Admissions--Drug	70	44	43
Prison Admissions--DWI	8	14	9

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

NEW MADRID COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	38	35	45
CSTAR Adolescent	9	11	12
CSTAR Women and Children	13	6	14
CSTAR General Adult	98	93	88
CSTAR Opioid	0	0	0
Primary Recovery Treatment	24	33	71
Clinical SATOP (CIP, YCIP, SROP)	17	15	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	49	54	56
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	19	20	16
- Weekend Intervention Program	*	12	20
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	9	12	32
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	155	165	217	Alcohol	51	51	59
AGE				Marijuana / Hashish	38	47	67
Under 18	10	11	16	Cocaine (total)	*	*	11
18 to 24	22	20	33	- Crack	*	*	*
25 to 29	17	33	35	Stimulant (total)	49	44	59
30 to 34	33	26	38	- Methamphetamine	49	43	59
35 to 39	28	24	34	Heroin	*	*	0
40 to 44	15	18	14	Analgesic except Heroin	7	10	9
45 to 54	21	26	37	- Non-Prescription Methadone	0	0	0
55 and Over	9	7	10	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	5	9
Male	101	107	145	Inhalant	*	0	*
Female	54	58	72	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	128	134	168	Average Age at First Use of Drug	18.3	18.3	18.5
African American	27	28	44	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	21	20	23
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	9	5	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	8	11	18
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	55	72	97	0	95	94	143
High School Graduate or G.E.D.	86	76	99	1 or 2	39	47	44
Associate Degree or Some College	14	17	19	3 or More	21	24	30
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	38	26	34
Employed	35	31	50	School	0	0	0
Unemployed	43	54	52	Mental Health Provider	*	0	*
Not in Labor Force	77	80	115	Health Care Provider	10	10	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	87	100	131
Independent Living	135	135	185	Other Referral Source	19	26	41
Dependent Living	14	16	23	TREATMENT ACCOMMODATION			
Homeless	5	8	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	5	7	11
Never Married	71	84	101	Special Education Services Needed	15	11	18
Married / Cohabiting	44	42	63	Co-Occurring Psychological Problem	54	57	63
Previously Married	40	39	53	Co-Occurring Developmental Problem	5	6	*

NEW MADRID COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 18,956
2016 POPULATION ESTIMATE 17,915

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	12	11	18
Anxiety Disorder	69	93	92
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	48	52	49
Mood Disorder	187	216	224
Personality Disorder	9	14	16
Psychotic Disorder	64	61	59
Sexual Disorder	*	*	*
Other Diagnosis	24	25	38
Diagnosis Unknown	17	23	19

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	320	362	378	Less than High School Diploma	134	159	162
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	6	7	Associate Degree or Some College	0	0	0
6 to 9	18	16	18	Bachelor or Advanced Degree	0	0	0
10 to 13	33	26	28	Education Level Unknown	186	203	216
14 to 17	33	38	39	EMPLOYMENT			
18 to 24	33	38	32	Employed	13	19	10
25 to 29	10	18	31	Unemployed	16	32	29
30 to 34	19	38	29	Not in Labor Force	183	220	229
35 to 39	31	36	28	Employment Status Unknown	108	91	110
40 to 44	30	29	35	HOUSING / LIVING ARRANGEMENT			
45 to 49	23	36	31	Independent Living	157	201	202
50 to 54	28	35	46	Dependent Living	96	97	95
55 to 59	28	23	25	Homeless	0	*	5
60 and Over	32	23	29	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	67	62	76
GENDER				TREATMENT REFERRAL SOURCE			
Male	150	167	181	Self / Family / Friend	142	164	157
Female	170	195	197	School	7	8	7
Gender Unknown	0	0	0	Mental Health Provider	34	40	45
RACE / ETHNICITY				Health Care Provider	60	68	75
Caucasian	246	279	288	Court / Criminal Justice	13	19	23
African American	61	73	76	Other	63	61	70
Native American / Alaskan	0	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	316	356	371
Other Race	9	7	10	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	14	10	9	Commitment Type Unknown	*	*	*
Past or Current Military Service	7	8	6				

NEW MADRID COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.9	44.0	46.4	42.0	Alcohol	16.7	18.4	22.9	18.6
Chewing Tobacco	14.0	19.1	14.3	12.8	Alcohol (5+ drinks on single occasion past 2 weeks)	7.1	10.6		
Cigarettes	24.5	31.7	33.4	35.7	Chewing Tobacco	4.8	8.7	6.8	5.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	0.0	0.7	0.5	Cigarettes	9.2	13.0	16.7	10.8
Cocaine	0.0	1.4	1.7	0.8	Inhalants	1.7	2.4	1.0	1.6
Electronic Cigarettes	23.1	18.1			Marijuana	4.1	6.8	8.2	3.6
Hallucinogens	0.3	2.0	1.4	0.5	Over-the-counter medications for non-medical use	1.7	2.4	2.0	2.6
Heroin	0.0	0.5	0.7	0.5	Prescription medications not prescribed for student	11.9	2.9	6.2	6.8
Inhalants	4.1	5.7	6.5	4.9	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	9.5	14.0	17.7	10.1	Alcohol (1 or 2 drinks daily)	59.9	48.1		
Methamphetamine	1.0	1.4	0.7	0.3	Alcohol (Binge: 5+ drinks once or twice a week)	69.7	66.7		
Over-the-counter medications for non-medical use	3.1	4.8	3.1	4.4	Cigarettes (1+ packs per day)	82.1	81.6		
Prescription medications not prescribed for student	15.6	7.2	10.2	10.2	Marijuana (once or twice a week)	74.8	67.1		
Synthetic drugs (K2, bath salts, Spice, etc)	1.0	3.9	5.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	92.6	95.5	91.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.54	12.48	12.52	12.43	Alcohol	83.5	77.0	81.0	82.7
Cigarettes	12.92	12.90	12.19	11.76	Cigarettes	92.5	89.5	90.3	92.3
Inhalants	9.65	11.69	12.36	10.99	Marijuana	95.9	93.8	96.1	96.3
Marijuana	14.53	14.19	13.85	13.35	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.9	58.7	60.1	63.7
Alcohol	39.5	51.7	57.8	58.9	Cigarettes	85.7	76.9	75.4	81.0
Cigarettes	31.3	48.8	49.3	52.7	Marijuana	88.4	82.3	83.2	87.9
Marijuana	21.5	34.0	38.0	35.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	95.7	96.1	96.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.1	13.4	10.7	13.0	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	45.7	53.4	54.3	57.3
Alcohol	26.5	37.2	36.9	31.6	Cigarettes	42.5	55.8	55.7	55.5
Cigarettes	11.3	18.8	18.8	13.3	Marijuana	18.4	31.6	35.9	32.3
Marijuana	6.8	11.2	11.9	5.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	12.1	20.1	15.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.9	61.2	60.4	68.4	Were grouchy, irritable, or in a bad mood	32.2	25.5	32.9	27.8
Were victims of mean rumors or lies spread at school	46.1	53.6	49.1	58.6	Had difficulty concentrating on school work	24.8	19.1	23.4	29.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.3	25.1	19.4	22.2	Were very sad	17.0	18.8	20.1	16.8
					Felt hopeless about the future	7.2	11.1	10.0	9.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.5	15.2	8.2	7.9	Parents involve student in making family decisions	71.8	67.5	69.9	71.1
Made plan about how they would attempt suicide	5.5	8.6	6.2	4.9	Parents notice and comment on student's good work	85.3	81.8	85.0	82.8
Attempted suicide	4.1	6.7	2.7	3.8	Teachers notice and comment on student's good work	78.2	71.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

NEWTON COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	9
POPULATION	
Census 2010	58,114
2016 Estimate	58,694

BIRTH RISK	2015	2014	2013
Resident Births	675	736	708
Mother Reported Smoking while Pregnant	121	137	152

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	0	0
Hepatitis B Chronic, Acute, Prenatal	5	1	3
Hepatitis C Chronic and Acute	29	70	33
Tuberculosis Infection Cases	13	15	17

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	648	616	674
Suicide	14	7	9
Homicide	3	2	2
Alcohol Induced Deaths	7	5	3
Drug Induced Deaths	8	5	10
Smoking Attributable Deaths	122	121	121
Self-inflicted Injuries *	36	46	46
Assault Injuries *	132	107	114

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	311	240	259
Mental Illness Secondary Diagnosis	926	811	868
Alcohol Principal Diagnosis	24	13	15
Alcohol Secondary Diagnosis	68	41	52
Drug Principal Diagnosis	32	17	20
Drug Secondary Diagnosis	49	23	31
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	181	238	202
Mental Illness Secondary Diagnosis	567	787	758
Alcohol Principal Diagnosis	24	54	32
Alcohol Secondary Diagnosis	50	77	62
Drug Principal Diagnosis	28	28	38
Drug Secondary Diagnosis	59	35	34
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	329	295	328
Mental Illness Secondary Diagnosis	3,088	3,446	3,183
Alcohol Principal Diagnosis	107	82	87
Alcohol Secondary Diagnosis	136	322	92
Drug Principal Diagnosis	76	61	66
Drug Secondary Diagnosis	162	118	100

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	37	37	36
Alcohol Package Carry-out Licenses	60	59	62

EMPLOYMENT	2016	2015	2014
Labor Force	28,642	29,018	28,860
Employed	27,403	27,706	27,322
Unemployed	1,239	1,312	1,538
Unemployment Rate	4.3%	4.5%	5.3%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	63	71	61
Fatal Crashes	3	0	4
Injury Crashes	25	26	29
Property Damage Crashes	35	45	36
Crash Fatalities	3	0	4
Crash Injuries	35	40	43
Drug Involved Crashes	15	17	10
Fatal Crashes	0	1	1
Injury Crashes	6	10	3
Property Damage Crashes	9	6	6
Crash Fatalities	0	1	1
Crash Injuries	13	17	10

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	280	267	325
Liquor Law Arrests	62	58	52
Drug Arrests	291	243	234
Methamphetamine Lab Seizures	4	8	27
Violent Offenses	110	78	63
Domestic Violence Reports	512	581	556
Property Offenses	1,531	1,447	1,418

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	2,492	2,538	2,490
Drop-outs	62	49	62
Drop-out Rate	2.5%	1.9%	2.5%
School Discipline Involving Alcohol	3	1	9
School Discipline Involving Drugs	13	8	23
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	73	74	80
Juvenile Alcohol Offenses	13	22	7
Juvenile Drug Offenses	28	8	17
School Truancy Status Offense	9	18	3
Absent from Home Status Offense	30	16	17
Beyond Parental Control Status Offense	60	63	26
Injurious Behavior Status Offense	85	53	30
Child Abuse	14	38	40
Child Neglect	102	178	255
Child Custody Issues	35	48	349

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	112	193	261
Parental Alcohol Use Related	6	6	16
Parental Drug Use Related	56	51	80
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	85	81	78
Probation/Parole Admissions--Drug	79	62	63
Probation/Parole Admissions--DWI	28	40	42
Prison Admissions--Drug	23	21	17
Prison Admissions--DWI	21	18	11

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

NEWTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	75	42	36
CSTAR Adolescent	16	15	24
CSTAR Women and Children	81	92	59
CSTAR General Adult	168	207	141
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	5
Clinical SATOP (CIP, YCIP, SROP)	48	56	68
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	162	233	226
- Adolescent Diversion Education Program	*	5	14
- Offender Education Program	66	87	79
- Weekend Intervention Program	29	46	41
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	23	23
Compulsive Gambling	0	*	0
Recovery Supports	11	12	32
Early Intervention	26	18	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	332	367	315	Alcohol	122	137	128
AGE				Marijuana / Hashish	65	86	64
Under 18	20	15	21	Cocaine (total)	*	0	*
18 to 24	45	46	44	- Crack	*	0	0
25 to 29	63	65	49	Stimulant (total)	117	114	90
30 to 34	55	72	55	- Methamphetamine	115	111	86
35 to 39	46	61	40	Heroin	0	*	*
40 to 44	33	41	46	Analgesic except Heroin	20	20	25
45 to 54	51	42	43	- Non-Prescription Methadone	0	0	0
55 and Over	19	25	17	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	6	8	*
Male	196	207	194	Inhalant	0	0	*
Female	136	160	121	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	296	345	287	Average Age at First Use of Drug	18.0	18.3	17.9
African American	*	5	6	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	64	53	54
Asian / Pacific Islander	*	*	5	- Daily Injection Use	12	8	8
Hispanic	18	6	14	- Weekly Injection Use	22	15	18
Other Race / Two or More Races	15	11	8	- Less than Weekly Injection Use	30	30	28
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	122	134	119	0	156	192	143
High School Graduate or G.E.D.	128	132	98	1 or 2	109	101	96
Associate Degree or Some College	80	100	95	3 or More	67	74	76
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	83	102	77
Employed	117	120	95	School	0	0	0
Unemployed	126	130	119	Mental Health Provider	0	0	*
Not in Labor Force	89	117	101	Health Care Provider	53	27	28
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	163	165	173
Independent Living	279	309	261	Other Referral Source	32	69	35
Dependent Living	32	33	32	TREATMENT ACCOMMODATION			
Homeless	18	18	17	Pregnant when Admitted to any Episode	*	6	7
MARITAL / FAMILY STATUS				Military Veteran	12	16	14
Never Married	145	154	132	Special Education Services Needed	52	65	42
Married / Cohabiting	101	109	94	Co-Occurring Psychological Problem	203	227	161
Previously Married	86	104	89	Co-Occurring Developmental Problem	11	10	10

NEWTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 58,114
2016 POPULATION ESTIMATE 58,694

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	58	50	42
Anxiety Disorder	292	314	290
Dementia	*	*	*
Developmental Disorder	7	7	7
Impulse Control Disorder	115	150	143
Mood Disorder	510	489	412
Personality Disorder	90	106	105
Psychotic Disorder	105	94	92
Sexual Disorder	*	*	*
Other Diagnosis	94	73	56
Diagnosis Unknown	57	84	135

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	825	841	814	Less than High School Diploma	195	246	190
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	8	16	Associate Degree or Some College	0	0	0
6 to 9	23	43	55	Bachelor or Advanced Degree	0	0	0
10 to 13	37	57	67	Education Level Unknown	630	595	624
14 to 17	80	88	72	EMPLOYMENT			
18 to 24	92	104	94	Employed	77	75	42
25 to 29	84	74	71	Unemployed	51	43	54
30 to 34	91	83	57	Not in Labor Force	350	389	338
35 to 39	82	58	54	Employment Status Unknown	347	334	380
40 to 44	63	78	81	HOUSING / LIVING ARRANGEMENT			
45 to 49	74	70	72	Independent Living	297	310	227
50 to 54	88	75	75	Dependent Living	176	209	202
55 to 59	60	59	56	Homeless	10	14	22
60 and Over	48	44	44	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	342	308	363
GENDER				TREATMENT REFERRAL SOURCE			
Male	346	389	378	Self / Family / Friend	632	651	652
Female	479	452	436	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	10	12	17
RACE / ETHNICITY				Health Care Provider	78	70	53
Caucasian	765	791	747	Court / Criminal Justice	80	82	51
African American	14	10	15	Other	23	23	38
Native American / Alaskan	5	*	8	Referral Source Unknown	*	*	*
Asian / Pacific Islander	5	*	*	TYPE OF COMMITMENT			
Hispanic	16	14	16	Voluntary	746	753	766
Other Race	20	20	25	Civil	69	77	40
Race/Ethnicity Unknown	0	0	0	Criminal	7	8	5
TREATMENT ACCOMMODATION				Sexual Predatory	*	0	0
Hearing Impaired	8	8	5	Commitment Type Unknown	*	*	*
Past or Current Military Service	15	9	10				

NEWTON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.3	31.8	32.3	40.2	Alcohol	11.1	11.0	11.2	19.4
Chewing Tobacco	11.3	13.5	14.5	17.7	Alcohol (5+ drinks on single occasion past 2 weeks)	3.5	4.6		
Cigarettes	22.1	23.8	25.0	30.2	Chewing Tobacco	4.7	5.2	7.8	9.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	1.6	1.3	1.4	Cigarettes	9.9	8.6	8.4	15.1
Cocaine	1.1	0.9	1.2	1.4	Inhalants	1.7	2.2	2.3	2.3
Electronic Cigarettes	23.8	20.1			Marijuana	6.4	4.7	3.3	5.1
Hallucinogens	2.8	2.2	2.5	2.0	Over-the-counter medications for non-medical use	2.4	1.1	4.4	5.1
Heroin	0.6	0.1	0.5	0.7	Prescription medications not prescribed for student	10.7	3.3	4.3	5.2
Inhalants	4.3	3.9	5.9	7.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	15.0	12.9	10.9	12.0	Alcohol (1 or 2 drinks daily)	66.8	59.0		
Methamphetamine	1.0	0.5	0.9	1.4	Alcohol (Binge: 5+ drinks once or twice a week)	76.7	72.7		
Over-the-counter medications for non-medical use	5.0	2.3	6.3	8.5	Cigarettes (1+ packs per day)	83.6	86.9		
Prescription medications not prescribed for student	15.5	6.8	7.8	9.6	Marijuana (once or twice a week)	69.1	67.9		
Synthetic drugs (K2, bath salts, Spice, etc)	2.0	3.3	6.6		Other: Cocaine, LSD, Meth, Club Drug (any use)	89.4	93.8	95.1	93.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.59	12.61	12.11	12.33	Alcohol	86.8	82.0	85.3	80.3
Cigarettes	12.20	12.32	11.85	12.03	Cigarettes	93.4	92.8	94.0	92.3
Inhalants	10.65	10.90	12.59	11.92	Marijuana	92.7	93.6	96.8	95.3
Marijuana	13.56	13.72	12.37	13.13	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	72.8	68.2	69.7	63.5
Alcohol	39.4	42.1	43.7	54.5	Cigarettes	85.0	84.9	82.0	77.4
Cigarettes	36.0	38.7	38.1	47.0	Marijuana	81.5	83.7	87.1	84.6
Marijuana	32.5	26.6	23.7	30.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	96.6	94.9	94.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	9.0	13.2	16.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	42.9	49.7	43.8	51.5
Alcohol	22.0	21.0	21.7	29.9	Cigarettes	45.5	50.8	44.2	53.8
Cigarettes	12.8	12.0	12.5	15.8	Marijuana	32.4	29.1	25.7	31.1
Marijuana	13.4	10.8	8.6	10.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.1	13.5	15.1	15.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.5	60.1	59.5	66.5	Were grouchy, irritable, or in a bad mood	34.2	25.6	22.2	23.3
Were victims of mean rumors or lies spread at school	51.5	49.9	50.0	56.6	Had difficulty concentrating on school work	32.3	22.5	23.7	25.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.1	24.6	18.8	16.1	Were very sad	26.7	22.6	20.0	19.4
					Felt hopeless about the future	14.1	14.0	11.7	9.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.5	15.6	11.4	9.5	Parents involve student in making family decisions	67.6	68.3	74.1	71.5
Made plan about how they would attempt suicide	10.4	12.4	7.7	7.0	Parents notice and comment on student's good work	83.0	83.2	84.1	83.6
Attempted suicide	6.2	6.9	4.9	5.2	Teachers notice and comment on student's good work	72.0	69.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

NODAWAY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	23,370
2016 Estimate	22,670

BIRTH RISK	2015	2014	2013
Resident Births	220	236	235
Mother Reported Smoking while Pregnant	30	33	37

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	2	2
Hepatitis C Chronic and Acute	5	25	13
Tuberculosis Infection Cases	50	110	5

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	200	199	194
Suicide	3	0	3
Homicide	0	1	0
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	1	1
Smoking Attributable Deaths	37	34	30
Self-inflicted Injuries *	7	10	15
Assault Injuries *	24	14	16

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	102	104	129
Mental Illness Secondary Diagnosis	330	242	240
Alcohol Principal Diagnosis	4	2	6
Alcohol Secondary Diagnosis	16	15	19
Drug Principal Diagnosis	4	3	7
Drug Secondary Diagnosis	8	9	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	88	133	62
Mental Illness Secondary Diagnosis	157	215	128
Alcohol Principal Diagnosis	6	8	2
Alcohol Secondary Diagnosis	9	18	5
Drug Principal Diagnosis	9	9	4
Drug Secondary Diagnosis	2	9	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	145	184	144
Mental Illness Secondary Diagnosis	1,164	1,064	926
Alcohol Principal Diagnosis	20	14	12
Alcohol Secondary Diagnosis	17	15	7
Drug Principal Diagnosis	9	16	6
Drug Secondary Diagnosis	8	14	5

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	27	23	27
Alcohol Package Carry-out Licenses	16	19	19

EMPLOYMENT	2016	2015	2014
Labor Force	11,026	11,143	11,637
Employed	10,515	10,594	10,879
Unemployed	511	549	758
Unemployment Rate	4.6%	4.9%	6.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	12	21	14
Fatal Crashes	2	0	1
Injury Crashes	6	10	6
Property Damage Crashes	4	11	9
Crash Fatalities	2	0	1
Crash Injuries	6	12	9
Drug Involved Crashes	6	5	1
Fatal Crashes	0	0	0
Injury Crashes	3	0	1
Property Damage Crashes	3	5	0
Crash Fatalities	0	0	0
Crash Injuries	4	0	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	115	130	122
Liquor Law Arrests	322	289	270
Drug Arrests	132	133	96
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	45	40	28
Domestic Violence Reports	48	62	51
Property Offenses	234	290	284

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	834	788	836
Drop-outs	7	6	6
Drop-out Rate	0.8%	0.8%	0.7%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	9	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	4	5	5
Juvenile Alcohol Offenses	6	4	2
Juvenile Drug Offenses	8	1	1
School Truancy Status Offense	17	8	6
Absent from Home Status Offense	0	0	1
Beyond Parental Control Status Offense	36	42	47
Injurious Behavior Status Offense	26	38	78
Child Abuse	9	4	7
Child Neglect	144	180	150
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	41	46	31
Parental Alcohol Use Related	2	1	4
Parental Drug Use Related	14	11	5
Parental Alcohol and Drug Use	1	1	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	15	12	19
Probation/Parole Admissions--Drug	53	40	35
Probation/Parole Admissions--DWI	5	6	10
Prison Admissions--Drug	29	18	24
Prison Admissions--DWI	2	1	5

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

NODAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	0	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	50	54	11
CSTAR Opioid	0	*	0
Primary Recovery Treatment	0	5	49
Clinical SATOP (CIP, YCIP, SROP)	6	5	10
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	126	111	123
- Adolescent Diversion Education Program	57	53	50
- Offender Education Program	38	37	36
- Weekend Intervention Program	11	9	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	*	0	0
Recovery Supports	0	0	*
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2016	FY2015	FY2014		FY2016	FY2015	FY2014
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	66	60	68	Alcohol	17	26	29
AGE				Marijuana / Hashish	20	16	23
Under 18	*	0	*	Cocaine (total)	0	0	0
18 to 24	13	13	26	- Crack	0	0	0
25 to 29	14	13	13	Stimulant (total)	22	7	7
30 to 34	13	13	5	- Methamphetamine	22	6	7
35 to 39	5	*	5	Heroin	*	*	*
40 to 44	6	6	5	Analgesic except Heroin	5	8	8
45 to 54	8	8	12	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	44	41	44	Inhalant	0	*	0
Female	22	19	24	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	66	60	67	Average Age at First Use of Drug	18.8	18.0	17.5
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	15	7	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	13	5	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	17	9	8	0	39	34	40
High School Graduate or G.E.D.	36	33	41	1 or 2	16	18	21
Associate Degree or Some College	12	16	18	3 or More	11	8	7
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	11	14	15
Employed	19	24	31	School	0	0	0
Unemployed	*	*	20	Mental Health Provider	0	*	0
Not in Labor Force	45	33	17	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	41	32	41
Independent Living	46	38	59	Other Referral Source	11	7	12
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	36	32	45	Special Education Services Needed	5	*	0
Married / Cohabiting	17	14	13	Co-Occurring Psychological Problem	29	21	26
Previously Married	13	14	10	Co-Occurring Developmental Problem	*	6	6

NODAWAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 23,370
2016 POPULATION ESTIMATE 22,670

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	14	*	5
Anxiety Disorder	98	70	65
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	47	34	34
Mood Disorder	144	117	102
Personality Disorder	13	10	10
Psychotic Disorder	15	18	14
Sexual Disorder	*	0	0
Other Diagnosis	25	26	17
Diagnosis Unknown	6	7	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	201	164	151	Less than High School Diploma	66	67	56
AGE				High School Grad or G.E.D.	0	0	0
Under 6	6	*	*	Associate Degree or Some College	0	0	0
6 to 9	20	14	18	Bachelor or Advanced Degree	0	0	0
10 to 13	18	14	13	Education Level Unknown	135	97	95
14 to 17	22	17	9	EMPLOYMENT			
18 to 24	13	11	15	Employed	20	15	10
25 to 29	15	16	10	Unemployed	23	23	16
30 to 34	22	20	12	Not in Labor Force	112	107	92
35 to 39	12	8	8	Employment Status Unknown	46	19	33
40 to 44	13	12	14	HOUSING / LIVING ARRANGEMENT			
45 to 49	12	9	12	Independent Living	103	93	84
50 to 54	19	13	17	Dependent Living	55	48	37
55 to 59	19	18	12	Homeless	0	*	0
60 and Over	10	9	7	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	43	21	30
GENDER				TREATMENT REFERRAL SOURCE			
Male	99	83	75	Self / Family / Friend	85	71	43
Female	102	81	76	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	25	29	30
RACE / ETHNICITY				Health Care Provider	34	23	24
Caucasian	193	158	146	Court / Criminal Justice	18	17	18
African American	*	*	*	Other	35	22	32
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	201	164	150
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	7	7	8	Commitment Type Unknown	0	0	*
Past or Current Military Service	7	5	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.6	42.4	46.8	38.8	Alcohol	17.8	21.8	20.1	14.2
Chewing Tobacco	10.5	14.3	16.2	14.7	Alcohol (5+ drinks on single occasion past 2 weeks)	8.3	14.7		
Cigarettes	16.8	20.7	23.8	19.3	Chewing Tobacco	5.5	10.0	9.1	7.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	3.2	1.5	0.6	Cigarettes	8.1	8.5	10.7	8.3
Cocaine	0.0	2.1	0.6	0.6	Inhalants	0.6	0.6	1.1	1.1
Electronic Cigarettes	16.2	10.0			Marijuana	2.2	4.7	4.5	1.7
Hallucinogens	0.4	2.0	2.8	0.8	Over-the-counter medications for non-medical use	0.8	0.9	3.0	2.5
Heroin	0.4	0.3	0.4	0.0	Prescription medications not prescribed for student	4.9	3.2	3.4	3.6
Inhalants	2.2	2.1	3.0	2.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	9.5	12.9	10.0	5.5	Alcohol (1 or 2 drinks daily)	69.2	54.1		
Methamphetamine	0.0	0.3	0.9	0.2	Alcohol (Binge: 5+ drinks once or twice a week)	77.8	64.1		
Over-the-counter medications for non-medical use	2.8	1.8	4.7	3.6	Cigarettes (1+ packs per day)	87.7	86.5		
Prescription medications not prescribed for student	9.5	7.0	7.4	5.3	Marijuana (once or twice a week)	71.5	66.6		
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	2.6	3.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.6	92.9	93.6	95.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.75	13.64	13.68	12.74	Alcohol	78.8	73.2	71.9	82.0
Cigarettes	13.59	13.34	13.47	12.42	Cigarettes	93.3	87.9	88.1	91.5
Inhalants	10.22	9.60	14.34	11.21	Marijuana	96.4	89.4	95.4	98.3
Marijuana	14.43	14.77	14.62	13.64	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	65.5	53.1	54.5	63.6
Alcohol	51.5	51.3	57.3	58.6	Cigarettes	87.7	79.2	77.8	84.1
Cigarettes	28.2	31.9	35.5	39.6	Marijuana	85.9	76.4	85.2	91.7
Marijuana	29.4	26.8	28.8	17.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	92.9	96.1	97.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	13.4	10.0	6.6	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	60.3	62.6	67.1	62.3
Alcohol	27.4	35.1	37.5	29.1	Cigarettes	48.2	56.9	61.7	52.5
Cigarettes	7.2	12.3	12.6	12.1	Marijuana	36.9	36.1	35.6	22.9
Marijuana	7.9	15.5	9.8	4.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	13.5	14.4	9.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.5	57.6	63.5	74.8	Were grouchy, irritable, or in a bad mood	29.1	26.4	23.2	22.7
Were victims of mean rumors or lies spread at school	52.3	44.9	43.8	56.6	Had difficulty concentrating on school work	28.4	22.5	22.4	30.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.5	24.2	20.9	17.7	Were very sad	15.4	17.3	17.0	13.7
					Felt hopeless about the future	10.5	10.9	10.1	12.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.7	7.9	6.4	11.0	Parents involve student in making family decisions	75.3	74.9	72.0	74.8
Made plan about how they would attempt suicide	5.4	6.7	4.7	6.9	Parents notice and comment on student's good work	84.8	83.9	87.6	87.1
Attempted suicide	3.0	3.8	2.1	3.9	Teachers notice and comment on student's good work	78.8	74.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

OREGON COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	10,881
2016 Estimate	10,789

BIRTH RISK	2015	2014	2013
Resident Births	125	145	124
Mother Reported Smoking while Pregnant	27	45	41

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	7	5	6
Tuberculosis Infection Cases	1	5	4

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	151	128	151
Suicide	3	0	0
Homicide	0	0	0
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	2	2	1
Smoking Attributable Deaths	22	23	26
Self-inflicted Injuries *	12	19	30
Assault Injuries *	16	23	18

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	103	123	124
Mental Illness Secondary Diagnosis	260	232	232
Alcohol Principal Diagnosis	16	17	5
Alcohol Secondary Diagnosis	20	26	22
Drug Principal Diagnosis	15	22	21
Drug Secondary Diagnosis	22	20	23
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3	2	2
Mental Illness Secondary Diagnosis	23	44	28
Alcohol Principal Diagnosis	2	0	1
Alcohol Secondary Diagnosis	2	4	2
Drug Principal Diagnosis	0	1	1
Drug Secondary Diagnosis	3	1	0
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	49	95	88
Mental Illness Secondary Diagnosis	244	514	605
Alcohol Principal Diagnosis	6	8	10
Alcohol Secondary Diagnosis	19	22	13
Drug Principal Diagnosis	12	7	14
Drug Secondary Diagnosis	17	22	14

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	4	5	4
Alcohol Package Carry-out Licenses	10	10	13

EMPLOYMENT	2016	2015	2014
Labor Force	4,177	4,235	4,129
Employed	3,924	3,969	3,820
Unemployed	253	266	309
Unemployment Rate	6.1%	6.3%	7.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	4	10	15
Fatal Crashes	0	0	1
Injury Crashes	2	3	6
Property Damage Crashes	2	7	6
Crash Fatalities	0	0	1
Crash Injuries	2	4	7
Drug Involved Crashes	4	4	3
Fatal Crashes	0	0	1
Injury Crashes	3	1	2
Property Damage Crashes	1	3	0
Crash Fatalities	0	0	1
Crash Injuries	3	1	3

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	31	18	34
Liquor Law Arrests	3	4	3
Drug Arrests	36	47	26
Methamphetamine Lab Seizures	1	0	0
Violent Offenses	15	17	16
Domestic Violence Reports	23	17	28
Property Offenses	89	79	84

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	618	640	592
Drop-outs	2	1	1
Drop-out Rate	0.3%	0.2%	0.2%
School Discipline Involving Alcohol	2	0	0
School Discipline Involving Drugs	2	0	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	2	0	0
Juvenile Alcohol Offenses	0	2	1
Juvenile Drug Offenses	1	0	1
School Truancy Status Offense	0	16	10
Absent from Home Status Offense	1	4	3
Beyond Parental Control Status Offense	8	3	7
Injurious Behavior Status Offense	6	14	11
Child Abuse	5	1	1
Child Neglect	9	28	14
Child Custody Issues	10	2	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	17	6	15
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	8	0	8
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	10	22	8
Probation/Parole Admissions--DWI	2	3	3
Prison Admissions--Drug	5	7	3
Prison Admissions--DWI	1	0	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

OREGON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	6	11	12
CSTAR Adolescent	*	0	5
CSTAR Women and Children	0	*	*
CSTAR General Adult	31	23	22
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	8	*
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	17	26	29
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	7	8	13
- Weekend Intervention Program	*	5	7
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	37	38	38	Alcohol	10	21	13
AGE				Marijuana / Hashish	6	*	11
Under 18	*	0	6	Cocaine (total)	0	0	0
18 to 24	*	*	7	- Crack	0	0	0
25 to 29	6	11	*	Stimulant (total)	18	9	11
30 to 34	8	7	6	- Methamphetamine	18	9	11
35 to 39	*	*	*	Heroin	0	*	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	8	8	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	23	23	27	Inhalant	0	0	0
Female	14	15	11	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	34	37	36	Average Age at First Use of Drug	18.1	16.5	17.9
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	8	9	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	6	*
Hispanic	*	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	13	10	14	0	19	14	24
High School Graduate or G.E.D.	15	20	16	1 or 2	15	16	13
Associate Degree or Some College	9	8	8	3 or More	*	8	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	27	20	12
Employed	9	7	*	School	0	0	0
Unemployed	5	11	9	Mental Health Provider	0	0	0
Not in Labor Force	23	20	25	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	7	9	9
Independent Living	31	36	29	Other Referral Source	*	5	13
Dependent Living	*	*	7	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	9	13	13	Special Education Services Needed	*	5	*
Married / Cohabiting	14	14	11	Co-Occurring Psychological Problem	17	19	14
Previously Married	14	11	14	Co-Occurring Developmental Problem	*	*	*

OREGON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 10,881
2016 POPULATION ESTIMATE 10,789

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	12	12	19
Anxiety Disorder	84	85	100
Dementia	*	*	*
Developmental Disorder	*	0	0
Impulse Control Disorder	27	25	41
Mood Disorder	103	111	151
Personality Disorder	8	7	10
Psychotic Disorder	16	10	19
Sexual Disorder	0	0	0
Other Diagnosis	12	11	9
Diagnosis Unknown	17	28	19

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	174	194	237	Less than High School Diploma	39	49	63
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	7	7	9	Bachelor or Advanced Degree	0	0	0
10 to 13	9	16	14	Education Level Unknown	135	145	174
14 to 17	13	15	12	EMPLOYMENT			
18 to 24	19	22	30	Employed	21	18	20
25 to 29	11	15	24	Unemployed	7	8	37
30 to 34	20	19	23	Not in Labor Force	105	104	106
35 to 39	20	17	21	Employment Status Unknown	41	64	74
40 to 44	17	19	19	HOUSING / LIVING ARRANGEMENT			
45 to 49	19	21	24	Independent Living	83	72	102
50 to 54	21	22	35	Dependent Living	35	43	34
55 to 59	11	12	8	Homeless	*	5	8
60 and Over	6	9	18	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	52	74	93
GENDER				TREATMENT REFERRAL SOURCE			
Male	83	87	118	Self / Family / Friend	76	86	119
Female	91	107	119	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	5	*
RACE / ETHNICITY				Health Care Provider	75	71	89
Caucasian	170	191	231	Court / Criminal Justice	*	*	0
African American	*	*	*	Other	16	29	26
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	*	Voluntary	174	194	237
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	5	5	8	Commitment Type Unknown	0	0	0
Past or Current Military Service	6	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.3		37.6	37.2	Alcohol	20.6		12.1	18.5
Chewing Tobacco	18.2		23.1	22.8	Alcohol (5+ drinks on single occasion past 2 weeks)	9.0			
Cigarettes	18.1		31.2	33.6	Chewing Tobacco	9.0		12.1	13.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6		1.7	2.2	Cigarettes	7.2		14.5	19.4
Cocaine	0.6		1.8	0.4	Inhalants	0.6		2.3	2.2
Electronic Cigarettes	29.9				Marijuana	3.6		5.8	6.8
Hallucinogens	0.6		3.5	2.2	Over-the-counter medications for non-medical use	0.6		5.2	3.9
Heroin	0.6		1.2	0.0	Prescription medications not prescribed for student	9.6		5.7	5.6
Inhalants	2.4		5.8	5.7					
Marijuana	12.6		12.7	10.3	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.6		1.8	0.4	Alcohol (1 or 2 drinks daily)	60.6			
Over-the-counter medications for non-medical use	6.0		8.1	6.5	Alcohol (Binge: 5+ drinks once or twice a week)	74.4			
Prescription medications not prescribed for student	11.5		12.6	8.2	Cigarettes (1+ packs per day)	85.3			
Synthetic drugs (K2, bath salts, Spice, etc)	0.6		10.3		Marijuana (once or twice a week)	66.1			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	95.8		93.0	94.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.41		12.60	12.47	Alcohol	84.3		83.1	83.2
Cigarettes	13.59		12.71	11.91	Cigarettes	91.0		91.3	90.0
Inhalants			11.79	11.83	Marijuana	93.9		94.7	95.7
Marijuana	14.70		13.51	13.58					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.2		45.9	57.0	Alcohol	66.3		70.2	64.2
Cigarettes	39.2		44.5	51.7	Cigarettes	82.6		82.1	74.7
Marijuana	32.9		22.2	30.5	Marijuana	81.9		88.5	84.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0		11.6	12.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.2		95.9	94.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.8		23.1	29.4	Alcohol	46.7		50.3	52.8
Cigarettes	9.0		14.5	20.2	Cigarettes	45.5		52.9	60.3
Marijuana	13.8		8.1	9.9	Marijuana	25.8		31.6	35.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.1		17.5	19.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.7		65.5	68.2	Were grouchy, irritable, or in a bad mood	26.5		24.3	23.1
Were victims of mean rumors or lies spread at school	52.7		52.6	58.1	Had difficulty concentrating on school work	24.6		23.3	27.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.9		22.9	19.8	Were very sad	22.9		20.2	12.8
					Felt hopeless about the future	12.6		11.0	11.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.6		12.7	8.1	Parents involve student in making family decisions	75.3		74.3	76.1
Made plan about how they would attempt suicide	11.4		9.9	5.1	Parents notice and comment on student's good work	89.2		85.5	88.5
Attempted suicide	4.8		5.7	2.1	Teachers notice and comment on student's good work	81.4			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

OSAGE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	13,878
2016 Estimate	13,664

BIRTH RISK	2015	2014	2013
Resident Births	154	135	150
Mother Reported Smoking while Pregnant	26	22	27

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	1	1
Hepatitis C Chronic and Acute	4	6	10
Tuberculosis Infection Cases	1	1	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	123	144	115
Suicide	1	2	3
Homicide	0	0	0
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	2	1
Smoking Attributable Deaths	17	21	14
Self-inflicted Injuries *	7	5	10
Assault Injuries *	14	18	14

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	49	34	37
Mental Illness Secondary Diagnosis	147	106	145
Alcohol Principal Diagnosis	5	0	0
Alcohol Secondary Diagnosis	15	7	5
Drug Principal Diagnosis	2	3	2
Drug Secondary Diagnosis	11	5	6
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	54	61	48
Mental Illness Secondary Diagnosis	168	206	147
Alcohol Principal Diagnosis	4	10	6
Alcohol Secondary Diagnosis	11	20	21
Drug Principal Diagnosis	2	6	7
Drug Secondary Diagnosis	5	9	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	110	93	96
Mental Illness Secondary Diagnosis	316	351	258
Alcohol Principal Diagnosis	20	8	10
Alcohol Secondary Diagnosis	11	11	17
Drug Principal Diagnosis	10	7	4
Drug Secondary Diagnosis	21	13	7

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	18	20	22
Alcohol Package Carry-out Licenses	13	15	12

EMPLOYMENT	2016	2015	2014
Labor Force	7,284	7,311	7,252
Employed	7,038	7,038	6,916
Unemployed	246	273	336
Unemployment Rate	3.4%	3.7%	4.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	13	13	12
Fatal Crashes	0	0	1
Injury Crashes	6	6	6
Property Damage Crashes	7	7	8
Crash Fatalities	0	0	1
Crash Injuries	10	6	6
Drug Involved Crashes	0	3	2
Fatal Crashes	0	1	0
Injury Crashes	0	0	2
Property Damage Crashes	0	2	0
Crash Fatalities	0	1	0
Crash Injuries	0	1	2

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	36	47	49
Liquor Law Arrests	5	38	30
Drug Arrests	57	114	94
Methamphetamine Lab Seizures	0	6	6
Violent Offenses	5	4	10
Domestic Violence Reports	27	29	24
Property Offenses	60	71	104

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	668	663	664
Drop-outs	1	3	2
Drop-out Rate	0.1%	0.5%	0.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	3	6	2
Juvenile Alcohol Offenses	1	0	1
Juvenile Drug Offenses	1	0	1
School Truancy Status Offense	3	22	13
Absent from Home Status Offense	0	3	1
Beyond Parental Control Status Offense	1	2	3
Injurious Behavior Status Offense	8	7	0
Child Abuse	0	0	0
Child Neglect	13	4	13
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	8	4	11
Parental Alcohol Use Related	0	0	5
Parental Drug Use Related	8	4	3
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	34	43	28
Probation/Parole Admissions--Drug	16	27	26
Probation/Parole Admissions--DWI	4	5	5
Prison Admissions--Drug	9	10	5
Prison Admissions--DWI	1	3	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

OSAGE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	6	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	7	7	*
CSTAR General Adult	27	36	24
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	7	7	10
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	44	49	31
- Adolescent Diversion Education Program	*	5	*
- Offender Education Program	15	22	9
- Weekend Intervention Program	12	8	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	7	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	39	46	39	Alcohol	17	16	13
AGE				Marijuana / Hashish	6	7	9
Under 18	*	*	*	Cocaine (total)	0	*	*
18 to 24	5	8	8	- Crack	0	*	0
25 to 29	7	8	6	Stimulant (total)	9	15	9
30 to 34	13	6	10	- Methamphetamine	7	15	9
35 to 39	*	8	*	Heroin	*	*	*
40 to 44	*	5	*	Analgesic except Heroin	*	*	*
45 to 54	*	6	5	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	24	30	31	Inhalant	0	0	0
Female	15	16	8	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	38	46	39	Average Age at First Use of Drug	17.4	19.6	18.5
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	*	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	9	8	11	0	21	29	16
High School Graduate or G.E.D.	19	25	20	1 or 2	14	8	15
Associate Degree or Some College	9	13	8	3 or More	*	9	8
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	21	10	12
Employed	17	17	15	School	0	0	0
Unemployed	14	15	10	Mental Health Provider	0	0	0
Not in Labor Force	8	14	14	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	12	12	26
Independent Living	33	40	36	Other Referral Source	*	21	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	19	25	22	Special Education Services Needed	*	*	0
Married / Cohabiting	11	15	9	Co-Occurring Psychological Problem	7	26	15
Previously Married	9	6	8	Co-Occurring Developmental Problem	*	0	0

OSAGE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 13,878
2016 POPULATION ESTIMATE 13,664

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	20	22	23
Dementia	0	0	*
Developmental Disorder	0	0	*
Impulse Control Disorder	9	6	*
Mood Disorder	20	27	25
Personality Disorder	*	*	*
Psychotic Disorder	9	14	13
Sexual Disorder	*	*	0
Other Diagnosis	5	*	*
Diagnosis Unknown	0	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	38	48	48	Less than High School Diploma	13	19	18
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	*	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	6	Education Level Unknown	25	29	30
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	0	*	*	Unemployed	*	*	0
30 to 34	5	5	7	Not in Labor Force	23	24	28
35 to 39	*	0	*	Employment Status Unknown	11	20	19
40 to 44	*	5	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	6	Independent Living	13	12	12
50 to 54	7	8	6	Dependent Living	13	16	19
55 to 59	*	5	6	Homeless	*	*	0
60 and Over	6	6	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	11	18	17
GENDER				TREATMENT REFERRAL SOURCE			
Male	18	24	30	Self / Family / Friend	23	24	28
Female	20	24	18	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	8	8
RACE / ETHNICITY				Health Care Provider	6	7	*
Caucasian	34	45	43	Court / Criminal Justice	0	0	*
African American	0	*	*	Other	5	7	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	38	48	47
Other Race	*	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	0	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	*	*				

OSAGE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	41.6	42.5	47.9	64.1	Alcohol	24.7	14.4	24.9	42.9
Chewing Tobacco	5.4	17.6	17.7	11.5	Alcohol (5+ drinks on single occasion past 2 weeks)	6.0	4.6		
Cigarettes	17.2	14.6	22.3	41.3	Chewing Tobacco	4.6	8.8	10.9	7.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.7	0.0	1.0	Cigarettes	7.1	5.1	10.1	9.3
Cocaine	0.0	1.7	0.8	0.0	Inhalants	1.3	2.2	2.1	2.8
Electronic Cigarettes	21.3	9.3			Marijuana	0.8	1.7	3.0	2.4
Hallucinogens	0.0	1.7	0.8	0.0	Over-the-counter medications for non-medical use	0.0	1.6	3.4	7.3
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	4.2	4.4	4.6	5.7
Inhalants	3.3	2.8	3.8	3.8					
Marijuana	6.3	6.8	5.5	23.6	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.7	0.0	2.2	Alcohol (1 or 2 drinks daily)	65.7	63.9		
Over-the-counter medications for non-medical use	1.3	1.6	5.1	10.1	Alcohol (Binge: 5+ drinks once or twice a week)	72.8	76.5		
Prescription medications not prescribed for student	7.5	4.4	9.7	7.8	Cigarettes (1+ packs per day)	88.7	86.7		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	1.7	5.9		Marijuana (once or twice a week)	84.5	81.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.5	92.2	91.9	98.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.50	12.53	12.81	11.98	Alcohol	72.0	81.5	69.9	62.9
Cigarettes	13.52	13.01	13.12	12.25	Cigarettes	90.7	92.7	89.4	92.9
Inhalants		12.89	12.16	10.00	Marijuana	94.5	97.1	97.0	100.0
Marijuana	14.10	13.68	14.18	14.02					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	45.1	44.8	60.3	57.0	Alcohol	66.1	72.5	54.9	49.8
Cigarettes	29.1	34.3	42.6	51.2	Cigarettes	90.3	89.4	81.4	64.8
Marijuana	17.2	11.5	20.7	34.8	Marijuana	90.6	89.3	92.0	95.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.9	4.4	12.9	6.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	97.8	97.1	99.0
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	32.8	23.6	35.0	48.3	Alcohol	53.8	49.2	63.0	67.9
Cigarettes	8.5	9.3	13.9	7.5	Cigarettes	35.0	41.8	59.3	53.9
Marijuana	7.3	5.6	5.5	4.2	Marijuana	9.5	21.0	30.6	15.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3	10.4	22.3	10.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.3	59.9	65.1	59.4	Were grouchy, irritable, or in a bad mood	27.4	18.6	22.6	32.1
Were victims of mean rumors or lies spread at school	48.7	53.8	52.3	50.9	Had difficulty concentrating on school work	16.3	26.9	25.6	33.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.1	14.8	21.8	18.3	Were very sad	16.4	25.1	19.6	30.7
					Felt hopeless about the future	9.6	12.5	14.8	21.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.1	12.1	12.4	12.6	Parents involve student in making family decisions	68.6	68.4	68.4	68.3
Made plan about how they would attempt suicide	6.3	9.8	10.2	6.5	Parents notice and comment on student's good work	83.4	89.1	82.3	79.9
Attempted suicide	0.8	4.5	3.8	6.5	Teachers notice and comment on student's good work	64.9	77.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

OZARK COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	9,723
2016 Estimate	9,237

BIRTH RISK	2015	2014	2013
Resident Births	69	94	81
Mother Reported Smoking while Pregnant	22	26	17

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	0	0
Hepatitis C Chronic and Acute	11	9	3
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	119	134	126
Suicide	2	2	1
Homicide	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	26	25	28
Self-inflicted Injuries *	0	5	6
Assault Injuries *	8	10	14

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	52	64	52
Mental Illness Secondary Diagnosis	163	165	146
Alcohol Principal Diagnosis	8	4	10
Alcohol Secondary Diagnosis	15	15	13
Drug Principal Diagnosis	8	8	10
Drug Secondary Diagnosis	16	12	12
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	8	12	9
Mental Illness Secondary Diagnosis	41	53	30
Alcohol Principal Diagnosis	1	3	0
Alcohol Secondary Diagnosis	3	10	7
Drug Principal Diagnosis	0	1	0
Drug Secondary Diagnosis	2	2	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	27	38	33
Mental Illness Secondary Diagnosis	84	205	230
Alcohol Principal Diagnosis	16	5	8
Alcohol Secondary Diagnosis	8	5	9
Drug Principal Diagnosis	3	5	5
Drug Secondary Diagnosis	5	8	8

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	10	10	11
Alcohol Package Carry-out Licenses	17	17	21

EMPLOYMENT	2016	2015	2014
Labor Force	3,692	3,716	3,632
Employed	3,422	3,422	3,315
Unemployed	270	294	317
Unemployment Rate	7.3%	7.9%	8.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	16	9	17
Fatal Crashes	1	0	1
Injury Crashes	9	4	8
Property Damage Crashes	6	5	12
Crash Fatalities	1	0	1
Crash Injuries	9	5	10
Drug Involved Crashes	2	0	1
Fatal Crashes	0	0	1
Injury Crashes	0	0	0
Property Damage Crashes	2	0	0
Crash Fatalities	0	0	1
Crash Injuries	0	0	2

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	51	38	53
Liquor Law Arrests	12	8	12
Drug Arrests	110	91	86
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	15	19	12
Domestic Violence Reports	22	37	24
Property Offenses	83	101	98

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	476	500	522
Drop-outs	2	1	2
Drop-out Rate	0.4%	0.2%	0.4%
School Discipline Involving Alcohol	0	0	2
School Discipline Involving Drugs	5	8	1
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	2	5	4
Juvenile Alcohol Offenses	0	0	0
Juvenile Drug Offenses	5	2	0
School Truancy Status Offense	0	6	1
Absent from Home Status Offense	1	0	1
Beyond Parental Control Status Offense	3	1	1
Injurious Behavior Status Offense	0	1	0
Child Abuse	0	0	0
Child Neglect	7	17	13
Child Custody Issues	0	0	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	7	12	11
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	5	6	6
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	16	15	15
Probation/Parole Admissions--Drug	39	24	13
Probation/Parole Admissions--DWI	2	1	5
Prison Admissions--Drug	15	8	16
Prison Admissions--DWI	2	2	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

OZARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	12	5
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	10	18	7
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	9
Clinical SATOP (CIP, YCIP, SROP)	9	12	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	26	29	20
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	10	5	8
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	23	41	27	Alcohol	14	20	11
AGE				Marijuana / Hashish	*	8	*
Under 18	*	*	*	Cocaine (total)	0	0	*
18 to 24	5	7	*	- Crack	0	0	*
25 to 29	*	8	*	Stimulant (total)	6	10	8
30 to 34	*	8	5	- Methamphetamine	5	10	8
35 to 39	*	*	5	Heroin	0	0	0
40 to 44	0	*	*	Analgesic except Heroin	*	*	*
45 to 54	5	9	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	15	27	18	Inhalant	0	0	0
Female	8	14	9	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	22	39	26	Average Age at First Use of Drug	17.3	17.6	16.7
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	7	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	5	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	6	13	6	0	8	21	11
High School Graduate or G.E.D.	15	20	17	1 or 2	12	15	11
Associate Degree or Some College	*	8	*	3 or More	*	5	5
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	9	20	12
Employed	*	7	*	School	0	*	0
Unemployed	6	13	13	Mental Health Provider	0	0	*
Not in Labor Force	13	21	12	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	13	16	9
Independent Living	21	34	19	Other Referral Source	0	*	*
Dependent Living	*	5	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	8	22	13	Special Education Services Needed	*	*	*
Married / Cohabiting	9	11	5	Co-Occurring Psychological Problem	10	12	13
Previously Married	6	8	9	Co-Occurring Developmental Problem	0	0	0

OZARK COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 9,723
2016 POPULATION ESTIMATE 9,237

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	7	5	11
Anxiety Disorder	37	38	51
Dementia	*	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	9	8	9
Mood Disorder	42	46	71
Personality Disorder	0	*	7
Psychotic Disorder	7	8	11
Sexual Disorder	0	0	0
Other Diagnosis	*	6	5
Diagnosis Unknown	10	9	11

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	73	77	110	Less than High School Diploma	16	19	26
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	5	*	*	Education Level Unknown	57	58	84
14 to 17	*	*	7	EMPLOYMENT			
18 to 24	6	*	7	Employed	7	15	13
25 to 29	*	7	16	Unemployed	*	*	9
30 to 34	*	5	11	Not in Labor Force	43	39	55
35 to 39	9	11	11	Employment Status Unknown	19	19	33
40 to 44	8	15	11	HOUSING / LIVING ARRANGEMENT			
45 to 49	16	12	14	Independent Living	34	42	54
50 to 54	*	6	13	Dependent Living	11	13	15
55 to 59	9	6	10	Homeless	*	0	*
60 and Over	*	*	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	26	22	39
GENDER				TREATMENT REFERRAL SOURCE			
Male	39	30	52	Self / Family / Friend	34	42	72
Female	34	47	58	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	5	*
RACE / ETHNICITY				Health Care Provider	29	22	27
Caucasian	71	75	108	Court / Criminal Justice	6	0	*
African American	0	0	0	Other	*	8	7
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	70	76	109
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

OZARK COUNTY

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.8	36.4	33.8	45.4	Alcohol	13.9	14.1	8.3	17.7
Chewing Tobacco	24.8	17.3	16.5	24.0	Alcohol (5+ drinks on single occasion past 2 weeks)	5.1	7.1		
Cigarettes	25.5	27.8	20.3	33.9	Chewing Tobacco	10.2	8.2	7.6	10.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	0.0	0.8	3.4	Cigarettes	8.8	11.1	6.0	14.9
Cocaine	2.2	1.0	0.0	1.7	Inhalants	0.7	1.0	1.5	2.9
Electronic Cigarettes	25.5	10.0			Marijuana	5.8	4.1	7.5	6.3
Hallucinogens	1.5	0.0	3.1	3.5	Over-the-counter medications for non-medical use	0.7	0.0	4.5	4.6
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	10.2	3.1	3.0	4.6
Inhalants	2.2	3.1	3.0	6.9	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.1	14.3	16.5	13.8	Alcohol (1 or 2 drinks daily)	58.1	57.1		
Methamphetamine	0.0	0.0	0.0	1.2	Alcohol (Binge: 5+ drinks once or twice a week)	70.8	66.0		
Over-the-counter medications for non-medical use	3.7	1.1	5.3	8.0	Cigarettes (1+ packs per day)	80.3	89.5		
Prescription medications not prescribed for student	12.5	5.2	4.5	10.4	Marijuana (once or twice a week)	66.7	71.1		
Synthetic drugs (K2, bath salts, Spice, etc)	1.5	3.0	6.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	96.8	92.3	91.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.88	13.15	12.34	12.12	Alcohol	83.9	80.4	87.0	85.0
Cigarettes	12.39	13.57	12.16	11.44	Cigarettes	92.0	87.8	94.7	91.9
Inhalants		10.69		13.38	Marijuana	92.7	88.5	94.5	94.7
Marijuana	13.21	14.93	12.61	13.59	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	70.4	66.0	55.4	58.0
Alcohol	42.3	38.4	50.4	55.4	Cigarettes	84.7	82.7	78.9	76.9
Cigarettes	40.9	39.0	45.5	45.7	Marijuana	83.1	79.4	81.2	83.3
Marijuana	38.0	27.6	35.3	31.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.3	96.8	94.7	94.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	5.0	11.3	14.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	39.7	52.6	61.1	57.5
Alcohol	21.3	25.7	27.3	36.4	Cigarettes	41.6	50.0	57.1	60.1
Cigarettes	10.3	12.1	10.4	21.1	Marijuana	30.4	28.4	36.2	35.3
Marijuana	9.6	8.1	13.0	10.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.1	11.0	15.9	18.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	53.3	48.5	60.2	73.7	Were grouchy, irritable, or in a bad mood	33.6	21.0	25.8	27.6
Were victims of mean rumors or lies spread at school	45.3	46.5	52.6	65.3	Had difficulty concentrating on school work	25.5	16.0	20.9	24.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	17.7	18.4	18.5	17.8	Were very sad	23.5	15.2	20.3	24.1
					Felt hopeless about the future	9.6	9.0	9.0	12.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.5	12.0	9.0	10.9	Parents involve student in making family decisions	66.4	73.7	64.7	69.7
Made plan about how they would attempt suicide	13.1	7.0	6.1	7.4	Parents notice and comment on student's good work	87.0	80.8	78.8	78.7
Attempted suicide	7.4	4.0	3.1	4.0	Teachers notice and comment on student's good work	85.4	74.3		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

PEMISCOT COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	19
POPULATION	
Census 2010	18,296
2016 Estimate	17,073

BIRTH RISK	2015	2014	2013
Resident Births	272	266	301
Mother Reported Smoking while Pregnant	59	62	76

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	4	2	1
Hepatitis C Chronic and Acute	6	25	17
Tuberculosis Infection Cases	3	1	10

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	245	229	269
Suicide	4	4	6
Homicide	4	1	2
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	2	2	5
Smoking Attributable Deaths	48	47	58
Self-inflicted Injuries *	32	27	26
Assault Injuries *	134	151	114

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	335	343	316
Mental Illness Secondary Diagnosis	556	499	444
Alcohol Principal Diagnosis	17	11	9
Alcohol Secondary Diagnosis	32	44	30
Drug Principal Diagnosis	37	28	12
Drug Secondary Diagnosis	42	33	26
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	20	33	48
Mental Illness Secondary Diagnosis	275	341	345
Alcohol Principal Diagnosis	3	9	3
Alcohol Secondary Diagnosis	15	20	26
Drug Principal Diagnosis	3	4	8
Drug Secondary Diagnosis	13	20	20
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	263	237	180
Mental Illness Secondary Diagnosis	329	227	188
Alcohol Principal Diagnosis	52	52	52
Alcohol Secondary Diagnosis	31	33	23
Drug Principal Diagnosis	54	43	32
Drug Secondary Diagnosis	54	42	40

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	16	17	16
Alcohol Package Carry-out Licenses	30	31	28

EMPLOYMENT	2016	2015	2014
Labor Force	7,131	7,157	7,019
Employed	6,497	6,508	6,377
Unemployed	634	649	642
Unemployment Rate	8.9%	9.1%	9.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	20	22	22
Fatal Crashes	0	1	2
Injury Crashes	10	7	9
Property Damage Crashes	10	14	15
Crash Fatalities	0	1	4
Crash Injuries	13	13	11
Drug Involved Crashes	7	10	8
Fatal Crashes	1	3	0
Injury Crashes	2	2	5
Property Damage Crashes	4	5	3
Crash Fatalities	1	3	0
Crash Injuries	2	6	7

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	113	109	96
Liquor Law Arrests	2	0	3
Drug Arrests	140	112	124
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	159	177	145
Domestic Violence Reports	293	194	196
Property Offenses	633	621	714

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,010	1,040	1,045
Drop-outs	18	12	17
Drop-out Rate	1.8%	1.2%	1.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	3	3	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	37	29	9
Juvenile Alcohol Offenses	1	0	0
Juvenile Drug Offenses	11	4	2
School Truancy Status Offense	4	0	19
Absent from Home Status Offense	28	2	4
Beyond Parental Control Status Offense	73	3	11
Injurious Behavior Status Offense	57	1	21
Child Abuse	43	14	6
Child Neglect	156	28	51
Child Custody Issues	0	0	10

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	89	62	50
Parental Alcohol Use Related	0	1	1
Parental Drug Use Related	38	28	23
Parental Alcohol and Drug Use	1	0	4

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	98	99	85
Probation/Parole Admissions--DWI	9	25	12
Prison Admissions--Drug	49	49	49
Prison Admissions--DWI	7	7	10

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PEMISCOT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	49	53	68
CSTAR Adolescent	20	22	20
CSTAR Women and Children	14	14	18
CSTAR General Adult	125	130	116
CSTAR Opioid	0	0	0
Primary Recovery Treatment	21	25	31
Clinical SATOP (CIP, YCIP, SROP)	7	9	18
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	41	54	69
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	20	19	18
- Weekend Intervention Program	8	*	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	5
Compulsive Gambling	0	0	0
Recovery Supports	*	*	13
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	192	197	220	Alcohol	46	51	64
AGE				Marijuana / Hashish	65	68	66
Under 18	19	22	19	Cocaine (total)	13	13	11
18 to 24	36	36	38	- Crack	6	6	6
25 to 29	35	38	40	Stimulant (total)	47	38	51
30 to 34	38	35	36	- Methamphetamine	45	36	50
35 to 39	22	21	24	Heroin	*	*	*
40 to 44	14	9	19	Analgesic except Heroin	9	10	16
45 to 54	16	21	33	- Non-Prescription Methadone	0	*	0
55 and Over	12	15	11	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	7	14	10
Male	114	119	149	Inhalant	0	*	0
Female	78	78	71	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	128	127	137	Average Age at First Use of Drug	17.6	17.8	18.0
African American	62	63	76	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	14	14	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	6	7	*
Other Race / Two or More Races	*	5	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	98	104	94	0	148	161	175
High School Graduate or G.E.D.	79	72	104	1 or 2	27	23	38
Associate Degree or Some College	15	20	22	3 or More	17	13	7
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	36	31	42
Employed	32	31	39	School	0	0	0
Unemployed	45	61	47	Mental Health Provider	*	*	*
Not in Labor Force	115	105	134	Health Care Provider	13	21	11
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	94	98	122
Independent Living	156	161	178	Other Referral Source	44	45	43
Dependent Living	21	26	29	TREATMENT ACCOMMODATION			
Homeless	13	7	5	Pregnant when Admitted to any Episode	5	*	8
MARITAL / FAMILY STATUS				Military Veteran	*	7	10
Never Married	112	116	127	Special Education Services Needed	29	30	26
Married / Cohabiting	49	58	51	Co-Occurring Psychological Problem	69	52	40
Previously Married	31	23	42	Co-Occurring Developmental Problem	5	*	*

PEMISCOT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 18,296
2016 POPULATION ESTIMATE 17,073

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	6	19	19
Anxiety Disorder	29	30	25
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	43	39	40
Mood Disorder	147	123	129
Personality Disorder	*	0	*
Psychotic Disorder	43	41	44
Sexual Disorder	*	*	*
Other Diagnosis	38	14	16
Diagnosis Unknown	24	21	47

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	311	271	310	Less than High School Diploma	152	138	116
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	5	6	Associate Degree or Some College	0	0	0
6 to 9	49	33	33	Bachelor or Advanced Degree	0	0	0
10 to 13	43	36	37	Education Level Unknown	159	133	194
14 to 17	31	25	36	EMPLOYMENT			
18 to 24	18	21	26	Employed	16	10	*
25 to 29	24	14	23	Unemployed	18	28	23
30 to 34	26	20	27	Not in Labor Force	214	176	159
35 to 39	25	22	31	Employment Status Unknown	63	57	124
40 to 44	18	25	21	HOUSING / LIVING ARRANGEMENT			
45 to 49	22	25	23	Independent Living	125	101	100
50 to 54	22	25	22	Dependent Living	116	100	77
55 to 59	14	8	12	Homeless	*	*	*
60 and Over	15	12	13	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	68	67	131
GENDER				TREATMENT REFERRAL SOURCE			
Male	157	137	163	Self / Family / Friend	117	83	75
Female	154	134	147	School	15	12	16
Gender Unknown	0	0	0	Mental Health Provider	14	22	25
RACE / ETHNICITY				Health Care Provider	65	54	52
Caucasian	176	163	194	Court / Criminal Justice	33	43	69
African American	117	94	101	Other	65	55	71
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	296	261	305
Other Race	15	11	11	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	12	6	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	12	8	9				

PEMISCOT COUNTY

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	36.6	27.6	44.1	49.0	Alcohol	12.8	11.8	17.8	25.4
Chewing Tobacco	11.9	10.9	11.7	16.7	Alcohol (5+ drinks on single occasion past 2 weeks)	6.2	5.4		
Cigarettes	23.8	20.8	30.8	37.9	Chewing Tobacco	5.0	7.4	5.4	10.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	0.4	1.0	2.7	Cigarettes	10.1	10.5	12.4	22.2
Cocaine	0.3	0.4	1.3	2.2	Inhalants	0.9	1.3	1.6	4.9
Electronic Cigarettes	22.3	15.4			Marijuana	5.6	5.3	5.7	9.9
Hallucinogens	1.0	1.3	1.0	1.8	Over-the-counter medications for non-medical use	2.5	1.7	3.5	7.2
Heroin	0.0	0.4	1.0	1.3	Prescription medications not prescribed for student	15.1	4.8	8.6	14.3
Inhalants	2.2	3.5	5.7	10.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.8	11.5	15.3	20.1	Alcohol (1 or 2 drinks daily)	61.3	49.6		
Methamphetamine	0.6	0.0	1.3	0.7	Alcohol (Binge: 5+ drinks once or twice a week)	73.9	62.5		
Over-the-counter medications for non-medical use	6.3	3.5	8.0	10.9	Cigarettes (1+ packs per day)	79.9	70.9		
Prescription medications not prescribed for student	22.9	9.2	14.6	21.0	Marijuana (once or twice a week)	68.9	59.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	2.2	8.3		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	79.7	92.3	91.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.88	12.90	12.85	12.77	Alcohol	86.8	89.4	85.0	82.3
Cigarettes	12.31	11.93	12.02	12.42	Cigarettes	94.3	94.2	90.7	88.7
Inhalants		10.77	12.62	12.62	Marijuana	92.7	95.5	95.8	94.5
Marijuana	14.30	13.34	14.02	14.02	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	75.2	69.3	66.7	60.3
Alcohol	43.0	37.8	57.6	60.1	Cigarettes	88.4	82.6	80.5	73.9
Cigarettes	36.7	31.2	52.2	56.6	Marijuana	86.8	81.7	84.3	81.1
Marijuana	30.6	21.5	36.5	36.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	92.6	95.8	95.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	5.2	11.8	13.0	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	44.5	45.7	59.6	58.5
Alcohol	23.7	26.8	29.3	37.5	Cigarettes	43.8	46.8	60.3	62.3
Cigarettes	7.8	12.6	10.5	21.2	Marijuana	34.3	34.8	46.9	41.9
Marijuana	8.5	10.1	9.2	14.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.0	21.0	25.0	24.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	67.4	64.8	61.0	72.0	Were grouchy, irritable, or in a bad mood	36.3	28.2	32.8	20.8
Were victims of mean rumors or lies spread at school	56.3	57.9	58.3	63.4	Had difficulty concentrating on school work	25.5	19.7	23.9	19.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	16.9	27.9	22.8	21.5	Were very sad	19.1	23.1	19.1	15.7
					Felt hopeless about the future	9.7	15.5	8.6	10.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.7	12.5	13.0	13.0	Parents involve student in making family decisions	75.1	73.3	67.7	73.7
Made plan about how they would attempt suicide	8.5	10.8	11.3	10.9	Parents notice and comment on student's good work	86.2	84.6	83.2	82.4
Attempted suicide	4.4	7.4	7.3	8.0	Teachers notice and comment on student's good work	77.3	79.1		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

PERRY COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	18,971
2016 Estimate	19,285

BIRTH RISK	2015	2014	2013
Resident Births	229	192	231
Mother Reported Smoking while Pregnant	54	48	56

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	12	14	7
Tuberculosis Infection Cases	3	2	4

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	193	194	189
Suicide	0	2	2
Homicide	0	0	1
Alcohol Induced Deaths	2	2	1
Drug Induced Deaths	0	3	3
Smoking Attributable Deaths	36	29	37
Self-inflicted Injuries *	22	25	28
Assault Injuries *	55	50	55

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	165	122	136
Mental Illness Secondary Diagnosis	533	484	419
Alcohol Principal Diagnosis	3	7	5
Alcohol Secondary Diagnosis	22	19	17
Drug Principal Diagnosis	8	9	6
Drug Secondary Diagnosis	30	9	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	17	19	14
Mental Illness Secondary Diagnosis	277	325	266
Alcohol Principal Diagnosis	4	8	8
Alcohol Secondary Diagnosis	10	28	14
Drug Principal Diagnosis	0	0	1
Drug Secondary Diagnosis	5	6	5
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	201	182	182
Mental Illness Secondary Diagnosis	1,047	577	732
Alcohol Principal Diagnosis	21	18	27
Alcohol Secondary Diagnosis	81	35	41
Drug Principal Diagnosis	17	23	26
Drug Secondary Diagnosis	99	68	42

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	38	34	32
Alcohol Package Carry-out Licenses	21	22	22

EMPLOYMENT	2016	2015	2014
Labor Force	10,218	10,402	10,224
Employed	9,857	9,969	9,667
Unemployed	361	433	557
Unemployment Rate	3.5%	4.2%	5.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	21	19	10
Fatal Crashes	0	1	0
Injury Crashes	10	7	4
Property Damage Crashes	11	11	11
Crash Fatalities	0	1	0
Crash Injuries	14	10	4
Drug Involved Crashes	3	3	4
Fatal Crashes	0	0	0
Injury Crashes	2	1	0
Property Damage Crashes	1	2	4
Crash Fatalities	0	0	0
Crash Injuries	2	1	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	65	79	60
Liquor Law Arrests	28	4	25
Drug Arrests	151	153	97
Methamphetamine Lab Seizures	0	0	3
Violent Offenses	78	67	45
Domestic Violence Reports	123	128	101
Property Offenses	220	229	222

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	773	752	731
Drop-outs	18	16	22
Drop-out Rate	2.3%	2.1%	3.0%
School Discipline Involving Alcohol	2	0	1
School Discipline Involving Drugs	4	3	19
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	20	20	14
Juvenile Alcohol Offenses	6	2	1
Juvenile Drug Offenses	6	8	16
School Truancy Status Offense	20	8	4
Absent from Home Status Offense	12	5	6
Beyond Parental Control Status Offense	20	20	17
Injurious Behavior Status Offense	35	40	23
Child Abuse	4	5	14
Child Neglect	140	121	74
Child Custody Issues	2	4	4

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	43	16	16
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	28	10	6
Parental Alcohol and Drug Use	2	0	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	51	53	51
Probation/Parole Admissions--DWI	3	3	9
Prison Admissions--Drug	27	15	22
Prison Admissions--DWI	0	1	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PERRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	14	17	19
CSTAR Adolescent	8	7	12
CSTAR Women and Children	6	8	5
CSTAR General Adult	74	97	75
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	0
Clinical SATOP (CIP, YCIP, SROP)	12	14	17
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	75	79	96
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	26	44	45
- Weekend Intervention Program	19	19	24
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	*	*	*
Recovery Supports	21	21	47
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	113	133	142	Alcohol	30	50	54
AGE				Marijuana / Hashish	21	37	45
Under 18	10	9	11	Cocaine (total)	*	0	*
18 to 24	20	15	41	- Crack	*	0	0
25 to 29	26	28	31	Stimulant (total)	30	18	9
30 to 34	23	27	16	- Methamphetamine	28	15	8
35 to 39	12	14	16	Heroin	19	20	12
40 to 44	*	13	9	Analgesic except Heroin	10	6	11
45 to 54	13	20	12	- Non-Prescription Methadone	0	0	0
55 and Over	6	7	6	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	62	91	98	Inhalant	0	0	0
Female	51	42	44	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	106	125	134	Average Age at First Use of Drug	17.6	16.5	16.8
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	31	25	16
Asian / Pacific Islander	0	0	0	- Daily Injection Use	9	5	*
Hispanic	*	*	*	- Weekly Injection Use	8	*	*
Other Race / Two or More Races	5	*	*	- Less than Weekly Injection Use	14	16	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	43	47	53	0	76	67	87
High School Graduate or G.E.D.	50	68	63	1 or 2	20	44	36
Associate Degree or Some College	20	17	25	3 or More	17	22	19
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	43	39	18
Employed	35	45	58	School	0	0	0
Unemployed	38	42	47	Mental Health Provider	*	0	*
Not in Labor Force	40	46	37	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	55	77	98
Independent Living	94	117	122	Other Referral Source	11	11	15
Dependent Living	13	11	14	TREATMENT ACCOMMODATION			
Homeless	6	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	5
Never Married	67	68	84	Special Education Services Needed	6	9	19
Married / Cohabiting	27	36	35	Co-Occurring Psychological Problem	47	52	58
Previously Married	19	29	23	Co-Occurring Developmental Problem	*	10	*

PERRY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 18,971
2016 POPULATION ESTIMATE 19,285

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	33	46	64
Anxiety Disorder	80	61	96
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	72	98	109
Mood Disorder	286	287	345
Personality Disorder	13	8	9
Psychotic Disorder	21	28	21
Sexual Disorder	*	0	0
Other Diagnosis	11	13	16
Diagnosis Unknown	80	26	32

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	497	480	595	Less than High School Diploma	49	49	64
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	15	22	23	Bachelor or Advanced Degree	0	0	0
10 to 13	32	47	42	Education Level Unknown	448	431	531
14 to 17	55	48	69	EMPLOYMENT			
18 to 24	39	38	62	Employed	*	6	5
25 to 29	41	38	60	Unemployed	*	6	*
30 to 34	39	39	55	Not in Labor Force	108	104	119
35 to 39	45	46	55	Employment Status Unknown	384	364	467
40 to 44	49	40	52	HOUSING / LIVING ARRANGEMENT			
45 to 49	47	40	50	Independent Living	79	75	83
50 to 54	43	42	50	Dependent Living	47	48	47
55 to 59	44	41	36	Homeless	*	*	0
60 and Over	45	37	40	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	369	355	465
GENDER				TREATMENT REFERRAL SOURCE			
Male	212	220	253	Self / Family / Friend	369	350	383
Female	285	260	342	School	7	7	8
Gender Unknown	0	0	0	Mental Health Provider	9	14	35
RACE / ETHNICITY				Health Care Provider	56	45	71
Caucasian	463	445	538	Court / Criminal Justice	11	14	21
African American	6	*	6	Other	44	49	76
Native American / Alaskan	0	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	11	16	31	Voluntary	493	477	592
Other Race	17	14	17	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	20	19	22	Commitment Type Unknown	*	*	*
Past or Current Military Service	16	11	14				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	13.4	36.4	44.1	42.8	Alcohol	1.8	18.0	23.1	22.8
Chewing Tobacco	0.0	13.9	17.7	17.0	Alcohol (5+ drinks on single occasion past 2 weeks)	0.0	6.7		
Cigarettes	5.2	20.4	27.8	28.4	Chewing Tobacco	0.0	6.1	8.7	8.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.3	2.4	0.3	Cigarettes	1.8	4.8	11.7	16.5
Cocaine	0.0	0.0	1.4	1.0	Inhalants	0.0	1.3	2.0	2.0
Electronic Cigarettes	0.0	4.8			Marijuana	0.0	4.4	7.3	3.3
Hallucinogens	0.0	0.0	2.4	1.3	Over-the-counter medications for non-medical use	0.0	1.3	3.7	2.6
Heroin	0.0	0.0	0.7	0.5	Prescription medications not prescribed for student	4.6	4.4	3.3	5.0
Inhalants	0.0	2.6	4.0	5.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	2.3	9.3	12.7	9.8	Alcohol (1 or 2 drinks daily)	83.2	63.8		
Methamphetamine	0.0	1.3	2.0	0.0	Alcohol (Binge: 5+ drinks once or twice a week)	93.5	69.1		
Over-the-counter medications for non-medical use	1.2	1.3	5.0	3.6	Cigarettes (1+ packs per day)	98.3	85.2		
Prescription medications not prescribed for student	7.5	7.8	5.4	9.4	Marijuana (once or twice a week)	93.3	71.7		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	3.0	5.7		Other: Cocaine, LSD, Meth, Club Drug (any use)	87.4	91.4	89.0	89.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	11.13	13.44	12.51	12.24	Alcohol	97.1	75.9	71.6	72.3
Cigarettes		14.52	12.54	12.78	Cigarettes	100.0	90.4	88.9	90.5
Inhalants		8.95	12.61	11.05	Marijuana	100.0	95.5	94.5	95.0
Marijuana		13.94	13.78	13.60	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	89.6	61.0	54.5	57.3
Alcohol	4.6	39.3	54.9	59.2	Cigarettes	98.3	88.6	79.7	78.1
Cigarettes	0.0	22.2	43.1	44.7	Marijuana	97.7	84.3	84.6	87.4
Marijuana	0.0	21.9	34.2	30.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	92.2	94.9	96.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.7	9.0	12.0	15.2	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	15.6	52.6	57.2	59.0
Alcohol	6.9	25.3	36.1	37.0	Cigarettes	4.6	43.3	50.8	55.6
Cigarettes	4.1	6.8	14.3	14.0	Marijuana	0.0	27.8	34.7	25.7
Marijuana	2.3	7.5	11.0	7.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	13.2	14.9	16.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	55.5	58.8	58.6	68.6	Were grouchy, irritable, or in a bad mood	17.9	23.6	24.7	26.0
Were victims of mean rumors or lies spread at school	31.8	47.6	53.5	55.5	Had difficulty concentrating on school work	20.8	13.7	20.3	27.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.8	23.0	20.9	16.5	Were very sad	12.8	19.7	18.5	17.7
					Felt hopeless about the future	3.0	7.8	12.2	13.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	6.9	9.4	12.4	10.9	Parents involve student in making family decisions	76.3	73.4	67.0	68.9
Made plan about how they would attempt suicide	4.0	6.0	7.5	8.0	Parents notice and comment on student's good work	98.3	80.9	76.1	84.3
Attempted suicide	4.1	1.3	6.0	5.4	Teachers notice and comment on student's good work	85.8	68.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PETTIS COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	42,201
2016 Estimate	42,213

BIRTH RISK	2015	2014	2013
Resident Births	594	582	559
Mother Reported Smoking while Pregnant	111	113	123

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	2	0
Hepatitis B Chronic, Acute, Prenatal	5	4	6
Hepatitis C Chronic and Acute	17	38	32
Tuberculosis Infection Cases	9	12	7

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	435	403	425
Suicide	11	5	8
Homicide	2	1	3
Alcohol Induced Deaths	7	5	1
Drug Induced Deaths	3	3	4
Smoking Attributable Deaths	67	67	80
Self-inflicted Injuries *	53	62	73
Assault Injuries *	175	206	181

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	353	388	401
Mental Illness Secondary Diagnosis	1,398	1,483	1,375
Alcohol Principal Diagnosis	57	41	50
Alcohol Secondary Diagnosis	117	82	104
Drug Principal Diagnosis	13	19	16
Drug Secondary Diagnosis	74	78	94
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	54	83	89
Mental Illness Secondary Diagnosis	122	166	136
Alcohol Principal Diagnosis	14	20	14
Alcohol Secondary Diagnosis	24	25	23
Drug Principal Diagnosis	8	10	8
Drug Secondary Diagnosis	12	17	12
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	533	443	414
Mental Illness Secondary Diagnosis	5,481	5,716	4,633
Alcohol Principal Diagnosis	150	131	89
Alcohol Secondary Diagnosis	166	163	219
Drug Principal Diagnosis	97	63	42
Drug Secondary Diagnosis	284	232	172

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	49	51	49
Alcohol Package Carry-out Licenses	41	41	42

EMPLOYMENT	2016	2015	2014
Labor Force	20,948	21,119	20,530
Employed	19,922	20,006	19,266
Unemployed	1,026	1,113	1,264
Unemployment Rate	4.9%	5.3%	6.2%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	53	48	51
Fatal Crashes	0	1	1
Injury Crashes	26	19	18
Property Damage Crashes	27	28	25
Crash Fatalities	0	1	4
Crash Injuries	36	25	24
Drug Involved Crashes	13	9	10
Fatal Crashes	0	1	1
Injury Crashes	6	4	3
Property Damage Crashes	7	4	6
Crash Fatalities	0	1	1
Crash Injuries	13	9	11

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	182	155	162
Liquor Law Arrests	30	24	73
Drug Arrests	320	324	345
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	150	194	160
Domestic Violence Reports	448	427	488
Property Offenses	1,305	1,468	1,654

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,965	1,892	1,865
Drop-outs	11	9	7
Drop-out Rate	0.6%	0.5%	0.4%
School Discipline Involving Alcohol	0	1	2
School Discipline Involving Drugs	3	9	7
School Discipline Involving Tobacco	2	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	69	97	113
Juvenile Alcohol Offenses	3	8	7
Juvenile Drug Offenses	20	19	27
School Truancy Status Offense	21	15	28
Absent from Home Status Offense	41	38	36
Beyond Parental Control Status Offense	19	19	22
Injurious Behavior Status Offense	91	115	118
Child Abuse	2	1	0
Child Neglect	26	33	5
Child Custody Issues	5	24	10


JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	36	47	77
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	6	23	33
Parental Alcohol and Drug Use	4	0	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	32	42	47
Probation/Parole Admissions--Drug	142	155	153
Probation/Parole Admissions--DWI	2	7	11
Prison Admissions--Drug	88	79	125
Prison Admissions--DWI	7	1	3

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 42,201
2016 POPULATION ESTIMATE 42,213

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	14	8	8
Anxiety Disorder	291	246	266
Dementia	0	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	80	66	61
Mood Disorder	365	321	332
Personality Disorder	43	44	59
Psychotic Disorder	69	70	64
Sexual Disorder	0	0	0
Other Diagnosis	49	31	28
Diagnosis Unknown	28	33	30

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	496	453	454	Less than High School Diploma	182	150	133
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	0	Associate Degree or Some College	0	0	0
6 to 9	21	16	7	Bachelor or Advanced Degree	0	0	0
10 to 13	20	18	20	Education Level Unknown	314	303	321
14 to 17	19	22	36	EMPLOYMENT			
18 to 24	31	37	38	Employed	44	33	35
25 to 29	45	30	41	Unemployed	22	17	23
30 to 34	51	41	44	Not in Labor Force	359	341	316
35 to 39	48	41	43	Employment Status Unknown	71	62	80
40 to 44	53	48	44	HOUSING / LIVING ARRANGEMENT			
45 to 49	62	54	62	Independent Living	307	287	272
50 to 54	73	67	56	Dependent Living	105	99	104
55 to 59	39	42	39	Homeless	13	6	8
60 and Over	33	35	24	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	71	61	70
GENDER				TREATMENT REFERRAL SOURCE			
Male	200	187	183	Self / Family / Friend	223	196	199
Female	296	266	271	School	5	*	*
Gender Unknown	0	0	0	Mental Health Provider	66	72	81
RACE / ETHNICITY				Health Care Provider	89	88	81
Caucasian	444	407	408	Court / Criminal Justice	35	35	37
African American	25	27	29	Other	77	60	53
Native American / Alaskan	0	*	0	Referral Source Unknown	*	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	8	7	6	Voluntary	488	448	444
Other Race	19	10	11	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	6	5	10
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	17	12	9	Commitment Type Unknown	*	0	0
Past or Current Military Service	8	14	13				

PETTIS COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.3	36.1	39.6	41.8	Alcohol	17.2	16.5	18.9	21.4
Chewing Tobacco	11.4	12.2	11.6	12.1	Alcohol (5+ drinks on single occasion past 2 weeks)	6.2	6.1		
Cigarettes	14.9	19.1	24.0	29.0	Chewing Tobacco	4.3	5.8	7.2	7.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.6	2.8	3.3	Cigarettes	5.4	9.6	11.7	15.7
Cocaine	1.2	1.8	2.6	3.7	Inhalants	1.3	1.6	3.4	3.2
Electronic Cigarettes	18.0	12.7			Marijuana	6.2	5.4	8.0	9.6
Hallucinogens	1.3	2.0	2.6	3.0	Over-the-counter medications for non-medical use	1.9	3.1	3.0	5.4
Heroin	0.3	0.6	0.7	0.7	Prescription medications not prescribed for student	9.0	5.6	5.0	9.1
Inhalants	2.5	5.1	6.5	6.9					
Marijuana	12.6	12.0	16.5	17.5	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7	0.8	1.6	0.7	Alcohol (1 or 2 drinks daily)	70.7	62.7		
Over-the-counter medications for non-medical use	4.5	4.7	6.9	8.8	Alcohol (Binge: 5+ drinks once or twice a week)	79.2	71.0		
Prescription medications not prescribed for student	14.5	10.4	10.9	13.7	Cigarettes (1+ packs per day)	87.6	83.9		
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	4.5	7.4		Marijuana (once or twice a week)	73.1	65.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	98.3	92.2	93.5	92.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.85	13.18	12.49	12.87	Alcohol	83.5	80.7	80.2	78.4
Cigarettes	11.94	12.96	12.64	12.53	Cigarettes	95.3	94.0	91.9	88.9
Inhalants	11.93	12.32	11.40	11.72	Marijuana	93.9	95.9	93.2	94.2
Marijuana	13.50	13.26	13.80	13.50					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	43.7	44.2	49.3	56.8	Alcohol	71.0	64.5	58.9	59.1
Cigarettes	27.7	33.3	40.8	46.4	Cigarettes	90.6	83.9	81.1	79.3
Marijuana	29.3	25.9	34.4	33.9	Marijuana	85.1	85.0	80.6	82.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.9	7.2	15.8	18.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	96.9	95.5	94.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	23.1	28.2	33.6	32.8	Alcohol	43.2	48.7	52.7	53.7
Cigarettes	5.2	13.0	13.4	18.4	Cigarettes	38.7	45.0	49.9	54.1
Marijuana	10.3	9.5	13.1	12.7	Marijuana	23.9	30.3	35.5	37.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	11.5	15.8	20.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.4	60.0	61.1	66.0	Were grouchy, irritable, or in a bad mood	28.9	23.6	24.8	22.9
Were victims of mean rumors or lies spread at school	46.4	53.9	49.6	57.2	Had difficulty concentrating on school work	26.6	24.4	21.1	21.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	1.8	26.7	21.8	19.3	Were very sad	21.6	17.1	19.4	17.6
					Felt hopeless about the future	12.2	11.8	12.6	11.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.8	11.0	11.4	10.3	Parents involve student in making family decisions	70.2	69.5	66.4	70.6
Made plan about how they would attempt suicide	8.7	8.3	8.9	6.6	Parents notice and comment on student's good work	83.5	81.6	84.6	82.5
Attempted suicide	4.8	5.0	4.9	5.2	Teachers notice and comment on student's good work	75.2	70.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PHELPS COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17A
POPULATION	
Census 2010	45,156
2016 Estimate	44,608

BIRTH RISK	2015	2014	2013
Resident Births	528	503	531
Mother Reported Smoking while Pregnant	87	98	112

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	3	3	5
Hepatitis B Chronic, Acute, Prenatal	6	8	9
Hepatitis C Chronic and Acute	31	48	38
Tuberculosis Infection Cases	32	42	45

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	480	440	419
Suicide	6	10	7
Homicide	2	2	2
Alcohol Induced Deaths	4	2	3
Drug Induced Deaths	5	6	5
Smoking Attributable Deaths	82	84	70
Self-inflicted Injuries *	43	43	47
Assault Injuries *	141	186	164

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	334	295	287
Mental Illness Secondary Diagnosis	763	608	560
Alcohol Principal Diagnosis	22	10	13
Alcohol Secondary Diagnosis	49	34	42
Drug Principal Diagnosis	95	80	83
Drug Secondary Diagnosis	67	47	45
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	185	281	257
Mental Illness Secondary Diagnosis	745	776	770
Alcohol Principal Diagnosis	27	18	36
Alcohol Secondary Diagnosis	65	63	56
Drug Principal Diagnosis	19	19	46
Drug Secondary Diagnosis	40	48	43
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	480	589	479
Mental Illness Secondary Diagnosis	1,766	5,614	5,295
Alcohol Principal Diagnosis	123	120	123
Alcohol Secondary Diagnosis	65	60	73
Drug Principal Diagnosis	106	100	92
Drug Secondary Diagnosis	69	63	89

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	54	50	51
Alcohol Package Carry-out Licenses	41	38	40

EMPLOYMENT	2016	2015	2014
Labor Force	19,701	19,842	20,052
Employed	18,766	18,790	18,798
Unemployed	935	1,052	1,254
Unemployment Rate	4.7%	5.3%	6.3%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	36	43	47
Fatal Crashes	1	3	0
Injury Crashes	20	16	14
Property Damage Crashes	15	24	33
Crash Fatalities	1	3	0
Crash Injuries	33	24	18
Drug Involved Crashes	28	17	11
Fatal Crashes	3	0	0
Injury Crashes	4	7	2
Property Damage Crashes	21	10	9
Crash Fatalities	3	0	0
Crash Injuries	8	10	2

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	271	311	261
Liquor Law Arrests	40	31	51
Drug Arrests	449	441	316
Methamphetamine Lab Seizures	2	8	24
Violent Offenses	115	159	189
Domestic Violence Reports	89	45	31
Property Offenses	1,121	1,072	1,262

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,944	1,900	1,970
Drop-outs	45	47	51
Drop-out Rate	2.3%	2.5%	2.6%
School Discipline Involving Alcohol	6	6	2
School Discipline Involving Drugs	14	7	13
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	19	29	13
Juvenile Alcohol Offenses	7	4	0
Juvenile Drug Offenses	8	9	8
School Truancy Status Offense	65	56	91
Absent from Home Status Offense	8	4	4
Beyond Parental Control Status Offense	28	36	38
Injurious Behavior Status Offense	130	93	50
Child Abuse	89	125	157
Child Neglect	310	267	259
Child Custody Issues	24	25	14

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	148	86	125
Parental Alcohol Use Related	5	4	6
Parental Drug Use Related	86	35	66
Parental Alcohol and Drug Use	0	0	3

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	20	24	30
Probation/Parole Admissions--Drug	193	196	200
Probation/Parole Admissions--DWI	15	20	9
Prison Admissions--Drug	113	108	101
Prison Admissions--DWI	4	5	6

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PHELPS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	59	39	45
CSTAR Adolescent	45	38	10
CSTAR Women and Children	30	17	25
CSTAR General Adult	226	191	214
CSTAR Opioid	0	0	*
Primary Recovery Treatment	11	5	9
Clinical SATOP (CIP, YCIP, SROP)	39	32	45
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	183	168	168
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	85	60	60
- Weekend Intervention Program	28	35	35
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	8	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	37	37	8

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	344	281	279	Alcohol	81	82	86
AGE				Marijuana / Hashish	71	68	46
Under 18	49	40	9	Cocaine (total)	*	*	0
18 to 24	52	38	51	- Crack	*	*	0
25 to 29	49	52	68	Stimulant (total)	71	40	59
30 to 34	54	52	54	- Methamphetamine	68	39	57
35 to 39	45	32	33	Heroin	56	47	30
40 to 44	34	24	19	Analgesic except Heroin	50	36	52
45 to 54	36	31	35	- Non-Prescription Methadone	*	*	*
55 and Over	25	12	10	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	*	*
Male	185	144	165	Inhalant	0	0	*
Female	159	137	114	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	8	*	*
Caucasian	331	263	269	Average Age at First Use of Drug	19.9	19.1	19.1
African American	8	10	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	84	62	57
Asian / Pacific Islander	*	0	0	- Daily Injection Use	31	17	15
Hispanic	*	0	*	- Weekly Injection Use	28	18	20
Other Race / Two or More Races	*	6	*	- Less than Weekly Injection Use	25	27	22
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	118	101	80	0	216	176	160
High School Graduate or G.E.D.	143	118	114	1 or 2	95	72	85
Associate Degree or Some College	79	60	82	3 or More	33	33	34
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	188	110	101
Employed	83	54	76	School	0	0	0
Unemployed	125	110	100	Mental Health Provider	*	*	5
Not in Labor Force	136	117	103	Health Care Provider	34	21	23
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	97	97	88
Independent Living	266	223	247	Other Referral Source	22	46	60
Dependent Living	60	46	20	TREATMENT ACCOMMODATION			
Homeless	12	8	10	Pregnant when Admitted to any Episode	7	8	9
MARITAL / FAMILY STATUS				Military Veteran	6	12	17
Never Married	175	159	137	Special Education Services Needed	24	26	19
Married / Cohabiting	98	65	80	Co-Occurring Psychological Problem	125	127	139
Previously Married	71	57	62	Co-Occurring Developmental Problem	20	16	31

PHELPS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 45,156
2016 POPULATION ESTIMATE 44,608

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	30	32	12
Anxiety Disorder	328	343	342
Dementia	*	*	0
Developmental Disorder	17	13	10
Impulse Control Disorder	124	128	89
Mood Disorder	327	368	384
Personality Disorder	29	29	27
Psychotic Disorder	56	55	59
Sexual Disorder	0	0	0
Other Diagnosis	38	44	41
Diagnosis Unknown	18	12	34

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	495	529	559	Less than High School Diploma	191	216	184
AGE				High School Grad or G.E.D.	0	0	0
Under 6	8	10	*	Associate Degree or Some College	0	0	0
6 to 9	37	39	35	Bachelor or Advanced Degree	0	0	0
10 to 13	52	64	48	Education Level Unknown	304	313	375
14 to 17	59	54	52	EMPLOYMENT			
18 to 24	52	61	57	Employed	30	23	23
25 to 29	39	38	56	Unemployed	33	26	43
30 to 34	42	56	65	Not in Labor Force	324	357	338
35 to 39	50	38	38	Employment Status Unknown	108	123	155
40 to 44	32	31	48	HOUSING / LIVING ARRANGEMENT			
45 to 49	27	39	40	Independent Living	203	208	221
50 to 54	49	52	62	Dependent Living	174	199	158
55 to 59	30	25	26	Homeless	7	7	15
60 and Over	18	22	30	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	111	115	165
GENDER				TREATMENT REFERRAL SOURCE			
Male	231	243	236	Self / Family / Friend	385	413	414
Female	264	286	323	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	5	*	5
RACE / ETHNICITY				Health Care Provider	55	53	46
Caucasian	460	494	535	Court / Criminal Justice	11	11	8
African American	23	21	15	Other	37	46	82
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	489	527	555
Other Race	9	9	5	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	6	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	9	10	11	Commitment Type Unknown	0	0	0
Past or Current Military Service	10	9	10				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.4	41.7	41.0	41.4	Alcohol	15.4	17.5	20.5	21.6
Chewing Tobacco	12.7	13.8	16.8	21.2	Alcohol (5+ drinks on single occasion past 2 weeks)	5.6	7.3		
Cigarettes	21.6	26.6	24.6	22.8	Chewing Tobacco	6.5	6.5	9.8	12.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	3.8	1.9	1.6	Cigarettes	7.9	12.1	12.3	13.4
Cocaine	0.8	1.5	1.7	2.0	Inhalants	1.0	2.4	2.1	5.6
Electronic Cigarettes	25.5	25.3			Marijuana	3.9	13.9	8.5	11.0
Hallucinogens	1.8	3.4	2.5	3.3	Over-the-counter medications for non-medical use	1.2	2.9	4.1	7.9
Heroin	0.8	0.2	0.9	1.4	Prescription medications not prescribed for student	7.4	8.0	5.4	7.6
Inhalants	2.7	3.9	4.5	10.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.7	19.4	15.7	18.9	Alcohol (1 or 2 drinks daily)	67.8	52.9		
Methamphetamine	1.2	0.2	1.0	1.0	Alcohol (Binge: 5+ drinks once or twice a week)	75.2	66.5		
Over-the-counter medications for non-medical use	3.6	4.3	5.9	10.3	Cigarettes (1+ packs per day)	85.3	88.8		
Prescription medications not prescribed for student	12.9	14.1	8.7	15.2	Marijuana (once or twice a week)	68.4	60.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.0	3.4	6.1		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.6	92.3	94.9	93.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.34	13.50	12.88	11.76	Alcohol	80.8	73.5	78.4	76.6
Cigarettes	12.35	13.72	12.55	11.27	Cigarettes	92.0	89.8	91.4	95.1
Inhalants	9.82	12.06	12.58	11.17	Marijuana	92.8	88.5	93.9	97.2
Marijuana	13.72	14.31	13.87	12.98	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	66.2	55.7	58.6	62.3
Alcohol	39.6	48.2	54.5	58.5	Cigarettes	85.9	80.8	80.7	82.1
Cigarettes	29.1	42.7	42.9	43.9	Marijuana	81.8	71.6	80.7	79.6
Marijuana	29.3	45.7	34.2	39.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	93.7	95.7	93.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.2	22.2	14.1	21.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	51.1	52.5	56.7	60.1
Alcohol	26.3	32.5	32.2	34.3	Cigarettes	48.2	53.1	51.1	54.1
Cigarettes	10.1	15.2	13.8	16.8	Marijuana	33.0	40.9	32.7	38.8
Marijuana	13.2	20.9	13.2	18.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.5	21.8	17.0	25.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.0	62.4	59.1	68.4	Were grouchy, irritable, or in a bad mood	30.5	23.2	21.8	34.0
Were victims of mean rumors or lies spread at school	48.4	50.7	48.1	58.6	Had difficulty concentrating on school work	25.2	25.1	23.7	32.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.2	24.5	20.8	19.9	Were very sad	24.0	20.6	17.0	29.6
					Felt hopeless about the future	12.8	13.0	10.9	19.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	17.6	16.1	11.3	14.4	Parents involve student in making family decisions	70.3	68.5	71.1	73.2
Made plan about how they would attempt suicide	12.3	11.5	8.3	9.2	Parents notice and comment on student's good work	80.5	80.4	84.5	88.0
Attempted suicide	8.5	5.2	3.9	5.4	Teachers notice and comment on student's good work	79.3	69.6		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

PIKE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	18,516
2016 Estimate	18,438

BIRTH RISK	2015	2014	2013
Resident Births	228	228	196
Mother Reported Smoking while Pregnant	59	67	46

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	0	0
Hepatitis B Chronic, Acute, Prenatal	1	4	2
Hepatitis C Chronic and Acute	25	47	16
Tuberculosis Infection Cases	5	6	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	209	211	202
Suicide	3	0	4
Homicide	1	0	0
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	3	2	3
Smoking Attributable Deaths	35	48	41
Self-inflicted Injuries *	13	26	27
Assault Injuries *	38	51	45

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	72	90	95
Mental Illness Secondary Diagnosis	385	314	314
Alcohol Principal Diagnosis	3	0	9
Alcohol Secondary Diagnosis	33	26	25
Drug Principal Diagnosis	13	7	3
Drug Secondary Diagnosis	29	18	19
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	39	44	35
Mental Illness Secondary Diagnosis	215	231	251
Alcohol Principal Diagnosis	9	3	2
Alcohol Secondary Diagnosis	19	19	23
Drug Principal Diagnosis	1	4	2
Drug Secondary Diagnosis	10	13	11
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	154	155	166
Mental Illness Secondary Diagnosis	381	486	403
Alcohol Principal Diagnosis	27	25	30
Alcohol Secondary Diagnosis	33	45	51
Drug Principal Diagnosis	23	24	20
Drug Secondary Diagnosis	34	30	35

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	25	26	27
Alcohol Package Carry-out Licenses	21	21	21

EMPLOYMENT	2016	2015	2014
Labor Force	8,158	8,227	8,132
Employed	7,792	7,849	7,667
Unemployed	366	378	465
Unemployment Rate	4.5%	4.6%	5.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	13	16	21
Fatal Crashes	0	2	0
Injury Crashes	8	3	10
Property Damage Crashes	5	11	9
Crash Fatalities	0	2	0
Crash Injuries	10	6	19
Drug Involved Crashes	0	3	5
Fatal Crashes	0	0	0
Injury Crashes	0	1	2
Property Damage Crashes	0	2	3
Crash Fatalities	0	0	0
Crash Injuries	0	1	2

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	45	49	74
Liquor Law Arrests	2	9	8
Drug Arrests	64	74	61
Methamphetamine Lab Seizures	1	1	6
Violent Offenses	18	19	25
Domestic Violence Reports	99	81	112
Property Offenses	186	248	200

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	730	720	714
Drop-outs	13	12	4
Drop-out Rate	1.8%	1.7%	0.6%
School Discipline Involving Alcohol	1	1	8
School Discipline Involving Drugs	9	4	4
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	10	32	30
Juvenile Alcohol Offenses	2	8	7
Juvenile Drug Offenses	5	8	6
School Truancy Status Offense	2	54	7
Absent from Home Status Offense	0	14	3
Beyond Parental Control Status Offense	3	8	2
Injurious Behavior Status Offense	12	30	4
Child Abuse	8	4	8
Child Neglect	34	33	46
Child Custody Issues	0	1	8

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	37	33	35
Parental Alcohol Use Related	2	1	0
Parental Drug Use Related	1	17	12
Parental Alcohol and Drug Use	0	9	5

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	12	14	9
Probation/Parole Admissions--Drug	74	79	79
Probation/Parole Admissions--DWI	2	4	12
Prison Admissions--Drug	37	34	36
Prison Admissions--DWI	2	4	2

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PIKE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	13	6	14
CSTAR Adolescent	6	9	10
CSTAR Women and Children	8	11	8
CSTAR General Adult	64	61	89
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	8
Clinical SATOP (CIP, YCIP, SROP)	9	10	11
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	41	70	55
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	8	12	8
- Weekend Intervention Program	13	13	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	0	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	91	87	119	Alcohol	30	41	51
AGE				Marijuana / Hashish	31	28	37
Under 18	8	9	9	Cocaine (total)	*	0	*
18 to 24	13	18	21	- Crack	0	0	*
25 to 29	16	14	30	Stimulant (total)	17	*	11
30 to 34	13	10	17	- Methamphetamine	17	*	9
35 to 39	16	8	15	Heroin	6	6	6
40 to 44	*	10	7	Analgesic except Heroin	5	5	9
45 to 54	17	11	14	- Non-Prescription Methadone	0	0	0
55 and Over	5	7	6	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	58	54	80	Inhalant	0	0	0
Female	33	33	39	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	84	75	107	Average Age at First Use of Drug	18.9	16.8	17.8
African American	5	8	5	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	12	8	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	*	*	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	*	*	6	- Less than Weekly Injection Use	*	*	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	33	32	46	0	50	43	75
High School Graduate or G.E.D.	50	41	58	1 or 2	25	27	31
Associate Degree or Some College	8	14	15	3 or More	16	17	13
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	16	12	8
Employed	31	32	41	School	*	0	0
Unemployed	31	32	50	Mental Health Provider	*	*	*
Not in Labor Force	29	23	28	Health Care Provider	6	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	37	43	68
Independent Living	72	71	99	Other Referral Source	14	16	23
Dependent Living	16	16	19	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	38	47	59	Special Education Services Needed	*	14	14
Married / Cohabiting	30	19	34	Co-Occurring Psychological Problem	29	28	28
Previously Married	23	21	26	Co-Occurring Developmental Problem	0	0	*

PIKE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 18,516
2016 POPULATION ESTIMATE 18,438

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	9	11	16
Anxiety Disorder	51	54	70
Dementia	0	0	*
Developmental Disorder	11	11	8
Impulse Control Disorder	45	42	62
Mood Disorder	109	119	151
Personality Disorder	*	10	14
Psychotic Disorder	33	39	44
Sexual Disorder	*	*	*
Other Diagnosis	24	16	22
Diagnosis Unknown	12	13	11

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	175	176	218	Less than High School Diploma	63	68	73
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	15	12	12	Bachelor or Advanced Degree	0	0	0
10 to 13	15	13	17	Education Level Unknown	112	108	145
14 to 17	21	23	19	EMPLOYMENT			
18 to 24	15	14	27	Employed	15	14	18
25 to 29	12	10	11	Unemployed	6	*	10
30 to 34	15	9	17	Not in Labor Force	110	128	141
35 to 39	9	14	16	Employment Status Unknown	44	31	49
40 to 44	14	17	27	HOUSING / LIVING ARRANGEMENT			
45 to 49	14	17	18	Independent Living	75	79	91
50 to 54	16	16	25	Dependent Living	51	53	62
55 to 59	15	17	15	Homeless	*	*	0
60 and Over	10	11	12	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	47	41	65
GENDER				TREATMENT REFERRAL SOURCE			
Male	83	81	118	Self / Family / Friend	102	91	112
Female	92	95	100	School	8	6	7
Gender Unknown	0	0	0	Mental Health Provider	12	13	11
RACE / ETHNICITY				Health Care Provider	19	18	22
Caucasian	154	159	196	Court / Criminal Justice	*	*	*
African American	14	12	14	Other	32	45	62
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	173	175	216
Other Race	5	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	*	7	5	Commitment Type Unknown	0	0	0
Past or Current Military Service	6	7	8				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	48.2	45.9	50.0	56.0	Alcohol	19.3	16.4	24.8	31.1
Chewing Tobacco	18.8	10.5	17.8	19.7	Alcohol (5+ drinks on single occasion past 2 weeks)	12.2	7.9		
Cigarettes	21.8	28.4	24.0	31.9	Chewing Tobacco	7.9	5.0	9.1	11.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	0.9	3.3	1.7	Cigarettes	5.4	11.9	14.0	15.2
Cocaine	2.1	1.8	2.6	1.1	Inhalants	0.4	0.9	2.9	1.7
Electronic Cigarettes	22.2	11.5			Marijuana	8.2	6.5	8.0	6.3
Hallucinogens	0.0	1.8	3.3	2.8	Over-the-counter medications for non-medical use	2.5	1.9	5.1	6.4
Heroin	1.5	0.9	2.2	0.3	Prescription medications not prescribed for student	11.8	3.7	7.7	6.4
Inhalants	0.4	2.8	8.4	4.7					
Marijuana	15.7	18.1	14.5	13.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	1.9	3.0	1.1	Alcohol (1 or 2 drinks daily)	49.1	52.3		
Over-the-counter medications for non-medical use	5.7	3.8	8.0	8.6	Alcohol (Binge: 5+ drinks once or twice a week)	68.6	60.7		
Prescription medications not prescribed for student	13.9	7.8	9.1	10.5	Cigarettes (1+ packs per day)	77.3	74.3		
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	2.8	8.8		Marijuana (once or twice a week)	61.6	54.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	89.4	88.6	93.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.17	12.83	12.12	12.52	Alcohol	76.1	74.5	73.8	64.2
Cigarettes	12.89	13.87	12.00	12.64	Cigarettes	94.2	97.2	90.4	87.2
Inhalants		12.37	11.09	11.06	Marijuana	94.5	93.1	94.1	94.1
Marijuana	14.17	14.54	13.07	14.13					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	59.3	46.8	59.5	66.8	Alcohol	57.9	51.4	52.9	43.4
Cigarettes	39.4	45.2	47.3	50.4	Cigarettes	88.9	77.9	75.2	73.8
Marijuana	38.4	36.7	27.0	32.5	Marijuana	81.1	76.6	84.7	85.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	9.7	10.9	14.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	95.0	92.6	94.8
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	33.9	35.8	36.5	47.5	Alcohol	53.9	50.9	57.5	69.3
Cigarettes	10.1	12.3	15.3	14.8	Cigarettes	53.9	49.5	52.6	64.9
Marijuana	17.3	11.0	9.5	8.3	Marijuana	34.6	25.9	29.7	35.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.0	7.0	18.8	16.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.4	57.1	59.6	67.1	Were grouchy, irritable, or in a bad mood	32.4	25.3	23.7	17.9
Were victims of mean rumors or lies spread at school	53.4	49.1	50.9	53.2	Had difficulty concentrating on school work	18.9	23.1	22.0	25.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	21.9	24.8	25.3	19.6	Were very sad	18.9	18.7	18.6	9.6
					Felt hopeless about the future	8.0	6.9	11.0	8.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.8	5.1	10.2	11.0	Parents involve student in making family decisions	68.6	69.4	71.7	67.6
Made plan about how they would attempt suicide	7.7	3.8	8.4	6.6	Parents notice and comment on student's good work	83.3	75.9	83.6	78.6
Attempted suicide	4.8	2.8	6.2	5.5	Teachers notice and comment on student's good work	67.1	64.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PLATTE COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	6
Adult Psychiatric	6
POPULATION	
Census 2010	89,322
2016 Estimate	98,309

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	74	79	74
Fatal Crashes	4	1	2
Injury Crashes	27	39	27
Property Damage Crashes	43	39	46
Crash Fatalities	4	1	2
Crash Injuries	41	54	35
Drug Involved Crashes	21	12	16
Fatal Crashes	0	0	2
Injury Crashes	10	6	6
Property Damage Crashes	11	6	8
Crash Fatalities	0	0	2
Crash Injuries	13	8	7

BIRTH RISK	2015	2014	2013
Resident Births	1,198	1,106	1,142
Mother Reported Smoking while Pregnant	90	106	125

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	10	5	6
Hepatitis B Chronic, Acute, Prenatal	3	11	2
Hepatitis C Chronic and Acute	11	42	14
Tuberculosis Infection Cases	14	5	5

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	671	632	617
Suicide	14	14	15
Homicide	3	4	5
Alcohol Induced Deaths	9	7	5
Drug Induced Deaths	11	9	13
Smoking Attributable Deaths	116	114	106
Self-inflicted Injuries *	80	98	101
Assault Injuries *	199	191	188

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	609	574	445
Mental Illness Secondary Diagnosis	1,293	924	912
Alcohol Principal Diagnosis	66	48	57
Alcohol Secondary Diagnosis	103	76	60
Drug Principal Diagnosis	18	17	16
Drug Secondary Diagnosis	98	65	65
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	61	89	134
Mental Illness Secondary Diagnosis	1,117	1,476	1,325
Alcohol Principal Diagnosis	38	36	44
Alcohol Secondary Diagnosis	115	141	182
Drug Principal Diagnosis	11	18	20
Drug Secondary Diagnosis	57	87	83
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	651	655	678
Mental Illness Secondary Diagnosis	1,196	1,423	1,283
Alcohol Principal Diagnosis	227	170	172
Alcohol Secondary Diagnosis	96	113	133
Drug Principal Diagnosis	105	79	97
Drug Secondary Diagnosis	115	129	108

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	136	133	135
Alcohol Package Carry-out Licenses	64	64	58

EMPLOYMENT	2016	2015	2014
Labor Force	56,662	55,678	54,335
Employed	54,613	53,342	51,589
Unemployed	2,049	2,336	2,746
Unemployment Rate	3.6%	4.2%	5.1%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	439	380	449
Liquor Law Arrests	27	30	61
Drug Arrests	353	280	288
Methamphetamine Lab Seizures	1	1	0
Violent Offenses	74	66	61
Domestic Violence Reports	243	199	217
Property Offenses	815	917	807

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	4,963	4,804	4,748
Drop-outs	78	45	45
Drop-out Rate	1.6%	0.9%	0.9%
School Discipline Involving Alcohol	2	19	1
School Discipline Involving Drugs	51	47	32
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	74	75	43
Juvenile Alcohol Offenses	9	5	6
Juvenile Drug Offenses	27	31	30
School Truancy Status Offense	17	28	23
Absent from Home Status Offense	13	3	5
Beyond Parental Control Status Offense	12	18	6
Injurious Behavior Status Offense	29	24	14
Child Abuse	1	3	2
Child Neglect	11	19	16
Child Custody Issues	2	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	14	16	19
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	6	5	7
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	46	37	38
Probation/Parole Admissions--Drug	168	192	155
Probation/Parole Admissions--DWI	40	36	41
Prison Admissions--Drug	73	69	56
Prison Admissions--DWI	15	20	10

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PLATTE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	19	21	22
CSTAR Adolescent	23	15	9
CSTAR Women and Children	9	9	8
CSTAR General Adult	139	164	195
CSTAR Opioid	9	9	*
Primary Recovery Treatment	6	5	5
Clinical SATOP (CIP, YCIP, SROP)	63	86	74
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	302	310	341
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	132	116	152
- Weekend Intervention Program	77	67	67
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	5
Compulsive Gambling	0	0	0
Recovery Supports	8	6	8
Early Intervention	*	11	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	246	308	310	Alcohol	107	147	156
AGE				Marijuana / Hashish	66	70	67
Under 18	23	14	9	Cocaine (total)	5	*	8
18 to 24	44	68	70	- Crack	*	*	*
25 to 29	48	69	54	Stimulant (total)	36	53	41
30 to 34	35	47	46	- Methamphetamine	33	52	40
35 to 39	26	29	34	Heroin	13	15	11
40 to 44	9	32	21	Analgesic except Heroin	13	15	23
45 to 54	45	30	50	- Non-Prescription Methadone	0	0	*
55 and Over	16	19	26	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	*	*
Male	171	199	220	Inhalant	0	0	0
Female	75	109	90	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	213	264	272	Average Age at First Use of Drug	17.7	17.4	18.0
African American	13	23	15	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	24	31	34
Asian / Pacific Islander	*	5	0	- Daily Injection Use	9	8	6
Hispanic	12	17	14	- Weekly Injection Use	*	9	7
Other Race / Two or More Races	8	*	10	- Less than Weekly Injection Use	13	14	21
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	51	56	44	0	134	144	141
High School Graduate or G.E.D.	102	142	152	1 or 2	63	110	111
Associate Degree or Some College	87	100	107	3 or More	49	54	58
Bachelor or Advanced Degree	6	10	7	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	42	74	71
Employed	127	152	155	School	0	*	0
Unemployed	56	78	79	Mental Health Provider	24	22	32
Not in Labor Force	63	78	76	Health Care Provider	5	12	11
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	95	128	123
Independent Living	204	272	268	Other Referral Source	33	31	27
Dependent Living	24	16	14	TREATMENT ACCOMMODATION			
Homeless	10	12	8	Pregnant when Admitted to any Episode	*	*	8
MARITAL / FAMILY STATUS				Military Veteran	11	15	24
Never Married	163	183	175	Special Education Services Needed	18	6	5
Married / Cohabiting	46	70	54	Co-Occurring Psychological Problem	95	92	82
Previously Married	37	55	81	Co-Occurring Developmental Problem	6	*	*

PLATTE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 6
CENSUS 2010 89,322
2016 POPULATION ESTIMATE 98,309

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	17	12	9
Anxiety Disorder	164	148	128
Dementia	0	0	*
Developmental Disorder	*	*	0
Impulse Control Disorder	71	92	93
Mood Disorder	410	453	438
Personality Disorder	10	8	8
Psychotic Disorder	91	97	87
Sexual Disorder	*	*	*
Other Diagnosis	20	6	6
Diagnosis Unknown	58	54	60

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	668	697	688	Less than High School Diploma	97	132	90
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	23	23	31	Bachelor or Advanced Degree	0	0	0
10 to 13	46	40	43	Education Level Unknown	571	565	598
14 to 17	65	76	69	EMPLOYMENT			
18 to 24	60	71	56	Employed	53	50	47
25 to 29	54	50	61	Unemployed	44	32	42
30 to 34	69	68	67	Not in Labor Force	198	251	209
35 to 39	64	62	73	Employment Status Unknown	373	364	390
40 to 44	50	57	48	HOUSING / LIVING ARRANGEMENT			
45 to 49	61	55	64	Independent Living	135	176	177
50 to 54	61	85	72	Dependent Living	157	157	111
55 to 59	57	58	57	Homeless	12	7	10
60 and Over	55	49	43	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	364	357	390
GENDER				TREATMENT REFERRAL SOURCE			
Male	254	302	295	Self / Family / Friend	626	637	634
Female	414	395	393	School	0	*	0
Gender Unknown	0	0	0	Mental Health Provider	*	9	14
RACE / ETHNICITY				Health Care Provider	25	29	20
Caucasian	557	580	581	Court / Criminal Justice	*	*	*
African American	46	52	48	Other	*	13	12
Native American / Alaskan	8	*	*	Referral Source Unknown	6	*	5
Asian / Pacific Islander	8	9	7	TYPE OF COMMITMENT			
Hispanic	25	28	25	Voluntary	660	689	680
Other Race	24	25	24	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	18	16	18	Commitment Type Unknown	6	*	5
Past or Current Military Service	7	13	11				

PLATTE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	30.8	29.9	37.1	37.7	Alcohol	12.8	12.0	18.0	18.4
Chewing Tobacco	4.4	5.5	7.4	7.5	Alcohol (5+ drinks on single occasion past 2 weeks)	4.3	4.9		
Cigarettes	12.2	13.2	19.3	20.2	Chewing Tobacco	1.8	2.6	4.0	3.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	1.1	2.5	2.4	Cigarettes	4.4	4.8	8.8	9.9
Cocaine	0.9	0.9	2.0	1.8	Inhalants	0.7	0.9	2.0	1.3
Electronic Cigarettes	16.4	10.0			Marijuana	7.6	6.5	10.2	8.3
Hallucinogens	2.2	1.4	3.6	2.6	Over-the-counter medications for non-medical use	1.6	1.1	4.0	3.7
Heroin	0.2	0.3	0.9	0.4	Prescription medications not prescribed for student	8.4	3.7	4.9	5.6
Inhalants	1.9	2.2	4.3	4.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.8	13.2	17.9	16.2	Alcohol (1 or 2 drinks daily)	73.9	66.5		
Methamphetamine	0.3	0.6	1.3	0.5	Alcohol (Binge: 5+ drinks once or twice a week)	82.9	76.9		
Over-the-counter medications for non-medical use	3.4	2.1	6.5	6.3	Cigarettes (1+ packs per day)	87.6	89.6		
Prescription medications not prescribed for student	11.7	7.0	8.3	9.9	Marijuana (once or twice a week)	68.0	64.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	2.3	5.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	85.9	93.0	93.1	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.40	13.31	13.13	13.16	Alcohol	85.9	83.3	79.7	80.7
Cigarettes	13.29	13.28	13.16	12.94	Cigarettes	95.4	94.7	92.2	90.5
Inhalants	10.93	11.24	11.85	12.32	Marijuana	93.0	93.2	92.9	93.2
Marijuana	14.20	14.13	13.80	13.87	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	71.9	67.7	60.6	62.7
Alcohol	38.7	41.1	54.5	55.0	Cigarettes	91.1	88.5	82.4	80.7
Cigarettes	22.8	27.2	39.6	41.7	Marijuana	80.3	78.3	77.0	79.7
Marijuana	33.9	33.2	45.8	39.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	95.9	93.7	94.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	12.7	18.9	19.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	50.6	53.8	64.1	61.0
Alcohol	21.2	21.6	30.3	28.9	Cigarettes	40.5	43.1	53.2	53.9
Cigarettes	5.5	8.1	11.6	11.4	Marijuana	35.6	34.7	45.4	40.8
Marijuana	13.7	13.9	15.7	13.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	12.5	19.5	19.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	49.8	48.2	56.3	64.3	Were grouchy, irritable, or in a bad mood	28.3	22.9	22.7	25.2
Were victims of mean rumors or lies spread at school	38.5	37.6	42.2	47.9	Had difficulty concentrating on school work	26.4	23.6	23.9	26.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.5	19.7	20.7	19.3	Were very sad	19.7	19.0	16.9	18.0
					Felt hopeless about the future	12.1	11.9	11.2	12.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.3	12.4	11.6	9.5	Parents involve student in making family decisions	73.9	72.6	70.2	72.1
Made plan about how they would attempt suicide	8.8	9.1	9.3	6.4	Parents notice and comment on student's good work	85.9	85.2	82.6	83.7
Attempted suicide	4.9	5.6	5.3	3.9	Teachers notice and comment on student's good work	80.5	75.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

POLK COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	31,137
2016 Estimate	31,285

BIRTH RISK	2015	2014	2013
Resident Births	367	380	407
Mother Reported Smoking while Pregnant	87	70	81

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	2	4	2
Hepatitis C Chronic and Acute	26	41	25
Tuberculosis Infection Cases	3	10	19

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	337	340	349
Suicide	9	3	1
Homicide	0	1	1
Alcohol Induced Deaths	2	0	6
Drug Induced Deaths	5	2	6
Smoking Attributable Deaths	56	57	72
Self-inflicted Injuries *	40	33	44
Assault Injuries *	72	67	82

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	343	269	283
Mental Illness Secondary Diagnosis	428	318	332
Alcohol Principal Diagnosis	30	9	12
Alcohol Secondary Diagnosis	30	12	15
Drug Principal Diagnosis	19	13	15
Drug Secondary Diagnosis	55	37	22
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	100	132	125
Mental Illness Secondary Diagnosis	376	540	627
Alcohol Principal Diagnosis	23	18	23
Alcohol Secondary Diagnosis	32	56	56
Drug Principal Diagnosis	16	12	22
Drug Secondary Diagnosis	41	39	40
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	349	302	307
Mental Illness Secondary Diagnosis	3,016	2,750	2,465
Alcohol Principal Diagnosis	70	69	57
Alcohol Secondary Diagnosis	116	65	70
Drug Principal Diagnosis	64	41	66
Drug Secondary Diagnosis	152	131	145

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	12	13	12
Alcohol Package Carry-out Licenses	22	23	23

EMPLOYMENT	2016	2015	2014
Labor Force	14,453	14,499	14,206
Employed	13,755	13,741	13,319
Unemployed	698	758	887
Unemployment Rate	4.8%	5.2%	6.2%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	21	17	19
Fatal Crashes	0	0	0
Injury Crashes	10	9	8
Property Damage Crashes	11	8	11
Crash Fatalities	0	0	0
Crash Injuries	21	11	13
Drug Involved Crashes	4	2	5
Fatal Crashes	0	1	0
Injury Crashes	2	1	1
Property Damage Crashes	2	0	4
Crash Fatalities	0	2	0
Crash Injuries	2	4	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	84	80	97
Liquor Law Arrests	21	14	31
Drug Arrests	234	295	152
Methamphetamine Lab Seizures	3	1	11
Violent Offenses	130	127	114
Domestic Violence Reports	355	335	307
Property Offenses	1,011	942	911

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,648	1,650	1,617
Drop-outs	35	20	15
Drop-out Rate	2.1%	1.2%	0.9%
School Discipline Involving Alcohol	3	0	0
School Discipline Involving Drugs	8	4	9
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	94	89	78
Juvenile Alcohol Offenses	7	5	6
Juvenile Drug Offenses	18	14	14
School Truancy Status Offense	12	5	5
Absent from Home Status Offense	12	19	12
Beyond Parental Control Status Offense	11	29	34
Injurious Behavior Status Offense	12	11	12
Child Abuse	20	29	29
Child Neglect	132	173	162
Child Custody Issues	17	1	4

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	16	54	36
Parental Alcohol Use Related	2	0	0
Parental Drug Use Related	11	17	10
Parental Alcohol and Drug Use	0	5	5

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	137	112	102
Probation/Parole Admissions--DWI	10	11	10
Prison Admissions--Drug	57	60	57
Prison Admissions--DWI	4	6	7

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

POLK COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	34	25	19
CSTAR Adolescent	5	8	6
CSTAR Women and Children	19	18	7
CSTAR General Adult	144	137	126
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	14	15
Clinical SATOP (CIP, YCIP, SROP)	23	11	22
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	81	73	88
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	23	30	34
- Weekend Intervention Program	13	18	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	*
Compulsive Gambling	0	0	0
Recovery Supports	9	12	12
Early Intervention	5	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	214	183	171	Alcohol	70	58	55
AGE				Marijuana / Hashish	42	47	49
Under 18	5	8	6	Cocaine (total)	*	*	0
18 to 24	29	36	30	- Crack	*	0	0
25 to 29	36	39	34	Stimulant (total)	77	57	47
30 to 34	42	25	30	- Methamphetamine	74	57	47
35 to 39	34	21	23	Heroin	6	*	*
40 to 44	23	17	21	Analgesic except Heroin	18	19	15
45 to 54	28	29	22	- Non-Prescription Methadone	0	0	0
55 and Over	17	8	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	139	117	114	Inhalant	0	0	0
Female	75	66	57	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	198	174	159	Average Age at First Use of Drug	18.2	17.3	16.5
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	55	43	38
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	6	*
Hispanic	7	5	5	- Weekly Injection Use	17	*	*
Other Race / Two or More Races	8	*	*	- Less than Weekly Injection Use	32	33	31
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	60	57	53	0	128	106	104
High School Graduate or G.E.D.	113	103	90	1 or 2	52	51	50
Associate Degree or Some College	41	23	28	3 or More	34	26	17
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	62	21	18
Employed	77	65	67	School	*	*	0
Unemployed	74	57	57	Mental Health Provider	0	0	0
Not in Labor Force	63	61	47	Health Care Provider	11	*	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	127	139	135
Independent Living	185	161	157	Other Referral Source	12	18	10
Dependent Living	23	16	8	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	6	*
MARITAL / FAMILY STATUS				Military Veteran	6	*	5
Never Married	96	86	70	Special Education Services Needed	19	25	23
Married / Cohabiting	73	54	64	Co-Occurring Psychological Problem	86	75	74
Previously Married	45	43	37	Co-Occurring Developmental Problem	11	*	8

POLK COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 31,137
2016 POPULATION ESTIMATE 31,285

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	6	8	11
Anxiety Disorder	78	85	89
Dementia	0	0	*
Developmental Disorder	6	5	8
Impulse Control Disorder	32	27	32
Mood Disorder	122	109	127
Personality Disorder	27	26	32
Psychotic Disorder	54	52	62
Sexual Disorder	*	*	*
Other Diagnosis	32	25	28
Diagnosis Unknown	13	19	19

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	193	197	220	Less than High School Diploma	69	52	60
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	5	8	Associate Degree or Some College	0	0	0
6 to 9	14	8	10	Bachelor or Advanced Degree	0	0	0
10 to 13	10	9	13	Education Level Unknown	124	145	160
14 to 17	20	19	21	EMPLOYMENT			
18 to 24	19	15	15	Employed	7	7	7
25 to 29	9	16	21	Unemployed	*	*	7
30 to 34	19	22	18	Not in Labor Force	132	114	122
35 to 39	14	15	17	Employment Status Unknown	51	73	84
40 to 44	21	19	18	HOUSING / LIVING ARRANGEMENT			
45 to 49	19	20	25	Independent Living	45	43	55
50 to 54	17	20	17	Dependent Living	95	81	78
55 to 59	9	13	21	Homeless	*	0	*
60 and Over	19	16	16	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	52	73	85
GENDER				TREATMENT REFERRAL SOURCE			
Male	109	105	119	Self / Family / Friend	90	98	102
Female	84	92	101	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	8	*	8
RACE / ETHNICITY				Health Care Provider	36	35	40
Caucasian	167	175	198	Court / Criminal Justice	27	29	17
African American	6	*	*	Other	29	26	46
Native American / Alaskan	*	0	0	Referral Source Unknown	*	5	7
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	185	189	213
Other Race	15	13	15	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	6	9	Commitment Type Unknown	*	5	6
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	31.0	25.4	36.5	39.0	Alcohol	12.9	7.5	18.0	16.8
Chewing Tobacco	12.3	13.0	18.8	21.7	Alcohol (5+ drinks on single occasion past 2 weeks)	5.8	2.1		
Cigarettes	18.7	17.4	29.0	28.6	Chewing Tobacco	5.8	5.9	11.2	11.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.8	2.2	1.5	Cigarettes	8.5	4.1	12.2	14.6
Cocaine	1.1	0.5	1.0	1.5	Inhalants	0.9	0.8	2.7	3.2
Electronic Cigarettes	21.6	6.7			Marijuana	4.9	3.3	5.3	7.9
Hallucinogens	1.3	0.5	3.0	2.6	Over-the-counter medications for non-medical use	1.3	0.5	4.3	4.7
Heroin	0.4	0.0	0.8	0.6	Prescription medications not prescribed for student	7.3	1.0	6.5	7.9
Inhalants	3.1	3.6	8.7	6.5	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	10.3	6.9	10.6	15.4	Alcohol (1 or 2 drinks daily)	64.3	57.4		
Methamphetamine	0.7	0.5	2.2	1.0	Alcohol (Binge: 5+ drinks once or twice a week)	75.5	69.2		
Over-the-counter medications for non-medical use	2.9	0.8	5.8	7.2	Cigarettes (1+ packs per day)	83.5	84.9		
Prescription medications not prescribed for student	11.3	4.1	9.5	11.9	Marijuana (once or twice a week)	71.1	71.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	1.3	4.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	91.2	92.5	93.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.36	13.06	12.35	12.56	Alcohol	85.8	87.2	80.8	79.1
Cigarettes	12.95	12.40	12.27	12.29	Cigarettes	93.2	94.4	87.5	88.6
Inhalants	11.23	11.64	11.43	12.45	Marijuana	93.9	96.4	92.6	94.3
Marijuana	14.28	13.37	13.30	13.69	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	71.0	76.7	67.2	59.9
Alcohol	38.0	35.5	45.7	58.0	Cigarettes	87.3	86.3	80.5	76.8
Cigarettes	31.8	21.4	38.9	50.1	Marijuana	85.1	90.4	84.1	82.4
Marijuana	26.6	18.5	28.0	32.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	98.7	95.5	94.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	3.9	11.1	16.7	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	46.6	43.4	52.6	56.9
Alcohol	21.1	16.6	31.2	31.7	Cigarettes	47.6	44.5	57.2	59.8
Cigarettes	10.4	8.2	13.5	16.6	Marijuana	32.3	21.4	28.6	36.7
Marijuana	9.5	6.4	10.4	12.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.8	10.4	14.0	19.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.6	53.5	64.7	71.6	Were grouchy, irritable, or in a bad mood	29.3	17.7	25.8	22.7
Were victims of mean rumors or lies spread at school	51.5	45.4	53.1	57.2	Had difficulty concentrating on school work	29.4	18.6	20.6	18.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	20.6	18.2	22.4	19.5	Were very sad	22.7	15.5	20.0	23.7
					Felt hopeless about the future	11.9	9.8	12.5	11.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.0	8.4	10.8	10.4	Parents involve student in making family decisions	73.0	73.7	64.5	69.8
Made plan about how they would attempt suicide	9.7	5.4	9.2	6.7	Parents notice and comment on student's good work	84.6	86.0	80.1	84.6
Attempted suicide	4.7	4.6	7.0	5.4	Teachers notice and comment on student's good work	77.5	74.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PULASKI COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	11
POPULATION	
Census 2010	52,274
2016 Estimate	52,654

BIRTH RISK	2015	2014	2013
Resident Births	776	819	834
Mother Reported Smoking while Pregnant	117	124	154

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	4	0	4
Hepatitis B Chronic, Acute, Prenatal	6	8	3
Hepatitis C Chronic and Acute	29	48	31
Tuberculosis Infection Cases	2	3	9

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	311	319	302
Suicide	6	6	2
Homicide	3	6	7
Alcohol Induced Deaths	3	4	3
Drug Induced Deaths	13	10	9
Smoking Attributable Deaths	58	62	62
Self-inflicted Injuries *	30	31	46
Assault Injuries *	103	113	101

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	305	317	282
Mental Illness Secondary Diagnosis	553	464	446
Alcohol Principal Diagnosis	10	5	6
Alcohol Secondary Diagnosis	44	29	29
Drug Principal Diagnosis	53	46	48
Drug Secondary Diagnosis	60	42	45
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	106	140	148
Mental Illness Secondary Diagnosis	458	492	509
Alcohol Principal Diagnosis	13	14	15
Alcohol Secondary Diagnosis	37	51	53
Drug Principal Diagnosis	19	22	25
Drug Secondary Diagnosis	32	32	44
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	245	284	240
Mental Illness Secondary Diagnosis	1,863	2,352	1,634
Alcohol Principal Diagnosis	65	72	55
Alcohol Secondary Diagnosis	51	40	51
Drug Principal Diagnosis	88	79	103
Drug Secondary Diagnosis	76	52	56

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	52	52	54
Alcohol Package Carry-out Licenses	44	38	38

EMPLOYMENT	2016	2015	2014
Labor Force	14,663	15,156	15,185
Employed	13,866	14,274	14,066
Unemployed	797	882	1,119
Unemployment Rate	5.4%	5.8%	7.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	49	40	43
Fatal Crashes	2	1	1
Injury Crashes	18	19	18
Property Damage Crashes	29	20	30
Crash Fatalities	3	1	1
Crash Injuries	21	27	27
Drug Involved Crashes	9	8	13
Fatal Crashes	1	2	0
Injury Crashes	1	2	7
Property Damage Crashes	7	4	6
Crash Fatalities	2	2	0
Crash Injuries	1	3	9

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	204	187	204
Liquor Law Arrests	14	32	24
Drug Arrests	585	474	415
Methamphetamine Lab Seizures	1	1	3
Violent Offenses	128	89	161
Domestic Violence Reports	146	178	201
Property Offenses	825	859	906

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	2,488	2,536	2,461
Drop-outs	38	16	26
Drop-out Rate	1.5%	0.6%	1.1%
School Discipline Involving Alcohol	0	1	5
School Discipline Involving Drugs	19	19	37
School Discipline Involving Tobacco	3	4	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	59	69	90
Juvenile Alcohol Offenses	9	6	1
Juvenile Drug Offenses	14	20	17
School Truancy Status Offense	52	33	54
Absent from Home Status Offense	18	34	20
Beyond Parental Control Status Offense	5	18	13
Injurious Behavior Status Offense	142	97	100
Child Abuse	162	273	356
Child Neglect	287	296	369
Child Custody Issues	25	15	4

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	111	73	95
Parental Alcohol Use Related	0	2	8
Parental Drug Use Related	52	27	32
Parental Alcohol and Drug Use	5	6	2

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	46	52	57
Probation/Parole Admissions--Drug	187	154	133
Probation/Parole Admissions--DWI	7	7	7
Prison Admissions--Drug	96	73	60
Prison Admissions--DWI	2	2	7

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PULASKI COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	71	25	37
CSTAR Adolescent	7	6	8
CSTAR Women and Children	20	16	16
CSTAR General Adult	103	90	106
CSTAR Opioid	0	0	0
Primary Recovery Treatment	9	10	7
Clinical SATOP (CIP, YCIP, SROP)	27	35	38
Other Substance Abuse Treatment	*	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	130	154	170
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	40	58	63
- Weekend Intervention Program	37	26	35
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	12	9
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	7	7	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	183	160	170	Alcohol	44	54	62
AGE				Marijuana / Hashish	25	19	13
Under 18	7	6	6	Cocaine (total)	*	*	0
18 to 24	30	27	36	- Crack	*	*	0
25 to 29	35	28	30	Stimulant (total)	35	31	16
30 to 34	30	37	27	- Methamphetamine	33	30	15
35 to 39	28	25	26	Heroin	69	38	59
40 to 44	15	12	14	Analgesic except Heroin	6	13	14
45 to 54	22	15	21	- Non-Prescription Methadone	0	0	*
55 and Over	16	10	10	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	95	93	95	Inhalant	0	0	0
Female	87	67	75	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	162	134	144	Average Age at First Use of Drug	20.6	20.4	19.9
African American	11	12	15	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	72	47	56
Asian / Pacific Islander	0	*	0	- Daily Injection Use	38	19	26
Hispanic	*	*	6	- Weekly Injection Use	17	17	17
Other Race / Two or More Races	8	6	*	- Less than Weekly Injection Use	17	11	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	50	41	44	0	111	88	97
High School Graduate or G.E.D.	87	70	82	1 or 2	51	49	55
Associate Degree or Some College	43	48	43	3 or More	21	23	18
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	113	61	68
Employed	43	38	40	School	*	0	0
Unemployed	82	69	74	Mental Health Provider	*	0	*
Not in Labor Force	58	53	56	Health Care Provider	10	6	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	38	47	58
Independent Living	144	128	150	Other Referral Source	17	43	29
Dependent Living	21	12	13	TREATMENT ACCOMMODATION			
Homeless	11	12	*	Pregnant when Admitted to any Episode	6	6	*
MARITAL / FAMILY STATUS				Military Veteran	10	12	14
Never Married	90	87	84	Special Education Services Needed	7	6	5
Married / Cohabiting	44	35	53	Co-Occurring Psychological Problem	66	76	72
Previously Married	49	38	33	Co-Occurring Developmental Problem	*	*	7

PULASKI COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 52,274
2016 POPULATION ESTIMATE 52,654

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	33	19	22
Anxiety Disorder	292	248	221
Dementia	0	0	0
Developmental Disorder	10	7	10
Impulse Control Disorder	83	63	67
Mood Disorder	302	275	256
Personality Disorder	21	19	14
Psychotic Disorder	58	39	33
Sexual Disorder	*	*	*
Other Diagnosis	55	36	48
Diagnosis Unknown	12	11	17

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	415	366	371	Less than High School Diploma	168	155	163
AGE				High School Grad or G.E.D.	0	0	0
Under 6	5	*	10	Associate Degree or Some College	0	0	0
6 to 9	33	25	30	Bachelor or Advanced Degree	0	0	0
10 to 13	31	36	34	Education Level Unknown	247	211	208
14 to 17	39	39	47	EMPLOYMENT			
18 to 24	40	28	34	Employed	30	21	17
25 to 29	43	30	27	Unemployed	18	29	24
30 to 34	31	33	33	Not in Labor Force	301	264	252
35 to 39	42	34	28	Employment Status Unknown	66	52	78
40 to 44	27	28	26	HOUSING / LIVING ARRANGEMENT			
45 to 49	35	30	26	Independent Living	231	199	149
50 to 54	33	35	35	Dependent Living	116	110	135
55 to 59	33	25	23	Homeless	13	6	5
60 and Over	23	19	18	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	55	51	82
GENDER				TREATMENT REFERRAL SOURCE			
Male	170	142	159	Self / Family / Friend	350	305	298
Female	245	224	212	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	5	7	6
RACE / ETHNICITY				Health Care Provider	39	35	32
Caucasian	333	297	317	Court / Criminal Justice	*	*	8
African American	44	36	31	Other	17	15	26
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	18	13	7	Voluntary	411	362	368
Other Race	15	16	12	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	14	15	10	Commitment Type Unknown	0	0	0
Past or Current Military Service	6	5	5				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	45.6		55.2	47.4	Alcohol	25.3		25.9	20.0
Chewing Tobacco	19.1		24.7	11.5	Alcohol (5+ drinks on single occasion past 2 weeks)	12.5			
Cigarettes	36.0		36.9	31.4	Chewing Tobacco	7.0		12.5	6.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9		5.7	3.1	Cigarettes	15.3		18.9	13.0
Cocaine	1.2		4.4	2.4	Inhalants	0.8		3.9	4.6
Electronic Cigarettes	34.4				Marijuana	10.0		12.5	7.2
Hallucinogens	2.1		3.5	2.7	Over-the-counter medications for non-medical use	2.1		10.5	5.7
Heroin	0.6		4.2	0.7	Prescription medications not prescribed for student	10.9		8.5	8.7
Inhalants	3.7		7.7	9.1					
Marijuana	23.6		22.7	14.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.3		2.0	1.5	Alcohol (1 or 2 drinks daily)	65.2			
Over-the-counter medications for non-medical use	4.7		13.3	9.6	Alcohol (Binge: 5+ drinks once or twice a week)	69.9			
Prescription medications not prescribed for student	16.7		15.2	14.1	Cigarettes (1+ packs per day)	83.9			
Synthetic drugs (K2, bath salts, Spice, etc)	3.1		9.4		Marijuana (once or twice a week)	59.9			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6		91.6	94.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.18		12.43	12.18	Alcohol	73.9		70.5	77.6
Cigarettes	12.90		12.47	11.99	Cigarettes	86.8		84.8	89.6
Inhalants	10.94		12.40	12.65	Marijuana	89.9		87.9	95.1
Marijuana	13.92		13.32	13.35					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	62.9		64.5	62.2	Alcohol	56.5		47.9	58.1
Cigarettes	48.0		60.6	48.2	Cigarettes	76.9		69.2	76.0
Marijuana	48.2		44.1	36.9	Marijuana	73.0		72.9	81.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.5		23.1	23.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4		89.7	93.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	39.2		42.4	35.9	Alcohol	63.3		64.4	62.9
Cigarettes	18.2		23.2	15.0	Cigarettes	65.7		65.9	60.8
Marijuana	21.4		17.5	13.3	Marijuana	49.0		51.0	36.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	28.0		29.3	23.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.4		59.0	69.9	Were grouchy, irritable, or in a bad mood	36.8		30.5	27.3
Were victims of mean rumors or lies spread at school	51.0		54.9	56.0	Had difficulty concentrating on school work	24.7		30.3	28.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.6		24.8	17.0	Were very sad	20.0		23.7	22.5
					Felt hopeless about the future	12.1		12.9	11.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.1		13.6	17.1	Parents involve student in making family decisions	63.6		65.4	67.1
Made plan about how they would attempt suicide	8.7		10.0	12.7	Parents notice and comment on student's good work	79.5		74.4	83.3
Attempted suicide	6.1		7.2	8.3	Teachers notice and comment on student's good work	69.4			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

PUTNAM COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	4,979
2016 Estimate	4,853

BIRTH RISK	2015	2014	2013
Resident Births	67	58	59
Mother Reported Smoking while Pregnant	15	14	17

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	1
Hepatitis C Chronic and Acute	3	1	1
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	60	64	58
Suicide	1	0	2
Homicide	0	0	0
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	0	3
Smoking Attributable Deaths	8	8	13
Self-inflicted Injuries *	0	5	10
Assault Injuries *	7	10	13

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	21	11	28
Mental Illness Secondary Diagnosis	122	156	116
Alcohol Principal Diagnosis	1	2	0
Alcohol Secondary Diagnosis	16	11	9
Drug Principal Diagnosis	0	2	1
Drug Secondary Diagnosis	1	3	6
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	6	5	11
Mental Illness Secondary Diagnosis	8	27	13
Alcohol Principal Diagnosis	2	2	0
Alcohol Secondary Diagnosis	3	2	2
Drug Principal Diagnosis	0	2	0
Drug Secondary Diagnosis	1	0	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	17	39	65
Mental Illness Secondary Diagnosis	77	107	143
Alcohol Principal Diagnosis	2	9	4
Alcohol Secondary Diagnosis	5	12	10
Drug Principal Diagnosis	1	10	7
Drug Secondary Diagnosis	4	8	7

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	3	3	2
Alcohol Package Carry-out Licenses	8	7	6

EMPLOYMENT	2016	2015	2014
Labor Force	2,479	2,536	2,504
Employed	2,367	2,435	2,379
Unemployed	112	101	125
Unemployment Rate	4.5%	4.0%	5.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	3	2	5
Fatal Crashes	0	0	0
Injury Crashes	3	1	4
Property Damage Crashes	0	1	3
Crash Fatalities	0	0	0
Crash Injuries	4	2	9
Drug Involved Crashes	0	1	2
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	1	4

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	14	15	24
Liquor Law Arrests	2	0	5
Drug Arrests	3	14	16
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	2	5	0
Domestic Violence Reports	6	17	21
Property Offenses	13	45	36

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	213	214	216
Drop-outs	3	0	2
Drop-out Rate	1.4%	0.0%	0.9%
School Discipline Involving Alcohol	0	0	1
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	4	3	3
Juvenile Alcohol Offenses	0	3	1
Juvenile Drug Offenses	0	0	1
School Truancy Status Offense	2	0	0
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	3	1	0
Injurious Behavior Status Offense	2	2	13
Child Abuse	12	16	15
Child Neglect	16	24	5
Child Custody Issues	5	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	9	13	5
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	3	5	0
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	3	2	5
Probation/Parole Admissions--Drug	16	14	12
Probation/Parole Admissions--DWI	2	3	6
Prison Admissions--Drug	6	11	8
Prison Admissions--DWI	1	2	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PUTNAM COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	26	23	29
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	0
Clinical SATOP (CIP, YCIP, SROP)	*	7	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	11	20	13
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	*	*	*
- Weekend Intervention Program	0	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	34	29	39	Alcohol	13	14	15
AGE				Marijuana / Hashish	13	*	11
Under 18	*	0	*	Cocaine (total)	0	0	0
18 to 24	6	9	10	- Crack	0	0	0
25 to 29	9	6	11	Stimulant (total)	6	6	8
30 to 34	7	5	*	- Methamphetamine	6	6	8
35 to 39	*	*	*	Heroin	0	*	0
40 to 44	*	0	5	Analgesic except Heroin	*	*	*
45 to 54	*	6	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	27	19	27	Inhalant	0	0	0
Female	7	10	12	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	34	28	38	Average Age at First Use of Drug	15.4	18.0	16.2
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	5	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	10	19	0	18	13	21
High School Graduate or G.E.D.	18	18	18	1 or 2	8	9	12
Associate Degree or Some College	8	*	*	3 or More	8	7	6
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	9	*
Employed	15	9	13	School	*	0	*
Unemployed	*	7	13	Mental Health Provider	0	0	*
Not in Labor Force	18	13	13	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	17	8	11
Independent Living	26	28	35	Other Referral Source	0	5	16
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	19	13	16	Special Education Services Needed	5	*	*
Married / Cohabiting	5	10	17	Co-Occurring Psychological Problem	17	13	12
Previously Married	10	6	6	Co-Occurring Developmental Problem	*	*	*

PUTNAM COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 4,979
2016 POPULATION ESTIMATE 4,853

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	29	24	19
Dementia	0	0	0
Developmental Disorder	0	0	*
Impulse Control Disorder	11	8	6
Mood Disorder	34	29	23
Personality Disorder	5	6	*
Psychotic Disorder	8	7	7
Sexual Disorder	0	0	0
Other Diagnosis	7	*	*
Diagnosis Unknown	*	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	60	41	34	Less than High School Diploma	23	14	10
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	5	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	37	27	24
14 to 17	5	*	*	EMPLOYMENT			
18 to 24	8	7	5	Employed	7	*	6
25 to 29	*	*	*	Unemployed	5	*	*
30 to 34	5	*	5	Not in Labor Force	38	32	21
35 to 39	*	*	0	Employment Status Unknown	10	*	*
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	32	30	23
50 to 54	7	5	*	Dependent Living	17	8	7
55 to 59	6	*	*	Homeless	0	0	0
60 and Over	6	5	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	11	*	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	29	16	17	Self / Family / Friend	27	16	15
Female	31	25	17	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	5	*
RACE / ETHNICITY				Health Care Provider	12	10	8
Caucasian	58	40	34	Court / Criminal Justice	8	6	*
African American	0	0	0	Other	9	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	60	41	34
Other Race	*	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

PUTNAM COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol			61.4	51.1	Alcohol			24.3	22.6
Chewing Tobacco			22.9	17.0	Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes			38.6	26.6	Chewing Tobacco			22.9	7.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			1.5	2.2	Cigarettes			15.9	14.0
Cocaine			1.5	2.2	Inhalants			2.9	4.3
Electronic Cigarettes					Marijuana			4.3	5.3
Hallucinogens			5.9	3.2	Over-the-counter medications for non-medical use			12.9	5.3
Heroin			1.4	1.1	Prescription medications not prescribed for student			14.5	9.9
Inhalants			10.0	8.5					
Marijuana			11.4	10.6	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine			1.4	1.1	Alcohol (1 or 2 drinks daily)				
Over-the-counter medications for non-medical use			14.5	6.5	Alcohol (Binge: 5+ drinks once or twice a week)				
Prescription medications not prescribed for student			24.6	14.1	Cigarettes (1+ packs per day)				
Synthetic drugs (K2, bath salts, Spice, etc)			5.8		Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)			81.2	94.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol			11.77	11.78	Alcohol			66.7	73.9
Cigarettes			12.00	11.84	Cigarettes			80.9	89.4
Inhalants			13.05	10.48	Marijuana			91.4	96.7
Marijuana			13.27	13.35					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol			84.3	60.6	Alcohol			37.7	52.7
Cigarettes			78.6	54.3	Cigarettes			62.3	83.9
Marijuana			50.7	31.2	Marijuana			78.3	88.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			26.1	19.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			87.0	96.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol			48.6	41.9	Alcohol			77.9	67.7
Cigarettes			28.6	14.9	Cigarettes			88.2	67.0
Marijuana			15.9	7.4	Marijuana			63.8	33.0
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			39.7	27.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others			60.0	76.6	Were grouchy, irritable, or in a bad mood			33.3	46.2
Were victims of mean rumors or lies spread at school			54.3	65.2	Had difficulty concentrating on school work			32.9	39.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet			36.2	23.9	Were very sad			31.4	31.9
					Felt hopeless about the future			15.9	23.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide			17.1	4.3	Parents involve student in making family decisions			51.4	67.0
Made plan about how they would attempt suicide			15.9	3.2	Parents notice and comment on student's good work			78.3	81.7
Attempted suicide			5.8	1.1	Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

RALLS COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	15
POPULATION	
Census 2010	10,167
2016 Estimate	10,224

BIRTH RISK	2015	2014	2013
Resident Births	86	98	102
Mother Reported Smoking while Pregnant	17	26	19

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	13	4	6
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	106	95	107
Suicide	0	3	0
Homicide	0	1	1
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	1	0	0
Smoking Attributable Deaths	23	22	24
Self-inflicted Injuries *	0	3	1
Assault Injuries *	12	12	5

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	16	29	31
Mental Illness Secondary Diagnosis	96	72	74
Alcohol Principal Diagnosis	3	2	1
Alcohol Secondary Diagnosis	6	8	5
Drug Principal Diagnosis	1	1	0
Drug Secondary Diagnosis	4	3	1
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	4	5	12
Mental Illness Secondary Diagnosis	72	94	96
Alcohol Principal Diagnosis	0	5	2
Alcohol Secondary Diagnosis	8	15	12
Drug Principal Diagnosis	2	0	1
Drug Secondary Diagnosis	4	7	2
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	27	38	37
Mental Illness Secondary Diagnosis	31	57	65
Alcohol Principal Diagnosis	11	7	6
Alcohol Secondary Diagnosis	7	7	6
Drug Principal Diagnosis	7	8	6
Drug Secondary Diagnosis	7	1	2

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	15	15	15
Alcohol Package Carry-out Licenses	20	19	19

EMPLOYMENT	2016	2015	2014
Labor Force	5,665	5,754	5,576
Employed	5,439	5,511	5,279
Unemployed	226	243	297
Unemployment Rate	4.0%	4.2%	5.3%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	10	4	10
Fatal Crashes	1	0	0
Injury Crashes	6	4	7
Property Damage Crashes	3	0	3
Crash Fatalities	3	0	0
Crash Injuries	8	11	9
Drug Involved Crashes	3	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	3	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	2	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	56	42	41
Liquor Law Arrests	2	11	0
Drug Arrests	21	30	20
Methamphetamine Lab Seizures	10	10	13
Violent Offenses	24	8	6
Domestic Violence Reports	45	40	31
Property Offenses	101	127	94

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	233	244	229
Drop-outs	0	7	9
Drop-out Rate	0.0%	2.9%	3.9%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	1	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	8	4	2
Juvenile Alcohol Offenses	2	0	1
Juvenile Drug Offenses	0	3	7
School Truancy Status Offense	6	4	3
Absent from Home Status Offense	2	0	1
Beyond Parental Control Status Offense	1	0	1
Injurious Behavior Status Offense	19	10	21
Child Abuse	2	0	2
Child Neglect	4	13	9
Child Custody Issues	2	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	3	4	9
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	3	2	2
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	40	50	35
Probation/Parole Admissions--DWI	0	1	4
Prison Admissions--Drug	21	18	22
Prison Admissions--DWI	0	0	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

RALLS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	11	*	6
CSTAR Adolescent	6	*	6
CSTAR Women and Children	11	10	8
CSTAR General Adult	31	26	21
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	21	25	28
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	*	7	8
- Weekend Intervention Program	5	5	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	59	46	46	Alcohol	18	13	21
AGE				Marijuana / Hashish	15	13	14
Under 18	5	*	7	Cocaine (total)	0	*	*
18 to 24	9	11	5	- Crack	0	0	0
25 to 29	12	8	*	Stimulant (total)	17	9	*
30 to 34	13	10	8	- Methamphetamine	16	9	*
35 to 39	5	5	8	Heroin	*	7	*
40 to 44	5	6	6	Analgesic except Heroin	*	*	*
45 to 54	5	*	5	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	44	32	33	Inhalant	0	0	0
Female	15	14	13	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	55	45	44	Average Age at First Use of Drug	19.4	19.3	17.5
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	10	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	*	8	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	16	10	14	0	34	25	26
High School Graduate or G.E.D.	33	32	30	1 or 2	19	16	12
Associate Degree or Some College	10	*	*	3 or More	6	5	8
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	14	7	8
Employed	17	23	10	School	0	0	0
Unemployed	27	19	23	Mental Health Provider	*	*	0
Not in Labor Force	15	*	13	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	18	20	16
Independent Living	46	35	33	Other Referral Source	11	8	8
Dependent Living	10	10	11	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	35	26	26	Special Education Services Needed	5	5	*
Married / Cohabiting	12	9	9	Co-Occurring Psychological Problem	19	14	12
Previously Married	12	11	11	Co-Occurring Developmental Problem	0	*	0

RALLS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 10,167
2016 POPULATION ESTIMATE 10,224

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	6	*	*
Anxiety Disorder	30	23	28
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	40	21	26
Mood Disorder	72	67	65
Personality Disorder	0	*	*
Psychotic Disorder	16	7	7
Sexual Disorder	0	0	0
Other Diagnosis	18	6	10
Diagnosis Unknown	5	7	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	111	88	93	Less than High School Diploma	52	35	37
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	*	Associate Degree or Some College	0	0	0
6 to 9	7	5	5	Bachelor or Advanced Degree	0	0	0
10 to 13	17	*	7	Education Level Unknown	59	53	56
14 to 17	19	7	5	EMPLOYMENT			
18 to 24	7	7	7	Employed	10	10	12
25 to 29	*	6	12	Unemployed	7	*	8
30 to 34	10	11	12	Not in Labor Force	78	56	62
35 to 39	6	7	7	Employment Status Unknown	16	19	11
40 to 44	14	10	7	HOUSING / LIVING ARRANGEMENT			
45 to 49	9	12	8	Independent Living	41	39	43
50 to 54	9	8	12	Dependent Living	50	30	32
55 to 59	6	9	6	Homeless	*	*	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	19	18	18
GENDER				TREATMENT REFERRAL SOURCE			
Male	60	41	44	Self / Family / Friend	37	28	27
Female	51	47	49	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	18	10	11
RACE / ETHNICITY				Health Care Provider	5	6	7
Caucasian	105	85	88	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	48	41	43
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	*	*	Voluntary	110	87	91
Other Race	*	0	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	7	5				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		47.9			Alcohol		22.9		
Chewing Tobacco		17.0			Alcohol (5+ drinks on single occasion past 2 weeks)		11.1		
Cigarettes		22.4			Chewing Tobacco		10.6		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.1			Cigarettes		8.3		
Cocaine		0.0			Inhalants		2.0		
Electronic Cigarettes		12.2			Marijuana		4.2		
Hallucinogens		0.0			Over-the-counter medications for non-medical use		0.0		
Heroin		0.0			Prescription medications not prescribed for student		2.1		
Inhalants		2.0			<i>Percent who believe they risk harm if they use:</i>				
Marijuana		8.3			Alcohol (1 or 2 drinks daily)		53.1		
Methamphetamine		0.0			Alcohol (Binge: 5+ drinks once or twice a week)		62.5		
Over-the-counter medications for non-medical use		0.0			Cigarettes (1+ packs per day)		76.6		
Prescription medications not prescribed for student		6.3			Marijuana (once or twice a week)		70.8		
Synthetic drugs (K2, bath salts, Spice, etc)		6.1			Other: Cocaine, LSD, Meth, Club Drug (any use)		89.6		
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol		12.26			Alcohol		79.2		
Cigarettes		14.03			Cigarettes		89.8		
Inhalants		12.66			Marijuana		91.7		
Marijuana		15.33			<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol		61.2		
Alcohol		53.1			Cigarettes		77.1		
Cigarettes		37.5			Marijuana		83.3		
Marijuana		18.4			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		95.9		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		6.3			<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol		53.2		
Alcohol		36.7			Cigarettes		49.0		
Cigarettes		12.2			Marijuana		26.5		
Marijuana		6.4			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		14.6		
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others		53.1			Were grouchy, irritable, or in a bad mood		28.6		
Were victims of mean rumors or lies spread at school		45.8			Had difficulty concentrating on school work		25.0		
Were victims of an embarrassing or hurtful text message or something posted on the Internet		22.4			Were very sad		20.4		
<i>Percent of students who, in past 12 months:</i>					Felt hopeless about the future		16.3		
Seriously considered attempting suicide		8.2			<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide		8.2			Parents involve student in making family decisions		70.2		
Attempted suicide		6.1			Parents notice and comment on student's good work		81.3		
					Teachers notice and comment on student's good work		68.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

RANDOLPH COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	25,414
2016 Estimate	24,989

BIRTH RISK	2015	2014	2013
Resident Births	276	270	290
Mother Reported Smoking while Pregnant	59	61	81

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	3	2	5
Hepatitis C Chronic and Acute	14	49	8
Tuberculosis Infection Cases	0	3	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	289	281	304
Suicide	8	8	5
Homicide	3	1	1
Alcohol Induced Deaths	2	1	1
Drug Induced Deaths	2	6	5
Smoking Attributable Deaths	46	50	46
Self-inflicted Injuries *	32	29	51
Assault Injuries *	104	98	115

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	215	237	240
Mental Illness Secondary Diagnosis	696	620	810
Alcohol Principal Diagnosis	15	7	33
Alcohol Secondary Diagnosis	40	38	55
Drug Principal Diagnosis	22	7	8
Drug Secondary Diagnosis	29	26	34
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	88	140	110
Mental Illness Secondary Diagnosis	231	265	221
Alcohol Principal Diagnosis	8	13	16
Alcohol Secondary Diagnosis	21	27	35
Drug Principal Diagnosis	15	14	14
Drug Secondary Diagnosis	16	14	19
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	289	263	271
Mental Illness Secondary Diagnosis	1,625	1,599	1,258
Alcohol Principal Diagnosis	43	40	37
Alcohol Secondary Diagnosis	87	52	73
Drug Principal Diagnosis	46	49	30
Drug Secondary Diagnosis	73	60	59

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	30	26	28
Alcohol Package Carry-out Licenses	28	25	24

EMPLOYMENT	2016	2015	2014
Labor Force	10,602	10,666	10,490
Employed	10,047	10,033	9,774
Unemployed	555	633	716
Unemployment Rate	5.2%	5.9%	6.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	13	22	21
Fatal Crashes	0	0	0
Injury Crashes	7	7	5
Property Damage Crashes	6	15	12
Crash Fatalities	0	0	0
Crash Injuries	11	7	9
Drug Involved Crashes	7	7	4
Fatal Crashes	0	0	0
Injury Crashes	3	4	1
Property Damage Crashes	4	3	3
Crash Fatalities	0	0	0
Crash Injuries	3	6	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	103	147	192
Liquor Law Arrests	4	24	50
Drug Arrests	187	185	206
Methamphetamine Lab Seizures	2	1	1
Violent Offenses	21	32	31
Domestic Violence Reports	96	95	89
Property Offenses	492	533	518

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,149	1,102	1,178
Drop-outs	24	26	19
Drop-out Rate	2.1%	2.4%	1.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	3	0	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	39	26	32
Juvenile Alcohol Offenses	1	6	3
Juvenile Drug Offenses	1	6	9
School Truancy Status Offense	111	108	66
Absent from Home Status Offense	11	12	16
Beyond Parental Control Status Offense	28	19	30
Injurious Behavior Status Offense	127	141	93
Child Abuse	51	73	43
Child Neglect	215	155	125
Child Custody Issues	1	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	99	66	78
Parental Alcohol Use Related	0	2	2
Parental Drug Use Related	48	27	31
Parental Alcohol and Drug Use	1	1	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	35	39	25
Probation/Parole Admissions--Drug	148	133	132
Probation/Parole Admissions--DWI	16	24	35
Prison Admissions--Drug	81	59	61
Prison Admissions--DWI	12	13	10

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

RANDOLPH COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	20	13	12
CSTAR Adolescent	19	14	27
CSTAR Women and Children	18	20	15
CSTAR General Adult	177	179	186
CSTAR Opioid	0	0	0
Primary Recovery Treatment	17	22	41
Clinical SATOP (CIP, YCIP, SROP)	19	20	24
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	114	136	125
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	46	38	39
- Weekend Intervention Program	19	39	31
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	7	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	19	8	13

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	226	238	276	Alcohol	59	77	86
AGE				Marijuana / Hashish	79	83	98
Under 18	21	17	32	Cocaine (total)	5	*	11
18 to 24	23	38	55	- Crack	*	*	8
25 to 29	43	52	51	Stimulant (total)	58	54	62
30 to 34	41	39	41	- Methamphetamine	55	54	62
35 to 39	32	24	28	Heroin	5	*	*
40 to 44	18	21	19	Analgesic except Heroin	13	7	9
45 to 54	36	35	40	- Non-Prescription Methadone	0	0	0
55 and Over	12	12	10	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	0	*	*
Male	148	160	169	Inhalant	0	0	0
Female	78	78	107	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	6	*
Caucasian	200	207	231	Average Age at First Use of Drug	17.7	17.6	17.8
African American	19	18	36	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	34	22	38
Asian / Pacific Islander	0	*	0	- Daily Injection Use	5	5	*
Hispanic	*	6	8	- Weekly Injection Use	13	*	8
Other Race / Two or More Races	6	8	6	- Less than Weekly Injection Use	16	15	27
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	68	92	108	0	104	120	145
High School Graduate or G.E.D.	115	104	121	1 or 2	75	76	92
Associate Degree or Some College	42	40	42	3 or More	47	42	39
Bachelor or Advanced Degree	*	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	71	60	88
Employed	74	88	77	School	0	0	0
Unemployed	76	80	104	Mental Health Provider	*	*	*
Not in Labor Force	76	70	95	Health Care Provider	11	13	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	88	69	87
Independent Living	184	197	218	Other Referral Source	38	83	85
Dependent Living	32	33	44	TREATMENT ACCOMMODATION			
Homeless	7	*	8	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	12	7	10
Never Married	129	123	161	Special Education Services Needed	29	16	23
Married / Cohabiting	50	60	54	Co-Occurring Psychological Problem	90	108	116
Previously Married	47	55	61	Co-Occurring Developmental Problem	6	9	9

RANDOLPH COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 25,414
2016 POPULATION ESTIMATE 24,989

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	20	19	15
Anxiety Disorder	191	203	200
Dementia	*	*	*
Developmental Disorder	8	10	11
Impulse Control Disorder	48	56	44
Mood Disorder	234	267	282
Personality Disorder	37	41	41
Psychotic Disorder	51	57	53
Sexual Disorder	*	*	*
Other Diagnosis	23	16	29
Diagnosis Unknown	22	20	16

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	330	369	367	Less than High School Diploma	121	144	136
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	7	9	7	Bachelor or Advanced Degree	0	0	0
10 to 13	13	19	22	Education Level Unknown	209	225	231
14 to 17	18	24	25	EMPLOYMENT			
18 to 24	25	21	25	Employed	35	32	33
25 to 29	33	33	24	Unemployed	27	34	22
30 to 34	30	32	33	Not in Labor Force	241	269	275
35 to 39	38	39	44	Employment Status Unknown	27	34	37
40 to 44	32	34	37	HOUSING / LIVING ARRANGEMENT			
45 to 49	29	33	40	Independent Living	192	227	218
50 to 54	35	50	38	Dependent Living	103	98	114
55 to 59	29	31	33	Homeless	*	8	*
60 and Over	37	40	37	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	32	36	31
GENDER				TREATMENT REFERRAL SOURCE			
Male	138	149	154	Self / Family / Friend	195	212	210
Female	192	220	213	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	16	23	27
RACE / ETHNICITY				Health Care Provider	64	69	65
Caucasian	290	326	327	Court / Criminal Justice	28	28	34
African American	19	26	29	Other	25	34	28
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	6	6	*	Voluntary	328	368	365
Other Race	14	11	9	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	16	18	12	Commitment Type Unknown	0	0	0
Past or Current Military Service	8	9	8				

RANDOLPH COUNTY

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	10.8	36.2	37.8	46.6	Alcohol	2.2	18.1	14.0	22.6
Chewing Tobacco	3.5	16.0	7.8	12.8	Alcohol (5+ drinks on single occasion past 2 weeks)	0.0	8.9		
Cigarettes	2.2	25.8	25.2	30.5	Chewing Tobacco	1.2	8.7	4.3	8.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.4	2.4	1.2	Cigarettes	1.2	13.6	11.5	15.0
Cocaine	0.0	1.1	1.6	1.4	Inhalants	1.2	2.1	3.2	3.1
Electronic Cigarettes	2.2	17.0			Marijuana	0.0	4.9	7.2	6.4
Hallucinogens	0.0	2.1	2.7	2.1	Over-the-counter medications for non-medical use	2.0	2.4	4.8	6.6
Heroin	1.2	0.4	0.5	0.2	Prescription medications not prescribed for student	2.2	2.1	5.1	5.5
Inhalants	2.2	3.9	8.3	6.8	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	1.2	7.7	13.4	12.3	Alcohol (1 or 2 drinks daily)	91.5	46.9		
Methamphetamine	0.0	1.4	1.6	0.8	Alcohol (Binge: 5+ drinks once or twice a week)	92.0	60.6		
Over-the-counter medications for non-medical use	2.0	2.8	8.0	8.8	Cigarettes (1+ packs per day)	39.1	79.8		
Prescription medications not prescribed for student	4.8	4.2	9.4	9.8	Marijuana (once or twice a week)	96.5	66.8		
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	5.0	5.9		Other: Cocaine, LSD, Meth, Club Drug (any use)	96.5	88.6	89.5	91.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	10.33	12.22	11.82	12.15	Alcohol	97.0	77.8	78.7	72.8
Cigarettes		12.32	11.84	11.83	Cigarettes	97.0	88.8	90.5	89.2
Inhalants		12.96	11.21	11.88	Marijuana	98.0	90.7	94.9	94.7
Marijuana		12.72	13.21	13.52	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	92.3	63.1	61.8	57.3
Alcohol	22.1	42.9	51.9	60.9	Cigarettes	96.5	77.9	78.8	78.1
Cigarettes	5.5	45.8	48.9	51.2	Marijuana	98.8	84.3	80.9	85.2
Marijuana	2.2	21.8	35.5	34.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	94.7	92.7	95.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.5	10.6	15.9	17.9	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	11.5	50.0	56.9	60.0
Alcohol	7.7	27.1	28.8	36.5	Cigarettes	11.7	49.3	54.8	53.7
Cigarettes	2.3	15.7	14.5	16.4	Marijuana	5.5	26.0	39.0	34.4
Marijuana	2.2	10.8	11.9	10.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.0	14.3	20.4	20.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	28.9	59.2	65.3	66.6	Were grouchy, irritable, or in a bad mood	6.5	26.6	26.8	30.4
Were victims of mean rumors or lies spread at school	21.1	49.0	55.5	55.1	Had difficulty concentrating on school work	61.7	21.0	24.9	27.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	4.7	22.0	24.8	16.1	Were very sad	5.7	16.3	21.0	28.8
<i>Percent of students who, in past 12 months:</i>					Felt hopeless about the future	4.2	7.5	12.9	17.4
Seriously considered attempting suicide	2.2	8.5	13.7	9.7	<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide	2.2	6.5	10.9	6.8	Parents involve student in making family decisions	90.0	73.9	65.1	69.8
Attempted suicide	1.2	2.7	9.1	5.8	Parents notice and comment on student's good work	93.3	83.9	80.4	82.4
					Teachers notice and comment on student's good work	93.8	79.0		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

RAY COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	6
Adult Psychiatric	6
POPULATION	
Census 2010	23,494
2016 Estimate	22,754

BIRTH RISK	2015	2014	2013
Resident Births	269	244	248
Mother Reported Smoking while Pregnant	71	69	71

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	3	0
Hepatitis C Chronic and Acute	8	15	12
Tuberculosis Infection Cases	6	0	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	235	244	264
Suicide	3	2	4
Homicide	0	0	0
Alcohol Induced Deaths	4	3	1
Drug Induced Deaths	0	4	1
Smoking Attributable Deaths	48	43	58
Self-inflicted Injuries *	38	44	37
Assault Injuries *	78	82	59

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	155	135	160
Mental Illness Secondary Diagnosis	497	382	386
Alcohol Principal Diagnosis	10	7	7
Alcohol Secondary Diagnosis	55	28	24
Drug Principal Diagnosis	6	16	5
Drug Secondary Diagnosis	37	26	24
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	18	13	19
Mental Illness Secondary Diagnosis	365	454	522
Alcohol Principal Diagnosis	4	3	8
Alcohol Secondary Diagnosis	26	41	38
Drug Principal Diagnosis	4	6	6
Drug Secondary Diagnosis	27	26	31
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	244	198	203
Mental Illness Secondary Diagnosis	819	767	444
Alcohol Principal Diagnosis	40	33	18
Alcohol Secondary Diagnosis	49	44	48
Drug Principal Diagnosis	31	27	36
Drug Secondary Diagnosis	61	84	116

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	17	17	17
Alcohol Package Carry-out Licenses	18	18	20

EMPLOYMENT	2016	2015	2014
Labor Force	11,412	11,433	11,413
Employed	10,858	10,810	10,651
Unemployed	554	623	762
Unemployment Rate	4.9%	5.4%	6.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	19	28	21
Fatal Crashes	2	1	2
Injury Crashes	10	11	8
Property Damage Crashes	7	16	16
Crash Fatalities	2	1	2
Crash Injuries	14	18	11
Drug Involved Crashes	6	9	3
Fatal Crashes	0	0	1
Injury Crashes	4	3	1
Property Damage Crashes	2	6	1
Crash Fatalities	0	0	1
Crash Injuries	4	7	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	129	124	100
Liquor Law Arrests	41	22	99
Drug Arrests	320	189	117
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	155	111	59
Domestic Violence Reports	242	286	259
Property Offenses	414	397	475

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,001	1,010	1,096
Drop-outs	7	19	21
Drop-out Rate	0.7%	1.9%	1.9%
School Discipline Involving Alcohol	1	1	4
School Discipline Involving Drugs	8	2	5
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	53	48	45
Juvenile Alcohol Offenses	9	8	12
Juvenile Drug Offenses	9	10	11
School Truancy Status Offense	30	22	3
Absent from Home Status Offense	26	14	10
Beyond Parental Control Status Offense	31	30	12
Injurious Behavior Status Offense	37	54	37
Child Abuse	26	27	20
Child Neglect	15	9	9
Child Custody Issues	5	1	2

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	5	7	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	1	2
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	74	48	42
Probation/Parole Admissions--Drug	118	88	90
Probation/Parole Admissions--DWI	13	11	10
Prison Admissions--Drug	42	34	42
Prison Admissions--DWI	1	5	11

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

RAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	14	5	5
CSTAR Adolescent	11	7	10
CSTAR Women and Children	*	*	*
CSTAR General Adult	106	123	129
CSTAR Opioid	*	*	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	15	22	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	87	94	73
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	30	28	23
- Weekend Intervention Program	16	20	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	6	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	132	158	168	Alcohol	43	67	49
AGE				Marijuana / Hashish	35	35	43
Under 18	11	6	11	Cocaine (total)	*	0	*
18 to 24	20	36	37	- Crack	*	0	0
25 to 29	24	34	28	Stimulant (total)	41	43	60
30 to 34	25	25	38	- Methamphetamine	38	43	60
35 to 39	11	10	17	Heroin	*	*	*
40 to 44	15	19	11	Analgesic except Heroin	7	11	9
45 to 54	21	21	21	- Non-Prescription Methadone	0	0	0
55 and Over	5	7	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	88	111	108	Inhalant	0	0	0
Female	44	47	60	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	123	152	159	Average Age at First Use of Drug	17.1	18.0	17.3
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	31	25	27
Asian / Pacific Islander	0	*	*	- Daily Injection Use	*	*	*
Hispanic	0	*	*	- Weekly Injection Use	8	8	5
Other Race / Two or More Races	6	*	5	- Less than Weekly Injection Use	19	16	21
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	42	38	49	0	69	76	94
High School Graduate or G.E.D.	72	95	82	1 or 2	40	57	50
Associate Degree or Some College	18	25	37	3 or More	23	25	24
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	53	51	52
Employed	52	73	50	School	0	0	*
Unemployed	38	55	69	Mental Health Provider	*	*	*
Not in Labor Force	42	30	49	Health Care Provider	7	6	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	38	56	75
Independent Living	114	145	145	Other Referral Source	18	29	25
Dependent Living	12	8	16	TREATMENT ACCOMMODATION			
Homeless	*	5	*	Pregnant when Admitted to any Episode	*	*	6
MARITAL / FAMILY STATUS				Military Veteran	5	5	*
Never Married	67	86	100	Special Education Services Needed	11	19	12
Married / Cohabiting	44	40	33	Co-Occurring Psychological Problem	64	66	88
Previously Married	21	32	35	Co-Occurring Developmental Problem	*	*	*

RAY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 6
CENSUS 2010 23,494
2016 POPULATION ESTIMATE 22,754

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	5	0
Anxiety Disorder	52	61	70
Dementia	0	0	0
Developmental Disorder	*	5	*
Impulse Control Disorder	36	27	49
Mood Disorder	172	181	189
Personality Disorder	*	*	*
Psychotic Disorder	25	30	32
Sexual Disorder	0	0	0
Other Diagnosis	10	6	7
Diagnosis Unknown	21	25	19

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	251	269	291	Less than High School Diploma	40	46	49
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	14	10	12	Bachelor or Advanced Degree	0	0	0
10 to 13	20	16	22	Education Level Unknown	211	223	242
14 to 17	25	23	20	EMPLOYMENT			
18 to 24	14	18	19	Employed	9	13	8
25 to 29	17	22	25	Unemployed	5	9	22
30 to 34	24	27	32	Not in Labor Force	64	85	84
35 to 39	24	22	31	Employment Status Unknown	173	162	177
40 to 44	24	26	24	HOUSING / LIVING ARRANGEMENT			
45 to 49	22	37	33	Independent Living	35	67	84
50 to 54	24	26	29	Dependent Living	47	45	31
55 to 59	17	14	17	Homeless	*	*	*
60 and Over	25	25	24	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	168	155	173
GENDER				TREATMENT REFERRAL SOURCE			
Male	116	123	137	Self / Family / Friend	235	251	276
Female	135	146	154	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	0	0
RACE / ETHNICITY				Health Care Provider	10	9	8
Caucasian	237	253	280	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	*	6	*
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	5	Voluntary	249	267	289
Other Race	6	7	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	11	6	11	Commitment Type Unknown	*	*	*
Past or Current Military Service	7	6	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	41.6	34.7	41.3	42.4	Alcohol	16.0	8.6	16.2	16.8
Chewing Tobacco	17.0	8.1	17.3	18.9	Alcohol (5+ drinks on single occasion past 2 weeks)	6.1	2.7		
Cigarettes	24.9	27.8	27.1	27.7	Chewing Tobacco	8.8	2.3	9.5	10.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.8	0.7	2.9	0.9	Cigarettes	10.9	12.1	14.3	11.7
Cocaine	2.0	0.7	3.6	1.1	Inhalants	1.5	1.7	2.4	3.7
Electronic Cigarettes	23.0	17.8			Marijuana	6.9	1.7	7.1	6.7
Hallucinogens	2.1	0.3	4.3	1.8	Over-the-counter medications for non-medical use	1.8	0.3	5.7	4.8
Heroin	0.3	0.3	1.7	0.6	Prescription medications not prescribed for student	8.9	3.3	6.9	7.7
Inhalants	3.5	3.7	7.4	7.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	15.0	11.0	15.0	13.2	Alcohol (1 or 2 drinks daily)	64.2	61.2		
Methamphetamine	0.5	0.7	2.4	0.4	Alcohol (Binge: 5+ drinks once or twice a week)	75.0	70.6		
Over-the-counter medications for non-medical use	4.3	0.7	8.6	8.5	Cigarettes (1+ packs per day)	81.9	87.0		
Prescription medications not prescribed for student	13.8	7.3	12.1	14.2	Marijuana (once or twice a week)	68.2	75.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.3	5.3	8.1		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.1	92.6	94.7	94.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.75	13.39	12.50	12.13	Alcohol	80.9	83.2	79.1	80.3
Cigarettes	12.18	13.28	12.70	12.25	Cigarettes	92.4	84.5	90.4	91.8
Inhalants	10.35	11.84	12.25	11.93	Marijuana	93.1	96.3	94.2	96.7
Marijuana	13.54	14.04	13.37	13.29	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	65.7	73.7	60.9	64.1
Alcohol	49.9	41.9	57.5	56.5	Cigarettes	84.3	83.3	78.2	81.0
Cigarettes	34.3	40.2	50.1	45.5	Marijuana	82.1	89.6	84.4	88.0
Marijuana	33.3	20.3	35.8	32.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	98.0	94.0	96.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.2	6.0	14.3	14.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	54.9	44.0	57.9	54.3
Alcohol	26.9	20.7	31.5	28.8	Cigarettes	50.6	51.5	55.0	53.5
Cigarettes	11.7	15.5	16.3	14.1	Marijuana	33.3	26.3	31.9	32.1
Marijuana	13.5	6.7	11.2	10.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.8	18.1	14.6	14.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.5	70.1	61.2	68.3	Were grouchy, irritable, or in a bad mood	32.7	28.7	27.1	22.4
Were victims of mean rumors or lies spread at school	51.1	56.0	51.2	57.0	Had difficulty concentrating on school work	28.9	21.3	25.9	18.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.6	28.7	22.7	19.8	Were very sad	21.8	16.7	22.3	21.3
					Felt hopeless about the future	9.9	14.6	14.0	10.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.2	7.7	14.6	10.9	Parents involve student in making family decisions	70.8	63.6	65.7	69.0
Made plan about how they would attempt suicide	9.5	7.0	11.5	10.4	Parents notice and comment on student's good work	83.5	83.7	77.8	87.2
Attempted suicide	7.1	2.3	4.5	5.1	Teachers notice and comment on student's good work	73.9	76.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

REYNOLDS COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	6,696
2016 Estimate	6,455

BIRTH RISK	2015	2014	2013
Resident Births	59	58	61
Mother Reported Smoking while Pregnant	23	19	20

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	0	1	1
Hepatitis C Chronic and Acute	3	9	3
Tuberculosis Infection Cases	1	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	94	108	89
Suicide	4	2	1
Homicide	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	0	5
Smoking Attributable Deaths	18	27	19
Self-inflicted Injuries *	8	8	8
Assault Injuries *	28	18	15

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	57	52	69
Mental Illness Secondary Diagnosis	137	128	120
Alcohol Principal Diagnosis	2	5	5
Alcohol Secondary Diagnosis	9	8	18
Drug Principal Diagnosis	6	2	0
Drug Secondary Diagnosis	6	8	8
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	6	10	6
Mental Illness Secondary Diagnosis	81	104	84
Alcohol Principal Diagnosis	0	2	1
Alcohol Secondary Diagnosis	10	5	5
Drug Principal Diagnosis	1	2	2
Drug Secondary Diagnosis	6	5	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	59	43	51
Mental Illness Secondary Diagnosis	131	117	163
Alcohol Principal Diagnosis	8	4	9
Alcohol Secondary Diagnosis	16	15	16
Drug Principal Diagnosis	8	5	6
Drug Secondary Diagnosis	11	12	15

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	6	5	6
Alcohol Package Carry-out Licenses	14	11	12

EMPLOYMENT	2016	2015	2014
Labor Force	2,710	2,760	2,629
Employed	2,535	2,568	2,407
Unemployed	175	192	222
Unemployment Rate	6.5%	7.0%	8.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	16	5	9
Fatal Crashes	1	1	2
Injury Crashes	8	4	3
Property Damage Crashes	7	0	3
Crash Fatalities	1	1	2
Crash Injuries	13	4	6
Drug Involved Crashes	2	2	1
Fatal Crashes	1	0	0
Injury Crashes	0	2	1
Property Damage Crashes	1	0	0
Crash Fatalities	1	0	0
Crash Injuries	0	2	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	28	26	20
Liquor Law Arrests	3	22	14
Drug Arrests	27	49	36
Methamphetamine Lab Seizures	0	2	0
Violent Offenses	11	14	15
Domestic Violence Reports	14	17	11
Property Offenses	52	62	65

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	333	343	324
Drop-outs	2	0	0
Drop-out Rate	0.6%	0.0%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	1	0	0
School Discipline Involving Tobacco	1	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	5	2	1
Juvenile Alcohol Offenses	0	1	0
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	1	0	0
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	9	39	15
Injurious Behavior Status Offense	1	0	3
Child Abuse	4	9	13
Child Neglect	84	84	93
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	4	11	26
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	3	1	13
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	26	24	17
Probation/Parole Admissions--Drug	18	18	21
Probation/Parole Admissions--DWI	1	0	3
Prison Admissions--Drug	9	7	3
Prison Admissions--DWI	1	0	0

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

REYNOLDS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	9	*
CSTAR Adolescent	0	*	*
CSTAR Women and Children	0	0	*
CSTAR General Adult	21	23	21
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	0
Clinical SATOP (CIP, YCIP, SROP)	6	6	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	15	28	19
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	15	5
- Weekend Intervention Program	5	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	9
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	28	34	29	Alcohol	7	12	10
AGE				Marijuana / Hashish	7	12	6
Under 18	0	*	0	Cocaine (total)	0	*	0
18 to 24	*	*	5	- Crack	0	0	0
25 to 29	5	*	*	Stimulant (total)	7	*	6
30 to 34	10	9	7	- Methamphetamine	7	*	5
35 to 39	*	*	8	Heroin	*	*	*
40 to 44	*	5	*	Analgesic except Heroin	*	6	5
45 to 54	6	6	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	17	26	19	Inhalant	0	0	0
Female	11	8	10	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	28	34	29	Average Age at First Use of Drug	20.9	19.1	20.8
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	12	13	0	17	17	15
High School Graduate or G.E.D.	16	19	12	1 or 2	7	11	11
Associate Degree or Some College	8	*	*	3 or More	*	6	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	21	13
Employed	6	10	11	School	0	0	0
Unemployed	12	13	15	Mental Health Provider	*	0	0
Not in Labor Force	10	11	*	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	13	11	13
Independent Living	28	30	29	Other Referral Source	*	*	*
Dependent Living	0	*	0	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	9	13	11	Special Education Services Needed	0	*	7
Married / Cohabiting	12	12	11	Co-Occurring Psychological Problem	13	14	10
Previously Married	7	9	7	Co-Occurring Developmental Problem	*	0	*

REYNOLDS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 6,696
2016 POPULATION ESTIMATE 6,455

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	0	0
Anxiety Disorder	11	10	5
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	5	6	*
Mood Disorder	32	30	27
Personality Disorder	0	0	0
Psychotic Disorder	8	9	11
Sexual Disorder	*	*	*
Other Diagnosis	0	0	0
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	49	51	45	Less than High School Diploma	15	17	12
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	0	0	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	34	34	33
14 to 17	*	*	0	EMPLOYMENT			
18 to 24	*	0	*	Employed	*	*	*
25 to 29	*	*	5	Unemployed	*	0	*
30 to 34	*	*	*	Not in Labor Force	33	41	31
35 to 39	5	5	*	Employment Status Unknown	13	8	10
40 to 44	*	8	8	HOUSING / LIVING ARRANGEMENT			
45 to 49	6	5	7	Independent Living	30	32	30
50 to 54	11	9	10	Dependent Living	6	9	5
55 to 59	6	5	*	Homeless	0	*	0
60 and Over	*	5	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	13	9	10
GENDER				TREATMENT REFERRAL SOURCE			
Male	21	25	18	Self / Family / Friend	23	21	14
Female	28	26	27	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	6	5
RACE / ETHNICITY				Health Care Provider	15	16	17
Caucasian	46	48	44	Court / Criminal Justice	*	*	*
African American	*	*	0	Other	5	5	6
Native American / Alaskan	*	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	48	49	42
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	6	5	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

REYNOLDS COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	50.5	33.3	17.0	53.8	Alcohol	16.7	11.6	3.6	24.6
Chewing Tobacco	16.7	17.6	8.0	26.9	Alcohol (5+ drinks on single occasion past 2 weeks)	4.4	7.4		
Cigarettes	30.3	23.5	17.0	42.6	Chewing Tobacco	5.5	11.8	5.4	15.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.5	0.0	3.8	Cigarettes	11.2	10.3	0.0	20.3
Cocaine	1.1	1.5	0.0	2.3	Inhalants	0.0	1.4	1.8	2.3
Electronic Cigarettes	27.5	20.3			Marijuana	4.4	5.8	0.0	8.5
Hallucinogens	2.2	1.5	0.0	3.8	Over-the-counter medications for non-medical use	0.0	1.5	1.8	6.2
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	3.3	2.9	1.8	9.4
Inhalants	4.5	1.5	1.8	5.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	8.9	10.3	0.0	19.2	Alcohol (1 or 2 drinks daily)	61.1	54.4		
Methamphetamine	0.0	1.5	0.0	1.6	Alcohol (Binge: 5+ drinks once or twice a week)	62.6	60.3		
Over-the-counter medications for non-medical use	6.7	2.9	1.8	8.5	Cigarettes (1+ packs per day)	78.0	80.9		
Prescription medications not prescribed for student	5.6	7.4	1.8	14.1	Marijuana (once or twice a week)	63.3	67.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.1	2.9	0.0		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	91.2	95.5	90.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.23	12.31	13.88	11.96	Alcohol	79.1	79.4	89.7	70.0
Cigarettes	13.86	12.51	12.39	12.19	Cigarettes	95.6	92.8	95.5	89.1
Inhalants		11.63		13.43	Marijuana	94.5	94.1	100.0	97.6
Marijuana		13.58		14.04	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	56.7	67.2	75.9	45.8
Alcohol	54.4	47.1	14.2	72.9	Cigarettes	79.1	82.6	88.4	66.9
Cigarettes	44.4	38.2	12.4	64.1	Marijuana	79.1	86.6	95.6	82.3
Marijuana	33.0	22.1	6.3	40.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	97.0	100.0	94.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	7.5	1.8	17.6	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	55.7	38.8	33.9	65.4
Alcohol	31.9	23.5	14.3	48.5	Cigarettes	61.4	43.3	37.5	67.7
Cigarettes	14.8	13.2	1.8	27.9	Marijuana	35.2	25.4	8.0	41.7
Marijuana	15.6	8.8	0.0	11.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	10.4	3.7	19.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	56.2	58.8	39.3	71.8	Were grouchy, irritable, or in a bad mood	28.6	22.1	8.9	26.7
Were victims of mean rumors or lies spread at school	53.9	50.0	34.5	63.1	Had difficulty concentrating on school work	21.1	17.6	10.7	30.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.0	23.5	9.8	16.9	Were very sad	20.0	15.9	8.0	22.1
					Felt hopeless about the future	3.3	7.5	6.3	11.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	8.8	8.8	5.4	9.9	Parents involve student in making family decisions	72.5	75.0	83.9	72.3
Made plan about how they would attempt suicide	7.7	5.8	4.4	5.3	Parents notice and comment on student's good work	93.4	88.4	89.4	86.3
Attempted suicide	4.4	4.4	6.4	4.6	Teachers notice and comment on student's good work	92.2	84.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

RIPLEY COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	14,100
2016 Estimate	13,817

BIRTH RISK	2015	2014	2013
Resident Births	170	183	177
Mother Reported Smoking while Pregnant	50	56	41

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	0	1
Hepatitis C Chronic and Acute	14	17	17
Tuberculosis Infection Cases	0	4	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	200	169	189
Suicide	6	1	3
Homicide	1	0	1
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	2	2	1
Smoking Attributable Deaths	44	31	44
Self-inflicted Injuries *	23	26	38
Assault Injuries *	74	81	61

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	144	146	132
Mental Illness Secondary Diagnosis	347	286	315
Alcohol Principal Diagnosis	12	7	6
Alcohol Secondary Diagnosis	25	25	29
Drug Principal Diagnosis	12	17	21
Drug Secondary Diagnosis	27	17	20
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	30	27	28
Mental Illness Secondary Diagnosis	222	260	239
Alcohol Principal Diagnosis	5	1	3
Alcohol Secondary Diagnosis	20	15	14
Drug Principal Diagnosis	8	7	3
Drug Secondary Diagnosis	18	7	16
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	184	188	216
Mental Illness Secondary Diagnosis	276	213	302
Alcohol Principal Diagnosis	17	14	21
Alcohol Secondary Diagnosis	25	24	32
Drug Principal Diagnosis	37	33	44
Drug Secondary Diagnosis	40	37	52

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	8	11	13
Alcohol Package Carry-out Licenses	15	16	17

EMPLOYMENT	2016	2015	2014
Labor Force	5,384	5,431	5,497
Employed	5,005	5,001	5,053
Unemployed	379	430	444
Unemployment Rate	7.0%	7.9%	8.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	15	10	10
Fatal Crashes	2	0	2
Injury Crashes	5	7	5
Property Damage Crashes	8	3	10
Crash Fatalities	2	0	2
Crash Injuries	7	8	10
Drug Involved Crashes	2	8	4
Fatal Crashes	0	0	0
Injury Crashes	1	4	0
Property Damage Crashes	1	4	4
Crash Fatalities	0	0	0
Crash Injuries	1	5	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	37	44	51
Liquor Law Arrests	9	21	16
Drug Arrests	180	164	114
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	58	47	41
Domestic Violence Reports	117	82	109
Property Offenses	355	314	407

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	548	520	566
Drop-outs	10	19	13
Drop-out Rate	1.8%	3.7%	2.3%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	2	3	3
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	20	25	33
Juvenile Alcohol Offenses	2	1	0
Juvenile Drug Offenses	7	4	5
School Truancy Status Offense	17	17	33
Absent from Home Status Offense	11	4	0
Beyond Parental Control Status Offense	17	13	18
Injurious Behavior Status Offense	1	2	0
Child Abuse	8	0	2
Child Neglect	100	44	77
Child Custody Issues	1	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	63	33	53
Parental Alcohol Use Related	3	3	0
Parental Drug Use Related	35	19	19
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	7	8	10
Probation/Parole Admissions--Drug	45	30	36
Probation/Parole Admissions--DWI	1	2	5
Prison Admissions--Drug	23	22	19
Prison Admissions--DWI	1	0	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

RIPLEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	19	16	14
CSTAR Adolescent	8	6	7
CSTAR Women and Children	9	*	12
CSTAR General Adult	71	89	54
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	*
Clinical SATOP (CIP, YCIP, SROP)	13	8	9
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	23	47	43
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	8	14	13
- Weekend Intervention Program	*	10	11
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	24
Early Intervention	0	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	102	118	96	Alcohol	27	26	25
AGE				Marijuana / Hashish	28	41	19
Under 18	8	6	7	Cocaine (total)	0	0	0
18 to 24	22	26	13	- Crack	0	0	0
25 to 29	19	25	15	Stimulant (total)	27	28	31
30 to 34	22	19	22	- Methamphetamine	26	27	31
35 to 39	6	13	14	Heroin	7	*	5
40 to 44	8	7	11	Analgesic except Heroin	8	18	16
45 to 54	15	14	11	- Non-Prescription Methadone	0	0	0
55 and Over	*	8	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	57	67	61	Inhalant	0	0	0
Female	45	51	35	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	96	116	93	Average Age at First Use of Drug	17.7	18.3	20.1
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	20	11	18
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	*	*	*	- Weekly Injection Use	8	6	9
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	10	5	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	44	55	31	0	74	77	60
High School Graduate or G.E.D.	39	47	52	1 or 2	18	31	23
Associate Degree or Some College	18	16	12	3 or More	10	10	13
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	34	24	22
Employed	16	30	22	School	0	0	*
Unemployed	51	45	44	Mental Health Provider	0	0	0
Not in Labor Force	35	43	30	Health Care Provider	7	10	13
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	36	50	35
Independent Living	82	99	79	Other Referral Source	18	29	17
Dependent Living	9	11	15	TREATMENT ACCOMMODATION			
Homeless	9	*	*	Pregnant when Admitted to any Episode	*	6	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	9
Never Married	42	63	37	Special Education Services Needed	12	13	5
Married / Cohabiting	30	26	29	Co-Occurring Psychological Problem	53	50	42
Previously Married	30	29	30	Co-Occurring Developmental Problem	0	*	7

RIPLEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 14,100
2016 POPULATION ESTIMATE 13,817

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	25	25	26
Dementia	0	0	0
Developmental Disorder	0	0	*
Impulse Control Disorder	15	10	10
Mood Disorder	124	95	99
Personality Disorder	*	*	*
Psychotic Disorder	22	18	17
Sexual Disorder	*	*	*
Other Diagnosis	*	0	*
Diagnosis Unknown	7	12	14

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	179	155	163	Less than High School Diploma	52	49	53
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	5	5	9	Bachelor or Advanced Degree	0	0	0
10 to 13	11	9	13	Education Level Unknown	127	106	110
14 to 17	12	8	10	EMPLOYMENT			
18 to 24	9	11	16	Employed	9	7	7
25 to 29	12	17	14	Unemployed	14	5	10
30 to 34	16	15	17	Not in Labor Force	100	106	97
35 to 39	27	21	13	Employment Status Unknown	56	37	49
40 to 44	8	14	12	HOUSING / LIVING ARRANGEMENT			
45 to 49	20	14	14	Independent Living	109	85	82
50 to 54	24	16	16	Dependent Living	17	31	26
55 to 59	11	11	18	Homeless	0	0	*
60 and Over	24	14	11	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	53	39	51
GENDER				TREATMENT REFERRAL SOURCE			
Male	73	70	70	Self / Family / Friend	98	61	53
Female	106	85	93	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	10	14	13
RACE / ETHNICITY				Health Care Provider	41	32	41
Caucasian	175	152	159	Court / Criminal Justice	10	18	18
African American	*	*	*	Other	20	30	36
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	*	Voluntary	177	153	161
Other Race	0	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	12	9	10	Commitment Type Unknown	*	0	0
Past or Current Military Service	*	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.5		41.7	46.5	Alcohol	7.0		13.1	21.2
Chewing Tobacco	7.0		17.5	22.2	Alcohol (5+ drinks on single occasion past 2 weeks)	1.4			
Cigarettes	13.0		22.2	36.5	Chewing Tobacco	2.8		10.7	12.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		2.4	1.4	Cigarettes	3.7		11.9	17.5
Cocaine	0.0		3.2	2.1	Inhalants	0.0		0.0	3.9
Electronic Cigarettes	13.1				Marijuana	4.2		11.5	10.2
Hallucinogens	0.0		2.4	2.1	Over-the-counter medications for non-medical use	0.5		5.6	4.3
Heroin	0.0		0.8	0.7	Prescription medications not prescribed for student	3.7		4.3	8.8
Inhalants	1.4		4.0	9.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	8.4		15.5	19.6	Alcohol (1 or 2 drinks daily)	58.6			
Methamphetamine	0.5		1.6	0.7	Alcohol (Binge: 5+ drinks once or twice a week)	90.7			
Over-the-counter medications for non-medical use	1.4		10.7	7.4	Cigarettes (1+ packs per day)	93.0			
Prescription medications not prescribed for student	6.5		11.1	15.1	Marijuana (once or twice a week)	72.6			
Synthetic drugs (K2, bath salts, Spice, etc)	0.5		7.1		Other: Cocaine, LSD, Meth, Club Drug (any use)	98.1		98.8	94.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.39		12.96	12.09	Alcohol	80.0		79.8	76.9
Cigarettes	13.53		11.73	11.81	Cigarettes	94.9		92.1	90.5
Inhalants			13.83	12.89	Marijuana	95.3		95.5	93.6
Marijuana	14.22		13.46	12.92	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	70.2		61.1	59.1
Alcohol	73.2		48.4	62.1	Cigarettes	93.0		86.1	76.7
Cigarettes	20.5		42.5	53.0	Marijuana	79.0		87.7	81.9
Marijuana	63.6		35.5	39.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0		96.4	95.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.5		7.9	17.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	67.4		50.2	56.5
Alcohol	26.5		31.0	33.9	Cigarettes	55.6		54.8	62.5
Cigarettes	1.9		11.5	16.9	Marijuana	64.5		42.3	42.8
Marijuana	20.0		12.7	14.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	38.1		14.3	17.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	30.0		62.6	67.6	Were grouchy, irritable, or in a bad mood	18.6		21.8	18.6
Were victims of mean rumors or lies spread at school	27.7		55.2	58.8	Had difficulty concentrating on school work	17.3		18.7	23.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	11.2		18.4	15.3	Were very sad	10.3		23.7	12.2
					Felt hopeless about the future	7.5		6.5	10.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	5.2		6.4	10.8	Parents involve student in making family decisions	77.2		68.3	68.3
Made plan about how they would attempt suicide	3.8		4.8	10.5	Parents notice and comment on student's good work	92.1		76.6	84.5
Attempted suicide	1.9		1.6	4.9	Teachers notice and comment on student's good work	87.4			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SAINT CHARLES COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	360,485
2016 Estimate	390,918

BIRTH RISK	2015	2014	2013
Resident Births	4,543	4,539	4,548
Mother Reported Smoking while Pregnant	384	421	477

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	16	19	12
Hepatitis B Chronic, Acute, Prenatal	17	33	24
Hepatitis C Chronic and Acute	146	198	156
Tuberculosis Infection Cases	68	66	80

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	2,744	2,621	2,494
Suicide	58	46	52
Homicide	5	6	5
Alcohol Induced Deaths	16	21	17
Drug Induced Deaths	66	66	62
Smoking Attributable Deaths	449	446	433
Self-inflicted Injuries *	312	338	311
Assault Injuries *	668	576	650

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,577	2,315	2,336
Mental Illness Secondary Diagnosis	5,040	3,422	3,889
Alcohol Principal Diagnosis	264	212	236
Alcohol Secondary Diagnosis	401	226	256
Drug Principal Diagnosis	257	168	143
Drug Secondary Diagnosis	262	197	205
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,484	1,739	1,483
Mental Illness Secondary Diagnosis	5,214	6,243	5,485
Alcohol Principal Diagnosis	121	175	147
Alcohol Secondary Diagnosis	571	662	543
Drug Principal Diagnosis	73	95	91
Drug Secondary Diagnosis	250	305	233
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,715	2,283	2,117
Mental Illness Secondary Diagnosis	7,537	7,508	8,730
Alcohol Principal Diagnosis	643	460	495
Alcohol Secondary Diagnosis	531	444	468
Drug Principal Diagnosis	559	466	402
Drug Secondary Diagnosis	518	444	632

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	488	472	464
Alcohol Package Carry-out Licenses	242	229	224

EMPLOYMENT	2016	2015	2014
Labor Force	220,321	217,394	209,352
Employed	212,560	209,013	199,201
Unemployed	7,761	8,381	10,151
Unemployment Rate	3.5%	3.9%	4.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	293	329	303
Fatal Crashes	7	7	7
Injury Crashes	101	86	88
Property Damage Crashes	185	236	223
Crash Fatalities	7	9	7
Crash Injuries	151	110	121
Drug Involved Crashes	74	88	60
Fatal Crashes	5	2	3
Injury Crashes	33	30	18
Property Damage Crashes	36	56	39
Crash Fatalities	5	2	3
Crash Injuries	63	38	26

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	1,452	1,605	1,879
Liquor Law Arrests	200	284	352
Drug Arrests	2,253	1,847	1,589
Methamphetamine Lab Seizures	0	27	106
Violent Offenses	499	431	468
Domestic Violence Reports	1,444	1,423	1,488
Property Offenses	5,685	5,731	5,686

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	18,096	17,874	17,894
Drop-outs	196	264	230
Drop-out Rate	1.1%	1.5%	1.3%
School Discipline Involving Alcohol	30	37	28
School Discipline Involving Drugs	124	153	117
School Discipline Involving Tobacco	3	0	4

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	242	233	241
Juvenile Alcohol Offenses	42	55	51
Juvenile Drug Offenses	114	149	136
School Truancy Status Offense	61	85	44
Absent from Home Status Offense	168	213	120
Beyond Parental Control Status Offense	2	8	7
Injurious Behavior Status Offense	53	53	55
Child Abuse	24	17	19
Child Neglect	164	166	180
Child Custody Issues	34	22	25

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	164	152	143
Parental Alcohol Use Related	2	18	3
Parental Drug Use Related	62	51	55
Parental Alcohol and Drug Use	4	3	6

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	318	351	277
Probation/Parole Admissions--Drug	505	459	502
Probation/Parole Admissions--DWI	114	154	122
Prison Admissions--Drug	234	219	214
Prison Admissions--DWI	35	45	38

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SAINT CHARLES COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	115	97	102
CSTAR Adolescent	101	128	133
CSTAR Women and Children	141	101	106
CSTAR General Adult	305	323	233
CSTAR Opioid	51	35	42
Primary Recovery Treatment	22	22	15
Clinical SATOP (CIP, YCIP, SROP)	422	418	528
Other Substance Abuse Treatment	6	*	12


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	1,492	1,747	1,917
- Adolescent Diversion Education Program	58	186	142
- Offender Education Program	571	672	706
- Weekend Intervention Program	315	319	363
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	32	18	12
Compulsive Gambling	23	27	14
Recovery Supports	6	*	6
Early Intervention	8	*	8

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	1,063	1,056	1,069	Alcohol	497	520	561
AGE				Marijuana / Hashish	172	188	213
Under 18	99	132	134	Cocaine (total)	17	21	12
18 to 24	162	155	192	- Crack	11	14	6
25 to 29	193	175	194	Stimulant (total)	53	34	33
30 to 34	202	188	177	- Methamphetamine	46	32	33
35 to 39	133	118	110	Heroin	266	233	188
40 to 44	81	91	74	Analgesic except Heroin	43	44	41
45 to 54	130	145	134	- Non-Prescription Methadone	*	*	*
55 and Over	63	52	54	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	9	9	11
Male	673	690	697	Inhalant	0	0	0
Female	390	366	372	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	8
Caucasian	958	964	972	Average Age at First Use of Drug	18.4	17.6	17.4
African American	54	56	60	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	242	215	171
Asian / Pacific Islander	*	*	*	- Daily Injection Use	120	97	78
Hispanic	22	11	16	- Weekly Injection Use	67	50	40
Other Race / Two or More Races	33	26	19	- Less than Weekly Injection Use	55	68	53
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	227	269	274	0	465	473	400
High School Graduate or G.E.D.	460	442	394	1 or 2	364	354	437
Associate Degree or Some College	354	324	370	3 or More	234	229	232
Bachelor or Advanced Degree	22	21	30	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	364	279	242
Employed	465	458	473	School	6	11	24
Unemployed	263	251	251	Mental Health Provider	16	13	15
Not in Labor Force	335	347	345	Health Care Provider	35	49	28
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	559	558	653
Independent Living	881	830	838	Other Referral Source	63	110	88
Dependent Living	125	156	160	TREATMENT ACCOMMODATION			
Homeless	34	48	35	Pregnant when Admitted to any Episode	31	28	29
MARITAL / FAMILY STATUS				Military Veteran	48	61	65
Never Married	674	685	669	Special Education Services Needed	76	112	66
Married / Cohabiting	189	192	206	Co-Occurring Psychological Problem	350	361	296
Previously Married	200	179	194	Co-Occurring Developmental Problem	25	27	16

SAINT CHARLES COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 360,485
2016 POPULATION ESTIMATE 390,918

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	65	55	33
Anxiety Disorder	1,470	1,495	1,223
Dementia	7	7	*
Developmental Disorder	85	97	78
Impulse Control Disorder	823	811	654
Mood Disorder	2,001	2,096	1,887
Personality Disorder	236	232	212
Psychotic Disorder	353	379	347
Sexual Disorder	6	5	*
Other Diagnosis	496	174	157
Diagnosis Unknown	423	96	89

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	3,103	2,892	2,562	Less than High School Diploma	949	939	839
AGE				High School Grad or G.E.D.	0	0	*
Under 6	21	11	8	Associate Degree or Some College	0	0	*
6 to 9	221	203	193	Bachelor or Advanced Degree	0	0	*
10 to 13	354	308	244	Education Level Unknown	2,154	1,953	1,713
14 to 17	348	329	252	EMPLOYMENT			
18 to 24	264	250	246	Employed	310	262	238
25 to 29	243	226	194	Unemployed	220	214	208
30 to 34	284	277	236	Not in Labor Force	1,630	1,583	1,370
35 to 39	246	219	198	Employment Status Unknown	943	833	746
40 to 44	213	200	190	HOUSING / LIVING ARRANGEMENT			
45 to 49	219	212	234	Independent Living	1,432	1,374	1,217
50 to 54	266	282	260	Dependent Living	621	617	521
55 to 59	229	209	177	Homeless	49	35	41
60 and Over	195	166	130	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	1,001	866	782
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,441	1,313	1,214	Self / Family / Friend	1,090	1,105	892
Female	1,662	1,579	1,348	School	321	351	315
Gender Unknown	0	0	0	Mental Health Provider	137	144	168
RACE / ETHNICITY				Health Care Provider	466	454	361
Caucasian	2,574	2,412	2,154	Court / Criminal Justice	45	58	62
African American	280	267	218	Other	1,038	763	749
Native American / Alaskan	*	*	*	Referral Source Unknown	6	17	15
Asian / Pacific Islander	15	12	9	TYPE OF COMMITMENT			
Hispanic	75	64	56	Voluntary	3,069	2,856	2,524
Other Race	155	136	123	Civil	9	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	13	13	15
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	63	77	67	Commitment Type Unknown	11	17	18
Past or Current Military Service	66	52	43				

SAINT CHARLES COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.7	33.2	32.1	44.0	Alcohol	15.6	15.1	14.5	21.7
Chewing Tobacco	4.5	5.8	3.9	7.6	Alcohol (5+ drinks on single occasion past 2 weeks)	6.1	6.8		
Cigarettes	11.5	15.8	14.6	22.5	Chewing Tobacco	1.7	2.9	2.1	4.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.9	1.7	2.4	Cigarettes	4.2	7.0	7.1	12.1
Cocaine	0.8	1.3	1.2	1.8	Inhalants	1.0	1.0	2.0	3.4
Electronic Cigarettes	21.0	25.1			Marijuana	7.7	8.4	6.7	9.0
Hallucinogens	1.9	2.6	2.0	3.6	Over-the-counter medications for non-medical use	1.3	1.4	3.6	5.0
Heroin	0.2	0.5	0.6	0.7	Prescription medications not prescribed for student	7.8	4.3	3.8	6.4
Inhalants	2.3	3.2	4.5	6.7	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.4	15.4	11.9	16.2	Alcohol (1 or 2 drinks daily)	72.7	64.7		
Methamphetamine	0.2	0.5	0.9	0.6	Alcohol (Binge: 5+ drinks once or twice a week)	82.7	76.1		
Over-the-counter medications for non-medical use	3.5	3.1	5.7	7.9	Cigarettes (1+ packs per day)	89.2	89.5		
Prescription medications not prescribed for student	11.3	8.2	7.0	10.5	Marijuana (once or twice a week)	67.0	64.9		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	3.9	5.2		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.7	93.3	95.2	93.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.44	13.07	12.84	12.42	Alcohol	83.5	80.3	82.6	78.1
Cigarettes	13.44	13.21	12.86	12.53	Cigarettes	96.6	94.3	94.6	91.7
Inhalants	11.08	11.63	11.14	11.66	Marijuana	92.9	91.5	95.5	94.1
Marijuana	14.33	13.80	13.75	13.47	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.1	62.2	66.1	56.5
Alcohol	44.3	47.5	47.2	59.0	Cigarettes	92.3	86.4	87.4	80.8
Cigarettes	25.2	33.7	36.9	47.3	Marijuana	79.9	77.6	84.6	81.1
Marijuana	36.1	36.5	34.4	39.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	95.1	96.5	94.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	13.8	16.2	20.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	58.1	59.7	57.5	63.4
Alcohol	23.4	25.7	24.5	33.5	Cigarettes	44.4	47.4	46.3	55.2
Cigarettes	5.7	9.4	8.6	13.5	Marijuana	38.1	37.2	33.6	37.5
Marijuana	13.6	14.7	10.1	13.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.9	14.3	14.2	17.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.5	59.1	58.7	70.6	Were grouchy, irritable, or in a bad mood	28.8	25.6	19.9	21.3
Were victims of mean rumors or lies spread at school	44.2	43.8	41.9	52.2	Had difficulty concentrating on school work	28.6	27.9	24.3	25.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.4	26.6	20.6	21.7	Were very sad	19.5	20.5	15.8	14.5
					Felt hopeless about the future	11.1	12.0	10.6	11.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.9	11.5	9.6	11.1	Parents involve student in making family decisions	70.7	68.8	69.3	69.5
Made plan about how they would attempt suicide	7.3	8.0	7.2	7.7	Parents notice and comment on student's good work	84.0	81.5	84.2	83.1
Attempted suicide	3.9	4.4	4.2	5.0	Teachers notice and comment on student's good work	70.6	68.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SAINT CLAIR COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	9,805
2016 Estimate	9,272

BIRTH RISK	2015	2014	2013
Resident Births	83	101	95
Mother Reported Smoking while Pregnant	16	26	27

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	2
Hepatitis B Chronic, Acute, Prenatal	0	1	0
Hepatitis C Chronic and Acute	8	8	14
Tuberculosis Infection Cases	2	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	161	146	139
Suicide	1	3	1
Homicide	0	0	0
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	33	27	29
Self-inflicted Injuries *	12	9	14
Assault Injuries *	20	21	18

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	82	77	61
Mental Illness Secondary Diagnosis	211	221	200
Alcohol Principal Diagnosis	4	4	1
Alcohol Secondary Diagnosis	12	15	10
Drug Principal Diagnosis	1	2	2
Drug Secondary Diagnosis	14	11	19
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	6	19	8
Mental Illness Secondary Diagnosis	60	127	149
Alcohol Principal Diagnosis	2	10	5
Alcohol Secondary Diagnosis	22	13	25
Drug Principal Diagnosis	2	1	6
Drug Secondary Diagnosis	4	13	17
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	81	86	58
Mental Illness Secondary Diagnosis	213	237	309
Alcohol Principal Diagnosis	15	12	4
Alcohol Secondary Diagnosis	17	23	19
Drug Principal Diagnosis	10	8	10
Drug Secondary Diagnosis	25	27	12

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	3	3	3
Alcohol Package Carry-out Licenses	16	15	14

EMPLOYMENT	2016	2015	2014
Labor Force	3,993	4,025	3,981
Employed	3,742	3,748	3,674
Unemployed	251	277	307
Unemployment Rate	6.3%	6.9%	7.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	3	3	6
Fatal Crashes	0	2	0
Injury Crashes	0	1	5
Property Damage Crashes	3	0	5
Crash Fatalities	0	2	0
Crash Injuries	0	1	8
Drug Involved Crashes	0	1	4
Fatal Crashes	0	1	0
Injury Crashes	0	0	2
Property Damage Crashes	0	0	2
Crash Fatalities	0	1	0
Crash Injuries	0	0	5

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	36	9	20
Liquor Law Arrests	21	0	4
Drug Arrests	89	23	33
Methamphetamine Lab Seizures	1	0	0
Violent Offenses	27	18	39
Domestic Violence Reports	88	66	67
Property Offenses	166	186	194

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	413	409	393
Drop-outs	7	1	12
Drop-out Rate	1.7%	0.2%	3.1%
School Discipline Involving Alcohol	3	2	1
School Discipline Involving Drugs	2	2	0
School Discipline Involving Tobacco	1	0	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	4	7	3
Juvenile Alcohol Offenses	2	0	1
Juvenile Drug Offenses	0	3	3
School Truancy Status Offense	8	7	6
Absent from Home Status Offense	5	7	5
Beyond Parental Control Status Offense	5	2	5
Injurious Behavior Status Offense	10	12	18
Child Abuse	7	6	0
Child Neglect	24	41	24
Child Custody Issues	1	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	11	19	17
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	10	9	5
Parental Alcohol and Drug Use	0	1	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	6	7	10
Probation/Parole Admissions--Drug	55	32	26
Probation/Parole Admissions--DWI	1	1	0
Prison Admissions--Drug	20	27	7
Prison Admissions--DWI	0	0	2

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SAINT CLAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	*
CSTAR Adolescent	*	5	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	23	40	31
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	0
Clinical SATOP (CIP, YCIP, SROP)	*	7	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	19	23	25
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	7	7	15
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	5	9	19
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	39	60	54	Alcohol	10	19	14
AGE				Marijuana / Hashish	10	17	18
Under 18	5	*	0	Cocaine (total)	0	*	*
18 to 24	5	8	8	- Crack	0	*	*
25 to 29	5	8	9	Stimulant (total)	9	16	16
30 to 34	5	11	13	- Methamphetamine	5	15	14
35 to 39	7	9	8	Heroin	5	*	0
40 to 44	5	9	7	Analgesic except Heroin	5	*	*
45 to 54	6	9	8	- Non-Prescription Methadone	*	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	25	40	35	Inhalant	0	0	0
Female	14	20	19	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	37	55	52	Average Age at First Use of Drug	19.4	18.0	17.0
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	7	5	5
Asian / Pacific Islander	0	*	*	- Daily Injection Use	*	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	22	21	14	0	25	36	33
High School Graduate or G.E.D.	12	31	31	1 or 2	8	17	12
Associate Degree or Some College	5	7	9	3 or More	6	7	9
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	26	15	13
Employed	9	14	18	School	0	0	0
Unemployed	7	13	15	Mental Health Provider	0	*	*
Not in Labor Force	23	33	21	Health Care Provider	5	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	7	13	6
Independent Living	28	49	48	Other Referral Source	*	26	32
Dependent Living	8	6	*	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	0	*	0
Never Married	19	32	29	Special Education Services Needed	*	*	0
Married / Cohabiting	16	13	14	Co-Occurring Psychological Problem	13	20	12
Previously Married	*	15	11	Co-Occurring Developmental Problem	*	0	0

SAINT CLAIR COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 9,805
2016 POPULATION ESTIMATE 9,272

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	5	*	*
Anxiety Disorder	43	41	42
Dementia	0	0	0
Developmental Disorder	0	*	0
Impulse Control Disorder	13	12	9
Mood Disorder	55	52	62
Personality Disorder	7	8	5
Psychotic Disorder	13	11	13
Sexual Disorder	0	0	0
Other Diagnosis	10	8	7
Diagnosis Unknown	*	5	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	79	78	91	Less than High School Diploma	30	27	34
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	7	6	Bachelor or Advanced Degree	0	0	0
10 to 13	10	7	8	Education Level Unknown	49	51	57
14 to 17	5	6	8	EMPLOYMENT			
18 to 24	5	*	*	Employed	5	5	*
25 to 29	*	*	*	Unemployed	*	*	*
30 to 34	5	11	8	Not in Labor Force	56	49	60
35 to 39	8	6	11	Employment Status Unknown	15	22	24
40 to 44	*	9	11	HOUSING / LIVING ARRANGEMENT			
45 to 49	11	7	8	Independent Living	37	40	37
50 to 54	12	12	12	Dependent Living	27	18	28
55 to 59	8	*	6	Homeless	0	0	*
60 and Over	5	*	5	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	15	20	23
GENDER				TREATMENT REFERRAL SOURCE			
Male	34	32	43	Self / Family / Friend	32	36	50
Female	45	46	48	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	0	*
RACE / ETHNICITY				Health Care Provider	16	12	12
Caucasian	76	77	89	Court / Criminal Justice	*	*	*
African American	*	0	0	Other	27	26	22
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	0	Voluntary	77	76	86
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

SAINT CLAIR COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	13.2		73.8	72.2	Alcohol	0.0		34.9	37.3
Chewing Tobacco	0.0		12.8	30.1	Alcohol (5+ drinks on single occasion past 2 weeks)	0.0			
Cigarettes	20.0		32.9	44.6	Chewing Tobacco	0.0		6.7	11.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		0.7	4.1	Cigarettes	16.4		20.8	23.9
Cocaine	0.0		0.7	2.9	Inhalants	14.5		0.7	4.0
Electronic Cigarettes	16.4				Marijuana	0.0		6.7	12.6
Hallucinogens	0.0		0.7	1.2	Over-the-counter medications for non-medical use	11.3		3.4	5.2
Heroin	0.0		0.7	2.3	Prescription medications not prescribed for student	0.0		3.4	5.6
Inhalants	16.4		6.0	6.3					
Marijuana	0.0		28.2	32.6	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0		2.0	4.5	Alcohol (1 or 2 drinks daily)	54.2			
Over-the-counter medications for non-medical use	11.3		3.4	12.8	Alcohol (Binge: 5+ drinks once or twice a week)	100.0			
Prescription medications not prescribed for student	0.0		6.0	10.8	Cigarettes (1+ packs per day)	68.8			
Synthetic drugs (K2, bath salts, Spice, etc)	11.3		21.5		Marijuana (once or twice a week)	81.6			
					Other: Cocaine, LSD, Meth, Club Drug (any use)	81.6		96.0	91.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol			12.60	12.26	Alcohol	88.3		79.2	57.4
Cigarettes	9.00		11.51	13.35	Cigarettes	100.0		93.3	80.5
Inhalants			14.06	14.11	Marijuana	85.0		96.0	88.7
Marijuana			13.11	13.73					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	40.7		78.7	84.1	Alcohol	85.4		25.5	42.9
Cigarettes	43.6		71.8	74.6	Cigarettes	100.0		81.9	72.2
Marijuana	29.1		53.7	52.8	Marijuana	100.0		82.6	77.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3		12.1	25.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0		96.0	94.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	0.0		57.0	55.1	Alcohol	22.9		89.9	68.2
Cigarettes	0.0		13.4	27.8	Cigarettes	39.6		63.1	69.9
Marijuana	0.0		6.7	19.9	Marijuana	18.4		45.0	47.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0		18.8	29.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.5		67.3	76.1	Were grouchy, irritable, or in a bad mood	17.7		19.5	19.3
Were victims of mean rumors or lies spread at school	39.3		28.2	58.4	Had difficulty concentrating on school work	29.0		22.4	23.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	29.0		12.9	24.2	Were very sad	29.0		15.4	16.5
					Felt hopeless about the future	14.5		1.3	10.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	0.0		2.7	11.4	Parents involve student in making family decisions	88.7		83.8	58.3
Made plan about how they would attempt suicide	0.0		2.7	13.6	Parents notice and comment on student's good work	85.5		87.9	79.7
Attempted suicide	0.0		2.7	5.7	Teachers notice and comment on student's good work	82.3			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SAINTE GENEVIEVE COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	21
POPULATION	
Census 2010	18,145
2016 Estimate	18,030

BIRTH RISK	2015	2014	2013
Resident Births	162	207	174
Mother Reported Smoking while Pregnant	35	46	34

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	13	16	9
Tuberculosis Infection Cases	0	3	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	198	199	186
Suicide	4	3	4
Homicide	0	0	0
Alcohol Induced Deaths	1	0	3
Drug Induced Deaths	3	3	0
Smoking Attributable Deaths	34	35	34
Self-inflicted Injuries *	14	12	21
Assault Injuries *	37	34	31

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	122	124	160
Mental Illness Secondary Diagnosis	285	360	410
Alcohol Principal Diagnosis	2	3	12
Alcohol Secondary Diagnosis	27	21	32
Drug Principal Diagnosis	12	16	7
Drug Secondary Diagnosis	13	14	9
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	45	41	10
Mental Illness Secondary Diagnosis	134	180	119
Alcohol Principal Diagnosis	2	5	4
Alcohol Secondary Diagnosis	9	20	15
Drug Principal Diagnosis	7	2	2
Drug Secondary Diagnosis	10	10	7
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	164	159	168
Mental Illness Secondary Diagnosis	349	285	250
Alcohol Principal Diagnosis	22	20	21
Alcohol Secondary Diagnosis	27	26	19
Drug Principal Diagnosis	20	33	30
Drug Secondary Diagnosis	36	19	28

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	45	41	45
Alcohol Package Carry-out Licenses	20	21	20

EMPLOYMENT	2016	2015	2014
Labor Force	9,107	9,172	9,025
Employed	8,685	8,686	8,431
Unemployed	422	486	594
Unemployment Rate	4.6%	5.3%	6.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	16	19	20
Fatal Crashes	0	2	0
Injury Crashes	4	10	12
Property Damage Crashes	12	7	12
Crash Fatalities	0	2	0
Crash Injuries	6	10	15
Drug Involved Crashes	3	7	4
Fatal Crashes	0	1	1
Injury Crashes	0	3	2
Property Damage Crashes	3	3	1
Crash Fatalities	0	1	1
Crash Injuries	0	3	5

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	95	128	133
Liquor Law Arrests	15	31	15
Drug Arrests	146	182	144
Methamphetamine Lab Seizures	0	1	6
Violent Offenses	41	48	68
Domestic Violence Reports	102	113	91
Property Offenses	188	252	216

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	638	613	632
Drop-outs	14	7	6
Drop-out Rate	2.2%	1.1%	1.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	4	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	18	43	27
Juvenile Alcohol Offenses	0	13	1
Juvenile Drug Offenses	3	13	5
School Truancy Status Offense	14	12	16
Absent from Home Status Offense	4	3	12
Beyond Parental Control Status Offense	13	7	8
Injurious Behavior Status Offense	9	15	7
Child Abuse	5	6	7
Child Neglect	14	8	2
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	15	6	9
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	13	2	4
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	17	21	18
Probation/Parole Admissions--Drug	95	97	58
Probation/Parole Admissions--DWI	15	17	11
Prison Admissions--Drug	41	32	31
Prison Admissions--DWI	3	3	2

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SAINTE GENEVIEVE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	13	15	9
CSTAR Adolescent	7	14	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	71	66	46
CSTAR Opioid	0	*	0
Primary Recovery Treatment	9	8	5
Clinical SATOP (CIP, YCIP, SROP)	15	16	13
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	61	69	62
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	22	30	23
- Weekend Intervention Program	16	16	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	7	15
Early Intervention	12	6	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	109	111	78	Alcohol	33	37	25
AGE				Marijuana / Hashish	20	22	15
Under 18	7	14	*	Cocaine (total)	0	*	*
18 to 24	19	19	19	- Crack	0	0	*
25 to 29	19	12	14	Stimulant (total)	18	15	11
30 to 34	22	19	11	- Methamphetamine	16	15	10
35 to 39	13	14	8	Heroin	31	23	16
40 to 44	8	8	*	Analgesic except Heroin	5	9	6
45 to 54	15	18	17	- Non-Prescription Methadone	0	0	0
55 and Over	6	7	*	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	0	*	*
Male	70	72	52	Inhalant	0	0	0
Female	39	39	26	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	102	104	76	Average Age at First Use of Drug	19.6	18.0	18.7
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	35	22	20
Asian / Pacific Islander	0	0	0	- Daily Injection Use	11	5	5
Hispanic	0	0	0	- Weekly Injection Use	6	5	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	18	12	12
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	31	40	18	0	50	63	42
High School Graduate or G.E.D.	56	51	47	1 or 2	39	29	24
Associate Degree or Some College	20	20	13	3 or More	20	19	12
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	40	31	17
Employed	37	33	25	School	*	0	0
Unemployed	41	42	35	Mental Health Provider	*	0	0
Not in Labor Force	31	36	18	Health Care Provider	*	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	53	63	50
Independent Living	90	95	67	Other Referral Source	12	10	7
Dependent Living	8	15	6	TREATMENT ACCOMMODATION			
Homeless	7	0	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	5	*	*
Never Married	68	63	48	Special Education Services Needed	10	6	*
Married / Cohabiting	19	27	12	Co-Occurring Psychological Problem	38	44	27
Previously Married	22	21	18	Co-Occurring Developmental Problem	*	6	*

SAINTE GENEVIEVE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 18,145
2016 POPULATION ESTIMATE 18,030

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	31	45	54
Anxiety Disorder	99	62	75
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	83	60	75
Mood Disorder	295	258	274
Personality Disorder	8	*	6
Psychotic Disorder	41	40	37
Sexual Disorder	*	0	0
Other Diagnosis	22	18	10
Diagnosis Unknown	78	36	40

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	508	454	501	Less than High School Diploma	91	56	47
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	*	Associate Degree or Some College	0	0	0
6 to 9	19	13	14	Bachelor or Advanced Degree	0	0	0
10 to 13	36	28	39	Education Level Unknown	417	398	454
14 to 17	54	49	39	EMPLOYMENT			
18 to 24	48	37	48	Employed	12	9	*
25 to 29	31	30	41	Unemployed	7	*	*
30 to 34	32	40	37	Not in Labor Force	149	110	94
35 to 39	56	45	52	Employment Status Unknown	340	332	400
40 to 44	45	45	38	HOUSING / LIVING ARRANGEMENT			
45 to 49	46	45	43	Independent Living	82	68	47
50 to 54	54	48	60	Dependent Living	84	53	55
55 to 59	38	40	37	Homeless	*	*	0
60 and Over	45	34	50	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	339	332	399
GENDER				TREATMENT REFERRAL SOURCE			
Male	209	199	219	Self / Family / Friend	336	304	275
Female	299	255	282	School	11	8	*
Gender Unknown	0	0	0	Mental Health Provider	11	15	42
RACE / ETHNICITY				Health Care Provider	56	42	79
Caucasian	468	419	455	Court / Criminal Justice	16	18	15
African American	14	18	21	Other	77	66	84
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	12	6	14	Voluntary	505	450	495
Other Race	13	10	10	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	*	*
Hearing Impaired	19	19	25	Commitment Type Unknown	0	0	*
Past or Current Military Service	13	10	12				

SAINTE GENEVIEVE COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		41.8			Alcohol		16.0		
Chewing Tobacco		8.9			Alcohol (5+ drinks on single occasion past 2 weeks)		6.6		
Cigarettes		18.6			Chewing Tobacco		4.7		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.4			Cigarettes		6.6		
Cocaine		0.9			Inhalants		0.9		
Electronic Cigarettes		18.2			Marijuana		7.0		
Hallucinogens		1.9			Over-the-counter medications for non-medical use		0.9		
Heroin		0.5			Prescription medications not prescribed for student		4.2		
Inhalants		3.7			<i>Percent who believe they risk harm if they use:</i>				
Marijuana		15.0			Alcohol (1 or 2 drinks daily)		59.0		
Methamphetamine		0.5			Alcohol (Binge: 5+ drinks once or twice a week)		75.4		
Over-the-counter medications for non-medical use		3.3			Cigarettes (1+ packs per day)		89.5		
Prescription medications not prescribed for student		8.5			Marijuana (once or twice a week)		72.0		
Synthetic drugs (K2, bath salts, Spice, etc)		6.5			Other: Cocaine, LSD, Meth, Club Drug (any use)		92.9		
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol		13.40			Alcohol		76.9		
Cigarettes		12.05			Cigarettes		92.5		
Inhalants		11.17			Marijuana		92.9		
Marijuana		13.78			<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol		65.1		
Alcohol		53.1			Cigarettes		91.0		
Cigarettes		32.7			Marijuana		83.1		
Marijuana		29.2			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.7		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.7			<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol		55.9		
Alcohol		30.4			Cigarettes		42.5		
Cigarettes		7.5			Marijuana		32.9		
Marijuana		12.3			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		13.1		
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others		61.0			Were grouchy, irritable, or in a bad mood		23.2		
Were victims of mean rumors or lies spread at school		49.5			Had difficulty concentrating on school work		23.2		
Were victims of an embarrassing or hurtful text message or something posted on the Internet		25.2			Were very sad		18.9		
<i>Percent of students who, in past 12 months:</i>					Felt hopeless about the future		13.2		
Seriously considered attempting suicide		14.6			<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide		9.9			Parents involve student in making family decisions		72.3		
Attempted suicide		5.6			Parents notice and comment on student's good work		84.0		
					Teachers notice and comment on student's good work		81.2		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SAINT FRANCOIS COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17B
POPULATION	
Census 2010	65,359
2016 Estimate	66,627

BIRTH RISK	2015	2014	2013
Resident Births	715	724	743
Mother Reported Smoking while Pregnant	208	232	232

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	2	2
Hepatitis B Chronic, Acute, Prenatal	10	8	6
Hepatitis C Chronic and Acute	107	461	163
Tuberculosis Infection Cases	31	22	13

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	779	778	747
Suicide	13	3	7
Homicide	5	7	4
Alcohol Induced Deaths	5	6	2
Drug Induced Deaths	20	30	23
Smoking Attributable Deaths	168	155	148
Self-inflicted Injuries *	97	114	174
Assault Injuries *	299	277	292

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,028	1,034	1,013
Mental Illness Secondary Diagnosis	1,711	1,809	1,795
Alcohol Principal Diagnosis	53	46	46
Alcohol Secondary Diagnosis	106	96	131
Drug Principal Diagnosis	91	98	85
Drug Secondary Diagnosis	164	157	124
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	204	245	174
Mental Illness Secondary Diagnosis	983	1,144	1,259
Alcohol Principal Diagnosis	21	19	16
Alcohol Secondary Diagnosis	65	87	72
Drug Principal Diagnosis	14	22	20
Drug Secondary Diagnosis	86	87	84
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,193	1,148	952
Mental Illness Secondary Diagnosis	4,817	3,415	5,441
Alcohol Principal Diagnosis	149	142	139
Alcohol Secondary Diagnosis	174	119	163
Drug Principal Diagnosis	236	182	228
Drug Secondary Diagnosis	323	258	316

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	63	64	63
Alcohol Package Carry-out Licenses	60	57	53

EMPLOYMENT	2016	2015	2014
Labor Force	26,445	26,728	26,216
Employed	24,988	25,098	24,221
Unemployed	1,457	1,630	1,995
Unemployment Rate	5.5%	6.1%	7.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	38	42	49
Fatal Crashes	1	2	2
Injury Crashes	16	14	23
Property Damage Crashes	21	26	27
Crash Fatalities	1	2	2
Crash Injuries	17	16	36
Drug Involved Crashes	17	16	24
Fatal Crashes	0	1	0
Injury Crashes	6	6	9
Property Damage Crashes	11	9	15
Crash Fatalities	0	1	0
Crash Injuries	8	11	13

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	166	228	298
Liquor Law Arrests	21	48	47
Drug Arrests	500	542	502
Methamphetamine Lab Seizures	6	10	18
Violent Offenses	194	222	187
Domestic Violence Reports	295	292	295
Property Offenses	1,602	1,807	1,878

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	3,053	3,064	3,004
Drop-outs	45	40	52
Drop-out Rate	1.5%	1.3%	1.7%
School Discipline Involving Alcohol	6	0	1
School Discipline Involving Drugs	14	26	31
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	252	255	218
Juvenile Alcohol Offenses	2	7	6
Juvenile Drug Offenses	23	25	9
School Truancy Status Offense	10	27	85
Absent from Home Status Offense	10	19	4
Beyond Parental Control Status Offense	38	66	56
Injurious Behavior Status Offense	28	27	34
Child Abuse	12	18	26
Child Neglect	36	39	52
Child Custody Issues	0	0	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	79	81	88
Parental Alcohol Use Related	0	2	4
Parental Drug Use Related	43	39	47
Parental Alcohol and Drug Use	0	3	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	24	24	21
Probation/Parole Admissions--Drug	295	234	243
Probation/Parole Admissions--DWI	28	32	33
Prison Admissions--Drug	185	166	155
Prison Admissions--DWI	17	16	18

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SAINT FRANCOIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	115	83	87
CSTAR Adolescent	30	18	28
CSTAR Women and Children	21	17	21
CSTAR General Adult	373	291	294
CSTAR Opioid	0	*	*
Primary Recovery Treatment	178	107	127
Clinical SATOP (CIP, YCIP, SROP)	34	40	58
Other Substance Abuse Treatment	5	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	176	207	277
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	67	93	119
- Weekend Intervention Program	50	54	72
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	*	0	*
Recovery Supports	*	*	17
Early Intervention	126	92	81

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	606	467	529	Alcohol	117	112	159
AGE				Marijuana / Hashish	125	122	102
Under 18	29	19	28	Cocaine (total)	7	7	11
18 to 24	79	57	73	- Crack	7	5	6
25 to 29	122	97	117	Stimulant (total)	145	86	87
30 to 34	107	95	111	- Methamphetamine	139	81	81
35 to 39	72	55	62	Heroin	94	62	76
40 to 44	67	43	46	Analgesic except Heroin	100	63	74
45 to 54	98	76	61	- Non-Prescription Methadone	*	*	*
55 and Over	32	25	31	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	8	11	7
Male	363	295	321	Inhalant	0	0	*
Female	243	172	208	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	*	10
Caucasian	578	450	506	Average Age at First Use of Drug	19.7	19.0	18.8
African American	16	12	15	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	172	106	113
Asian / Pacific Islander	0	0	0	- Daily Injection Use	55	33	39
Hispanic	6	*	6	- Weekly Injection Use	44	24	26
Other Race / Two or More Races	9	*	6	- Less than Weekly Injection Use	73	49	48
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	172	141	189	0	410	306	333
High School Graduate or G.E.D.	315	224	238	1 or 2	130	102	131
Associate Degree or Some College	116	101	96	3 or More	66	59	65
Bachelor or Advanced Degree	*	*	6	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	263	151	157
Employed	148	115	125	School	7	0	0
Unemployed	233	160	253	Mental Health Provider	*	*	*
Not in Labor Force	225	192	151	Health Care Provider	34	29	23
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	248	232	275
Independent Living	481	379	417	Other Referral Source	44	43	62
Dependent Living	89	56	90	TREATMENT ACCOMMODATION			
Homeless	33	22	19	Pregnant when Admitted to any Episode	6	10	17
MARITAL / FAMILY STATUS				Military Veteran	22	16	21
Never Married	309	235	279	Special Education Services Needed	59	54	44
Married / Cohabiting	155	118	130	Co-Occurring Psychological Problem	297	194	243
Previously Married	142	114	120	Co-Occurring Developmental Problem	30	16	33

SAINT FRANCOIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17B
CENSUS 2010 65,359
2016 POPULATION ESTIMATE 66,627

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	7	10	12
Anxiety Disorder	256	256	250
Dementia	10	17	9
Developmental Disorder	16	20	19
Impulse Control Disorder	147	141	138
Mood Disorder	776	747	789
Personality Disorder	98	90	113
Psychotic Disorder	450	452	444
Sexual Disorder	139	131	132
Other Diagnosis	53	47	46
Diagnosis Unknown	156	239	172

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,761	1,816	1,769	Less than High School Diploma	413	381	381
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	6	12	Associate Degree or Some College	0	0	0
6 to 9	58	65	57	Bachelor or Advanced Degree	0	0	0
10 to 13	80	82	78	Education Level Unknown	1,348	1,435	1,388
14 to 17	96	108	95	EMPLOYMENT			
18 to 24	106	105	113	Employed	61	45	48
25 to 29	113	126	135	Unemployed	31	21	19
30 to 34	137	141	157	Not in Labor Force	844	768	768
35 to 39	167	159	151	Employment Status Unknown	825	982	934
40 to 44	178	184	185	HOUSING / LIVING ARRANGEMENT			
45 to 49	173	180	168	Independent Living	289	276	239
50 to 54	203	213	221	Dependent Living	598	544	589
55 to 59	193	186	168	Homeless	18	8	10
60 and Over	254	261	229	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	856	988	931
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,055	1,074	1,052	Self / Family / Friend	458	488	519
Female	706	742	717	School	10	16	15
Gender Unknown	0	0	0	Mental Health Provider	345	356	311
RACE / ETHNICITY				Health Care Provider	405	365	340
Caucasian	1,555	1,613	1,578	Court / Criminal Justice	271	296	282
African American	159	154	146	Other	267	285	295
Native American / Alaskan	*	*	*	Referral Source Unknown	5	10	7
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	14	18	15	Voluntary	1,460	1,535	1,487
Other Race	30	28	24	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	146	139	138
TREATMENT ACCOMMODATION				Sexual Predatory	146	137	140
Hearing Impaired	89	94	88	Commitment Type Unknown	5	*	*
Past or Current Military Service	90	98	98				

SAINT FRANCOIS COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.8	37.3	44.5	46.4	Alcohol	16.1	16.5	21.3	22.3
Chewing Tobacco	16.6	19.7	20.3	16.7	Alcohol (5+ drinks on single occasion past 2 weeks)	7.5	7.2		
Cigarettes	26.0	28.4	30.0	31.9	Chewing Tobacco	7.7	10.3	10.0	9.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	2.0	2.6	1.6	Cigarettes	10.4	13.2	15.8	16.9
Cocaine	0.7	0.8	2.3	1.4	Inhalants	0.8	0.3	3.9	3.1
Electronic Cigarettes	31.5	24.6			Marijuana	6.7	10.0	11.7	9.0
Hallucinogens	1.9	1.8	3.8	3.0	Over-the-counter medications for non-medical use	2.3	1.4	5.0	5.5
Heroin	0.4	0.6	1.5	0.8	Prescription medications not prescribed for student	8.7	5.4	7.4	7.3
Inhalants	2.0	2.2	7.7	7.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	16.0	19.5	19.0	15.9	Alcohol (1 or 2 drinks daily)	60.5	56.3		
Methamphetamine	0.4	1.1	1.4	1.0	Alcohol (Binge: 5+ drinks once or twice a week)	72.4	67.2		
Over-the-counter medications for non-medical use	5.5	3.2	8.0	8.0	Cigarettes (1+ packs per day)	80.4	82.7		
Prescription medications not prescribed for student	13.6	9.0	11.8	12.7	Marijuana (once or twice a week)	66.9	62.4		
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	3.5	7.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.7	93.9	94.2	94.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.91	13.23	12.37	12.07	Alcohol	80.2	81.4	74.9	77.5
Cigarettes	12.69	13.11	12.23	11.68	Cigarettes	92.5	90.3	88.0	88.5
Inhalants	10.91	12.68	12.20	12.35	Marijuana	92.7	92.8	92.3	93.8
Marijuana	13.97	14.14	13.49	13.00	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	67.7	64.6	54.0	60.1
Alcohol	48.8	46.8	58.9	63.8	Cigarettes	83.1	81.6	75.0	76.5
Cigarettes	38.3	41.5	50.1	50.9	Marijuana	81.3	80.5	77.7	83.9
Marijuana	33.6	33.1	40.3	36.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	97.4	94.9	95.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	9.3	17.1	17.2	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	49.8	45.7	58.7	57.7
Alcohol	26.3	26.4	35.8	34.7	Cigarettes	51.2	50.4	57.1	59.0
Cigarettes	10.8	14.4	18.4	16.3	Marijuana	34.0	34.5	38.8	34.7
Marijuana	11.4	14.2	16.6	12.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	11.7	18.1	18.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	57.6	50.6	58.3	68.8	Were grouchy, irritable, or in a bad mood	33.5	21.3	30.2	24.5
Were victims of mean rumors or lies spread at school	45.6	44.4	48.8	56.6	Had difficulty concentrating on school work	28.1	19.6	28.2	28.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	20.6	21.7	18.8	Were very sad	26.1	18.6	21.9	18.1
					Felt hopeless about the future	13.7	9.1	13.0	12.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	15.2	12.4	15.2	11.8	Parents involve student in making family decisions	68.4	72.2	65.0	67.7
Made plan about how they would attempt suicide	11.7	8.5	11.9	8.9	Parents notice and comment on student's good work	80.8	85.0	79.1	82.6
Attempted suicide	6.7	5.4	7.3	5.1	Teachers notice and comment on student's good work	73.1	79.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SAINT LOUIS COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	23-25 (SL)
Adult Psychiatric	23
POPULATION	
Census 2010	998,954
2016 Estimate	998,581

BIRTH RISK	2015	2014	2013
Resident Births	11,676	11,706	11,510
Mother Reported Smoking while Pregnant	905	970	978

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	108	108	120
Hepatitis B Chronic, Acute, Prenatal	93	166	126
Hepatitis C Chronic and Acute	637	928	573
Tuberculosis Infection Cases	519	455	553

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	9,970	9,584	9,452
Suicide	129	150	133
Homicide	125	90	77
Alcohol Induced Deaths	74	58	53
Drug Induced Deaths	166	190	172
Smoking Attributable Deaths	1,459	1,474	1,439
Self-inflicted Injuries *	706	816	818
Assault Injuries *	3,426	2,913	3,347

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	5,961	4,510	5,138
Mental Illness Secondary Diagnosis	14,369	10,101	11,358
Alcohol Principal Diagnosis	600	331	421
Alcohol Secondary Diagnosis	1,279	712	943
Drug Principal Diagnosis	672	386	472
Drug Secondary Diagnosis	1,260	861	1,002
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	5,363	6,785	5,774
Mental Illness Secondary Diagnosis	17,506	21,920	20,100
Alcohol Principal Diagnosis	588	703	589
Alcohol Secondary Diagnosis	1,916	2,198	2,038
Drug Principal Diagnosis	353	396	380
Drug Secondary Diagnosis	1,410	1,528	1,292
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	8,608	7,090	7,697
Mental Illness Secondary Diagnosis	27,663	24,370	25,209
Alcohol Principal Diagnosis	1,997	1,638	1,740
Alcohol Secondary Diagnosis	1,793	1,548	1,595
Drug Principal Diagnosis	1,675	1,211	1,242
Drug Secondary Diagnosis	2,228	2,037	1,896

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	1,240	1,210	1,243
Alcohol Package Carry-out Licenses	659	650	648

EMPLOYMENT	2016	2015	2014
Labor Force	539,409	540,807	530,449
Employed	516,815	515,854	499,383
Unemployed	22,594	24,953	31,066
Unemployment Rate	4.2%	4.6%	5.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	703	657	683
Fatal Crashes	11	6	9
Injury Crashes	265	233	222
Property Damage Crashes	427	418	451
Crash Fatalities	14	7	9
Crash Injuries	366	342	303
Drug Involved Crashes	187	157	153
Fatal Crashes	7	2	2
Injury Crashes	95	75	67
Property Damage Crashes	85	80	84
Crash Fatalities	7	2	2
Crash Injuries	142	113	103

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	2,785	2,905	3,642
Liquor Law Arrests	534	736	977
Drug Arrests	6,873	5,930	6,312
Methamphetamine Lab Seizures	4	73	102
Violent Offenses	3,785	3,775	3,069
Domestic Violence Reports	4,413	4,195	3,788
Property Offenses	24,545	24,712	23,192

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	44,458	44,478	44,895
Drop-outs	818	861	979
Drop-out Rate	1.8%	1.9%	2.2%
School Discipline Involving Alcohol	69	37	62
School Discipline Involving Drugs	306	263	322
School Discipline Involving Tobacco	4	6	8

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	982	1,067	1,118
Juvenile Alcohol Offenses	120	104	127
Juvenile Drug Offenses	291	272	329
School Truancy Status Offense	299	315	367
Absent from Home Status Offense	811	786	829
Beyond Parental Control Status Offense	151	151	128
Injurious Behavior Status Offense	106	113	120
Child Abuse	371	534	426
Child Neglect	768	1,122	977
Child Custody Issues	176	190	152

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	470	533	466
Parental Alcohol Use Related	7	6	13
Parental Drug Use Related	115	152	119
Parental Alcohol and Drug Use	0	15	4

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	319	321	346
Probation/Parole Admissions--Drug	1,063	1,057	1,113
Probation/Parole Admissions--DWI	177	232	292
Prison Admissions--Drug	300	303	286
Prison Admissions--DWI	47	43	68

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SAINT LOUIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	485	461	444
CSTAR Adolescent	120	101	132
CSTAR Women and Children	333	329	319
CSTAR General Adult	1,121	1,013	889
CSTAR Opioid	251	227	192
Primary Recovery Treatment	261	260	267
Clinical SATOP (CIP, YCIP, SROP)	759	820	1,021
Other Substance Abuse Treatment	207	162	198

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	2,671	3,245	3,773
- Adolescent Diversion Education Program	119	221	213
- Offender Education Program	969	1,258	1,450
- Weekend Intervention Program	543	630	776
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	89	80	107
Compulsive Gambling	19	31	33
Recovery Supports	17	11	18
Early Intervention	202	250	293


The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014
Total Individuals	2,978	2,858	2,896
AGE			
Under 18	117	99	136
18 to 24	354	393	404
25 to 29	518	478	502
30 to 34	529	520	502
35 to 39	421	353	327
40 to 44	272	278	277
45 to 54	492	462	503
55 and Over	275	275	245
GENDER			
Male	2,078	1,994	2,068
Female	900	864	828
RACE / ETHNICITY			
Caucasian	1,686	1,705	1,786
African American	1,163	1,051	1,005
Native American / Alaskan	*	*	7
Asian / Pacific Islander	14	9	7
Hispanic	44	46	33
Other Race / Two or More Races	86	59	70
EDUCATION			
Less than High School Diploma	767	718	735
High School Graduate or G.E.D.	1,335	1,211	1,187
Associate Degree or Some College	840	888	923
Bachelor or Advanced Degree	36	41	50
EMPLOYMENT			
Employed	1,053	996	1,029
Unemployed	902	864	900
Not in Labor Force	1,023	998	967
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,628	2,494	2,499
Dependent Living	162	157	193
Homeless	118	125	112
MARITAL / FAMILY STATUS			
Never Married	2,084	1,937	1,989
Married / Cohabiting	471	479	481
Previously Married	423	442	426

PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Alcohol	999	1,079	1,273
Marijuana / Hashish	493	472	476
Cocaine (total)	175	154	165
- Crack	132	123	119
Stimulant (total)	110	71	70
- Methamphetamine	91	62	60
Heroin	1,041	932	790
Analgesic except Heroin	112	111	87
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	23	17	15
Tranquilizer	16	13	12
Inhalant	0	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	8	6	6
Average Age at First Use of Drug	19.8	19.4	19.0
INJECTION DRUG USE			
Any Injection Use at Admission	696	645	574
- Daily Injection Use	390	391	327
- Weekly Injection Use	129	114	126
- Less than Weekly Injection Use	177	140	121
LIFETIME DUI / DWI ARRESTS			
0	1,813	1,640	1,461
1 or 2	731	791	924
3 or More	434	427	511
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,158	975	924
School	*	6	10
Mental Health Provider	18	22	26
Health Care Provider	184	146	120
Court / Criminal Justice	1,381	1,407	1,577
Other Referral Source	191	260	200
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	92	79	81
Military Veteran	109	119	129
Special Education Services Needed	184	187	177
Co-Occurring Psychological Problem	793	832	733
Co-Occurring Developmental Problem	68	59	72

SAINT LOUIS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 23
CENSUS 2010 998,954
2016 POPULATION ESTIMATE 998,581

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	34	37	37
Anxiety Disorder	841	838	756
Dementia	80	53	6
Developmental Disorder	40	39	36
Impulse Control Disorder	620	637	656
Mood Disorder	2,822	2,998	3,152
Personality Disorder	310	322	296
Psychotic Disorder	1,742	1,744	1,729
Sexual Disorder	6	7	7
Other Diagnosis	192	122	127
Diagnosis Unknown	446	499	419

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	5,257	5,552	5,674	Less than High School Diploma	1,162	1,068	1,152
AGE				High School Grad or G.E.D.	0	0	0
Under 6	12	16	27	Associate Degree or Some College	0	0	0
6 to 9	149	181	180	Bachelor or Advanced Degree	0	0	0
10 to 13	238	282	315	Education Level Unknown	4,095	4,484	4,522
14 to 17	372	420	429	EMPLOYMENT			
18 to 24	477	512	536	Employed	393	365	341
25 to 29	377	425	433	Unemployed	312	353	465
30 to 34	445	459	509	Not in Labor Force	2,750	2,648	2,626
35 to 39	437	440	431	Employment Status Unknown	1,802	2,186	2,242
40 to 44	395	417	490	HOUSING / LIVING ARRANGEMENT			
45 to 49	483	517	603	Independent Living	1,397	1,503	1,357
50 to 54	651	673	647	Dependent Living	1,884	1,710	1,874
55 to 59	579	572	530	Homeless	119	93	115
60 and Over	642	638	544	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,857	2,246	2,328
GENDER				TREATMENT REFERRAL SOURCE			
Male	2,589	2,670	2,747	Self / Family / Friend	1,257	1,209	1,208
Female	2,668	2,882	2,927	School	101	108	121
Gender Unknown	0	0	0	Mental Health Provider	652	690	749
RACE / ETHNICITY				Health Care Provider	1,150	1,119	999
Caucasian	2,395	2,532	2,681	Court / Criminal Justice	237	259	264
African American	2,542	2,712	2,677	Other	1,852	2,158	2,323
Native American / Alaskan	5	*	*	Referral Source Unknown	8	9	10
Asian / Pacific Islander	27	20	24	TYPE OF COMMITMENT			
Hispanic	66	84	77	Voluntary	5,149	5,451	5,579
Other Race	222	201	211	Civil	15	12	13
Race/Ethnicity Unknown	0	0	0	Criminal	78	71	66
TREATMENT ACCOMMODATION				Sexual Predatory	*	6	5
Hearing Impaired	152	181	194	Commitment Type Unknown	11	12	11
Past or Current Military Service	111	110	114				

SAINT LOUIS COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.5	30.0	36.9	41.2	Alcohol	16.6	14.7	18.0	20.0
Chewing Tobacco	3.7	3.6	4.4	4.7	Alcohol (5+ drinks on single occasion past 2 weeks)	6.5	6.4		
Cigarettes	11.8	11.9	19.0	21.6	Chewing Tobacco	1.4	2.0	2.2	2.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.4	2.4	2.0	Cigarettes	4.3	4.3	8.8	11.2
Cocaine	1.1	1.0	1.8	1.3	Inhalants	1.1	1.0	1.9	2.8
Electronic Cigarettes	20.6	15.3			Marijuana	11.3	9.1	11.2	11.7
Hallucinogens	2.0	1.9	3.2	2.8	Over-the-counter medications for non-medical use	1.8	1.6	3.2	4.3
Heroin	0.3	0.3	0.9	0.6	Prescription medications not prescribed for student	8.6	3.7	4.6	5.9
Inhalants	2.7	2.0	4.4	5.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	19.9	15.9	19.7	19.9	Alcohol (1 or 2 drinks daily)	76.9	70.4		
Methamphetamine	0.3	0.4	1.0	0.5	Alcohol (Binge: 5+ drinks once or twice a week)	83.3	80.5		
Over-the-counter medications for non-medical use	4.6	3.0	5.3	6.7	Cigarettes (1+ packs per day)	87.5	89.4		
Prescription medications not prescribed for student	12.7	6.7	8.1	9.1	Marijuana (once or twice a week)	63.6	66.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	1.9	5.1		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.7	92.4	92.9	93.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.54	13.56	13.09	12.77	Alcohol	83.3	84.1	80.6	80.3
Cigarettes	13.22	13.56	13.01	12.68	Cigarettes	95.1	95.4	92.1	91.8
Inhalants	10.87	11.24	11.77	11.51	Marijuana	90.4	93.2	92.1	93.0
Marijuana	14.37	14.40	13.90	13.67	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.6	68.4	61.5	59.6
Alcohol	42.8	42.1	50.6	55.3	Cigarettes	91.1	89.7	83.7	81.9
Cigarettes	24.9	27.2	38.8	42.0	Marijuana	74.7	78.3	76.8	77.6
Marijuana	40.6	34.6	41.5	42.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	96.2	94.6	94.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	12.3	15.6	17.0	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	53.9	54.0	60.4	60.9
Alcohol	24.1	22.7	29.5	31.8	Cigarettes	42.8	42.4	50.8	53.7
Cigarettes	5.4	6.5	10.6	11.4	Marijuana	42.5	37.9	42.9	43.4
Marijuana	18.3	14.3	16.2	16.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	13.9	17.8	19.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.2	57.8	59.6	68.1	Were grouchy, irritable, or in a bad mood	29.1	22.9	23.4	25.0
Were victims of mean rumors or lies spread at school	43.3	43.7	43.9	50.2	Had difficulty concentrating on school work	26.5	23.9	24.4	24.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	25.1	20.2	19.6	Were very sad	19.8	18.5	17.8	20.6
					Felt hopeless about the future	11.7	11.1	10.8	12.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.3	11.5	12.3	11.6	Parents involve student in making family decisions	74.0	73.6	71.2	72.0
Made plan about how they would attempt suicide	9.4	8.3	8.4	8.1	Parents notice and comment on student's good work	85.1	84.5	83.7	84.4
Attempted suicide	5.5	4.8	5.6	5.4	Teachers notice and comment on student's good work	79.6	75.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SALINE COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	12
POPULATION	
Census 2010	23,370
2016 Estimate	22,980

BIRTH RISK	2015	2014	2013
Resident Births	258	308	293
Mother Reported Smoking while Pregnant	58	80	70

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	1	3	4
Hepatitis C Chronic and Acute	7	10	9
Tuberculosis Infection Cases	5	4	5

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	237	252	291
Suicide	5	1	1
Homicide	0	2	0
Alcohol Induced Deaths	2	0	1
Drug Induced Deaths	0	5	4
Smoking Attributable Deaths	36	43	56
Self-inflicted Injuries *	37	13	34
Assault Injuries *	53	55	48

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	211	203	248
Mental Illness Secondary Diagnosis	435	369	448
Alcohol Principal Diagnosis	15	5	11
Alcohol Secondary Diagnosis	34	34	25
Drug Principal Diagnosis	6	2	9
Drug Secondary Diagnosis	32	25	17
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	43	52	54
Mental Illness Secondary Diagnosis	236	267	370
Alcohol Principal Diagnosis	14	20	34
Alcohol Secondary Diagnosis	16	21	30
Drug Principal Diagnosis	6	1	7
Drug Secondary Diagnosis	8	22	15
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	247	250	248
Mental Illness Secondary Diagnosis	405	589	512
Alcohol Principal Diagnosis	23	50	53
Alcohol Secondary Diagnosis	37	74	80
Drug Principal Diagnosis	19	20	27
Drug Secondary Diagnosis	46	44	50

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	24	25	25
Alcohol Package Carry-out Licenses	28	30	30

EMPLOYMENT	2016	2015	2014
Labor Force	10,935	11,331	11,210
Employed	10,426	10,795	10,580
Unemployed	509	536	630
Unemployment Rate	4.7%	4.7%	5.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	24	15	12
Fatal Crashes	1	1	1
Injury Crashes	11	6	4
Property Damage Crashes	12	8	12
Crash Fatalities	1	1	1
Crash Injuries	13	6	6
Drug Involved Crashes	4	3	5
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	4	2	4
Crash Fatalities	0	0	0
Crash Injuries	0	1	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	113	101	130
Liquor Law Arrests	11	20	36
Drug Arrests	254	215	167
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	52	52	43
Domestic Violence Reports	134	111	104
Property Offenses	473	389	475

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,072	1,082	1,070
Drop-outs	25	17	25
Drop-out Rate	2.3%	1.6%	2.3%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	41	41	30
Juvenile Alcohol Offenses	6	4	7
Juvenile Drug Offenses	5	3	13
School Truancy Status Offense	2	2	0
Absent from Home Status Offense	32	9	8
Beyond Parental Control Status Offense	37	15	31
Injurious Behavior Status Offense	24	15	11
Child Abuse	0	0	0
Child Neglect	0	0	0
Child Custody Issues	29	24	25

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	30	28	24
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	7	6
Parental Alcohol and Drug Use	0	0	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	22	20	16
Probation/Parole Admissions--Drug	101	91	102
Probation/Parole Admissions--DWI	10	9	10
Prison Admissions--Drug	62	68	85
Prison Admissions--DWI	5	5	5

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SALINE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	10	*	6
CSTAR Adolescent	10	*	6
CSTAR Women and Children	17	8	7
CSTAR General Adult	46	49	68
CSTAR Opioid	0	0	0
Primary Recovery Treatment	19	20	7
Clinical SATOP (CIP, YCIP, SROP)	14	11	17
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	66	78	86
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	24	36	38
- Weekend Intervention Program	11	18	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	*
Compulsive Gambling	0	0	0
Recovery Supports	169	121	143
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	94	89	106	Alcohol	41	29	48
AGE				Marijuana / Hashish	14	19	23
Under 18	7	5	6	Cocaine (total)	*	*	*
18 to 24	10	17	19	- Crack	0	*	0
25 to 29	18	18	13	Stimulant (total)	31	27	26
30 to 34	16	11	22	- Methamphetamine	29	27	25
35 to 39	12	12	17	Heroin	*	*	*
40 to 44	10	9	14	Analgesic except Heroin	*	8	6
45 to 54	14	13	10	- Non-Prescription Methadone	0	0	0
55 and Over	7	*	5	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	0	0
Male	58	53	68	Inhalant	0	0	*
Female	36	36	38	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	80	72	88	Average Age at First Use of Drug	17.5	17.3	17.4
African American	10	9	10	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	20	7	17
Asian / Pacific Islander	0	0	0	- Daily Injection Use	8	*	*
Hispanic	*	6	5	- Weekly Injection Use	*	*	8
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	8	5	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	20	30	27	0	49	64	60
High School Graduate or G.E.D.	57	48	53	1 or 2	29	21	30
Associate Degree or Some College	15	10	25	3 or More	16	*	16
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	39	32	29
Employed	21	24	26	School	0	0	0
Unemployed	37	34	43	Mental Health Provider	0	*	*
Not in Labor Force	36	31	37	Health Care Provider	10	7	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	34	29	43
Independent Living	73	65	83	Other Referral Source	11	18	23
Dependent Living	11	10	11	TREATMENT ACCOMMODATION			
Homeless	*	7	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	49	51	66	Special Education Services Needed	*	*	5
Married / Cohabiting	25	21	22	Co-Occurring Psychological Problem	32	43	34
Previously Married	20	17	18	Co-Occurring Developmental Problem	*	*	*

SALINE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 23,370
2016 POPULATION ESTIMATE 22,980

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	8	8	6
Anxiety Disorder	97	100	81
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	29	28	27
Mood Disorder	131	122	112
Personality Disorder	26	29	37
Psychotic Disorder	33	31	44
Sexual Disorder	*	*	*
Other Diagnosis	21	17	19
Diagnosis Unknown	19	23	21

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	196	197	200	Less than High School Diploma	56	68	58
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	*	*	Associate Degree or Some College	0	0	0
6 to 9	*	8	12	Bachelor or Advanced Degree	0	0	0
10 to 13	14	16	11	Education Level Unknown	140	129	142
14 to 17	11	6	11	EMPLOYMENT			
18 to 24	11	13	18	Employed	11	12	6
25 to 29	9	10	7	Unemployed	12	14	8
30 to 34	21	16	18	Not in Labor Force	129	130	130
35 to 39	21	18	13	Employment Status Unknown	44	41	56
40 to 44	24	24	20	HOUSING / LIVING ARRANGEMENT			
45 to 49	25	21	25	Independent Living	83	92	85
50 to 54	25	27	27	Dependent Living	65	64	63
55 to 59	19	19	15	Homeless	*	0	*
60 and Over	13	18	22	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	47	41	50
GENDER				TREATMENT REFERRAL SOURCE			
Male	87	91	96	Self / Family / Friend	81	82	98
Female	109	106	104	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	22	26	35
RACE / ETHNICITY				Health Care Provider	47	49	39
Caucasian	167	168	167	Court / Criminal Justice	33	32	16
African American	19	15	18	Other	11	5	10
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	6	Voluntary	185	188	187
Other Race	9	12	9	Civil	*	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	10	9	12
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	5	7	7	Commitment Type Unknown	0	0	0
Past or Current Military Service	5	5	6				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	45.1	45.6	35.6	56.1	Alcohol	18.4	13.9	16.4	26.2
Chewing Tobacco	17.0	13.8	15.5	14.9	Alcohol (5+ drinks on single occasion past 2 weeks)	9.2	6.4		
Cigarettes	22.3	22.8	18.8	33.6	Chewing Tobacco	7.9	6.7	11.4	7.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	0.7	0.5	1.5	Cigarettes	10.5	11.7	9.8	17.2
Cocaine	0.3	1.4	2.2	1.5	Inhalants	2.0	1.8	0.0	3.1
Electronic Cigarettes	21.7	10.2			Marijuana	5.4	8.1	1.6	8.8
Hallucinogens	2.1	1.1	0.0	1.3	Over-the-counter medications for non-medical use	1.5	1.4	2.2	6.5
Heroin	0.3	0.7	0.0	0.2	Prescription medications not prescribed for student	11.5	4.9	5.7	7.2
Inhalants	4.3	3.9	1.6	8.3	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.8	16.9	8.7	16.7	Alcohol (1 or 2 drinks daily)	56.0	51.2		
Methamphetamine	0.0	0.0	2.2	0.6	Alcohol (Binge: 5+ drinks once or twice a week)	67.7	69.5		
Over-the-counter medications for non-medical use	4.1	2.9	2.2	9.5	Cigarettes (1+ packs per day)	78.1	80.5		
Prescription medications not prescribed for student	13.9	8.8	5.7	13.0	Marijuana (once or twice a week)	64.3	67.4		
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	4.0	0.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.3	87.8	91.3	94.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.53	12.84	11.26	12.67	Alcohol	74.2	78.7	83.9	72.7
Cigarettes	12.15	12.20	12.13	12.16	Cigarettes	92.5	93.3	95.8	88.5
Inhalants	10.14	11.92	10.00	12.11	Marijuana	91.4	92.2	95.6	95.9
Marijuana	13.85	13.97	13.44	13.83	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	65.0	64.3	72.4	51.5
Alcohol	51.3	47.5	48.4	73.4	Cigarettes	81.6	85.5	85.3	76.9
Cigarettes	38.2	40.8	39.6	56.1	Marijuana	82.1	80.5	90.5	83.1
Marijuana	33.6	29.6	21.8	39.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	98.9	98.4	97.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	5.3	4.1	14.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	57.4	64.1	54.5	66.1
Alcohol	32.9	28.2	34.2	43.7	Cigarettes	55.6	62.2	49.9	62.6
Cigarettes	12.7	12.7	12.8	16.7	Marijuana	37.6	37.7	27.4	36.2
Marijuana	10.8	14.4	10.1	12.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.5	20.0	9.8	13.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	68.3	68.4	64.7	72.1	Were grouchy, irritable, or in a bad mood	39.1	31.8	29.1	23.8
Were victims of mean rumors or lies spread at school	59.6	59.4	47.3	63.2	Had difficulty concentrating on school work	31.4	23.1	16.3	27.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	33.6	36.9	34.2	20.4	Were very sad	25.3	24.3	19.6	17.0
					Felt hopeless about the future	16.2	17.0	9.4	14.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.8	15.0	8.2	11.5	Parents involve student in making family decisions	65.5	66.5	71.1	69.1
Made plan about how they would attempt suicide	13.2	10.9	5.2	6.9	Parents notice and comment on student's good work	78.5	79.6	84.9	83.8
Attempted suicide	8.3	7.1	6.3	5.7	Teachers notice and comment on student's good work	70.9	69.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SCHUYLER COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	4,431
2016 Estimate	4,394

BIRTH RISK	2015	2014	2013
Resident Births	64	66	65
Mother Reported Smoking while Pregnant	13	10	14

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	3	1	1
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	59	56	60
Suicide	2	1	1
Homicide	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	0	0
Smoking Attributable Deaths	9	10	11
Self-inflicted Injuries *	9	4	1
Assault Injuries *	5	9	7

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	14	14	11
Mental Illness Secondary Diagnosis	94	101	124
Alcohol Principal Diagnosis	2	1	3
Alcohol Secondary Diagnosis	10	9	15
Drug Principal Diagnosis	0	0	1
Drug Secondary Diagnosis	4	6	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	11	6	3
Mental Illness Secondary Diagnosis	3	18	16
Alcohol Principal Diagnosis	0	0	1
Alcohol Secondary Diagnosis	2	5	3
Drug Principal Diagnosis	0	2	1
Drug Secondary Diagnosis	1	3	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	18	25	20
Mental Illness Secondary Diagnosis	88	50	32
Alcohol Principal Diagnosis	9	12	4
Alcohol Secondary Diagnosis	3	3	1
Drug Principal Diagnosis	0	3	3
Drug Secondary Diagnosis	2	2	1

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	5	6	6
Alcohol Package Carry-out Licenses	9	8	9

EMPLOYMENT	2016	2015	2014
Labor Force	1,948	1,896	1,943
Employed	1,826	1,785	1,806
Unemployed	122	111	137
Unemployment Rate	6.3%	5.9%	7.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	5	2	3
Fatal Crashes	1	0	0
Injury Crashes	2	2	0
Property Damage Crashes	2	0	1
Crash Fatalities	3	0	0
Crash Injuries	7	3	0
Drug Involved Crashes	0	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	25	39	21
Liquor Law Arrests	1	0	2
Drug Arrests	14	20	13
Methamphetamine Lab Seizures	0	1	0
Violent Offenses	7	11	7
Domestic Violence Reports	19	12	11
Property Offenses	29	45	45

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	188	184	184
Drop-outs	2	0	1
Drop-out Rate	1.1%	0.0%	0.5%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	0	5	6
Juvenile Alcohol Offenses	1	0	0
Juvenile Drug Offenses	0	1	0
School Truancy Status Offense	0	1	9
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	0	1	3
Injurious Behavior Status Offense	1	1	1
Child Abuse	4	23	10
Child Neglect	3	15	56
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	5	5	10
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	1	3
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	4	5	7
Probation/Parole Admissions--DWI	4	4	2
Prison Admissions--Drug	2	5	2
Prison Admissions--DWI	0	1	0

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SCHUYLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	0	*
CSTAR General Adult	24	20	24
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	0
Clinical SATOP (CIP, YCIP, SROP)	6	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	17	11	10
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	5	6	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	32	21	27	Alcohol	12	8	7
AGE				Marijuana / Hashish	8	6	10
Under 18	*	*	*	Cocaine (total)	0	0	*
18 to 24	*	*	*	- Crack	0	0	0
25 to 29	11	7	9	Stimulant (total)	11	7	6
30 to 34	*	*	*	- Methamphetamine	11	7	6
35 to 39	5	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	0	0	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	21	13	16	Inhalant	0	0	0
Female	11	8	11	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	31	21	27	Average Age at First Use of Drug	20.7	16.8	18.3
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	6	5	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	5	5	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	7	9	13	0	21	11	18
High School Graduate or G.E.D.	18	12	11	1 or 2	6	8	9
Associate Degree or Some College	6	0	*	3 or More	5	*	0
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	7	*
Employed	16	7	*	School	*	0	0
Unemployed	*	5	6	Mental Health Provider	0	0	0
Not in Labor Force	15	9	17	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	15	*	*
Independent Living	28	17	23	Other Referral Source	6	*	8
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	0	0
Never Married	9	13	15	Special Education Services Needed	*	*	*
Married / Cohabiting	10	5	7	Co-Occurring Psychological Problem	14	11	15
Previously Married	13	*	5	Co-Occurring Developmental Problem	0	*	*

SCHUYLER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 4,431
2016 POPULATION ESTIMATE 4,394

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	14	16	19
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	16	14	17
Mood Disorder	28	25	27
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	12	9	9
Diagnosis Unknown	0	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	37	32	40	Less than High School Diploma	21	18	22
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	6	Education Level Unknown	16	14	18
14 to 17	5	5	9	EMPLOYMENT			
18 to 24	*	*	*	Employed	0	0	*
25 to 29	*	*	*	Unemployed	*	*	*
30 to 34	*	*	*	Not in Labor Force	34	27	32
35 to 39	5	*	*	Employment Status Unknown	*	*	5
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	19	19	15
50 to 54	*	5	*	Dependent Living	16	12	18
55 to 59	*	0	0	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	*	7
GENDER				TREATMENT REFERRAL SOURCE			
Male	20	14	19	Self / Family / Friend	6	5	7
Female	17	18	21	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	0	0
RACE / ETHNICITY				Health Care Provider	8	5	8
Caucasian	36	32	40	Court / Criminal Justice	*	*	*
African American	*	0	0	Other	21	21	23
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	37	32	39
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	0	*	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	0	0				

SCHUYLER COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol		45.6			Alcohol		29.8		
Chewing Tobacco		31.6			Alcohol (5+ drinks on single occasion past 2 weeks)		14.0		
Cigarettes		35.1			Chewing Tobacco		17.5		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.0			Cigarettes		17.9		
Cocaine		0.0			Inhalants		0.0		
Electronic Cigarettes		24.6			Marijuana		5.3		
Hallucinogens		1.8			Over-the-counter medications for non-medical use		1.8		
Heroin		0.0			Prescription medications not prescribed for student		3.5		
Inhalants		5.3			<i>Percent who believe they risk harm if they use:</i>				
Marijuana		10.7			Alcohol (1 or 2 drinks daily)		47.4		
Methamphetamine		1.8			Alcohol (Binge: 5+ drinks once or twice a week)		57.9		
Over-the-counter medications for non-medical use		1.8			Cigarettes (1+ packs per day)		76.4		
Prescription medications not prescribed for student		10.5			Marijuana (once or twice a week)		71.9		
Synthetic drugs (K2, bath salts, Spice, etc)		5.3			Other: Cocaine, LSD, Meth, Club Drug (any use)		91.2		
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol		12.48			Alcohol		70.2		
Cigarettes		12.33			Cigarettes		87.7		
Inhalants		13.00			Marijuana		96.5		
Marijuana		13.91			<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol		49.1		
Alcohol		61.4			Cigarettes		69.6		
Cigarettes		54.4			Marijuana		89.1		
Marijuana		22.8			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.5		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		5.5			<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol		68.4		
Alcohol		43.1			Cigarettes		68.4		
Cigarettes		24.6			Marijuana		29.8		
Marijuana		5.4			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.7		
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others		64.3			Were grouchy, irritable, or in a bad mood		29.8		
Were victims of mean rumors or lies spread at school		63.2			Had difficulty concentrating on school work		19.3		
Were victims of an embarrassing or hurtful text message or something posted on the Internet		26.3			Were very sad		19.3		
<i>Percent of students who, in past 12 months:</i>					Felt hopeless about the future		8.8		
Seriously considered attempting suicide		8.8			<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide		8.8			Parents involve student in making family decisions		64.9		
Attempted suicide		3.5			Parents notice and comment on student's good work		80.7		
					Teachers notice and comment on student's good work		68.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SCOTLAND COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	4,843
2016 Estimate	4,932

BIRTH RISK	2015	2014	2013
Resident Births	101	62	82
Mother Reported Smoking while Pregnant	12	6	12

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	2	2	2
Tuberculosis Infection Cases	0	1	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	75	51	60
Suicide	2	1	0
Homicide	0	0	0
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	0	1
Smoking Attributable Deaths	13	8	10
Self-inflicted Injuries *	5	4	2
Assault Injuries *	8	3	2

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	19	23	11
Mental Illness Secondary Diagnosis	87	129	165
Alcohol Principal Diagnosis	0	1	2
Alcohol Secondary Diagnosis	1	4	13
Drug Principal Diagnosis	0	1	1
Drug Secondary Diagnosis	6	3	6
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	0	4	5
Mental Illness Secondary Diagnosis	13	16	14
Alcohol Principal Diagnosis	0	0	0
Alcohol Secondary Diagnosis	1	3	2
Drug Principal Diagnosis	1	0	1
Drug Secondary Diagnosis	2	1	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	23	36	29
Mental Illness Secondary Diagnosis	89	88	79
Alcohol Principal Diagnosis	4	1	1
Alcohol Secondary Diagnosis	10	4	1
Drug Principal Diagnosis	3	2	3
Drug Secondary Diagnosis	4	3	5

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	5	8	7
Alcohol Package Carry-out Licenses	5	5	5

EMPLOYMENT	2016	2015	2014
Labor Force	2,485	2,492	2,399
Employed	2,383	2,380	2,283
Unemployed	102	112	116
Unemployment Rate	4.1%	4.5%	4.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	1	4	4
Fatal Crashes	0	1	0
Injury Crashes	0	2	2
Property Damage Crashes	1	1	4
Crash Fatalities	0	1	0
Crash Injuries	0	5	5
Drug Involved Crashes	0	2	0
Fatal Crashes	0	1	0
Injury Crashes	0	0	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	1	0
Crash Injuries	0	0	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	6	9	13
Liquor Law Arrests	1	3	1
Drug Arrests	12	6	14
Methamphetamine Lab Seizures	2	0	0
Violent Offenses	9	6	3
Domestic Violence Reports	39	26	11
Property Offenses	46	36	46

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	190	178	186
Drop-outs	0	1	1
Drop-out Rate	0.0%	0.6%	0.5%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	11	3	0
Juvenile Alcohol Offenses	0	2	
Juvenile Drug Offenses	0	0	0
School Truancy Status Offense	4	7	1
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	1	8	1
Injurious Behavior Status Offense	4	11	11
Child Abuse	1	8	7
Child Neglect	15	49	19
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	9	11	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	2	2
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	14	14	17
Probation/Parole Admissions--DWI	2	3	0
Prison Admissions--Drug	7	9	5
Prison Admissions--DWI	3	0	0

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SCOTLAND COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	*	0	0
CSTAR General Adult	14	11	16
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	0	0
Clinical SATOP (CIP, YCIP, SROP)	*	7	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	8	12	15
- Adolescent Diversion Education Program	0	0	6
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	18	17	22	Alcohol	7	8	5
AGE				Marijuana / Hashish	*	*	11
Under 18	*	0	*	Cocaine (total)	*	0	0
18 to 24	*	*	5	- Crack	0	0	0
25 to 29	*	*	5	Stimulant (total)	*	*	*
30 to 34	*	5	5	- Methamphetamine	*	*	*
35 to 39	*	*	5	Heroin	*	0	0
40 to 44	*	*	0	Analgesic except Heroin	*	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	12	12	10	Inhalant	0	0	0
Female	6	5	12	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	18	16	21	Average Age at First Use of Drug	20.2	20.0	16.5
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	0	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	7	8	7	0	10	*	14
High School Graduate or G.E.D.	8	7	11	1 or 2	7	9	6
Associate Degree or Some College	*	*	*	3 or More	*	*	*
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	*	*
Employed	7	10	8	School	0	0	0
Unemployed	*	*	*	Mental Health Provider	0	0	0
Not in Labor Force	8	*	10	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	8	13	8
Independent Living	11	16	15	Other Referral Source	*	*	9
Dependent Living	*	0	*	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	8	9	11	Special Education Services Needed	*	*	*
Married / Cohabiting	5	*	7	Co-Occurring Psychological Problem	8	*	10
Previously Married	5	*	*	Co-Occurring Developmental Problem	0	*	0

SCOTLAND COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 4,843
2016 POPULATION ESTIMATE 4,932

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	20	18	15
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	16	14	14
Mood Disorder	27	22	24
Personality Disorder	*	*	*
Psychotic Disorder	*	*	0
Sexual Disorder	0	0	0
Other Diagnosis	9	8	8
Diagnosis Unknown	*	0	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	35	30	30	Less than High School Diploma	19	18	18
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	5	Bachelor or Advanced Degree	0	0	0
10 to 13	6	7	*	Education Level Unknown	16	12	12
14 to 17	6	7	6	EMPLOYMENT			
18 to 24	5	0	*	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	*	*
30 to 34	*	*	*	Not in Labor Force	28	27	25
35 to 39	*	*	0	Employment Status Unknown	*	*	*
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	15	13	12
50 to 54	*	*	*	Dependent Living	18	16	15
55 to 59	*	*	0	Homeless	*	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	*	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	9	8	5	Self / Family / Friend	*	5	8
Female	26	22	25	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	0	0
RACE / ETHNICITY				Health Care Provider	6	5	5
Caucasian	35	30	29	Court / Criminal Justice	0	0	0
African American	0	0	0	Other	25	20	17
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	*	Voluntary	35	30	30
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	0	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.5		36.5	34.7	Alcohol	23.7		16.5	19.0
Chewing Tobacco	15.8		11.6	12.6	Alcohol (5+ drinks on single occasion past 2 weeks)	13.2			
Cigarettes	26.3		22.1	22.5	Chewing Tobacco	7.8		5.8	5.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3		1.2	3.5	Cigarettes	15.8		12.9	12.5
Cocaine	0.0		1.2	0.0	Inhalants	1.3		1.2	0.8
Electronic Cigarettes	17.1				Marijuana	2.6		1.2	3.3
Hallucinogens	1.3		2.4	2.5	Over-the-counter medications for non-medical use	2.6		2.3	3.3
Heroin	0.0		2.4	0.8	Prescription medications not prescribed for student	10.4		3.5	9.1
Inhalants	2.6		3.5	4.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	9.2		5.8	5.8	Alcohol (1 or 2 drinks daily)	60.5			
Methamphetamine	0.0		1.2	0.0	Alcohol (Binge: 5+ drinks once or twice a week)	72.4			
Over-the-counter medications for non-medical use	2.6		3.5	4.1	Cigarettes (1+ packs per day)	88.0			
Prescription medications not prescribed for student	13.2		7.0	9.9	Marijuana (once or twice a week)	81.6			
Synthetic drugs (K2, bath salts, Spice, etc)	1.3		7.0		Other: Cocaine, LSD, Meth, Club Drug (any use)	94.7		91.8	95.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.93		12.25	12.63	Alcohol	75.0		80.0	71.2
Cigarettes	13.25		11.94	12.90	Cigarettes	88.2		91.8	86.3
Inhalants				11.91	Marijuana	94.7		96.4	96.7
Marijuana			13.06	12.96	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	61.8		55.8	57.5
Alcohol	47.4		49.4	61.7	Cigarettes	81.3		75.3	76.7
Cigarettes	35.5		44.7	50.4	Marijuana	89.5		89.4	88.1
Marijuana	19.7		15.1	15.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1		98.8	95.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9		7.1	10.1	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	58.7		55.8	64.7
Alcohol	34.2		30.2	36.1	Cigarettes	40.8		54.1	61.7
Cigarettes	18.7		15.1	14.0	Marijuana	15.8		23.5	21.7
Marijuana	7.9		5.8	7.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3		12.0	12.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	57.1		62.4	64.2	Were grouchy, irritable, or in a bad mood	27.3		22.1	27.7
Were victims of mean rumors or lies spread at school	51.9		47.7	53.3	Had difficulty concentrating on school work	23.7		24.4	24.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.4		22.1	17.5	Were very sad	15.8		16.3	31.4
					Felt hopeless about the future	9.2		8.2	16.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.4		10.5	10.7	Parents involve student in making family decisions	73.7		64.7	71.4
Made plan about how they would attempt suicide	6.8		10.5	7.4	Parents notice and comment on student's good work	81.8		85.9	87.4
Attempted suicide	3.9		7.0	5.0	Teachers notice and comment on student's good work	77.6			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SCOTT COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	20
POPULATION	
Census 2010	39,191
2016 Estimate	38,745

BIRTH RISK	2015	2014	2013
Resident Births	473	495	524
Mother Reported Smoking while Pregnant	105	111	142

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	4	0
Hepatitis B Chronic, Acute, Prenatal	3	2	2
Hepatitis C Chronic and Acute	28	45	38
Tuberculosis Infection Cases	7	2	6

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	423	447	446
Suicide	10	5	7
Homicide	5	1	2
Alcohol Induced Deaths	2	0	2
Drug Induced Deaths	11	6	11
Smoking Attributable Deaths	79	91	108
Self-inflicted Injuries *	52	78	73
Assault Injuries *	173	157	184

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	425	415	470
Mental Illness Secondary Diagnosis	769	619	928
Alcohol Principal Diagnosis	18	6	17
Alcohol Secondary Diagnosis	80	39	75
Drug Principal Diagnosis	34	26	32
Drug Secondary Diagnosis	95	49	69
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	52	60	60
Mental Illness Secondary Diagnosis	639	892	621
Alcohol Principal Diagnosis	12	31	22
Alcohol Secondary Diagnosis	61	90	57
Drug Principal Diagnosis	14	14	17
Drug Secondary Diagnosis	66	62	45
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	522	396	462
Mental Illness Secondary Diagnosis	1,460	978	580
Alcohol Principal Diagnosis	52	55	65
Alcohol Secondary Diagnosis	74	97	63
Drug Principal Diagnosis	83	83	59
Drug Secondary Diagnosis	150	125	67

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	40	37	42
Alcohol Package Carry-out Licenses	43	43	44

EMPLOYMENT	2016	2015	2014
Labor Force	20,208	20,277	19,797
Employed	19,053	19,210	18,489
Unemployed	1,155	1,067	1,308
Unemployment Rate	5.7%	5.3%	6.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	22	35	44
Fatal Crashes	0	0	2
Injury Crashes	14	15	18
Property Damage Crashes	8	20	24
Crash Fatalities	0	0	2
Crash Injuries	20	18	24
Drug Involved Crashes	8	11	10
Fatal Crashes	0	0	0
Injury Crashes	2	6	5
Property Damage Crashes	6	5	5
Crash Fatalities	0	0	0
Crash Injuries	2	6	10

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	123	133	173
Liquor Law Arrests	42	16	28
Drug Arrests	340	234	271
Methamphetamine Lab Seizures	0	1	6
Violent Offenses	323	448	440
Domestic Violence Reports	532	542	540
Property Offenses	1,083	1,083	1,481

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,934	1,893	1,950
Drop-outs	23	30	10
Drop-out Rate	1.2%	1.6%	0.5%
School Discipline Involving Alcohol	7	1	1
School Discipline Involving Drugs	7	9	16
School Discipline Involving Tobacco	1	6	3

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	61	98	80
Juvenile Alcohol Offenses	11	0	7
Juvenile Drug Offenses	10	13	22
School Truancy Status Offense	101	160	157
Absent from Home Status Offense	11	7	26
Beyond Parental Control Status Offense	38	35	27
Injurious Behavior Status Offense	19	17	24
Child Abuse	18	13	12
Child Neglect	152	149	70
Child Custody Issues	5	0	6

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	116	126	59
Parental Alcohol Use Related	0	2	1
Parental Drug Use Related	79	86	17
Parental Alcohol and Drug Use	0	2	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	71	78	77
Probation/Parole Admissions--Drug	168	162	170
Probation/Parole Admissions--DWI	16	19	14
Prison Admissions--Drug	108	70	83
Prison Admissions--DWI	7	7	6

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SCOTT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	59	49	68
CSTAR Adolescent	11	22	19
CSTAR Women and Children	24	21	20
CSTAR General Adult	243	240	253
CSTAR Opioid	*	0	0
Primary Recovery Treatment	*	*	8
Clinical SATOP (CIP, YCIP, SROP)	44	33	26
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	148	136	131
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	58	49	58
- Weekend Intervention Program	33	30	38
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	5	5
Compulsive Gambling	0	0	0
Recovery Supports	127	94	295
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	344	338	438	Alcohol	101	105	140
AGE				Marijuana / Hashish	85	102	143
Under 18	15	21	19	Cocaine (total)	15	10	22
18 to 24	46	49	83	- Crack	8	8	11
25 to 29	64	63	80	Stimulant (total)	88	70	79
30 to 34	60	49	71	- Methamphetamine	87	69	73
35 to 39	61	43	46	Heroin	21	11	5
40 to 44	27	37	43	Analgesic except Heroin	28	33	39
45 to 54	47	56	65	- Non-Prescription Methadone	0	0	*
55 and Over	24	20	31	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	6	8
Male	236	237	330	Inhalant	*	0	0
Female	108	101	108	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	275	278	331	Average Age at First Use of Drug	18.9	17.8	17.9
African American	57	55	99	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	60	41	43
Asian / Pacific Islander	0	0	*	- Daily Injection Use	9	9	7
Hispanic	*	6	7	- Weekly Injection Use	19	12	10
Other Race / Two or More Races	10	0	6	- Less than Weekly Injection Use	32	20	26
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	92	108	130	0	193	191	256
High School Graduate or G.E.D.	188	172	229	1 or 2	96	89	117
Associate Degree or Some College	62	56	78	3 or More	55	58	65
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	94	79	91
Employed	123	102	136	School	*	0	0
Unemployed	103	126	166	Mental Health Provider	*	*	6
Not in Labor Force	118	110	136	Health Care Provider	20	19	20
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	173	184	271
Independent Living	305	287	378	Other Referral Source	41	42	43
Dependent Living	23	33	40	TREATMENT ACCOMMODATION			
Homeless	14	15	13	Pregnant when Admitted to any Episode	*	*	6
MARITAL / FAMILY STATUS				Military Veteran	12	13	22
Never Married	165	164	229	Special Education Services Needed	32	19	23
Married / Cohabiting	92	100	113	Co-Occurring Psychological Problem	158	157	157
Previously Married	87	74	96	Co-Occurring Developmental Problem	16	7	14

SCOTT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 39,191
2016 POPULATION ESTIMATE 38,745

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	35	41	50
Anxiety Disorder	167	206	221
Dementia	*	*	*
Developmental Disorder	*	*	6
Impulse Control Disorder	125	148	133
Mood Disorder	562	624	601
Personality Disorder	23	47	70
Psychotic Disorder	185	173	155
Sexual Disorder	0	0	0
Other Diagnosis	54	46	57
Diagnosis Unknown	62	90	61

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	960	1,071	995	Less than High School Diploma	373	447	414
AGE				High School Grad or G.E.D.	0	0	0
Under 6	10	9	7	Associate Degree or Some College	0	0	0
6 to 9	56	57	49	Bachelor or Advanced Degree	0	0	0
10 to 13	63	78	70	Education Level Unknown	587	624	581
14 to 17	98	95	91	EMPLOYMENT			
18 to 24	73	96	90	Employed	52	79	67
25 to 29	70	84	100	Unemployed	56	101	79
30 to 34	78	94	98	Not in Labor Force	532	643	580
35 to 39	79	98	81	Employment Status Unknown	320	248	269
40 to 44	74	75	77	HOUSING / LIVING ARRANGEMENT			
45 to 49	82	80	79	Independent Living	482	594	541
50 to 54	91	123	108	Dependent Living	249	279	272
55 to 59	92	89	72	Homeless	5	19	18
60 and Over	94	93	73	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	224	179	164
GENDER				TREATMENT REFERRAL SOURCE			
Male	428	462	422	Self / Family / Friend	404	467	445
Female	532	609	573	School	19	26	19
Gender Unknown	0	0	0	Mental Health Provider	91	98	95
RACE / ETHNICITY				Health Care Provider	170	170	161
Caucasian	747	832	766	Court / Criminal Justice	60	59	48
African American	159	189	188	Other	214	249	224
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	12	12	16	Voluntary	951	1,063	987
Other Race	39	35	22	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	5	*	5
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	15	18	21	Commitment Type Unknown	*	*	*
Past or Current Military Service	20	23	20				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	44.9	32.4	37.8	50.0	Alcohol	27.4	11.0	13.5	24.9
Chewing Tobacco	20.2	9.3	16.8	20.3	Alcohol (5+ drinks on single occasion past 2 weeks)	17.9	3.5		
Cigarettes	28.7	20.3	29.0	35.4	Chewing Tobacco	6.6	5.4	10.6	11.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.7	1.2	2.5	Cigarettes	10.8	7.4	15.7	19.2
Cocaine	4.7	1.5	2.0	1.2	Inhalants	1.5	3.0	0.8	4.6
Electronic Cigarettes	43.1	10.4			Marijuana	11.4	6.1	4.8	9.5
Hallucinogens	1.5	0.7	1.9	2.2	Over-the-counter medications for non-medical use	5.8	1.7	3.3	6.5
Heroin	0.0	0.0	0.0	0.2	Prescription medications not prescribed for student	14.7	5.3	3.3	11.6
Inhalants	2.8	4.3	9.0	9.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	18.0	11.3	7.7	22.2	Alcohol (1 or 2 drinks daily)	53.5	53.1		
Methamphetamine	0.0	0.9	0.7	0.4	Alcohol (Binge: 5+ drinks once or twice a week)	64.1	69.4		
Over-the-counter medications for non-medical use	11.1	4.6	5.3	9.1	Cigarettes (1+ packs per day)	77.5	82.4		
Prescription medications not prescribed for student	17.9	9.0	7.2	17.6	Marijuana (once or twice a week)	64.8	66.3		
Synthetic drugs (K2, bath salts, Spice, etc)	7.3	2.2	5.8		Other: Cocaine, LSD, Meth, Club Drug (any use)	86.6	91.0	95.1	90.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.31	12.40	12.21	12.53	Alcohol	75.2	88.0	77.2	75.7
Cigarettes	12.66	12.49	11.27	12.27	Cigarettes	87.8	95.2	87.1	87.3
Inhalants	11.95	12.23	10.75	13.05	Marijuana	87.5	94.5	89.5	93.5
Marijuana	14.17	13.85	13.32	14.06	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	59.0	70.9	62.1	54.3
Alcohol	55.5	40.7	53.7	63.9	Cigarettes	84.5	84.1	76.5	72.1
Cigarettes	42.3	33.5	42.4	54.7	Marijuana	78.6	86.6	86.1	76.9
Marijuana	39.7	26.5	25.9	43.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	96.7	96.1	91.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.4	7.8	10.7	20.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	55.5	39.7	58.1	60.1
Alcohol	38.7	23.1	26.3	36.9	Cigarettes	48.1	35.9	51.6	60.2
Cigarettes	11.4	9.9	10.9	19.2	Marijuana	33.8	26.5	31.2	43.7
Marijuana	14.9	11.0	6.4	15.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.4	8.5	17.1	22.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	67.4	61.2	63.3	69.5	Were grouchy, irritable, or in a bad mood	32.0	23.4	27.1	25.8
Were victims of mean rumors or lies spread at school	56.0	53.0	53.1	57.7	Had difficulty concentrating on school work	26.8	22.5	25.0	24.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.1	27.2	19.5	19.2	Were very sad	24.4	18.8	22.6	19.6
					Felt hopeless about the future	10.7	8.5	9.2	13.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.6	12.1	12.5	12.8	Parents involve student in making family decisions	62.0	69.9	70.9	69.2
Made plan about how they would attempt suicide	10.4	7.6	7.2	9.6	Parents notice and comment on student's good work	77.9	85.2	83.0	82.2
Attempted suicide	6.5	2.4	5.3	7.5	Teachers notice and comment on student's good work	67.1	72.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SHANNON COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	8,441
2016 Estimate	8,168

BIRTH RISK	2015	2014	2013
Resident Births	81	84	94
Mother Reported Smoking while Pregnant	24	40	27

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	1	2	0
Hepatitis C Chronic and Acute	6	10	9
Tuberculosis Infection Cases	0	2	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	86	96	102
Suicide	0	1	1
Homicide	0	4	0
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	2	1	0
Smoking Attributable Deaths	20	12	23
Self-inflicted Injuries *	0	12	11
Assault Injuries *	17	14	21

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	33	75	60
Mental Illness Secondary Diagnosis	117	119	144
Alcohol Principal Diagnosis	3	1	3
Alcohol Secondary Diagnosis	14	9	9
Drug Principal Diagnosis	19	22	24
Drug Secondary Diagnosis	12	11	10
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	3	2	12
Mental Illness Secondary Diagnosis	39	43	79
Alcohol Principal Diagnosis	0	2	1
Alcohol Secondary Diagnosis	6	2	6
Drug Principal Diagnosis	1	1	2
Drug Secondary Diagnosis	5	2	8
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	36	50	52
Mental Illness Secondary Diagnosis	106	121	138
Alcohol Principal Diagnosis	6	10	11
Alcohol Secondary Diagnosis	8	15	13
Drug Principal Diagnosis	5	12	7
Drug Secondary Diagnosis	8	7	11

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	8	8	8
Alcohol Package Carry-out Licenses	18	17	15

EMPLOYMENT	2016	2015	2014
Labor Force	3,364	3,389	3,404
Employed	3,116	3,116	3,082
Unemployed	248	273	322
Unemployment Rate	7.4%	8.1%	9.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	14	19	7
Fatal Crashes	0	1	0
Injury Crashes	10	14	5
Property Damage Crashes	4	4	5
Crash Fatalities	0	1	0
Crash Injuries	22	16	12
Drug Involved Crashes	0	1	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	42	36	28
Liquor Law Arrests	5	5	15
Drug Arrests	136	155	105
Methamphetamine Lab Seizures	0	0	2
Violent Offenses	36	15	22
Domestic Violence Reports	14	8	16
Property Offenses	75	71	82

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	221	250	240
Drop-outs	0	1	0
Drop-out Rate	0.0%	0.4%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	6	1	2
Juvenile Alcohol Offenses	0	0	1
Juvenile Drug Offenses	0	9	0
School Truancy Status Offense	2	6	21
Absent from Home Status Offense	0	1	1
Beyond Parental Control Status Offense	4	14	5
Injurious Behavior Status Offense	4	1	7
Child Abuse	3	17	6
Child Neglect	18	5	17
Child Custody Issues	1	5	15

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	10	3	3
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	1	1
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	14	19	10
Probation/Parole Admissions--DWI	1	2	1
Prison Admissions--Drug	3	7	4
Prison Admissions--DWI	1	1	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SHANNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	9	9	9
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	0	*
CSTAR General Adult	18	11	19
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	0
Clinical SATOP (CIP, YCIP, SROP)	*	6	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	18	23	24
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	14	12	12
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	23	24	31	Alcohol	7	6	9
AGE				Marijuana / Hashish	*	5	6
Under 18	0	*	*	Cocaine (total)	0	0	0
18 to 24	*	*	7	- Crack	0	0	0
25 to 29	5	6	6	Stimulant (total)	7	6	7
30 to 34	6	*	5	- Methamphetamine	7	6	7
35 to 39	*	6	5	Heroin	*	*	0
40 to 44	*	*	*	Analgesic except Heroin	*	6	8
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	15	17	19	Inhalant	0	0	0
Female	8	7	12	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	23	24	31	Average Age at First Use of Drug	18.3	18.8	17.5
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	6	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	5	7	9	0	16	16	22
High School Graduate or G.E.D.	15	14	14	1 or 2	*	5	5
Associate Degree or Some College	*	*	7	3 or More	*	*	*
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	14	14	12
Employed	*	7	*	School	0	0	0
Unemployed	6	6	15	Mental Health Provider	0	0	0
Not in Labor Force	15	11	15	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	*	7	6
Independent Living	21	21	27	Other Referral Source	*	*	10
Dependent Living	0	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	8	12	11	Special Education Services Needed	*	5	*
Married / Cohabiting	10	9	8	Co-Occurring Psychological Problem	12	6	15
Previously Married	5	*	12	Co-Occurring Developmental Problem	*	*	*

SHANNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 8,441
2016 POPULATION ESTIMATE 8,168

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	5	7	8
Anxiety Disorder	36	33	43
Dementia	*	*	*
Developmental Disorder	0	*	*
Impulse Control Disorder	11	12	15
Mood Disorder	50	48	70
Personality Disorder	*	*	*
Psychotic Disorder	*	7	7
Sexual Disorder	0	0	0
Other Diagnosis	6	*	7
Diagnosis Unknown	11	*	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	83	74	103	Less than High School Diploma	15	16	28
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	68	58	75
14 to 17	*	*	8	EMPLOYMENT			
18 to 24	9	*	9	Employed	10	8	8
25 to 29	7	8	11	Unemployed	7	*	11
30 to 34	7	7	11	Not in Labor Force	47	50	57
35 to 39	7	*	7	Employment Status Unknown	19	12	27
40 to 44	8	10	13	HOUSING / LIVING ARRANGEMENT			
45 to 49	12	12	15	Independent Living	42	42	51
50 to 54	8	7	9	Dependent Living	13	15	16
55 to 59	9	8	8	Homeless	*	*	*
60 and Over	6	8	8	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	27	16	34
GENDER				TREATMENT REFERRAL SOURCE			
Male	36	29	50	Self / Family / Friend	37	27	59
Female	47	45	53	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	6	*	*
RACE / ETHNICITY				Health Care Provider	33	39	33
Caucasian	79	72	101	Court / Criminal Justice	*	0	*
African American	*	0	0	Other	6	6	8
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	83	74	103
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	6	7	8	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	*				

SHANNON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	41.6	52.5	61.0	64.9	Alcohol	17.0	16.3	26.2	34.0
Chewing Tobacco	23.2	19.8	31.2	34.6	Alcohol (5+ drinks on single occasion past 2 weeks)	8.0	1.3		
Cigarettes	30.4	52.0	46.1	48.7	Chewing Tobacco	14.2	19.8	14.9	22.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	7.4	1.4	1.6	Cigarettes	14.3	32.0	22.7	28.6
Cocaine	0.9	0.0	0.0	1.1	Inhalants	0.9	0.0	4.3	3.6
Electronic Cigarettes	19.6	24.3			Marijuana	8.8	18.8	8.5	6.9
Hallucinogens	2.7	5.0	2.8	1.6	Over-the-counter medications for non-medical use	0.9	0.0	5.7	5.4
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	8.0	12.5	17.0	10.6
Inhalants	4.4	1.2	9.2	5.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.2	30.4	17.0	15.8	Alcohol (1 or 2 drinks daily)	50.0	42.5		
Methamphetamine	1.8	5.0	0.0	1.1	Alcohol (Binge: 5+ drinks once or twice a week)	63.1	51.9		
Over-the-counter medications for non-medical use	1.8	0.0	6.4	5.4	Cigarettes (1+ packs per day)	72.6	75.3		
Prescription medications not prescribed for student	12.5	25.0	21.3	14.9	Marijuana (once or twice a week)	62.5	50.0		
Synthetic drugs (K2, bath salts, Spice, etc)	5.3	11.3	9.3		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.9	90.1	98.6	93.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.76	12.93	12.13	11.80	Alcohol	84.7	91.4	81.6	77.9
Cigarettes	11.49	12.09	11.77	11.92	Cigarettes	89.3	83.8	87.9	88.6
Inhalants		11.00	13.46	11.51	Marijuana	93.8	95.0	97.9	96.3
Marijuana	13.20	14.24	13.27	13.91	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	64.3	63.3	49.6	44.5
Alcohol	52.7	35.8	74.5	77.1	Cigarettes	84.8	53.1	68.1	69.1
Cigarettes	42.0	43.2	70.9	68.1	Marijuana	81.8	76.3	83.0	86.2
Marijuana	42.5	32.1	38.6	31.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.1	98.8	100.0	96.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.9	7.6	11.3	12.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	42.7	38.8	71.6	66.8
Alcohol	32.5	25.9	37.6	50.3	Cigarettes	47.3	45.0	70.9	73.9
Cigarettes	13.3	39.2	29.8	28.3	Marijuana	36.9	29.6	36.9	40.4
Marijuana	9.9	29.6	13.5	9.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	14.7	20.9	19.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	55.8	55.0	70.9	77.0	Were grouchy, irritable, or in a bad mood	28.6	19.8	33.1	20.9
Were victims of mean rumors or lies spread at school	45.1	50.0	58.9	55.3	Had difficulty concentrating on school work	28.3	8.6	24.1	27.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	19.5	21.3	21.3	25.9	Were very sad	22.3	35.0	31.2	16.7
					Felt hopeless about the future	10.7	2.5	19.1	11.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.6	10.0	17.7	13.1	Parents involve student in making family decisions	72.3	72.8	73.0	69.1
Made plan about how they would attempt suicide	10.3	10.7	12.2	9.4	Parents notice and comment on student's good work	87.6	87.5	83.0	88.9
Attempted suicide	5.5	1.3	8.5	9.9	Teachers notice and comment on student's good work	77.0	82.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SHELBY COUNTY



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	14
POPULATION	
Census 2010	6,373
2016 Estimate	6,082

BIRTH RISK	2015	2014	2013
Resident Births	72	79	64
Mother Reported Smoking while Pregnant	18	18	14

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	3	1	0
Tuberculosis Infection Cases	3	1	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	86	85	85
Suicide	2	1	0
Homicide	0	0	0
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	2	0
Smoking Attributable Deaths	16	12	10
Self-inflicted Injuries *	0	5	2
Assault Injuries *	8	10	8

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	21	29	22
Mental Illness Secondary Diagnosis	96	69	86
Alcohol Principal Diagnosis	1	0	0
Alcohol Secondary Diagnosis	5	7	8
Drug Principal Diagnosis	3	1	0
Drug Secondary Diagnosis	2	2	1
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	19	7	12
Mental Illness Secondary Diagnosis	71	101	75
Alcohol Principal Diagnosis	3	2	0
Alcohol Secondary Diagnosis	7	20	8
Drug Principal Diagnosis	2	1	1
Drug Secondary Diagnosis	1	3	4
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	38	18	24
Mental Illness Secondary Diagnosis	36	52	35
Alcohol Principal Diagnosis	8	6	3
Alcohol Secondary Diagnosis	8	1	1
Drug Principal Diagnosis	2	5	5
Drug Secondary Diagnosis	0	2	2

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	6	7	6
Alcohol Package Carry-out Licenses	10	10	10

EMPLOYMENT	2016	2015	2014
Labor Force	3,111	3,124	3,050
Employed	2,982	2,976	2,864
Unemployed	129	148	186
Unemployment Rate	4.1%	4.7%	6.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	4	2	0
Fatal Crashes	0	0	0
Injury Crashes	1	1	0
Property Damage Crashes	3	1	3
Crash Fatalities	0	0	0
Crash Injuries	1	1	0
Drug Involved Crashes	0	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	25	17	18
Liquor Law Arrests	3	20	3
Drug Arrests	49	35	12
Methamphetamine Lab Seizures	2	1	2
Violent Offenses	6	6	2
Domestic Violence Reports	3	4	16
Property Offenses	36	55	35

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	304	312	316
Drop-outs	9	5	3
Drop-out Rate	3.0%	1.6%	0.9%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	0	1	2
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	2	5	8
Juvenile Alcohol Offenses	0	3	0
Juvenile Drug Offenses	0	0	2
School Truancy Status Offense	13	17	4
Absent from Home Status Offense	0	1	1
Beyond Parental Control Status Offense	3	4	17
Injurious Behavior Status Offense	13	28	10
Child Abuse	6	10	11
Child Neglect	45	26	47
Child Custody Issues	2	1	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	22	15	9
Parental Alcohol Use Related	0	3	0
Parental Drug Use Related	7	4	4
Parental Alcohol and Drug Use	0	1	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	27	8	12
Probation/Parole Admissions--DWI	0	3	5
Prison Admissions--Drug	9	9	7
Prison Admissions--DWI	1	0	2

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SHELBY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	*	*
CSTAR Adolescent	6	9	*
CSTAR Women and Children	6	5	7
CSTAR General Adult	27	39	26
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	5
Clinical SATOP (CIP, YCIP, SROP)	*	5	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	20	29	10
- Adolescent Diversion Education Program	5	*	0
- Offender Education Program	5	12	*
- Weekend Intervention Program	*	*	*
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	38	52	42	Alcohol	13	21	11
AGE				Marijuana / Hashish	12	20	16
Under 18	*	5	*	Cocaine (total)	0	0	0
18 to 24	*	10	6	- Crack	0	0	0
25 to 29	5	5	11	Stimulant (total)	9	6	10
30 to 34	6	8	5	- Methamphetamine	7	5	10
35 to 39	5	*	8	Heroin	0	*	0
40 to 44	6	8	*	Analgesic except Heroin	*	*	*
45 to 54	7	7	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	0	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	0	0	0
Male	24	35	19	Inhalant	0	0	0
Female	14	17	23	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	37	50	40	Average Age at First Use of Drug	18.0	16.4	16.3
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	0	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	16	19	17	0	24	25	24
High School Graduate or G.E.D.	18	25	19	1 or 2	6	18	14
Associate Degree or Some College	*	8	6	3 or More	8	9	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	15	9
Employed	8	18	16	School	0	0	0
Unemployed	11	13	14	Mental Health Provider	0	0	0
Not in Labor Force	19	21	12	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	10	15	16
Independent Living	26	40	34	Other Referral Source	12	13	7
Dependent Living	10	11	8	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	0	5	*
Never Married	17	25	19	Special Education Services Needed	*	*	*
Married / Cohabiting	13	15	14	Co-Occurring Psychological Problem	16	25	7
Previously Married	8	12	9	Co-Occurring Developmental Problem	*	*	*

SHELBY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 6,373
2016 POPULATION ESTIMATE 6,082

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	6	*	*
Anxiety Disorder	56	38	22
Dementia	0	0	0
Developmental Disorder	7	*	*
Impulse Control Disorder	38	17	17
Mood Disorder	61	43	32
Personality Disorder	6	*	*
Psychotic Disorder	8	8	8
Sexual Disorder	0	0	0
Other Diagnosis	26	14	10
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	89	64	48	Less than High School Diploma	40	33	22
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	0	Associate Degree or Some College	0	0	0
6 to 9	12	8	5	Bachelor or Advanced Degree	0	0	0
10 to 13	10	5	*	Education Level Unknown	49	31	26
14 to 17	17	12	9	EMPLOYMENT			
18 to 24	6	5	*	Employed	8	*	*
25 to 29	12	5	*	Unemployed	5	*	*
30 to 34	*	*	*	Not in Labor Force	57	53	35
35 to 39	6	6	*	Employment Status Unknown	19	7	8
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	7	*	6	Independent Living	37	28	18
50 to 54	5	6	*	Dependent Living	32	27	17
55 to 59	5	5	6	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	20	9	13
GENDER				TREATMENT REFERRAL SOURCE			
Male	40	21	19	Self / Family / Friend	13	15	12
Female	49	43	29	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	0	0
RACE / ETHNICITY				Health Care Provider	8	6	*
Caucasian	84	57	43	Court / Criminal Justice	*	5	*
African American	*	*	*	Other	63	37	28
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	86	61	46
Other Race	*	*	0	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	0	*	*				

SHELBY COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.9	26.1		32.4	Alcohol	12.8	11.1		11.3
Chewing Tobacco	12.9	6.5		16.2	Alcohol (5+ drinks on single occasion past 2 weeks)	4.3	0.0		
Cigarettes	17.0	8.7		18.3	Chewing Tobacco	8.5	2.2		7.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0		0.7	Cigarettes	8.5	0.0		9.2
Cocaine	0.0	2.2		0.0	Inhalants	1.1	0.0		0.0
Electronic Cigarettes	11.8	17.0			Marijuana	0.0	0.0		0.0
Hallucinogens	0.0	13.0		0.0	Over-the-counter medications for non-medical use	1.1	17.0		1.4
Heroin	0.0	0.0		0.0	Prescription medications not prescribed for student	11.8	0.0		2.8
Inhalants	3.3	0.0		0.7					
Marijuana	5.4	0.0		2.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0		0.0	Alcohol (1 or 2 drinks daily)	59.1	52.2		
Over-the-counter medications for non-medical use	1.1	17.0		3.5	Alcohol (Binge: 5+ drinks once or twice a week)	68.1	65.2		
Prescription medications not prescribed for student	12.9	0.0		5.7	Cigarettes (1+ packs per day)	83.7	95.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.1	0.0			Marijuana (once or twice a week)	76.3	73.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.6	82.6		92.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.16	11.92		13.37	Alcohol	76.3	69.6		84.5
Cigarettes	12.84	10.50		13.26	Cigarettes	92.5	84.8		95.7
Inhalants					Marijuana	97.8	86.7		96.5
Marijuana									
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	52.7	23.9		48.3	Alcohol	71.0	74.5		70.4
Cigarettes	33.3	15.2		39.6	Cigarettes	85.9	95.7		87.5
Marijuana	15.1	7.5		12.5	Marijuana	93.5	97.8		96.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3	0.0		7.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	100.0		97.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	33.3	23.9		27.1	Alcohol	51.1	37.0		50.0
Cigarettes	12.8	0.0		8.4	Cigarettes	57.6	6.5		50.3
Marijuana	8.6	0.0		2.1	Marijuana	18.5	13.0		12.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.4	13.0		7.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	66.7	71.7		79.0	Were grouchy, irritable, or in a bad mood	28.0	32.6		21.5
Were victims of mean rumors or lies spread at school	52.7	54.3		61.3	Had difficulty concentrating on school work	21.5	9.8		28.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	37.0		22.0	Were very sad	20.4	13.0		12.5
					Felt hopeless about the future	11.7	2.2		11.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.9	26.1		8.3	Parents involve student in making family decisions	74.2	65.2		61.7
Made plan about how they would attempt suicide	10.8	2.2		3.5	Parents notice and comment on student's good work	84.9	78.3		81.1
Attempted suicide	6.4	13.0		2.1	Teachers notice and comment on student's good work	87.1	69.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

STODDARD COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	20
POPULATION	
Census 2010	29,968
2016 Estimate	29,588

BIRTH RISK	2015	2014	2013
Resident Births	342	387	360
Mother Reported Smoking while Pregnant	86	109	104

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	2
Hepatitis B Chronic, Acute, Prenatal	2	0	6
Hepatitis C Chronic and Acute	22	19	31
Tuberculosis Infection Cases	6	5	4

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	432	351	393
Suicide	3	6	7
Homicide	1	0	1
Alcohol Induced Deaths	1	1	2
Drug Induced Deaths	4	2	5
Smoking Attributable Deaths	91	68	74
Self-inflicted Injuries *	32	64	72
Assault Injuries *	64	90	86

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	376	428	395
Mental Illness Secondary Diagnosis	657	476	616
Alcohol Principal Diagnosis	10	6	8
Alcohol Secondary Diagnosis	48	41	47
Drug Principal Diagnosis	32	20	24
Drug Secondary Diagnosis	57	28	29
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	59	67	58
Mental Illness Secondary Diagnosis	453	607	494
Alcohol Principal Diagnosis	9	6	12
Alcohol Secondary Diagnosis	29	32	31
Drug Principal Diagnosis	12	7	8
Drug Secondary Diagnosis	26	31	19
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	347	400	346
Mental Illness Secondary Diagnosis	686	476	394
Alcohol Principal Diagnosis	43	39	41
Alcohol Secondary Diagnosis	34	43	43
Drug Principal Diagnosis	49	47	44
Drug Secondary Diagnosis	60	77	45

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	27	29	30
Alcohol Package Carry-out Licenses	26	26	26

EMPLOYMENT	2016	2015	2014
Labor Force	13,512	13,377	13,017
Employed	12,649	12,496	12,021
Unemployed	863	881	996
Unemployment Rate	6.4%	6.6%	7.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	19	25	22
Fatal Crashes	1	2	0
Injury Crashes	6	12	13
Property Damage Crashes	12	11	18
Crash Fatalities	1	3	0
Crash Injuries	8	17	14
Drug Involved Crashes	7	7	14
Fatal Crashes	2	1	0
Injury Crashes	2	3	6
Property Damage Crashes	3	3	8
Crash Fatalities	5	1	0
Crash Injuries	3	3	7

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	86	122	176
Liquor Law Arrests	8	17	10
Drug Arrests	185	121	169
Methamphetamine Lab Seizures	0	1	5
Violent Offenses	39	54	40
Domestic Violence Reports	143	124	162
Property Offenses	459	465	470

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,486	1,400	1,396
Drop-outs	9	18	20
Drop-out Rate	0.6%	1.3%	1.4%
School Discipline Involving Alcohol	1	0	0
School Discipline Involving Drugs	4	10	11
School Discipline Involving Tobacco	3	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	51	56	58
Juvenile Alcohol Offenses	1	7	5
Juvenile Drug Offenses	6	22	10
School Truancy Status Offense	39	47	40
Absent from Home Status Offense	5	9	4
Beyond Parental Control Status Offense	22	11	12
Injurious Behavior Status Offense	22	7	7
Child Abuse	92	34	76
Child Neglect	208	173	155
Child Custody Issues	167	133	126

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	152	125	119
Parental Alcohol Use Related	8	7	6
Parental Drug Use Related	93	36	30
Parental Alcohol and Drug Use	6	9	9

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	15	23	44
Probation/Parole Admissions--Drug	250	194	167
Probation/Parole Admissions--DWI	21	28	31
Prison Admissions--Drug	120	103	81
Prison Admissions--DWI	9	20	15

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

STODDARD COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	25	32	27
CSTAR Adolescent	16	15	13
CSTAR Women and Children	16	7	15
CSTAR General Adult	209	196	156
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	27	33	35
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	85	104	127
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	28	29	39
- Weekend Intervention Program	15	13	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	*	0
Recovery Supports	11	42	137
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	275	254	255	Alcohol	71	77	90
AGE				Marijuana / Hashish	82	69	70
Under 18	17	15	11	Cocaine (total)	*	*	0
18 to 24	45	34	53	- Crack	*	*	0
25 to 29	44	49	39	Stimulant (total)	87	71	49
30 to 34	46	43	45	- Methamphetamine	85	68	45
35 to 39	33	36	35	Heroin	6	*	*
40 to 44	34	33	20	Analgesic except Heroin	21	23	37
45 to 54	41	30	38	- Non-Prescription Methadone	*	0	*
55 and Over	15	14	14	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	5	8	*
Male	178	159	159	Inhalant	0	0	*
Female	97	95	96	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	273	248	250	Average Age at First Use of Drug	17.9	18.1	17.9
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	39	35	39
Asian / Pacific Islander	0	0	0	- Daily Injection Use	5	0	*
Hispanic	*	0	*	- Weekly Injection Use	9	11	12
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	25	24	23
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	89	79	75	0	155	139	134
High School Graduate or G.E.D.	136	133	134	1 or 2	71	70	78
Associate Degree or Some College	47	42	44	3 or More	49	45	43
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	54	48	58
Employed	89	84	70	School	0	0	0
Unemployed	105	83	111	Mental Health Provider	0	*	0
Not in Labor Force	81	87	74	Health Care Provider	16	21	20
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	158	131	121
Independent Living	253	228	220	Other Referral Source	43	42	48
Dependent Living	19	21	23	TREATMENT ACCOMMODATION			
Homeless	*	*	7	Pregnant when Admitted to any Episode	5	*	*
MARITAL / FAMILY STATUS				Military Veteran	6	13	12
Never Married	113	95	83	Special Education Services Needed	29	16	21
Married / Cohabiting	95	86	89	Co-Occurring Psychological Problem	96	111	113
Previously Married	67	73	83	Co-Occurring Developmental Problem	18	17	17

STODDARD COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 29,968
2016 POPULATION ESTIMATE 29,588

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	20	21	35
Anxiety Disorder	133	165	159
Dementia	*	*	*
Developmental Disorder	0	*	*
Impulse Control Disorder	81	83	69
Mood Disorder	330	409	352
Personality Disorder	8	25	35
Psychotic Disorder	78	77	76
Sexual Disorder	*	*	*
Other Diagnosis	40	31	43
Diagnosis Unknown	52	34	31

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	582	639	587	Less than High School Diploma	251	303	259
AGE				High School Grad or G.E.D.	0	0	0
Under 6	9	7	8	Associate Degree or Some College	0	0	0
6 to 9	42	46	43	Bachelor or Advanced Degree	0	0	0
10 to 13	55	53	48	Education Level Unknown	331	336	328
14 to 17	61	62	53	EMPLOYMENT			
18 to 24	35	49	47	Employed	30	49	34
25 to 29	39	56	49	Unemployed	26	45	33
30 to 34	44	53	54	Not in Labor Force	328	405	394
35 to 39	49	45	44	Employment Status Unknown	198	140	126
40 to 44	51	54	44	HOUSING / LIVING ARRANGEMENT			
45 to 49	43	57	57	Independent Living	282	338	297
50 to 54	64	62	62	Dependent Living	179	214	219
55 to 59	39	46	39	Homeless	*	*	*
60 and Over	51	49	39	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	117	84	69
GENDER				TREATMENT REFERRAL SOURCE			
Male	234	265	249	Self / Family / Friend	280	293	267
Female	348	374	338	School	9	11	5
Gender Unknown	0	0	0	Mental Health Provider	52	69	81
RACE / ETHNICITY				Health Care Provider	85	102	94
Caucasian	557	613	561	Court / Criminal Justice	53	43	29
African American	7	8	11	Other	103	121	111
Native American / Alaskan	0	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	6	*	*	Voluntary	577	636	582
Other Race	12	13	12	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	10	11	8	Commitment Type Unknown	0	0	0
Past or Current Military Service	5	7	5				

STODDARD COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.6	43.3	49.4	42.3	Alcohol	18.9	17.3	23.8	17.7
Chewing Tobacco	19.6	25.3	18.7	18.3	Alcohol (5+ drinks on single occasion past 2 weeks)	8.7	8.7		
Cigarettes	28.8	31.5	37.8	35.3	Chewing Tobacco	9.2	14.0	10.7	8.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	1.5	1.9	2.6	Cigarettes	11.2	14.1	21.1	17.8
Cocaine	0.5	1.9	3.6	2.1	Inhalants	1.4	0.9	2.1	4.2
Electronic Cigarettes	30.4	18.7			Marijuana	5.3	7.4	3.8	6.5
Hallucinogens	1.2	3.1	1.3	3.4	Over-the-counter medications for non-medical use	1.0	2.1	4.2	5.6
Heroin	0.0	0.6	0.6	1.0	Prescription medications not prescribed for student	10.7	5.2	5.7	11.1
Inhalants	3.6	4.3	6.1	10.8					
Marijuana	14.7	16.0	16.0	12.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.2	0.6	1.3	1.6	Alcohol (1 or 2 drinks daily)	59.7	48.2		
Over-the-counter medications for non-medical use	3.1	3.7	9.7	9.3	Alcohol (Binge: 5+ drinks once or twice a week)	71.7	56.2		
Prescription medications not prescribed for student	15.4	12.6	12.2	15.4	Cigarettes (1+ packs per day)	81.4	77.5		
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	6.2	9.2		Marijuana (once or twice a week)	69.7	64.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	90.0	93.6	94.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.16	12.71	12.33	12.51	Alcohol	83.8	77.8	83.0	81.8
Cigarettes	12.65	12.16	12.10	12.15	Cigarettes	92.0	85.9	91.8	88.5
Inhalants	11.36	11.91	12.26	12.82	Marijuana	93.4	90.9	97.7	95.1
Marijuana	14.35	13.74	12.98	13.52					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	47.8	56.2	69.4	54.0	Alcohol	67.2	57.1	54.8	61.5
Cigarettes	38.2	53.3	63.8	52.9	Cigarettes	83.3	75.5	72.2	75.3
Marijuana	34.5	36.4	37.0	27.9	Marijuana	84.6	77.1	83.9	86.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	14.1	15.0	12.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	95.4	96.4	96.1
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.2	34.1	40.0	30.3	Alcohol	48.5	63.0	66.3	49.6
Cigarettes	12.9	17.6	21.4	19.3	Cigarettes	51.0	61.3	69.6	54.4
Marijuana	10.9	13.8	10.6	9.1	Marijuana	32.8	38.2	37.2	26.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	19.0	19.3	12.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	65.1	64.9	61.6	66.1	Were grouchy, irritable, or in a bad mood	32.9	31.9	26.7	26.1
Were victims of mean rumors or lies spread at school	56.8	57.2	58.6	60.0	Had difficulty concentrating on school work	28.7	22.4	24.3	27.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	29.3	22.1	20.9	20.2	Were very sad	20.0	21.5	18.1	19.7
					Felt hopeless about the future	11.4	13.9	13.4	12.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.2	8.8	10.4	11.5	Parents involve student in making family decisions	67.1	62.6	72.5	73.1
Made plan about how they would attempt suicide	8.6	7.9	5.5	8.2	Parents notice and comment on student's good work	81.2	80.1	86.8	85.6
Attempted suicide	4.8	4.5	5.1	5.5	Teachers notice and comment on student's good work	74.5	71.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

STONE COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	32,202
2016 Estimate	31,047

BIRTH RISK	2015	2014	2013
Resident Births	244	231	268
Mother Reported Smoking while Pregnant	65	51	67

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	3	1	0
Hepatitis B Chronic, Acute, Prenatal	1	1	2
Hepatitis C Chronic and Acute	49	42	20
Tuberculosis Infection Cases	2	2	6

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	360	431	409
Suicide	8	10	9
Homicide	1	1	1
Alcohol Induced Deaths	1	2	1
Drug Induced Deaths	3	6	2
Smoking Attributable Deaths	69	85	81
Self-inflicted Injuries *	35	49	25
Assault Injuries *	53	64	36

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	184	168	126
Mental Illness Secondary Diagnosis	425	309	269
Alcohol Principal Diagnosis	18	7	5
Alcohol Secondary Diagnosis	43	25	24
Drug Principal Diagnosis	11	14	8
Drug Secondary Diagnosis	40	24	17
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	78	141	112
Mental Illness Secondary Diagnosis	460	557	632
Alcohol Principal Diagnosis	27	50	31
Alcohol Secondary Diagnosis	52	70	59
Drug Principal Diagnosis	11	23	29
Drug Secondary Diagnosis	55	57	49
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	190	187	158
Mental Illness Secondary Diagnosis	399	493	968
Alcohol Principal Diagnosis	56	55	41
Alcohol Secondary Diagnosis	52	40	94
Drug Principal Diagnosis	56	73	55
Drug Secondary Diagnosis	65	59	83

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	42	39	38
Alcohol Package Carry-out Licenses	46	46	45

EMPLOYMENT	2016	2015	2014
Labor Force	13,546	13,697	13,423
Employed	12,604	12,633	12,145
Unemployed	942	1,064	1,278
Unemployment Rate	7.0%	7.8%	9.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	45	36	33
Fatal Crashes	2	2	1
Injury Crashes	21	19	18
Property Damage Crashes	22	15	20
Crash Fatalities	2	2	1
Crash Injuries	28	28	22
Drug Involved Crashes	11	6	4
Fatal Crashes	0	1	0
Injury Crashes	3	3	1
Property Damage Crashes	8	2	3
Crash Fatalities	0	1	0
Crash Injuries	6	3	2

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	100	114	143
Liquor Law Arrests	7	6	15
Drug Arrests	212	182	204
Methamphetamine Lab Seizures	0	2	0
Violent Offenses	149	132	145
Domestic Violence Reports	258	274	271
Property Offenses	552	686	596

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,263	1,198	1,236
Drop-outs	7	8	16
Drop-out Rate	0.6%	0.7%	1.3%
School Discipline Involving Alcohol	0	5	2
School Discipline Involving Drugs	25	27	16
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	33	45	31
Juvenile Alcohol Offenses	1	4	2
Juvenile Drug Offenses	14	11	5
School Truancy Status Offense	0	96	0
Absent from Home Status Offense	12	26	13
Beyond Parental Control Status Offense	2	5	6
Injurious Behavior Status Offense	18	24	22
Child Abuse	16	34	28
Child Neglect	107	169	38
Child Custody Issues	39	68	36

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	30	77	37
Parental Alcohol Use Related	4	6	2
Parental Drug Use Related	16	49	17
Parental Alcohol and Drug Use	0	2	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	144	152	152
Probation/Parole Admissions--Drug	116	122	115
Probation/Parole Admissions--DWI	7	9	9
Prison Admissions--Drug	46	44	56
Prison Admissions--DWI	3	4	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

STONE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	46	58	51
CSTAR Adolescent	*	6	7
CSTAR Women and Children	15	7	7
CSTAR General Adult	50	28	18
CSTAR Opioid	0	0	0
Primary Recovery Treatment	23	66	57
Clinical SATOP (CIP, YCIP, SROP)	17	19	14
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	78	80	118
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	31	28	48
- Weekend Intervention Program	13	15	32
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	8	0
Compulsive Gambling	0	0	0
Recovery Supports	15	5	12
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	122	157	133	Alcohol	57	60	55
AGE				Marijuana / Hashish	9	19	22
Under 18	*	5	9	Cocaine (total)	0	0	0
18 to 24	23	27	15	- Crack	0	0	0
25 to 29	20	30	19	Stimulant (total)	31	43	31
30 to 34	21	17	25	- Methamphetamine	31	41	31
35 to 39	14	20	21	Heroin	8	*	*
40 to 44	12	19	19	Analgesic except Heroin	16	30	19
45 to 54	17	30	20	- Non-Prescription Methadone	0	0	*
55 and Over	11	9	5	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	72	97	88	Inhalant	0	0	0
Female	50	60	45	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	120	151	133	Average Age at First Use of Drug	16.7	19.0	17.5
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	27	38	26
Asian / Pacific Islander	0	0	0	- Daily Injection Use	6	8	8
Hispanic	0	*	*	- Weekly Injection Use	9	19	8
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	12	11	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	40	48	59	0	69	93	67
High School Graduate or G.E.D.	59	71	47	1 or 2	31	47	44
Associate Degree or Some College	23	38	25	3 or More	22	17	22
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	72	102	73
Employed	32	36	28	School	0	0	*
Unemployed	51	84	69	Mental Health Provider	*	*	*
Not in Labor Force	39	37	36	Health Care Provider	7	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	30	43	43
Independent Living	95	126	106	Other Referral Source	11	5	12
Dependent Living	18	16	14	TREATMENT ACCOMMODATION			
Homeless	5	10	8	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	7	9	8
Never Married	53	69	54	Special Education Services Needed	10	5	8
Married / Cohabiting	40	47	41	Co-Occurring Psychological Problem	49	53	36
Previously Married	29	41	38	Co-Occurring Developmental Problem	6	*	5

STONE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 32,202
2016 POPULATION ESTIMATE 31,047

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	9	9	8
Anxiety Disorder	71	56	52
Dementia	0	0	0
Developmental Disorder	6	*	6
Impulse Control Disorder	27	22	17
Mood Disorder	105	98	94
Personality Disorder	19	16	20
Psychotic Disorder	35	31	27
Sexual Disorder	0	*	0
Other Diagnosis	28	23	20
Diagnosis Unknown	17	19	18

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	165	155	151	Less than High School Diploma	53	53	49
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	7	7	8	Bachelor or Advanced Degree	0	0	0
10 to 13	10	11	13	Education Level Unknown	112	102	102
14 to 17	14	16	16	EMPLOYMENT			
18 to 24	10	10	10	Employed	6	5	*
25 to 29	10	14	9	Unemployed	8	5	6
30 to 34	15	11	15	Not in Labor Force	108	101	78
35 to 39	16	8	10	Employment Status Unknown	43	44	64
40 to 44	12	15	12	HOUSING / LIVING ARRANGEMENT			
45 to 49	20	17	25	Independent Living	60	46	38
50 to 54	23	27	21	Dependent Living	56	58	46
55 to 59	17	12	6	Homeless	*	*	*
60 and Over	7	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	47	48	66
GENDER				TREATMENT REFERRAL SOURCE			
Male	86	78	72	Self / Family / Friend	96	93	86
Female	79	77	79	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	5	*	*
RACE / ETHNICITY				Health Care Provider	32	25	25
Caucasian	154	147	142	Court / Criminal Justice	7	6	5
African American	*	*	*	Other	22	26	28
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	*	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	158	151	148
Other Race	7	5	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	*	0
Hearing Impaired	5	12	11	Commitment Type Unknown	*	*	*
Past or Current Military Service	6	*	*				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	36.4	39.0	40.2	43.6	Alcohol	15.5	14.9	16.6	17.4
Chewing Tobacco	12.7	17.7	22.7	18.9	Alcohol (5+ drinks on single occasion past 2 weeks)	4.5	4.6		
Cigarettes	23.8	28.2	23.2	29.8	Chewing Tobacco	5.2	10.3	12.7	11.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	3.6	4.1	2.4	Cigarettes	6.0	11.5	10.5	17.0
Cocaine	1.2	2.6	3.3	1.4	Inhalants	2.1	1.6	3.9	3.9
Electronic Cigarettes	27.5	19.9			Marijuana	7.4	7.5	8.1	8.4
Hallucinogens	2.9	4.6	3.1	2.7	Over-the-counter medications for non-medical use	1.0	2.6	3.2	4.1
Heroin	1.2	0.0	2.1	0.2	Prescription medications not prescribed for student	11.7	4.6	4.2	6.3
Inhalants	6.4	7.5	6.1	7.8					
Marijuana	16.3	16.0	14.2	15.5	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.0	2.0	2.9	0.9	Alcohol (1 or 2 drinks daily)	66.1	55.2		
Over-the-counter medications for non-medical use	4.5	5.2	6.9	7.7	Alcohol (Binge: 5+ drinks once or twice a week)	76.3	65.1		
Prescription medications not prescribed for student	15.3	11.9	9.5	10.8	Cigarettes (1+ packs per day)	81.7	85.3		
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	4.3	7.8		Marijuana (once or twice a week)	64.7	64.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.1	89.5	95.1	93.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.52	12.86	12.48	12.41	Alcohol	83.5	76.5	83.2	79.2
Cigarettes	11.71	12.59	12.60	12.42	Cigarettes	94.9	88.4	91.2	88.3
Inhalants	11.78	13.01	13.18	12.56	Marijuana	92.2	88.4	95.3	93.0
Marijuana	12.45	13.24	13.39	13.28					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.1	45.5	51.1	57.7	Alcohol	70.9	65.7	67.0	64.8
Cigarettes	34.1	38.8	41.8	51.8	Cigarettes	88.9	84.9	80.4	76.4
Marijuana	31.3	28.8	26.7	35.4	Marijuana	80.6	82.9	85.7	83.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.1	12.5	11.8	17.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	95.7	95.8	94.2
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.2	25.4	27.1	28.8	Alcohol	51.1	49.5	54.0	53.4
Cigarettes	7.9	12.0	12.5	17.4	Cigarettes	48.1	51.5	55.0	56.3
Marijuana	11.5	10.2	9.3	12.2	Marijuana	33.9	32.6	33.0	34.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	16.7	16.6	16.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.7	56.0	61.7	66.5	Were grouchy, irritable, or in a bad mood	26.0	26.7	26.7	32.7
Were victims of mean rumors or lies spread at school	46.9	48.0	53.1	54.7	Had difficulty concentrating on school work	26.7	28.6	24.6	29.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.3	30.6	20.2	17.0	Were very sad	23.6	24.4	20.3	29.0
					Felt hopeless about the future	13.3	16.6	11.3	16.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	15.7	11.4	9.4	10.4	Parents involve student in making family decisions	72.9	68.0	70.8	72.8
Made plan about how they would attempt suicide	10.4	10.2	7.6	7.2	Parents notice and comment on student's good work	82.8	78.2	83.1	85.5
Attempted suicide	7.4	7.9	4.7	4.5	Teachers notice and comment on student's good work	74.2	69.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SULLIVAN COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	13
POPULATION	
Census 2010	6,714
2016 Estimate	6,262

BIRTH RISK	2015	2014	2013
Resident Births	92	67	92
Mother Reported Smoking while Pregnant	30	20	15

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	6	5	5
Tuberculosis Infection Cases	4	1	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	66	88	81
Suicide	0	1	0
Homicide	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	2	1
Smoking Attributable Deaths	11	17	12
Self-inflicted Injuries *	6	18	11
Assault Injuries *	14	10	19

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	57	59	80
Mental Illness Secondary Diagnosis	137	170	120
Alcohol Principal Diagnosis	2	3	4
Alcohol Secondary Diagnosis	15	11	21
Drug Principal Diagnosis	2	5	7
Drug Secondary Diagnosis	9	10	5
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	14	18	8
Mental Illness Secondary Diagnosis	37	31	48
Alcohol Principal Diagnosis	2	1	1
Alcohol Secondary Diagnosis	2	2	9
Drug Principal Diagnosis	2	3	3
Drug Secondary Diagnosis	1	1	1
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	63	66	48
Mental Illness Secondary Diagnosis	141	119	147
Alcohol Principal Diagnosis	7	9	8
Alcohol Secondary Diagnosis	11	9	13
Drug Principal Diagnosis	13	13	7
Drug Secondary Diagnosis	25	32	20

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	5	5	7
Alcohol Package Carry-out Licenses	7	7	7

EMPLOYMENT	2016	2015	2014
Labor Force	2,809	2,826	2,738
Employed	2,646	2,659	2,557
Unemployed	163	167	181
Unemployment Rate	5.8%	5.9%	6.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	3	8	9
Fatal Crashes	0	0	2
Injury Crashes	1	5	6
Property Damage Crashes	2	3	3
Crash Fatalities	0	0	2
Crash Injuries	1	8	5
Drug Involved Crashes	1	1	1
Fatal Crashes	0	0	1
Injury Crashes	0	1	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	1
Crash Injuries	0	2	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	21	32	29
Liquor Law Arrests	1	2	7
Drug Arrests	20	51	19
Methamphetamine Lab Seizures	1	2	1
Violent Offenses	15	12	13
Domestic Violence Reports	31	33	36
Property Offenses	66	56	85

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	319	296	304
Drop-outs	3	2	0
Drop-out Rate	0.9%	0.7%	0.0%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	1	3	3
Juvenile Alcohol Offenses	1	1	1
Juvenile Drug Offenses	0	0	1
School Truancy Status Offense	26	65	28
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	4	5	1
Injurious Behavior Status Offense	4	9	9
Child Abuse	1	3	5
Child Neglect	3	9	19
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	15	16	19
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	8	10	6
Parental Alcohol and Drug Use	0	0	5

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	27	16	20
Probation/Parole Admissions--Drug	14	25	18
Probation/Parole Admissions--DWI	2	2	4
Prison Admissions--Drug	12	8	15
Prison Admissions--DWI	1	2	2

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SULLIVAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	5	0
CSTAR Adolescent	*	5	7
CSTAR Women and Children	*	*	0
CSTAR General Adult	47	59	47
CSTAR Opioid	0	*	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	5	7	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	18	25	19
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	7	6	*
- Weekend Intervention Program	*	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	60	71	67	Alcohol	21	24	21
AGE				Marijuana / Hashish	21	19	27
Under 18	*	*	7	Cocaine (total)	*	*	0
18 to 24	8	9	9	- Crack	*	0	0
25 to 29	16	14	14	Stimulant (total)	14	18	14
30 to 34	10	12	8	- Methamphetamine	14	18	14
35 to 39	8	7	5	Heroin	*	*	*
40 to 44	5	9	9	Analgesic except Heroin	*	6	*
45 to 54	7	12	9	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	6	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	0	*	0
Male	42	45	46	Inhalant	0	0	0
Female	18	26	21	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	55	66	59	Average Age at First Use of Drug	16.7	19.0	17.2
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	6	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	5	5	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	*	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	15	26	34	0	36	47	38
High School Graduate or G.E.D.	38	37	28	1 or 2	14	18	21
Associate Degree or Some College	6	8	5	3 or More	10	6	8
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	13	29	7
Employed	22	31	23	School	0	0	0
Unemployed	7	19	25	Mental Health Provider	0	*	*
Not in Labor Force	31	21	19	Health Care Provider	5	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	27	16	17
Independent Living	51	57	60	Other Referral Source	*	14	32
Dependent Living	*	7	7	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	33	35	41	Special Education Services Needed	5	*	6
Married / Cohabiting	13	23	12	Co-Occurring Psychological Problem	31	25	24
Previously Married	14	13	14	Co-Occurring Developmental Problem	*	0	*

SULLIVAN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 6,714
2016 POPULATION ESTIMATE 6,262

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	6	5	*
Anxiety Disorder	39	24	21
Dementia	*	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	14	8	6
Mood Disorder	58	37	35
Personality Disorder	7	6	*
Psychotic Disorder	8	6	8
Sexual Disorder	0	0	0
Other Diagnosis	18	12	11
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	85	56	48	Less than High School Diploma	33	21	19
AGE				High School Grad or G.E.D.	0	0	*
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	10	6	6	Education Level Unknown	52	35	26
14 to 17	14	5	*	EMPLOYMENT			
18 to 24	*	0	*	Employed	8	5	*
25 to 29	7	7	*	Unemployed	11	*	10
30 to 34	8	*	*	Not in Labor Force	57	36	32
35 to 39	*	*	5	Employment Status Unknown	9	12	5
40 to 44	9	9	7	HOUSING / LIVING ARRANGEMENT			
45 to 49	9	*	*	Independent Living	44	24	22
50 to 54	*	*	7	Dependent Living	29	21	20
55 to 59	7	6	*	Homeless	0	0	0
60 and Over	8	6	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	12	11	6
GENDER				TREATMENT REFERRAL SOURCE			
Male	37	25	23	Self / Family / Friend	44	19	19
Female	48	31	25	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	17	16	14
Caucasian	74	51	44	Court / Criminal Justice	9	5	7
African American	*	*	0	Other	11	10	*
Native American / Alaskan	*	*	*	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	6	*	*	Voluntary	85	55	47
Other Race	*	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	0	*	0	Commitment Type Unknown	0	*	*
Past or Current Military Service	*	*	*				

SULLIVAN COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	57.8	38.2	55.5	47.5	Alcohol	30.3	10.3	20.0	24.1
Chewing Tobacco	30.9	22.1	20.9	30.7	Alcohol (5+ drinks on single occasion past 2 weeks)	17.1	2.9		
Cigarettes	42.3	26.5	38.5	39.7	Chewing Tobacco	10.9	14.7	12.7	20.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.7	0.0	2.8	0.7	Cigarettes	17.1	14.7	19.1	21.3
Cocaine	1.8	0.0	1.9	1.4	Inhalants	0.9	1.5	1.8	1.4
Electronic Cigarettes	26.4	19.4			Marijuana	4.5	2.9	8.3	5.8
Hallucinogens	1.8	0.0	2.8	2.9	Over-the-counter medications for non-medical use	0.9	0.0	3.7	4.3
Heroin	0.0	0.0	0.0	0.0	Prescription medications not prescribed for student	5.5	2.9	4.6	5.7
Inhalants	1.8	1.5	5.5	2.9					
Marijuana	22.5	8.8	17.4	13.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.0	0.0	0.0	0.7	Alcohol (1 or 2 drinks daily)	57.4	57.4		
Over-the-counter medications for non-medical use	5.4	1.5	5.5	5.8	Alcohol (Binge: 5+ drinks once or twice a week)	61.7	61.5		
Prescription medications not prescribed for student	10.1	10.4	8.3	12.8	Cigarettes (1+ packs per day)	84.3	77.9		
Synthetic drugs (K2, bath salts, Spice, etc)	0.9	2.9	6.4		Marijuana (once or twice a week)	72.2	71.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	95.4	91.0	90.9	86.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.68	12.67	12.58	12.40	Alcohol	68.5	73.5	70.8	69.8
Cigarettes	12.42	12.52	13.33	12.62	Cigarettes	83.8	85.3	83.3	83.6
Inhalants		12.61	12.84		Marijuana	92.7	95.5	90.8	95.0
Marijuana	13.87	14.31	13.69	14.22					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	56.8	42.6	58.7	67.4	Alcohol	49.5	60.6	49.1	46.8
Cigarettes	41.4	44.1	56.0	65.2	Cigarettes	71.8	70.6	66.4	66.9
Marijuana	31.5	22.1	32.1	24.8	Marijuana	83.3	87.7	77.8	85.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.1	4.5	9.1	17.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.2	98.4	96.3	94.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	44.4	32.4	42.2	41.3	Alcohol	58.6	63.2	60.6	57.4
Cigarettes	22.0	16.2	27.5	24.8	Cigarettes	52.3	58.8	59.6	65.2
Marijuana	9.2	13.2	13.8	6.5	Marijuana	36.4	26.9	36.4	29.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	10.6	14.7	15.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	62.7	59.7	56.9	70.2	Were grouchy, irritable, or in a bad mood	40.9	17.6	27.5	17.4
Were victims of mean rumors or lies spread at school	58.2	50.0	50.5	64.7	Had difficulty concentrating on school work	26.1	16.2	17.4	29.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.6	17.6	16.8	22.1	Were very sad	27.9	13.4	18.3	10.8
					Felt hopeless about the future	11.7	10.3	9.2	7.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.5	6.0	8.3	10.7	Parents involve student in making family decisions	60.9	81.8	70.6	67.4
Made plan about how they would attempt suicide	6.4	1.5	8.3	8.5	Parents notice and comment on student's good work	78.2	88.2	82.6	80.9
Attempted suicide	7.2	1.5	3.7	6.4	Teachers notice and comment on student's good work	73.0	79.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

TANEY COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	51,675
2016 Estimate	54,735

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	80	64	71
Fatal Crashes	2	3	3
Injury Crashes	39	28	25
Property Damage Crashes	39	33	43
Crash Fatalities	2	4	3
Crash Injuries	57	35	41
Drug Involved Crashes	17	13	16
Fatal Crashes	1	1	1
Injury Crashes	6	4	9
Property Damage Crashes	10	8	6
Crash Fatalities	1	2	1
Crash Injuries	12	4	13

BIRTH RISK	2015	2014	2013
Resident Births	655	647	595
Mother Reported Smoking while Pregnant	156	166	147

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	3	1	2
Hepatitis C Chronic and Acute	101	106	64
Tuberculosis Infection Cases	11	8	4

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	615	511	545
Suicide	13	9	6
Homicide	2	2	2
Alcohol Induced Deaths	2	4	9
Drug Induced Deaths	4	7	7
Smoking Attributable Deaths	101	97	94
Self-inflicted Injuries *	92	90	90
Assault Injuries *	168	135	125

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	362	355	284
Mental Illness Secondary Diagnosis	693	441	497
Alcohol Principal Diagnosis	42	16	28
Alcohol Secondary Diagnosis	73	26	32
Drug Principal Diagnosis	38	30	31
Drug Secondary Diagnosis	120	57	62
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	150	205	219
Mental Illness Secondary Diagnosis	868	1,063	1,209
Alcohol Principal Diagnosis	74	93	102
Alcohol Secondary Diagnosis	157	144	148
Drug Principal Diagnosis	43	51	50
Drug Secondary Diagnosis	111	122	131
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	577	557	468
Mental Illness Secondary Diagnosis	654	1,031	3,319
Alcohol Principal Diagnosis	189	220	207
Alcohol Secondary Diagnosis	110	123	295
Drug Principal Diagnosis	165	156	140
Drug Secondary Diagnosis	201	143	363

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	131	128	130
Alcohol Package Carry-out Licenses	82	67	67

EMPLOYMENT	2016	2015	2014
Labor Force	26,582	26,518	25,476
Employed	24,627	24,390	23,020
Unemployed	1,955	2,128	2,456
Unemployment Rate	7.4%	8.0%	9.6%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	228	191	266
Liquor Law Arrests	37	62	76
Drug Arrests	469	352	314
Methamphetamine Lab Seizures	1	1	4
Violent Offenses	210	231	172
Domestic Violence Reports	577	533	559
Property Offenses	1,957	2,162	1,782

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	2,444	2,388	2,388
Drop-outs	22	18	23
Drop-out Rate	0.9%	0.8%	1.0%
School Discipline Involving Alcohol	2	2	4
School Discipline Involving Drugs	44	35	32
School Discipline Involving Tobacco	0	1	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	55	98	87
Juvenile Alcohol Offenses	6	13	13
Juvenile Drug Offenses	34	25	30
School Truancy Status Offense	6	13	12
Absent from Home Status Offense	33	29	33
Beyond Parental Control Status Offense	7	14	32
Injurious Behavior Status Offense	55	78	43
Child Abuse	6	29	13
Child Neglect	118	94	84
Child Custody Issues	23	40	37

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	133	125	92
Parental Alcohol Use Related	5	3	5
Parental Drug Use Related	48	36	32
Parental Alcohol and Drug Use	7	3	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	35	37	35
Probation/Parole Admissions--Drug	148	149	138
Probation/Parole Admissions--DWI	20	25	22
Prison Admissions--Drug	82	67	76
Prison Admissions--DWI	16	10	11

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

TANEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	163	194	202
CSTAR Adolescent	23	17	21
CSTAR Women and Children	57	37	31
CSTAR General Adult	302	141	139
CSTAR Opioid	0	0	*
Primary Recovery Treatment	88	156	140
Clinical SATOP (CIP, YCIP, SROP)	47	40	35
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	197	179	204
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	59	55	77
- Weekend Intervention Program	38	36	49
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	12	9	7
Compulsive Gambling	0	0	0
Recovery Supports	144	97	171
Early Intervention	5	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	494	439	447	Alcohol	160	144	164
AGE				Marijuana / Hashish	63	51	57
Under 18	22	17	21	Cocaine (total)	*	*	*
18 to 24	81	67	85	- Crack	0	*	*
25 to 29	78	79	89	Stimulant (total)	173	153	134
30 to 34	88	87	75	- Methamphetamine	168	151	132
35 to 39	70	49	55	Heroin	40	18	26
40 to 44	54	51	39	Analgesic except Heroin	49	64	56
45 to 54	73	70	67	- Non-Prescription Methadone	0	*	*
55 and Over	28	19	16	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	5	*	*
Male	302	267	287	Inhalant	0	0	0
Female	192	172	160	Sedative	*	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	460	406	419	Average Age at First Use of Drug	17.9	18.4	18.0
African American	13	15	10	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	173	149	129
Asian / Pacific Islander	*	0	*	- Daily Injection Use	38	37	38
Hispanic	16	10	14	- Weekly Injection Use	56	50	34
Other Race / Two or More Races	13	11	8	- Less than Weekly Injection Use	79	62	57
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	159	124	135	0	285	248	246
High School Graduate or G.E.D.	251	237	213	1 or 2	147	121	127
Associate Degree or Some College	78	74	91	3 or More	62	70	74
Bachelor or Advanced Degree	6	*	8	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	337	273	249
Employed	180	136	128	School	*	0	*
Unemployed	192	214	229	Mental Health Provider	5	*	*
Not in Labor Force	122	89	90	Health Care Provider	17	16	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	107	119	155
Independent Living	379	294	315	Other Referral Source	24	28	22
Dependent Living	68	73	82	TREATMENT ACCOMMODATION			
Homeless	23	47	45	Pregnant when Admitted to any Episode	12	6	12
MARITAL / FAMILY STATUS				Military Veteran	11	10	17
Never Married	258	186	228	Special Education Services Needed	22	29	11
Married / Cohabiting	118	140	104	Co-Occurring Psychological Problem	184	134	122
Previously Married	118	113	115	Co-Occurring Developmental Problem	25	15	11

TANEY COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 51,675
2016 POPULATION ESTIMATE 54,735

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	23	23	16
Anxiety Disorder	247	206	173
Dementia	*	*	*
Developmental Disorder	14	10	7
Impulse Control Disorder	61	44	44
Mood Disorder	294	292	272
Personality Disorder	58	61	43
Psychotic Disorder	87	76	60
Sexual Disorder	0	0	*
Other Diagnosis	60	41	38
Diagnosis Unknown	39	43	34

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	441	431	404	Less than High School Diploma	145	126	109
AGE				High School Grad or G.E.D.	0	0	0
Under 6	9	9	10	Associate Degree or Some College	0	0	0
6 to 9	21	17	18	Bachelor or Advanced Degree	0	0	0
10 to 13	22	20	29	Education Level Unknown	296	305	295
14 to 17	34	27	18	EMPLOYMENT			
18 to 24	23	19	31	Employed	24	29	24
25 to 29	27	40	34	Unemployed	20	29	26
30 to 34	42	58	52	Not in Labor Force	275	251	209
35 to 39	40	48	43	Employment Status Unknown	122	122	145
40 to 44	48	37	35	HOUSING / LIVING ARRANGEMENT			
45 to 49	49	53	51	Independent Living	174	169	140
50 to 54	67	57	38	Dependent Living	116	110	97
55 to 59	31	21	27	Homeless	13	9	6
60 and Over	28	25	18	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	138	143	161
GENDER				TREATMENT REFERRAL SOURCE			
Male	189	191	172	Self / Family / Friend	301	296	234
Female	252	240	232	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	9	10	11
RACE / ETHNICITY				Health Care Provider	62	52	52
Caucasian	392	381	370	Court / Criminal Justice	19	27	43
African American	9	10	8	Other	47	42	62
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	12	10	6	Voluntary	433	422	396
Other Race	26	26	17	Civil	*	5	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	5
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	23	23	13	Commitment Type Unknown	*	*	*
Past or Current Military Service	10	14	9				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.2	33.3	30.5	38.3	Alcohol	13.3	13.2	11.7	14.7
Chewing Tobacco	13.9	11.5	8.5	13.7	Alcohol (5+ drinks on single occasion past 2 weeks)	3.8	5.0		
Cigarettes	27.7	21.3	20.8	29.0	Chewing Tobacco	3.9	5.9	4.3	6.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	2.3	1.7	2.5	Cigarettes	8.7	9.1	8.9	15.7
Cocaine	1.6	1.3	2.0	2.0	Inhalants	2.4	1.0	2.2	2.9
Electronic Cigarettes	32.3	20.7			Marijuana	7.9	8.1	5.3	6.5
Hallucinogens	2.2	2.4	2.9	3.8	Over-the-counter medications for non-medical use	1.0	1.8	4.2	3.8
Heroin	0.8	0.7	1.3	1.1	Prescription medications not prescribed for student	8.0	3.4	3.8	5.7
Inhalants	4.8	4.8	6.1	7.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	19.0	17.3	12.2	14.9	Alcohol (1 or 2 drinks daily)	64.4	59.8		
Methamphetamine	0.8	1.0	1.3	1.3	Alcohol (Binge: 5+ drinks once or twice a week)	76.3	72.8		
Over-the-counter medications for non-medical use	4.5	4.7	5.7	7.4	Cigarettes (1+ packs per day)	85.5	88.2		
Prescription medications not prescribed for student	12.6	8.8	7.9	11.9	Marijuana (once or twice a week)	64.2	62.7		
Synthetic drugs (K2, bath salts, Spice, etc)	3.7	4.6	6.1		Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	94.1	97.0	93.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.50	13.31	11.62	11.99	Alcohol	80.5	84.5	86.0	81.7
Cigarettes	12.13	12.44	11.37	11.50	Cigarettes	90.4	92.9	95.3	89.9
Inhalants	10.36	11.99	11.25	12.09	Marijuana	89.3	89.8	93.5	93.3
Marijuana	13.20	13.60	12.55	12.63	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	72.7	69.5	71.2	68.9
Alcohol	45.8	45.1	42.2	52.1	Cigarettes	86.3	85.2	83.3	78.7
Cigarettes	37.1	38.6	39.9	50.8	Marijuana	80.8	78.9	82.8	83.3
Marijuana	39.7	36.6	30.0	34.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	98.1	94.9	94.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	15.1	16.6	19.6	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	51.3	48.2	47.3	53.8
Alcohol	22.2	19.9	22.2	26.1	Cigarettes	47.5	49.0	46.3	57.0
Cigarettes	10.6	11.6	12.3	15.2	Marijuana	39.8	35.6	33.1	37.9
Marijuana	16.9	13.2	12.5	12.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	16.6	17.7	18.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	65.2	65.4	59.8	71.4	Were grouchy, irritable, or in a bad mood	34.4	25.6	22.7	17.8
Were victims of mean rumors or lies spread at school	53.2	52.6	50.6	61.3	Had difficulty concentrating on school work	33.9	25.9	19.0	28.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.5	27.7	21.0	23.3	Were very sad	31.3	23.1	21.2	9.9
					Felt hopeless about the future	17.5	12.4	10.6	7.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	20.7	14.3	13.1	14.7	Parents involve student in making family decisions	65.6	71.5	72.1	72.7
Made plan about how they would attempt suicide	13.9	10.5	11.0	10.7	Parents notice and comment on student's good work	79.1	83.8	86.2	82.6
Attempted suicide	7.7	6.1	6.1	6.5	Teachers notice and comment on student's good work	76.0	72.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

TEXAS COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	26,008
2016 Estimate	25,775

BIRTH RISK	2015	2014	2013
Resident Births	301	297	301
Mother Reported Smoking while Pregnant	90	81	82

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	0	0
Hepatitis B Chronic, Acute, Prenatal	3	3	1
Hepatitis C Chronic and Acute	17	52	35
Tuberculosis Infection Cases	5	8	7

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	321	292	289
Suicide	5	3	5
Homicide	7	0	3
Alcohol Induced Deaths	2	1	4
Drug Induced Deaths	3	1	5
Smoking Attributable Deaths	55	49	52
Self-inflicted Injuries *	20	21	29
Assault Injuries *	33	28	28

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	179	174	136
Mental Illness Secondary Diagnosis	429	344	330
Alcohol Principal Diagnosis	6	12	5
Alcohol Secondary Diagnosis	28	20	33
Drug Principal Diagnosis	27	42	23
Drug Secondary Diagnosis	33	18	11
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	43	56	40
Mental Illness Secondary Diagnosis	352	424	377
Alcohol Principal Diagnosis	6	10	8
Alcohol Secondary Diagnosis	40	29	38
Drug Principal Diagnosis	8	11	8
Drug Secondary Diagnosis	23	31	22
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	196	197	136
Mental Illness Secondary Diagnosis	522	545	518
Alcohol Principal Diagnosis	28	35	29
Alcohol Secondary Diagnosis	30	31	37
Drug Principal Diagnosis	28	33	29
Drug Secondary Diagnosis	23	30	30

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	15	16	15
Alcohol Package Carry-out Licenses	22	19	20

EMPLOYMENT	2016	2015	2014
Labor Force	9,413	9,537	9,364
Employed	8,828	8,905	8,626
Unemployed	585	632	738
Unemployment Rate	6.2%	6.6%	7.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	31	25	35
Fatal Crashes	2	3	3
Injury Crashes	17	14	15
Property Damage Crashes	12	8	8
Crash Fatalities	2	3	3
Crash Injuries	24	22	26
Drug Involved Crashes	6	4	9
Fatal Crashes	1	0	2
Injury Crashes	4	4	2
Property Damage Crashes	1	0	5
Crash Fatalities	1	0	2
Crash Injuries	9	4	3

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	129	131	118
Liquor Law Arrests	33	56	54
Drug Arrests	121	134	133
Methamphetamine Lab Seizures	1	1	9
Violent Offenses	36	53	34
Domestic Violence Reports	254	208	145
Property Offenses	413	407	519

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,205	1,162	1,181
Drop-outs	19	5	11
Drop-out Rate	1.6%	0.4%	0.9%
School Discipline Involving Alcohol	0	2	1
School Discipline Involving Drugs	0	4	4
School Discipline Involving Tobacco	0	0	2

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	5	15	18
Juvenile Alcohol Offenses	3	11	12
Juvenile Drug Offenses	5	2	7
School Truancy Status Offense	42	80	51
Absent from Home Status Offense	8	8	4
Beyond Parental Control Status Offense	5	14	16
Injurious Behavior Status Offense	109	76	47
Child Abuse	108	203	157
Child Neglect	211	230	244
Child Custody Issues	24	15	9

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	28	44	47
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	11	30	23
Parental Alcohol and Drug Use	3	7	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	8	8	7
Probation/Parole Admissions--Drug	88	65	90
Probation/Parole Admissions--DWI	10	11	10
Prison Admissions--Drug	61	41	28
Prison Admissions--DWI	9	6	6

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

TEXAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	27	19	25
CSTAR Adolescent	5	*	7
CSTAR Women and Children	*	5	5
CSTAR General Adult	100	83	75
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	24	14	32
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	77	73	77
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	18	21	20
- Weekend Intervention Program	15	18	11
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	142	110	116	Alcohol	49	38	55
AGE				Marijuana / Hashish	29	30	15
Under 18	6	*	8	Cocaine (total)	0	0	0
18 to 24	19	13	19	- Crack	0	0	0
25 to 29	33	28	23	Stimulant (total)	32	23	25
30 to 34	26	23	19	- Methamphetamine	32	22	25
35 to 39	17	13	8	Heroin	*	*	*
40 to 44	7	9	13	Analgesic except Heroin	26	17	16
45 to 54	18	17	22	- Non-Prescription Methadone	0	0	0
55 and Over	16	*	*	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	0	0	*
Male	82	56	76	Inhalant	0	0	0
Female	60	54	40	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	138	103	110	Average Age at First Use of Drug	18.0	17.3	18.7
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	33	24	16
Asian / Pacific Islander	0	0	0	- Daily Injection Use	7	5	*
Hispanic	*	*	*	- Weekly Injection Use	9	6	6
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	17	13	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	55	41	42	0	79	58	61
High School Graduate or G.E.D.	65	50	51	1 or 2	36	42	32
Associate Degree or Some College	22	19	23	3 or More	27	10	23
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	49	35	39
Employed	34	33	31	School	0	0	0
Unemployed	51	38	36	Mental Health Provider	*	0	*
Not in Labor Force	57	39	49	Health Care Provider	21	11	12
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	48	47	50
Independent Living	127	103	102	Other Referral Source	21	16	11
Dependent Living	7	*	11	TREATMENT ACCOMMODATION			
Homeless	5	*	*	Pregnant when Admitted to any Episode	6	5	*
MARITAL / FAMILY STATUS				Military Veteran	10	*	9
Never Married	51	39	45	Special Education Services Needed	28	15	12
Married / Cohabiting	55	48	33	Co-Occurring Psychological Problem	88	60	42
Previously Married	36	23	38	Co-Occurring Developmental Problem	26	14	11

TEXAS COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 26,008
2016 POPULATION ESTIMATE 25,775

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	7	*	9
Anxiety Disorder	107	120	160
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	46	40	40
Mood Disorder	144	143	207
Personality Disorder	12	13	16
Psychotic Disorder	23	23	26
Sexual Disorder	0	0	0
Other Diagnosis	20	14	19
Diagnosis Unknown	31	20	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	246	234	301	Less than High School Diploma	75	62	82
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	15	12	9	Bachelor or Advanced Degree	0	0	0
10 to 13	22	17	17	Education Level Unknown	171	172	219
14 to 17	14	18	20	EMPLOYMENT			
18 to 24	28	24	25	Employed	26	26	29
25 to 29	26	28	37	Unemployed	6	14	30
30 to 34	29	23	36	Not in Labor Force	155	138	158
35 to 39	20	16	26	Employment Status Unknown	59	56	84
40 to 44	15	22	31	HOUSING / LIVING ARRANGEMENT			
45 to 49	24	21	32	Independent Living	106	110	139
50 to 54	30	28	34	Dependent Living	57	46	55
55 to 59	11	17	19	Homeless	*	8	5
60 and Over	12	8	15	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	79	70	102
GENDER				TREATMENT REFERRAL SOURCE			
Male	129	119	141	Self / Family / Friend	92	99	160
Female	117	115	160	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	8	*	8
RACE / ETHNICITY				Health Care Provider	128	107	100
Caucasian	238	227	290	Court / Criminal Justice	6	11	15
African American	*	*	*	Other	11	13	18
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	7	Voluntary	244	230	298
Other Race	*	*	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	5	6	7	Commitment Type Unknown	0	0	0
Past or Current Military Service	9	12	14				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	50.1	30.3	36.9	46.7	Alcohol	22.0	12.2	13.4	21.7
Chewing Tobacco	32.0	20.0	22.7	28.6	Alcohol (5+ drinks on single occasion past 2 weeks)	12.4	3.4		
Cigarettes	44.3	27.5	27.3	33.1	Chewing Tobacco	16.0	15.0	12.1	18.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	0.0	2.1	1.7	Cigarettes	16.1	14.7	12.2	17.3
Cocaine	0.6	0.0	0.5	0.2	Inhalants	2.5	2.7	3.1	4.1
Electronic Cigarettes	30.1	19.9			Marijuana	5.5	0.8	5.4	4.2
Hallucinogens	3.0	2.7	3.1	1.7	Over-the-counter medications for non-medical use	2.2	0.8	2.1	5.4
Heroin	0.6	0.0	0.3	0.6	Prescription medications not prescribed for student	9.4	2.7	3.9	6.4
Inhalants	4.7	3.4	5.9	8.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	21.3	4.9	8.8	11.0	Alcohol (1 or 2 drinks daily)	59.4	47.5		
Methamphetamine	2.0	0.0	1.1	0.6	Alcohol (Binge: 5+ drinks once or twice a week)	63.2	54.4		
Over-the-counter medications for non-medical use	4.7	0.8	5.2	7.7	Cigarettes (1+ packs per day)	82.9	79.1		
Prescription medications not prescribed for student	14.7	10.2	8.5	10.2	Marijuana (once or twice a week)	70.2	73.2		
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	4.2	6.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.4	91.3	90.8	90.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	11.79	12.25	11.43	11.89	Alcohol	80.0	83.4	77.5	79.1
Cigarettes	11.44	11.49	11.12	10.98	Cigarettes	90.2	86.7	90.3	86.9
Inhalants	10.58	13.52	11.04	11.51	Marijuana	86.8	98.1	94.7	95.6
Marijuana	13.66	13.46	13.46	12.28	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	63.0	66.0	66.9	58.0
Alcohol	57.2	40.2	44.4	55.8	Cigarettes	79.2	78.2	76.4	74.7
Cigarettes	50.3	38.1	44.7	48.8	Marijuana	76.3	90.5	88.6	88.1
Marijuana	42.8	11.3	18.8	29.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	98.5	95.5	96.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.7	5.0	8.8	14.0	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	53.6	55.8	44.7	54.1
Alcohol	33.7	27.1	23.6	35.6	Cigarettes	54.7	61.1	43.9	59.4
Cigarettes	19.8	14.4	15.5	19.3	Marijuana	40.5	32.3	19.3	28.7
Marijuana	16.3	7.9	8.0	8.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.3	15.6	11.3	14.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.1	62.8	56.2	71.0	Were grouchy, irritable, or in a bad mood	41.4	18.5	24.0	19.1
Were victims of mean rumors or lies spread at school	65.5	52.8	49.1	57.3	Had difficulty concentrating on school work	27.1	23.0	17.2	21.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	33.4	23.4	16.5	19.7	Were very sad	25.4	17.7	15.2	14.0
					Felt hopeless about the future	15.5	8.3	7.3	12.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	14.4	6.0	10.8	11.6	Parents involve student in making family decisions	62.6	65.7	63.9	71.2
Made plan about how they would attempt suicide	7.2	1.1	7.3	10.4	Parents notice and comment on student's good work	74.7	82.0	79.8	86.2
Attempted suicide	4.4	0.8	6.7	4.9	Teachers notice and comment on student's good work	68.2	74.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

VERNON COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	8B
POPULATION	
Census 2010	21,159
2016 Estimate	20,723

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	13	27	15
Fatal Crashes	1	2	1
Injury Crashes	6	11	4
Property Damage Crashes	6	14	10
Crash Fatalities	1	3	1
Crash Injuries	7	16	7
Drug Involved Crashes	4	4	3
Fatal Crashes	1	1	1
Injury Crashes	1	1	1
Property Damage Crashes	2	2	1
Crash Fatalities	1	2	1
Crash Injuries	4	1	4

BIRTH RISK	2015	2014	2013
Resident Births	284	260	275
Mother Reported Smoking while Pregnant	65	50	58

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	0	1	3
Hepatitis C Chronic and Acute	11	27	17
Tuberculosis Infection Cases	4	4	7

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	274	269	256
Suicide	2	8	1
Homicide	1	3	0
Alcohol Induced Deaths	5	1	1
Drug Induced Deaths	1	3	5
Smoking Attributable Deaths	47	42	54
Self-inflicted Injuries *	16	23	34
Assault Injuries *	71	64	58

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	189	197	180
Mental Illness Secondary Diagnosis	379	381	408
Alcohol Principal Diagnosis	18	5	6
Alcohol Secondary Diagnosis	32	36	29
Drug Principal Diagnosis	7	10	4
Drug Secondary Diagnosis	39	18	14
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	143	151	167
Mental Illness Secondary Diagnosis	166	171	195
Alcohol Principal Diagnosis	7	7	7
Alcohol Secondary Diagnosis	16	19	12
Drug Principal Diagnosis	7	5	5
Drug Secondary Diagnosis	12	13	12
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	217	188	178
Mental Illness Secondary Diagnosis	623	442	288
Alcohol Principal Diagnosis	39	29	42
Alcohol Secondary Diagnosis	73	41	48
Drug Principal Diagnosis	49	27	33
Drug Secondary Diagnosis	74	50	54

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	20	19	18
Alcohol Package Carry-out Licenses	20	22	24

EMPLOYMENT	2016	2015	2014
Labor Force	9,752	10,000	9,750
Employed	9,270	9,504	9,196
Unemployed	482	496	554
Unemployment Rate	4.9%	5.0%	5.7%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	78	70	92
Liquor Law Arrests	30	16	9
Drug Arrests	86	89	92
Methamphetamine Lab Seizures	0	2	0
Violent Offenses	127	165	114
Domestic Violence Reports	181	182	162
Property Offenses	860	924	849

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	936	950	965
Drop-outs	22	20	31
Drop-out Rate	2.4%	2.1%	3.2%
School Discipline Involving Alcohol	0	3	1
School Discipline Involving Drugs	8	13	12
School Discipline Involving Tobacco	1	1	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	50	74	74
Juvenile Alcohol Offenses	6	11	15
Juvenile Drug Offenses	9	11	5
School Truancy Status Offense	61	67	58
Absent from Home Status Offense	20	17	15
Beyond Parental Control Status Offense	93	58	56
Injurious Behavior Status Offense	22	12	9
Child Abuse	15	39	38
Child Neglect	91	154	91
Child Custody Issues	12	2	14

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	19	31	25
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	7	14	4
Parental Alcohol and Drug Use	0	0	2

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	58	32	26
Probation/Parole Admissions--Drug	63	59	86
Probation/Parole Admissions--DWI	8	16	8
Prison Admissions--Drug	40	25	29
Prison Admissions--DWI	5	2	4

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

VERNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	8	14	7
CSTAR Adolescent	11	5	6
CSTAR Women and Children	14	17	8
CSTAR General Adult	137	149	156
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	19	12	20
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	65	66	82
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	22	19	29
- Weekend Intervention Program	8	17	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	6	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	183	184	194	Alcohol	51	55	69
AGE				Marijuana / Hashish	35	35	43
Under 18	11	7	6	Cocaine (total)	0	0	*
18 to 24	27	24	22	- Crack	0	0	0
25 to 29	32	30	34	Stimulant (total)	82	79	67
30 to 34	34	38	41	- Methamphetamine	58	75	64
35 to 39	25	37	28	Heroin	*	*	*
40 to 44	14	19	18	Analgesic except Heroin	10	11	9
45 to 54	28	24	32	- Non-Prescription Methadone	0	0	0
55 and Over	12	5	13	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	102	113	108	Inhalant	0	0	0
Female	81	71	86	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	178	177	181	Average Age at First Use of Drug	17.8	17.9	17.1
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	34	33	35
Asian / Pacific Islander	0	0	*	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	9	10	7
Other Race / Two or More Races	*	6	7	- Less than Weekly Injection Use	21	21	24
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	65	58	69	0	120	121	112
High School Graduate or G.E.D.	83	102	90	1 or 2	38	45	53
Associate Degree or Some College	33	24	34	3 or More	25	18	29
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	77	52	45
Employed	28	36	49	School	0	0	*
Unemployed	67	66	68	Mental Health Provider	*	*	5
Not in Labor Force	88	82	77	Health Care Provider	18	8	17
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	62	73	83
Independent Living	130	142	157	Other Referral Source	24	44	41
Dependent Living	25	17	17	TREATMENT ACCOMMODATION			
Homeless	17	9	6	Pregnant when Admitted to any Episode	*	*	6
MARITAL / FAMILY STATUS				Military Veteran	*	*	5
Never Married	89	90	84	Special Education Services Needed	11	13	16
Married / Cohabiting	43	62	65	Co-Occurring Psychological Problem	85	103	103
Previously Married	51	32	45	Co-Occurring Developmental Problem	7	6	10

VERNON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 21,159
2016 POPULATION ESTIMATE 20,723

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	14	11	5
Anxiety Disorder	175	147	140
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	43	37	29
Mood Disorder	273	213	204
Personality Disorder	29	30	20
Psychotic Disorder	66	70	72
Sexual Disorder	*	*	*
Other Diagnosis	29	21	12
Diagnosis Unknown	15	11	27

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	373	319	326	Less than High School Diploma	136	102	107
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	16	10	11	Bachelor or Advanced Degree	0	0	0
10 to 13	16	21	13	Education Level Unknown	237	217	219
14 to 17	21	18	18	EMPLOYMENT			
18 to 24	42	32	29	Employed	16	16	18
25 to 29	33	21	38	Unemployed	34	14	16
30 to 34	52	37	38	Not in Labor Force	261	210	216
35 to 39	36	33	33	Employment Status Unknown	62	79	76
40 to 44	28	31	32	HOUSING / LIVING ARRANGEMENT			
45 to 49	31	33	33	Independent Living	181	141	148
50 to 54	48	42	42	Dependent Living	105	95	84
55 to 59	28	19	25	Homeless	20	*	10
60 and Over	21	19	13	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	67	79	84
GENDER				TREATMENT REFERRAL SOURCE			
Male	168	139	138	Self / Family / Friend	270	223	223
Female	205	180	188	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	12	12	19
RACE / ETHNICITY				Health Care Provider	63	52	56
Caucasian	353	306	309	Court / Criminal Justice	14	13	9
African American	6	*	5	Other	13	17	18
Native American / Alaskan	*	*	0	Referral Source Unknown	0	*	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	359	307	316
Other Race	9	7	9	Civil	6	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	*
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	17	11	9	Commitment Type Unknown	*	*	0
Past or Current Military Service	12	11	8				

VERNON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	44.8	35.4	45.9	46.1	Alcohol	21.2	17.2	24.6	22.6
Chewing Tobacco	18.6	10.3	19.3	21.1	Alcohol (5+ drinks on single occasion past 2 weeks)	9.7	8.2		
Cigarettes	27.4	22.0	31.4	28.8	Chewing Tobacco	6.9	6.6	11.2	13.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	0.0	1.1	1.5	Cigarettes	9.2	11.6	18.2	11.7
Cocaine	1.3	0.0	0.9	1.5	Inhalants	1.5	0.4	1.1	2.3
Electronic Cigarettes	26.7	13.0			Marijuana	6.9	3.0	7.0	2.7
Hallucinogens	1.6	0.0	2.2	1.1	Over-the-counter medications for non-medical use	3.1	3.0	4.2	3.6
Heroin	1.0	0.0	0.6	0.6	Prescription medications not prescribed for student	8.5	2.2	8.7	4.9
Inhalants	4.1	2.6	4.5	5.3					
Marijuana	16.6	5.6	15.7	9.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	1.0	0.0	1.1	0.6	Alcohol (1 or 2 drinks daily)	62.9	49.1		
Over-the-counter medications for non-medical use	6.7	5.6	6.2	6.1	Alcohol (Binge: 5+ drinks once or twice a week)	69.1	68.0		
Prescription medications not prescribed for student	13.6	3.7	10.6	8.9	Cigarettes (1+ packs per day)	83.0	80.6		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.4	11.2		Marijuana (once or twice a week)	69.9	78.0		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	91.8	91.8	93.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.62	12.31	12.52	12.18	Alcohol	79.8	80.3	73.3	79.2
Cigarettes	12.07	13.00	13.01	11.93	Cigarettes	92.0	90.6	86.6	90.9
Inhalants	11.51	13.15	13.77	11.63	Marijuana	91.6	97.3	94.6	96.4
Marijuana	13.93	13.50	13.29	13.64					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	52.6	33.5	58.3	59.5	Alcohol	60.3	61.0	52.2	58.6
Cigarettes	34.8	33.0	49.9	45.2	Cigarettes	85.6	85.9	68.3	77.1
Marijuana	35.0	12.0	29.3	25.6	Marijuana	81.9	91.8	79.2	87.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	6.2	15.2	13.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	98.9	94.7	95.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	31.7	25.9	43.0	36.5	Alcohol	54.5	45.5	60.8	59.2
Cigarettes	10.9	10.6	20.7	13.0	Cigarettes	50.8	50.5	57.7	58.7
Marijuana	13.0	6.3	11.2	6.1	Marijuana	39.4	15.7	36.9	31.0
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	5.6	20.7	21.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.6	60.8	64.3	71.4	Were grouchy, irritable, or in a bad mood	34.4	25.1	31.7	28.5
Were victims of mean rumors or lies spread at school	59.0	44.4	54.9	59.3	Had difficulty concentrating on school work	31.5	20.4	26.7	33.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	30.2	13.3	27.1	20.1	Were very sad	25.1	12.0	20.2	22.7
					Felt hopeless about the future	15.9	7.7	10.6	14.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.8	5.5	12.5	11.2	Parents involve student in making family decisions	63.3	70.8	64.4	71.9
Made plan about how they would attempt suicide	13.2	4.0	10.5	8.7	Parents notice and comment on student's good work	79.5	86.0	78.4	84.7
Attempted suicide	7.8	2.2	3.9	5.4	Teachers notice and comment on student's good work	70.1	75.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

WARREN COUNTY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	16
POPULATION	
Census 2010	32,513
2016 Estimate	33,802

BIRTH RISK	2015	2014	2013
Resident Births	431	402	399
Mother Reported Smoking while Pregnant	82	82	104

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	2	0
Hepatitis B Chronic, Acute, Prenatal	0	0	3
Hepatitis C Chronic and Acute	41	45	29
Tuberculosis Infection Cases	2	3	3

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	289	306	273
Suicide	2	5	5
Homicide	5	3	1
Alcohol Induced Deaths	3	0	2
Drug Induced Deaths	11	9	13
Smoking Attributable Deaths	57	66	54
Self-inflicted Injuries *	44	55	45
Assault Injuries *	72	103	93

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	331	252	290
Mental Illness Secondary Diagnosis	622	367	448
Alcohol Principal Diagnosis	27	21	22
Alcohol Secondary Diagnosis	54	43	45
Drug Principal Diagnosis	32	22	26
Drug Secondary Diagnosis	47	27	30
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	224	268	227
Mental Illness Secondary Diagnosis	554	581	550
Alcohol Principal Diagnosis	14	17	13
Alcohol Secondary Diagnosis	59	59	54
Drug Principal Diagnosis	6	12	19
Drug Secondary Diagnosis	32	39	29
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	360	278	294
Mental Illness Secondary Diagnosis	1,151	1,103	1,466
Alcohol Principal Diagnosis	49	45	44
Alcohol Secondary Diagnosis	58	59	49
Drug Principal Diagnosis	73	53	42
Drug Secondary Diagnosis	99	95	158

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	37	33	36
Alcohol Package Carry-out Licenses	25	26	23

EMPLOYMENT	2016	2015	2014
Labor Force	17,525	17,468	17,034
Employed	16,790	16,633	15,974
Unemployed	735	835	1,060
Unemployment Rate	4.2%	4.8%	6.2%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	27	30	24
Fatal Crashes	3	3	0
Injury Crashes	13	12	9
Property Damage Crashes	11	15	14
Crash Fatalities	3	3	0
Crash Injuries	18	17	20
Drug Involved Crashes	10	3	9
Fatal Crashes	1	1	0
Injury Crashes	5	2	5
Property Damage Crashes	4	0	4
Crash Fatalities	1	1	0
Crash Injuries	7	3	6

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	106	92	134
Liquor Law Arrests	17	17	24
Drug Arrests	273	283	222
Methamphetamine Lab Seizures	4	5	24
Violent Offenses	142	136	134
Domestic Violence Reports	394	339	231
Property Offenses	609	718	700

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,406	1,420	1,354
Drop-outs	26	4	13
Drop-out Rate	1.8%	0.3%	1.0%
School Discipline Involving Alcohol	0	0	13
School Discipline Involving Drugs	27	16	18
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	23	31	8
Juvenile Alcohol Offenses	7	6	5
Juvenile Drug Offenses	12	12	11
School Truancy Status Offense	14	15	10
Absent from Home Status Offense	24	33	34
Beyond Parental Control Status Offense	24	30	25
Injurious Behavior Status Offense	82	50	50
Child Abuse	18	39	52
Child Neglect	40	78	69
Child Custody Issues	0	0	2

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	40	41	44
Parental Alcohol Use Related	0	1	2
Parental Drug Use Related	28	13	11
Parental Alcohol and Drug Use	1	1	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	36	26	26
Probation/Parole Admissions--Drug	187	152	157
Probation/Parole Admissions--DWI	21	23	25
Prison Admissions--Drug	99	78	71
Prison Admissions--DWI	9	9	12

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

WARREN COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	22	12	18
CSTAR Adolescent	17	15	14
CSTAR Women and Children	39	29	23
CSTAR General Adult	143	132	121
CSTAR Opioid	7	0	*
Primary Recovery Treatment	5	*	*
Clinical SATOP (CIP, YCIP, SROP)	36	33	43
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	116	127	130
- Adolescent Diversion Education Program	*	5	*
- Offender Education Program	36	45	45
- Weekend Intervention Program	27	20	23
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	*	*
Compulsive Gambling	0	0	*
Recovery Supports	*	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	235	188	182	Alcohol	77	57	74
AGE				Marijuana / Hashish	52	48	40
Under 18	18	15	16	Cocaine (total)	*	*	*
18 to 24	35	25	34	- Crack	*	*	*
25 to 29	41	39	38	Stimulant (total)	32	21	29
30 to 34	36	29	18	- Methamphetamine	32	20	28
35 to 39	26	24	22	Heroin	54	45	30
40 to 44	15	16	16	Analgesic except Heroin	10	10	*
45 to 54	53	30	28	- Non-Prescription Methadone	0	0	0
55 and Over	11	10	10	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	*	*	0
Male	134	117	105	Inhalant	0	0	0
Female	101	71	76	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	211	164	163	Average Age at First Use of Drug	18.0	18.7	17.5
African American	18	14	9	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	57	48	43
Asian / Pacific Islander	*	*	*	- Daily Injection Use	18	12	7
Hispanic	*	*	*	- Weekly Injection Use	14	12	11
Other Race / Two or More Races	*	*	7	- Less than Weekly Injection Use	25	24	25
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	77	62	78	0	151	114	105
High School Graduate or G.E.D.	112	89	74	1 or 2	50	46	42
Associate Degree or Some College	45	37	28	3 or More	34	28	35
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	62	42	49
Employed	85	55	56	School	*	6	*
Unemployed	97	78	84	Mental Health Provider	*	0	*
Not in Labor Force	53	55	42	Health Care Provider	10	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	126	117	96
Independent Living	198	162	151	Other Referral Source	22	14	25
Dependent Living	29	21	23	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	11	*	*
MARITAL / FAMILY STATUS				Military Veteran	10	7	10
Never Married	145	111	105	Special Education Services Needed	16	25	22
Married / Cohabiting	48	45	43	Co-Occurring Psychological Problem	59	47	55
Previously Married	42	32	34	Co-Occurring Developmental Problem	6	6	8

WARREN COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 32,513
2016 POPULATION ESTIMATE 33,802

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	7	*	*
Anxiety Disorder	439	481	379
Dementia	*	*	0
Developmental Disorder	30	33	23
Impulse Control Disorder	216	236	177
Mood Disorder	567	602	508
Personality Disorder	60	65	66
Psychotic Disorder	65	66	56
Sexual Disorder	*	*	*
Other Diagnosis	154	48	30
Diagnosis Unknown	97	22	11

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	790	754	632	Less than High School Diploma	261	274	225
AGE				High School Grad or G.E.D.	0	0	0
Under 6	7	*	5	Associate Degree or Some College	0	0	0
6 to 9	69	65	48	Bachelor or Advanced Degree	0	0	0
10 to 13	72	62	66	Education Level Unknown	529	480	407
14 to 17	100	87	69	EMPLOYMENT			
18 to 24	66	66	48	Employed	67	51	44
25 to 29	53	50	46	Unemployed	33	58	48
30 to 34	68	72	63	Not in Labor Force	389	409	356
35 to 39	68	68	54	Employment Status Unknown	301	236	184
40 to 44	67	56	49	HOUSING / LIVING ARRANGEMENT			
45 to 49	38	56	52	Independent Living	355	316	318
50 to 54	74	69	65	Dependent Living	139	181	111
55 to 59	63	60	40	Homeless	10	8	6
60 and Over	45	40	27	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	286	249	197
GENDER				TREATMENT REFERRAL SOURCE			
Male	342	315	259	Self / Family / Friend	322	348	283
Female	448	439	373	School	72	94	87
Gender Unknown	0	0	0	Mental Health Provider	22	19	27
RACE / ETHNICITY				Health Care Provider	127	104	57
Caucasian	711	675	572	Court / Criminal Justice	10	11	10
African American	33	37	28	Other	237	176	166
Native American / Alaskan	*	*	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	19	17	11	Voluntary	788	747	627
Other Race	22	19	18	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	*	*
Hearing Impaired	25	25	24	Commitment Type Unknown	*	*	*
Past or Current Military Service	21	18	13				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol			50.9	43.3	Alcohol			22.7	19.0
Chewing Tobacco			10.9	10.8	Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes			32.5	26.7	Chewing Tobacco			6.2	5.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			4.2	0.9	Cigarettes			12.9	13.6
Cocaine			3.3	0.9	Inhalants			3.2	1.8
Electronic Cigarettes					Marijuana			12.6	7.5
Hallucinogens			4.6	3.0	Over-the-counter medications for non-medical use			6.0	3.0
Heroin			3.0	0.4	Prescription medications not prescribed for student			5.8	4.6
Inhalants			5.5	5.2					
Marijuana			24.3	16.5	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine			1.6	0.9	Alcohol (1 or 2 drinks daily)				
Over-the-counter medications for non-medical use			10.9	5.8	Alcohol (Binge: 5+ drinks once or twice a week)				
Prescription medications not prescribed for student			9.8	9.7	Cigarettes (1+ packs per day)				
Synthetic drugs (K2, bath salts, Spice, etc)			5.3		Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)			95.4	92.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol			11.85	12.49	Alcohol			70.4	71.9
Cigarettes			11.91	12.24	Cigarettes			87.9	91.5
Inhalants			11.55	13.00	Marijuana			93.4	95.0
Marijuana			13.25	13.76					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol			62.8	63.2	Alcohol			48.3	55.5
Cigarettes			52.4	50.0	Cigarettes			76.4	78.2
Marijuana			52.3	37.4	Marijuana			73.4	81.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			19.9	18.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			94.6	94.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol			41.4	32.6	Alcohol			67.4	64.8
Cigarettes			15.4	15.3	Cigarettes			62.1	61.5
Marijuana			19.7	11.0	Marijuana			46.4	34.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			20.7	17.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others			59.0	68.5	Were grouchy, irritable, or in a bad mood			29.4	24.5
Were victims of mean rumors or lies spread at school			44.8	46.8	Had difficulty concentrating on school work			29.0	31.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet			21.2	13.6	Were very sad			25.8	18.7
					Felt hopeless about the future			16.5	11.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide			17.0	9.8	Parents involve student in making family decisions			57.1	68.1
Made plan about how they would attempt suicide			17.4	8.0	Parents notice and comment on student's good work			72.5	84.4
Attempted suicide			12.2	3.8	Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

WASHINGTON COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	17B
POPULATION	
Census 2010	25,195
2016 Estimate	24,839

BIRTH RISK	2015	2014	2013
Resident Births	312	277	300
Mother Reported Smoking while Pregnant	80	79	104

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	2	1
Hepatitis B Chronic, Acute, Prenatal	4	2	1
Hepatitis C Chronic and Acute	19	42	32
Tuberculosis Infection Cases	1	1	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	294	299	295
Suicide	4	5	8
Homicide	1	0	0
Alcohol Induced Deaths	3	0	1
Drug Induced Deaths	9	9	7
Smoking Attributable Deaths	62	71	68
Self-inflicted Injuries *	27	37	50
Assault Injuries *	109	96	90

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	196	235	263
Mental Illness Secondary Diagnosis	543	500	552
Alcohol Principal Diagnosis	10	5	9
Alcohol Secondary Diagnosis	39	30	31
Drug Principal Diagnosis	30	27	26
Drug Secondary Diagnosis	43	38	33
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	49	60	39
Mental Illness Secondary Diagnosis	301	506	523
Alcohol Principal Diagnosis	4	10	7
Alcohol Secondary Diagnosis	27	47	42
Drug Principal Diagnosis	6	4	10
Drug Secondary Diagnosis	23	25	35
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	302	292	262
Mental Illness Secondary Diagnosis	1,228	1,928	1,836
Alcohol Principal Diagnosis	40	25	39
Alcohol Secondary Diagnosis	65	38	51
Drug Principal Diagnosis	61	61	56
Drug Secondary Diagnosis	73	63	58

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	19	16	17
Alcohol Package Carry-out Licenses	26	24	25

EMPLOYMENT	2016	2015	2014
Labor Force	10,476	10,687	10,450
Employed	9,818	9,980	9,554
Unemployed	658	707	896
Unemployment Rate	6.3%	6.6%	8.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	27	22	27
Fatal Crashes	1	0	1
Injury Crashes	15	14	13
Property Damage Crashes	11	8	18
Crash Fatalities	1	0	1
Crash Injuries	23	19	17
Drug Involved Crashes	5	11	14
Fatal Crashes	0	0	2
Injury Crashes	2	7	4
Property Damage Crashes	3	4	8
Crash Fatalities	0	0	4
Crash Injuries	3	8	8

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	55	59	64
Liquor Law Arrests	3	7	5
Drug Arrests	40	71	44
Methamphetamine Lab Seizures	2	6	12
Violent Offenses	111	71	76
Domestic Violence Reports	101	112	78
Property Offenses	499	468	455

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,045	1,041	1,006
Drop-outs	11	24	23
Drop-out Rate	1.1%	2.3%	2.3%
School Discipline Involving Alcohol	2	0	0
School Discipline Involving Drugs	8	1	1
School Discipline Involving Tobacco	0	1	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	78	54	52
Juvenile Alcohol Offenses	2	3	0
Juvenile Drug Offenses	4	3	4
School Truancy Status Offense	35	70	80
Absent from Home Status Offense	3	1	3
Beyond Parental Control Status Offense	16	12	2
Injurious Behavior Status Offense	43	36	23
Child Abuse	5	11	5
Child Neglect	33	43	38
Child Custody Issues	0	1	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	51	49	46
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	27	27	30
Parental Alcohol and Drug Use	0	0	3

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	31	32	22
Probation/Parole Admissions--Drug	86	70	51
Probation/Parole Admissions--DWI	8	4	6
Prison Admissions--Drug	52	49	42
Prison Admissions--DWI	0	3	5

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

WASHINGTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	20	24	23
CSTAR Adolescent	7	*	*
CSTAR Women and Children	10	*	*
CSTAR General Adult	113	130	101
CSTAR Opioid	*	*	*
Primary Recovery Treatment	7	*	*
Clinical SATOP (CIP, YCIP, SROP)	9	15	9
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	35	65	55
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	11	27	28
- Weekend Intervention Program	9	11	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	155	165	134	Alcohol	31	33	28
AGE				Marijuana / Hashish	29	34	29
Under 18	8	6	*	Cocaine (total)	0	*	*
18 to 24	27	22	23	- Crack	0	*	0
25 to 29	25	37	25	Stimulant (total)	42	45	28
30 to 34	31	28	36	- Methamphetamine	41	42	26
35 to 39	22	19	13	Heroin	10	19	12
40 to 44	7	13	15	Analgesic except Heroin	32	27	30
45 to 54	22	31	14	- Non-Prescription Methadone	0	0	0
55 and Over	13	9	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	5	*	*
Male	83	91	75	Inhalant	0	0	0
Female	72	74	59	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	151	156	130	Average Age at First Use of Drug	20.0	19.7	18.6
African American	*	6	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	35	45	26
Asian / Pacific Islander	0	0	0	- Daily Injection Use	10	15	11
Hispanic	*	*	*	- Weekly Injection Use	11	9	8
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	14	21	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	64	65	52	0	110	105	81
High School Graduate or G.E.D.	65	80	64	1 or 2	37	44	38
Associate Degree or Some College	26	20	18	3 or More	8	16	15
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	57	56	46
Employed	29	27	28	School	0	0	0
Unemployed	32	57	57	Mental Health Provider	*	0	0
Not in Labor Force	94	81	49	Health Care Provider	13	31	14
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	57	55	60
Independent Living	141	152	125	Other Referral Source	25	19	13
Dependent Living	13	6	6	TREATMENT ACCOMMODATION			
Homeless	*	5	*	Pregnant when Admitted to any Episode	*	*	5
MARITAL / FAMILY STATUS				Military Veteran	7	9	7
Never Married	72	66	75	Special Education Services Needed	12	22	16
Married / Cohabiting	47	56	46	Co-Occurring Psychological Problem	47	84	68
Previously Married	36	43	13	Co-Occurring Developmental Problem	7	7	*

WASHINGTON COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17B
CENSUS 2010 25,195
2016 POPULATION ESTIMATE 24,839

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	*	*
Anxiety Disorder	43	59	54
Dementia	0	0	*
Developmental Disorder	6	5	6
Impulse Control Disorder	29	30	31
Mood Disorder	108	112	130
Personality Disorder	16	10	10
Psychotic Disorder	51	49	50
Sexual Disorder	0	0	0
Other Diagnosis	7	6	5
Diagnosis Unknown	18	28	21

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	225	249	257	Less than High School Diploma	71	54	73
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	*	*	Associate Degree or Some College	0	0	0
6 to 9	13	15	17	Bachelor or Advanced Degree	0	0	0
10 to 13	17	16	13	Education Level Unknown	154	195	184
14 to 17	18	20	21	EMPLOYMENT			
18 to 24	16	27	30	Employed	9	7	7
25 to 29	17	18	18	Unemployed	8	*	*
30 to 34	21	20	30	Not in Labor Force	127	106	130
35 to 39	19	22	16	Employment Status Unknown	81	132	118
40 to 44	17	17	22	HOUSING / LIVING ARRANGEMENT			
45 to 49	27	25	20	Independent Living	47	40	43
50 to 54	22	22	20	Dependent Living	88	78	91
55 to 59	19	28	28	Homeless	0	*	*
60 and Over	18	17	21	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	90	129	121
GENDER				TREATMENT REFERRAL SOURCE			
Male	108	121	134	Self / Family / Friend	45	60	76
Female	117	128	123	School	5	10	7
Gender Unknown	0	0	0	Mental Health Provider	43	41	33
RACE / ETHNICITY				Health Care Provider	66	78	68
Caucasian	209	234	245	Court / Criminal Justice	11	14	24
African American	5	7	7	Other	54	45	48
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	0	Voluntary	221	244	249
Other Race	7	7	5	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	5
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	10	13	14	Commitment Type Unknown	*	*	*
Past or Current Military Service	6	11	15				

WASHINGTON COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	48.1		36.3	50.1	Alcohol	19.1		15.3	26.5
Chewing Tobacco	19.8		17.4	23.3	Alcohol (5+ drinks on single occasion past 2 weeks)	10.4			
Cigarettes	23.8		22.5	35.8	Chewing Tobacco	6.8		9.9	13.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8		1.0	2.2	Cigarettes	10.2		8.6	18.6
Cocaine	0.5		0.5	1.4	Inhalants	1.0		2.3	3.3
Electronic Cigarettes	37.9				Marijuana	6.0		4.7	10.1
Hallucinogens	2.1		1.0	3.5	Over-the-counter medications for non-medical use	2.6		3.9	6.1
Heroin	0.5		0.8	1.0	Prescription medications not prescribed for student	12.5		4.4	7.8
Inhalants	4.7		5.2	8.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	15.7		11.1	15.6	Alcohol (1 or 2 drinks daily)	60.5			
Methamphetamine	0.3		1.3	2.3	Alcohol (Binge: 5+ drinks once or twice a week)	73.4			
Over-the-counter medications for non-medical use	7.0		6.5	9.4	Cigarettes (1+ packs per day)	79.8			
Prescription medications not prescribed for student	16.5		8.5	15.0	Marijuana (once or twice a week)	67.0			
Synthetic drugs (K2, bath salts, Spice, etc)	1.8		5.2		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8		93.0	92.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.42		11.92	12.13	Alcohol	74.4		80.2	73.4
Cigarettes	12.28		11.60	11.53	Cigarettes	88.1		94.0	87.0
Inhalants	11.37		11.68	12.51	Marijuana	89.8		95.5	91.6
Marijuana	13.95		13.16	13.17	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	62.0		65.5	53.6
Alcohol	58.6		46.1	63.4	Cigarettes	83.8		85.6	76.2
Cigarettes	38.1		37.1	48.6	Marijuana	80.0		88.7	81.4
Marijuana	43.5		25.7	33.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5		97.4	94.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7		11.0	12.4	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	61.0		45.3	59.4
Alcohol	30.3		26.1	42.4	Cigarettes	51.9		44.5	56.7
Cigarettes	10.0		10.9	17.4	Marijuana	44.4		23.5	34.8
Marijuana	14.4		7.0	14.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.6		11.9	18.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.4		61.6	71.5	Were grouchy, irritable, or in a bad mood	42.1		27.5	27.3
Were victims of mean rumors or lies spread at school	53.5		51.4	61.4	Had difficulty concentrating on school work	36.1		24.2	29.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	31.6		19.8	20.3	Were very sad	27.5		20.8	25.8
					Felt hopeless about the future	16.8		10.9	13.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.2		11.5	15.7	Parents involve student in making family decisions	66.8		66.2	67.1
Made plan about how they would attempt suicide	9.9		7.6	11.6	Parents notice and comment on student's good work	84.3		82.4	84.5
Attempted suicide	7.0		5.2	7.6	Teachers notice and comment on student's good work	75.1			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

WAYNE COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	19
POPULATION	
Census 2010	13,521
2016 Estimate	13,139

BIRTH RISK	2015	2014	2013
Resident Births	151	116	157
Mother Reported Smoking while Pregnant	49	35	55

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	1
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	20	17	10
Tuberculosis Infection Cases	0	4	2

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	199	192	217
Suicide	2	6	3
Homicide	1	0	1
Alcohol Induced Deaths	1	2	3
Drug Induced Deaths	3	9	3
Smoking Attributable Deaths	42	41	46
Self-inflicted Injuries *	20	23	15
Assault Injuries *	35	38	21

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	118	109	126
Mental Illness Secondary Diagnosis	348	284	313
Alcohol Principal Diagnosis	6	8	10
Alcohol Secondary Diagnosis	37	27	30
Drug Principal Diagnosis	11	7	7
Drug Secondary Diagnosis	33	15	13
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	29	39	30
Mental Illness Secondary Diagnosis	269	323	346
Alcohol Principal Diagnosis	8	9	9
Alcohol Secondary Diagnosis	22	22	18
Drug Principal Diagnosis	2	7	6
Drug Secondary Diagnosis	18	11	5
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	138	118	134
Mental Illness Secondary Diagnosis	292	225	358
Alcohol Principal Diagnosis	11	11	13
Alcohol Secondary Diagnosis	21	25	15
Drug Principal Diagnosis	21	18	11
Drug Secondary Diagnosis	34	15	13

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	23	19	18
Alcohol Package Carry-out Licenses	22	21	23

EMPLOYMENT	2016	2015	2014
Labor Force	5,738	5,804	5,550
Employed	5,431	5,466	5,135
Unemployed	307	338	415
Unemployment Rate	5.4%	5.8%	7.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	20	21	19
Fatal Crashes	0	0	0
Injury Crashes	12	13	11
Property Damage Crashes	8	8	10
Crash Fatalities	0	0	0
Crash Injuries	18	18	23
Drug Involved Crashes	10	6	9
Fatal Crashes	1	1	0
Injury Crashes	8	4	6
Property Damage Crashes	1	1	3
Crash Fatalities	1	1	0
Crash Injuries	9	5	7

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	55	81	81
Liquor Law Arrests	9	13	4
Drug Arrests	219	234	189
Methamphetamine Lab Seizures	1	1	3
Violent Offenses	23	60	31
Domestic Violence Reports	55	60	34
Property Offenses	281	224	270

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	538	516	500
Drop-outs	12	10	8
Drop-out Rate	2.2%	1.9%	1.6%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	7	2	9
School Discipline Involving Tobacco	1	2	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	3	3	6
Juvenile Alcohol Offenses	0	0	1
Juvenile Drug Offenses	0	7	4
School Truancy Status Offense	3	0	1
Absent from Home Status Offense	0	1	0
Beyond Parental Control Status Offense	12	0	10
Injurious Behavior Status Offense	8	0	0
Child Abuse	22	1	0
Child Neglect	178	254	109
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	16	20	19
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	6	10	9
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	40	29	27
Probation/Parole Admissions--Drug	107	57	48
Probation/Parole Admissions--DWI	9	8	5
Prison Admissions--Drug	36	19	18
Prison Admissions--DWI	5	2	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

WAYNE COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	11	*	12
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	75	88	72
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	9
Clinical SATOP (CIP, YCIP, SROP)	11	13	16
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	40	46	49
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	17	12	13
- Weekend Intervention Program	*	10	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	*	0	0
Recovery Supports	*	*	29
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	93	105	110	Alcohol	25	29	34
AGE				Marijuana / Hashish	19	38	37
Under 18	*	*	*	Cocaine (total)	0	*	*
18 to 24	16	16	12	- Crack	0	0	*
25 to 29	13	18	16	Stimulant (total)	29	25	21
30 to 34	16	18	31	- Methamphetamine	29	24	21
35 to 39	18	18	11	Heroin	5	*	6
40 to 44	11	9	13	Analgesic except Heroin	13	6	9
45 to 54	10	18	15	- Non-Prescription Methadone	0	*	0
55 and Over	8	7	9	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	58	67	74	Inhalant	0	0	0
Female	35	38	36	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	89	102	105	Average Age at First Use of Drug	19.9	18.4	18.3
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	10	9	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	5	*	0	- Weekly Injection Use	5	0	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	*	7	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	34	37	44	0	55	59	62
High School Graduate or G.E.D.	45	48	56	1 or 2	32	31	34
Associate Degree or Some College	14	20	10	3 or More	6	15	14
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	26	20	27
Employed	21	33	27	School	0	0	0
Unemployed	48	35	53	Mental Health Provider	0	*	0
Not in Labor Force	24	37	30	Health Care Provider	6	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	47	63	65
Independent Living	87	93	97	Other Referral Source	10	10	12
Dependent Living	*	*	11	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	6	7
Never Married	32	46	44	Special Education Services Needed	10	16	11
Married / Cohabiting	31	34	36	Co-Occurring Psychological Problem	39	48	51
Previously Married	30	25	30	Co-Occurring Developmental Problem	*	*	7

WAYNE COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 13,521
2016 POPULATION ESTIMATE 13,139

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	*	5	8
Anxiety Disorder	33	29	32
Dementia	*	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	6	10	*
Mood Disorder	134	129	148
Personality Disorder	*	*	*
Psychotic Disorder	31	30	31
Sexual Disorder	0	0	0
Other Diagnosis	*	*	0
Diagnosis Unknown	*	7	12

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	199	193	215	Less than High School Diploma	73	81	72
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	*	6	*	Bachelor or Advanced Degree	0	0	0
10 to 13	8	8	7	Education Level Unknown	126	112	143
14 to 17	5	5	*	EMPLOYMENT			
18 to 24	6	5	5	Employed	*	*	10
25 to 29	10	13	16	Unemployed	7	7	9
30 to 34	8	10	19	Not in Labor Force	150	150	147
35 to 39	17	18	16	Employment Status Unknown	39	32	49
40 to 44	21	20	18	HOUSING / LIVING ARRANGEMENT			
45 to 49	22	23	33	Independent Living	139	134	138
50 to 54	34	32	33	Dependent Living	20	24	25
55 to 59	25	21	24	Homeless	0	0	0
60 and Over	41	32	37	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	40	35	52
GENDER				TREATMENT REFERRAL SOURCE			
Male	74	74	81	Self / Family / Friend	80	68	77
Female	125	119	134	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	24	28	34
RACE / ETHNICITY				Health Care Provider	55	43	46
Caucasian	192	190	209	Court / Criminal Justice	12	23	26
African American	0	0	*	Other	27	28	30
Native American / Alaskan	*	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	0	*	Voluntary	197	191	211
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	14	14	12	Commitment Type Unknown	*	0	0
Past or Current Military Service	6	*	5				

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	47.0		49.7	49.1	Alcohol	17.2		18.3	21.5
Chewing Tobacco	19.6		28.9	23.3	Alcohol (5+ drinks on single occasion past 2 weeks)	8.0			
Cigarettes	32.5		39.4	33.6	Chewing Tobacco	12.6		14.4	12.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0		4.5	1.3	Cigarettes	13.5		22.5	16.5
Cocaine	0.5		4.5	0.9	Inhalants	2.0		2.2	1.3
Electronic Cigarettes	31.5				Marijuana	8.5		11.7	7.4
Hallucinogens	3.1		7.2	3.0	Over-the-counter medications for non-medical use	2.5		4.4	3.0
Heroin	0.0		2.3	0.4	Prescription medications not prescribed for student	8.0		8.3	8.6
Inhalants	6.1		7.8	7.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	18.1		23.9	14.4	Alcohol (1 or 2 drinks daily)	61.6			
Methamphetamine	1.0		3.4	1.3	Alcohol (Binge: 5+ drinks once or twice a week)	71.1			
Over-the-counter medications for non-medical use	7.0		7.2	7.0	Cigarettes (1+ packs per day)	79.8			
Prescription medications not prescribed for student	13.1		13.9	12.1	Marijuana (once or twice a week)	64.6			
Synthetic drugs (K2, bath salts, Spice, etc)	3.0		9.4		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3		92.1	92.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.54		11.99	12.48	Alcohol	83.6		71.5	76.4
Cigarettes	11.45		11.88	11.60	Cigarettes	90.9		85.5	87.5
Inhalants	11.84		11.01	11.95	Marijuana	91.1		86.0	92.2
Marijuana	13.24		12.18	13.42	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	62.1		49.7	54.5
Alcohol	50.8		58.7	63.6	Cigarettes	81.4		65.6	67.7
Cigarettes	45.4		58.1	56.4	Marijuana	79.2		72.9	80.3
Marijuana	37.6		46.6	32.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0		92.1	94.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0		19.0	17.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	45.1		60.0	55.0
Alcohol	33.0		44.4	33.3	Cigarettes	45.6		58.3	59.1
Cigarettes	15.5		27.9	18.1	Marijuana	37.5		44.9	31.9
Marijuana	12.6		18.5	8.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5		23.0	16.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.5		58.1	65.0	Were grouchy, irritable, or in a bad mood	27.0		31.3	25.3
Were victims of mean rumors or lies spread at school	51.3		56.7	62.2	Had difficulty concentrating on school work	23.0		29.5	35.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.1		21.5	17.0	Were very sad	21.8		19.4	16.7
					Felt hopeless about the future	11.5		10.7	7.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.6		15.6	9.4	Parents involve student in making family decisions	70.1		65.4	74.8
Made plan about how they would attempt suicide	9.6		9.8	7.7	Parents notice and comment on student's good work	85.8		77.1	86.6
Attempted suicide	6.5		6.1	5.1	Teachers notice and comment on student's good work	79.5			

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

WEBSTER COUNTY



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	10
POPULATION	
Census 2010	36,202
2016 Estimate	38,106

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	24	26	30
Fatal Crashes	2	1	0
Injury Crashes	11	7	10
Property Damage Crashes	11	18	14
Crash Fatalities	2	2	0
Crash Injuries	17	8	24
Drug Involved Crashes	6	10	9
Fatal Crashes	0	0	0
Injury Crashes	3	4	6
Property Damage Crashes	3	6	3
Crash Fatalities	0	0	0
Crash Injuries	4	5	11

BIRTH RISK	2015	2014	2013
Resident Births	566	544	539
Mother Reported Smoking while Pregnant	72	82	76

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	8	3	8
Hepatitis C Chronic and Acute	26	52	29
Tuberculosis Infection Cases	6	3	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	355	313	309
Suicide	14	7	5
Homicide	0	2	0
Alcohol Induced Deaths	3	0	3
Drug Induced Deaths	12	6	4
Smoking Attributable Deaths	56	54	55
Self-inflicted Injuries *	40	55	43
Assault Injuries *	80	67	60

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	208	148	146
Mental Illness Secondary Diagnosis	451	297	269
Alcohol Principal Diagnosis	22	4	2
Alcohol Secondary Diagnosis	23	7	11
Drug Principal Diagnosis	18	12	17
Drug Secondary Diagnosis	51	17	15
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	162	158	148
Mental Illness Secondary Diagnosis	521	710	658
Alcohol Principal Diagnosis	46	48	42
Alcohol Secondary Diagnosis	39	51	31
Drug Principal Diagnosis	20	40	49
Drug Secondary Diagnosis	51	67	53
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	282	216	201
Mental Illness Secondary Diagnosis	1,485	1,218	1,131
Alcohol Principal Diagnosis	68	42	61
Alcohol Secondary Diagnosis	43	41	35
Drug Principal Diagnosis	70	79	74
Drug Secondary Diagnosis	82	90	90

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	10	8	7
Alcohol Package Carry-out Licenses	29	27	27

EMPLOYMENT	2016	2015	2014
Labor Force	16,937	16,763	16,273
Employed	16,103	15,919	15,301
Unemployed	834	844	972
Unemployment Rate	4.9%	5.0%	6.0%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	84	97	114
Liquor Law Arrests	11	15	18
Drug Arrests	296	335	321
Methamphetamine Lab Seizures	2	2	14
Violent Offenses	61	106	73
Domestic Violence Reports	163	170	179
Property Offenses	662	712	684

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	1,413	1,410	1,358
Drop-outs	15	17	16
Drop-out Rate	1.1%	1.2%	1.2%
School Discipline Involving Alcohol	6	4	5
School Discipline Involving Drugs	6	6	11
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	56	53	64
Juvenile Alcohol Offenses	14	4	14
Juvenile Drug Offenses	8	15	19
School Truancy Status Offense	9	10	9
Absent from Home Status Offense	13	12	8
Beyond Parental Control Status Offense	6	11	15
Injurious Behavior Status Offense	14	27	8
Child Abuse	21	46	30
Child Neglect	93	94	109
Child Custody Issues	1	0	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	37	30	40
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	14	11	23
Parental Alcohol and Drug Use	1	1	2

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	18	18	17
Probation/Parole Admissions--Drug	108	103	86
Probation/Parole Admissions--DWI	6	9	4
Prison Admissions--Drug	53	42	34
Prison Admissions--DWI	1	2	6

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

WEBSTER COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	36	25	22
CSTAR Adolescent	9	8	8
CSTAR Women and Children	20	10	16
CSTAR General Adult	84	64	66
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	20	21
Clinical SATOP (CIP, YCIP, SROP)	28	16	19
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	83	77	97
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	25	28	30
- Weekend Intervention Program	12	15	21
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	*
Compulsive Gambling	0	0	0
Recovery Supports	19	9	18
Early Intervention	5	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	164	137	122	Alcohol	53	41	46
AGE				Marijuana / Hashish	20	21	21
Under 18	8	8	8	Cocaine (total)	0	*	0
18 to 24	27	31	23	- Crack	0	0	0
25 to 29	36	19	21	Stimulant (total)	62	53	34
30 to 34	27	26	24	- Methamphetamine	60	52	32
35 to 39	22	14	15	Heroin	7	*	6
40 to 44	12	7	13	Analgesic except Heroin	17	17	12
45 to 54	24	25	12	- Non-Prescription Methadone	*	*	0
55 and Over	8	7	6	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	0	*
Male	108	87	83	Inhalant	0	0	0
Female	56	50	39	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	160	130	117	Average Age at First Use of Drug	18.5	18.6	16.9
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	42	38	26
Asian / Pacific Islander	0	*	0	- Daily Injection Use	13	10	7
Hispanic	*	*	0	- Weekly Injection Use	7	8	7
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	22	20	12
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	64	48	42	0	94	89	63
High School Graduate or G.E.D.	72	66	62	1 or 2	43	31	38
Associate Degree or Some College	28	23	18	3 or More	27	17	21
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	67	43	36
Employed	65	34	35	School	*	0	0
Unemployed	53	49	39	Mental Health Provider	0	0	0
Not in Labor Force	46	54	48	Health Care Provider	11	7	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	75	72	66
Independent Living	143	114	98	Other Referral Source	10	15	13
Dependent Living	14	13	15	TREATMENT ACCOMMODATION			
Homeless	*	*	5	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	*	6
Never Married	66	61	55	Special Education Services Needed	11	13	8
Married / Cohabiting	54	44	44	Co-Occurring Psychological Problem	64	46	45
Previously Married	44	32	23	Co-Occurring Developmental Problem	*	*	6

WEBSTER COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 36,202
2016 POPULATION ESTIMATE 38,106

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	6	7	10
Anxiety Disorder	154	119	105
Dementia	0	*	*
Developmental Disorder	*	10	11
Impulse Control Disorder	37	28	32
Mood Disorder	172	166	143
Personality Disorder	35	32	22
Psychotic Disorder	39	39	37
Sexual Disorder	0	0	0
Other Diagnosis	49	45	48
Diagnosis Unknown	13	17	12

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	248	236	219	Less than High School Diploma	89	71	50
AGE				High School Grad or G.E.D.	0	0	0
Under 6	8	7	15	Associate Degree or Some College	0	0	0
6 to 9	25	19	17	Bachelor or Advanced Degree	0	0	0
10 to 13	18	24	24	Education Level Unknown	159	165	169
14 to 17	15	16	16	EMPLOYMENT			
18 to 24	18	20	22	Employed	25	6	*
25 to 29	12	16	8	Unemployed	13	13	*
30 to 34	18	15	19	Not in Labor Force	141	110	75
35 to 39	25	18	13	Employment Status Unknown	69	107	139
40 to 44	27	14	13	HOUSING / LIVING ARRANGEMENT			
45 to 49	24	27	18	Independent Living	95	70	31
50 to 54	22	19	16	Dependent Living	76	51	46
55 to 59	22	27	23	Homeless	*	*	*
60 and Over	14	14	15	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	76	111	139
GENDER				TREATMENT REFERRAL SOURCE			
Male	110	95	98	Self / Family / Friend	139	124	111
Female	138	141	121	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	5	6	6
RACE / ETHNICITY				Health Care Provider	40	35	30
Caucasian	229	223	207	Court / Criminal Justice	5	11	11
African American	0	*	0	Other	57	57	58
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	5	*	*	Voluntary	245	231	214
Other Race	14	10	10	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	9	8	8	Commitment Type Unknown	*	*	*
Past or Current Military Service	12	8	10				

WEBSTER COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.5	34.3	38.2	45.6	Alcohol	19.4	15.2	14.7	19.1
Chewing Tobacco	20.0	18.5	20.9	22.8	Alcohol (5+ drinks on single occasion past 2 weeks)	5.7	9.6		
Cigarettes	34.1	24.6	24.4	30.0	Chewing Tobacco	15.5	7.2	9.1	13.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	2.8	0.9	2.1	Cigarettes	15.4	8.5	10.1	14.7
Cocaine	1.8	1.1	0.0	1.3	Inhalants	0.5	2.6	4.2	3.1
Electronic Cigarettes	26.4	17.7			Marijuana	3.3	9.1	6.9	7.0
Hallucinogens	1.2	3.9	1.5	3.7	Over-the-counter medications for non-medical use	0.8	1.7	1.5	6.4
Heroin	0.3	1.1	0.0	0.3	Prescription medications not prescribed for student	13.3	2.9	3.7	8.7
Inhalants	3.2	4.8	9.1	7.9					
Marijuana	17.9	21.1	15.8	13.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7	1.1	0.0	0.7	Alcohol (1 or 2 drinks daily)	62.9	64.1		
Over-the-counter medications for non-medical use	11.5	3.7	4.8	10.5	Alcohol (Binge: 5+ drinks once or twice a week)	50.0	78.5		
Prescription medications not prescribed for student	9.3	9.5	11.2	14.5	Cigarettes (1+ packs per day)	72.0	85.6		
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	6.4	8.0		Marijuana (once or twice a week)	58.8	71.7		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	85.5	93.0	93.2	94.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.13	13.21	12.53	12.48	Alcohol	88.5	83.3	84.5	78.6
Cigarettes	13.16	13.06	11.54	12.08	Cigarettes	85.8	92.2	94.7	88.7
Inhalants	13.88	13.60	12.74	11.94	Marijuana	93.5	93.9	92.6	93.9
Marijuana	14.44	14.38	12.13	13.27					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	66.1	44.1	56.5	61.8	Alcohol	59.2	60.8	63.0	59.3
Cigarettes	61.7	35.7	51.0	51.7	Cigarettes	72.2	77.2	81.4	76.6
Marijuana	55.1	29.2	32.4	37.7	Marijuana	70.8	77.1	84.6	85.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.0	9.3	14.5	19.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	89.3	93.7	99.2	94.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	22.6	24.6	28.8	33.3	Alcohol	69.2	48.5	49.5	60.6
Cigarettes	16.0	12.1	11.0	16.5	Cigarettes	74.7	50.0	47.1	62.6
Marijuana	15.9	16.7	12.3	10.9	Marijuana	52.0	36.8	25.1	40.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.7	17.8	10.7	23.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	45.8	56.7	68.7	68.5	Were grouchy, irritable, or in a bad mood	39.4	29.9	25.9	28.5
Were victims of mean rumors or lies spread at school	38.9	52.4	56.5	54.9	Had difficulty concentrating on school work	45.1	22.8	26.2	29.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.5	17.8	21.4	18.9	Were very sad	26.4	23.0	20.9	21.0
					Felt hopeless about the future	20.8	13.3	11.2	14.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	16.8	12.0	14.5	14.8	Parents involve student in making family decisions	55.6	66.5	63.7	69.8
Made plan about how they would attempt suicide	15.8	8.5	9.9	10.4	Parents notice and comment on student's good work	71.4	75.2	82.9	82.1
Attempted suicide	11.0	5.2	7.3	6.0	Teachers notice and comment on student's good work	73.8	70.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

WORTH COUNTY



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	1
POPULATION	
Census 2010	2,171
2016 Estimate	2,024

BIRTH RISK	2015	2014	2013
Resident Births	18	23	22
Mother Reported Smoking while Pregnant	9	7	5

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	0	0
Hepatitis B Chronic, Acute, Prenatal	0	0	0
Hepatitis C Chronic and Acute	1	1	2
Tuberculosis Infection Cases	0	0	0

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	31	31	32
Suicide	0	0	0
Homicide	0	0	0
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	1
Smoking Attributable Deaths	4	7	4
Self-inflicted Injuries *	0	2	2
Assault Injuries *	0	4	5

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	13	11	13
Mental Illness Secondary Diagnosis	40	33	40
Alcohol Principal Diagnosis	3	0	0
Alcohol Secondary Diagnosis	7	1	3
Drug Principal Diagnosis	0	0	0
Drug Secondary Diagnosis	3	0	2
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	4	12	7
Mental Illness Secondary Diagnosis	22	20	14
Alcohol Principal Diagnosis	1	0	0
Alcohol Secondary Diagnosis	2	0	3
Drug Principal Diagnosis	0	0	1
Drug Secondary Diagnosis	1	1	3
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	15	15	12
Mental Illness Secondary Diagnosis	72	78	59
Alcohol Principal Diagnosis	4	2	1
Alcohol Secondary Diagnosis	3	4	2
Drug Principal Diagnosis	1	0	0
Drug Secondary Diagnosis	3	1	5

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	2	2	2
Alcohol Package Carry-out Licenses	4	4	4

EMPLOYMENT	2016	2015	2014
Labor Force	1,234	1,240	1,323
Employed	1,197	1,200	1,270
Unemployed	37	40	53
Unemployment Rate	3.0%	3.2%	4.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	1	3	2
Fatal Crashes	0	1	0
Injury Crashes	1	2	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	1	0
Crash Injuries	1	5	0
Drug Involved Crashes	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	19	6	12
Liquor Law Arrests	6	2	6
Drug Arrests	15	7	9
Methamphetamine Lab Seizures	0	0	0
Violent Offenses	3	2	2
Domestic Violence Reports	5	11	4
Property Offenses	8	29	46

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	110	113	96
Drop-outs	1	2	3
Drop-out Rate	0.9%	1.8%	3.1%
School Discipline Involving Alcohol	0	0	0
School Discipline Involving Drugs	0	0	0
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	3	0	0
Juvenile Alcohol Offenses	4	1	1
Juvenile Drug Offenses	1	0	0
School Truancy Status Offense	0	1	0
Absent from Home Status Offense	0	0	0
Beyond Parental Control Status Offense	10	0	1
Injurious Behavior Status Offense	4	1	0
Child Abuse	0	0	0
Child Neglect	3	4	13
Child Custody Issues	0	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	2	0	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	0	6
Parental Alcohol and Drug Use	0	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	0	0	0
Probation/Parole Admissions--Drug	6	1	8
Probation/Parole Admissions--DWI	1	2	0
Prison Admissions--Drug	3	1	4
Prison Admissions--DWI	1	1	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

WORTH COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	*	0	*
CSTAR Adolescent	*	0	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	9	6	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	6
Clinical SATOP (CIP, YCIP, SROP)	0	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	7	6	6
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	0	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

	FY2016	FY2015	FY2014		FY2016	FY2015	FY2014
NUMBER ADMITTED				PRIMARY DRUG PROBLEM			
Total Individuals	9	8	6	Alcohol	*	*	*
AGE				Marijuana / Hashish	*	*	*
Under 18	*	0	0	Cocaine (total)	0	0	0
18 to 24	*	5	0	- Crack	0	0	0
25 to 29	*	*	0	Stimulant (total)	*	*	*
30 to 34	*	0	*	- Methamphetamine	*	*	*
35 to 39	0	*	*	Heroin	0	0	0
40 to 44	0	0	0	Analgesic except Heroin	*	*	0
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	0	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	*	*	*	Inhalant	0	0	0
Female	6	*	*	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	9	8	6	Average Age at First Use of Drug	20.3	17.0	17.0
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	0	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	*	*	0	8	7	*
High School Graduate or G.E.D.	*	*	*	1 or 2	*	*	*
Associate Degree or Some College	*	0	*	3 or More	0	0	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	*	0
Employed	*	*	*	School	0	0	0
Unemployed	0	*	*	Mental Health Provider	0	0	0
Not in Labor Force	8	*	0	Health Care Provider	0	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	6	5	5
Independent Living	8	8	*	Other Referral Source	*	*	*
Dependent Living	*	0	0	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	0	0
Never Married	8	6	0	Special Education Services Needed	0	0	0
Married / Cohabiting	*	*	*	Co-Occurring Psychological Problem	*	*	*
Previously Married	0	*	*	Co-Occurring Developmental Problem	*	0	0

WORTH COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 2,171
2016 POPULATION ESTIMATE 2,024

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	0	0	0
Anxiety Disorder	7	9	11
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	7	9
Mood Disorder	13	17	13
Personality Disorder	*	*	*
Psychotic Disorder	0	0	0
Sexual Disorder	*	*	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	*	0

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	16	24	18	Less than High School Diploma	6	12	7
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	0	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	10	12	11
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	0
25 to 29	*	*	0	Unemployed	*	7	*
30 to 34	0	*	*	Not in Labor Force	8	16	14
35 to 39	*	0	0	Employment Status Unknown	*	0	*
40 to 44	*	*	*	HOUSING / LIVING ARRANGEMENT			
45 to 49	*	*	*	Independent Living	9	15	9
50 to 54	*	*	*	Dependent Living	*	8	6
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	*	*	*
GENDER				TREATMENT REFERRAL SOURCE			
Male	*	6	*	Self / Family / Friend	6	6	*
Female	12	18	15	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
RACE / ETHNICITY				Health Care Provider	*	6	*
Caucasian	16	24	18	Court / Criminal Justice	0	*	0
African American	0	0	0	Other	*	5	6
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	0	0	0	Voluntary	16	24	18
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	*	0				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
Percent of students who have ever used:					Percent of students who, in past 30 days, used:				
Alcohol					Alcohol				
Chewing Tobacco					Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes					Chewing Tobacco				
Club drugs (Ecstasy, GHB, roofie, Special K, etc)					Cigarettes				
Cocaine					Inhalants				
Electronic Cigarettes					Marijuana				
Hallucinogens					Over-the-counter medications for non-medical use				
Heroin					Prescription medications not prescribed for student				
Inhalants									
Marijuana					Percent who believe they risk harm if they use:				
Methamphetamine					Alcohol (1 or 2 drinks daily)				
Over-the-counter medications for non-medical use					Alcohol (Binge: 5+ drinks once or twice a week)				
Prescription medications not prescribed for student					Cigarettes (1+ packs per day)				
Synthetic drugs (K2, bath salts, Spice, etc)					Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)				
Among students who have ever used, average age of first use of:					Percent whose parents would disapprove if they use:				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Inhalants					Marijuana				
Marijuana									
Percent whose friends used in past 12 months:					Percent who say it would be wrong to use:				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
Percent who would likely use, if offered by a best friend:					Percent who say it would be easy to obtain:				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
Percent of students who, in past 3 months:					Percent of students who, in past 30 days:				
Were emotionally bullied or made fun of by others					Were grouchy, irritable, or in a bad mood				
Were victims of mean rumors or lies spread at school					Had difficulty concentrating on school work				
Were victims of an embarrassing or hurtful text message or something posted on the Internet					Were very sad				
					Felt hopeless about the future				
Percent of students who, in past 12 months:					Percent of students who say that:				
Seriously considered attempting suicide					Parents involve student in making family decisions				
Made plan about how they would attempt suicide					Parents notice and comment on student's good work				
Attempted suicide					Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

WRIGHT COUNTY



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	18
POPULATION	
Census 2010	18,815
2016 Estimate	18,286

BIRTH RISK	2015	2014	2013
Resident Births	228	255	245
Mother Reported Smoking while Pregnant	56	74	70

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	0	1	0
Hepatitis B Chronic, Acute, Prenatal	1	3	2
Hepatitis C Chronic and Acute	15	21	12
Tuberculosis Infection Cases	0	2	1

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	210	242	208
Suicide	2	4	6
Homicide	0	1	0
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	2	0	0
Smoking Attributable Deaths	40	48	39
Self-inflicted Injuries *	15	18	34
Assault Injuries *	35	30	30

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	164	146	175
Mental Illness Secondary Diagnosis	311	181	202
Alcohol Principal Diagnosis	18	10	23
Alcohol Secondary Diagnosis	13	10	6
Drug Principal Diagnosis	21	12	24
Drug Secondary Diagnosis	32	12	13
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	36	47	81
Mental Illness Secondary Diagnosis	281	373	378
Alcohol Principal Diagnosis	8	12	10
Alcohol Secondary Diagnosis	22	42	31
Drug Principal Diagnosis	11	9	18
Drug Secondary Diagnosis	25	34	34
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	102	136	175
Mental Illness Secondary Diagnosis	723	745	628
Alcohol Principal Diagnosis	32	14	28
Alcohol Secondary Diagnosis	32	38	30
Drug Principal Diagnosis	27	21	14
Drug Secondary Diagnosis	30	28	40

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	13	10	12
Alcohol Package Carry-out Licenses	15	14	14

EMPLOYMENT	2016	2015	2014
Labor Force	7,684	7,736	7,619
Employed	7,231	7,259	7,072
Unemployed	453	477	547
Unemployment Rate	5.9%	6.2%	7.2%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	15	16	16
Fatal Crashes	0	1	0
Injury Crashes	7	7	9
Property Damage Crashes	8	8	8
Crash Fatalities	0	1	0
Crash Injuries	12	8	13
Drug Involved Crashes	3	0	0
Fatal Crashes	0	0	0
Injury Crashes	2	0	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	0

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	64	54	95
Liquor Law Arrests	6	9	8
Drug Arrests	92	189	208
Methamphetamine Lab Seizures	0	1	7
Violent Offenses	53	42	52
Domestic Violence Reports	2	2	2
Property Offenses	310	212	306

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	980	968	988
Drop-outs	2	1	1
Drop-out Rate	0.2%	0.1%	0.1%
School Discipline Involving Alcohol	1	1	0
School Discipline Involving Drugs	4	7	1
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	17	20	17
Juvenile Alcohol Offenses	0	2	3
Juvenile Drug Offenses	3	5	5
School Truancy Status Offense	0	35	18
Absent from Home Status Offense	0	1	1
Beyond Parental Control Status Offense	15	9	23
Injurious Behavior Status Offense	2	1	2
Child Abuse	0	2	0
Child Neglect	51	54	82
Child Custody Issues	0	1	14

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	42	52	93
Parental Alcohol Use Related	0	3	3
Parental Drug Use Related	18	16	48
Parental Alcohol and Drug Use	3	0	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	67	70	70
Probation/Parole Admissions--Drug	84	86	95
Probation/Parole Admissions--DWI	11	8	9
Prison Admissions--Drug	41	43	42
Prison Admissions--DWI	5	1	4

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

WRIGHT COUNTY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	14	10	23
CSTAR Adolescent	*	9	*
CSTAR Women and Children	5	*	7
CSTAR General Adult	50	33	52
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	5	9
Clinical SATOP (CIP, YCIP, SROP)	19	27	17
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	58	77	63
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	24	25	19
- Weekend Intervention Program	9	6	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	81	99	95	Alcohol	34	37	36
AGE				Marijuana / Hashish	11	12	11
Under 18	*	9	5	Cocaine (total)	0	*	0
18 to 24	11	15	16	- Crack	0	0	0
25 to 29	14	24	16	Stimulant (total)	27	34	31
30 to 34	19	18	20	- Methamphetamine	26	33	30
35 to 39	13	14	8	Heroin	*	*	*
40 to 44	6	8	8	Analgesic except Heroin	5	12	11
45 to 54	7	9	20	- Non-Prescription Methadone	0	0	0
55 and Over	8	*	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	0	*
Male	51	57	58	Inhalant	0	0	0
Female	30	42	37	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	80	96	94	Average Age at First Use of Drug	17.9	18.2	17.9
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	21	22	28
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	7	6
Hispanic	0	0	*	- Weekly Injection Use	5	7	8
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	13	8	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	37	42	34	0	41	52	50
High School Graduate or G.E.D.	34	42	46	1 or 2	24	27	31
Associate Degree or Some College	8	15	15	3 or More	16	20	14
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	27	31	33
Employed	27	28	15	School	0	0	0
Unemployed	24	24	28	Mental Health Provider	*	0	0
Not in Labor Force	30	47	52	Health Care Provider	9	6	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	35	47	39
Independent Living	63	77	83	Other Referral Source	6	15	17
Dependent Living	7	12	9	TREATMENT ACCOMMODATION			
Homeless	5	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	27	44	29	Special Education Services Needed	7	15	6
Married / Cohabiting	23	33	36	Co-Occurring Psychological Problem	35	48	28
Previously Married	31	22	30	Co-Occurring Developmental Problem	*	6	5

WRIGHT COUNTY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 18,815
2016 POPULATION ESTIMATE 18,286

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	16	15	16
Anxiety Disorder	138	121	161
Dementia	*	*	0
Developmental Disorder	*	*	0
Impulse Control Disorder	42	36	34
Mood Disorder	162	174	235
Personality Disorder	8	10	22
Psychotic Disorder	25	25	29
Sexual Disorder	0	0	*
Other Diagnosis	12	7	*
Diagnosis Unknown	24	16	24

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	263	250	337	Less than High School Diploma	66	63	84
AGE				High School Grad or G.E.D.	0	0	0
Under 6	0	0	0	Associate Degree or Some College	0	0	0
6 to 9	11	11	12	Bachelor or Advanced Degree	0	0	0
10 to 13	17	16	12	Education Level Unknown	197	187	253
14 to 17	16	12	7	EMPLOYMENT			
18 to 24	26	22	37	Employed	16	23	26
25 to 29	27	19	32	Unemployed	15	14	36
30 to 34	25	24	32	Not in Labor Force	175	156	197
35 to 39	25	30	34	Employment Status Unknown	57	57	78
40 to 44	23	21	33	HOUSING / LIVING ARRANGEMENT			
45 to 49	30	31	41	Independent Living	129	132	169
50 to 54	29	32	45	Dependent Living	54	42	36
55 to 59	19	19	35	Homeless	*	7	13
60 and Over	15	13	17	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	77	69	119
GENDER				TREATMENT REFERRAL SOURCE			
Male	106	110	135	Self / Family / Friend	109	92	164
Female	157	140	202	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	8	11
RACE / ETHNICITY				Health Care Provider	133	127	131
Caucasian	247	235	324	Court / Criminal Justice	5	8	16
African American	*	*	*	Other	11	15	15
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	*	*	*	Voluntary	262	247	337
Other Race	10	8	6	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	*	*	6	Commitment Type Unknown	0	0	0
Past or Current Military Service	11	8	7				

WRIGHT COUNTY

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.4	32.1	30.4	47.7	Alcohol	15.5	11.2	8.6	17.2
Chewing Tobacco	24.7	21.2	21.0	30.0	Alcohol (5+ drinks on single occasion past 2 weeks)	7.9	3.6		
Cigarettes	23.7	23.6	22.3	34.4	Chewing Tobacco	12.6	9.3	10.9	17.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	0.0	1.3	1.8	Cigarettes	10.2	8.9	9.3	17.9
Cocaine	0.6	0.0	0.6	1.5	Inhalants	2.2	0.4	1.3	4.1
Electronic Cigarettes	22.3	14.5			Marijuana	4.4	3.1	2.6	3.8
Hallucinogens	1.0	0.9	1.0	2.5	Over-the-counter medications for non-medical use	1.6	2.2	3.2	5.1
Heroin	0.3	0.9	0.6	1.3	Prescription medications not prescribed for student	11.7	4.4	3.2	9.7
Inhalants	3.8	3.1	5.4	8.4					
Marijuana	13.8	10.6	8.0	10.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.0	0.6	1.0	Alcohol (1 or 2 drinks daily)	64.4	52.9		
Over-the-counter medications for non-medical use	3.2	4.8	4.8	9.7	Alcohol (Binge: 5+ drinks once or twice a week)	73.0	72.2		
Prescription medications not prescribed for student	16.0	8.8	8.0	15.0	Cigarettes (1+ packs per day)	84.3	85.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	5.4	5.4		Marijuana (once or twice a week)	70.2	73.7		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	92.4	93.3	93.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.23	13.14	12.71	11.90	Alcohol	84.7	82.8	84.7	79.4
Cigarettes	12.29	12.95	12.36	11.86	Cigarettes	92.9	89.0	92.6	91.3
Inhalants	10.99	13.43	11.91	12.35	Marijuana	95.1	94.7	96.1	96.7
Marijuana	13.63	14.02	13.63	12.75					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	46.4	42.0	43.3	65.6	Alcohol	67.9	69.0	71.2	55.9
Cigarettes	30.9	36.0	37.8	51.0	Cigarettes	87.7	86.3	85.5	74.7
Marijuana	28.3	18.0	19.4	31.5	Marijuana	86.0	88.2	89.0	88.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.6	4.4	8.0	17.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	97.7	97.4	98.2
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	26.9	23.2	21.7	35.5	Alcohol	48.1	39.6	42.1	58.3
Cigarettes	9.8	8.8	11.8	18.5	Cigarettes	46.3	46.7	47.1	62.0
Marijuana	11.1	8.0	5.4	7.4	Marijuana	29.6	22.9	20.8	28.9
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	8.9	10.0	15.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.6	58.8	58.8	71.1	Were grouchy, irritable, or in a bad mood	33.1	25.2	24.6	25.9
Were victims of mean rumors or lies spread at school	56.0	53.1	50.0	65.1	Had difficulty concentrating on school work	31.1	21.1	24.0	26.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.5	22.0	20.3	19.6	Were very sad	23.3	19.2	21.7	19.9
					Felt hopeless about the future	12.0	9.3	14.4	11.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.9	8.8	12.2	12.3	Parents involve student in making family decisions	72.8	69.2	71.1	67.0
Made plan about how they would attempt suicide	8.7	5.8	10.6	10.6	Parents notice and comment on student's good work	85.1	86.3	83.7	80.8
Attempted suicide	6.3	3.9	5.5	6.8	Teachers notice and comment on student's good work	68.5	78.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SAINT LOUIS CITY



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	SL
Adult Psychiatric	24, 25
POPULATION	
Census 2010	319,294
2016 Estimate	311,404

BIRTH RISK	2015	2014	2013
Resident Births	4,581	4,689	4,694
Mother Reported Smoking while Pregnant	571	635	657

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	121	102	90
Hepatitis B Chronic, Acute, Prenatal	86	92	79
Hepatitis C Chronic and Acute	705	1,015	774
Tuberculosis Infection Cases	368	436	583

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	2,967	3,002	2,960
Suicide	36	37	38
Homicide	135	118	89
Alcohol Induced Deaths	52	43	57
Drug Induced Deaths	107	131	102
Smoking Attributable Deaths	430	461	467
Self-inflicted Injuries *	335	382	370
Assault Injuries *	2,552	2,244	2,800

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,629	3,612	3,748
Mental Illness Secondary Diagnosis	4,970	4,949	5,749
Alcohol Principal Diagnosis	305	241	293
Alcohol Secondary Diagnosis	861	800	930
Drug Principal Diagnosis	587	392	543
Drug Secondary Diagnosis	1,229	1,117	1,339
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,684	2,704	2,080
Mental Illness Secondary Diagnosis	5,264	5,332	4,472
Alcohol Principal Diagnosis	404	342	276
Alcohol Secondary Diagnosis	1,205	1,044	850
Drug Principal Diagnosis	337	297	219
Drug Secondary Diagnosis	1,376	1,146	824
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,667	4,013	4,156
Mental Illness Secondary Diagnosis	11,378	10,479	11,798
Alcohol Principal Diagnosis	2,167	1,630	1,811
Alcohol Secondary Diagnosis	1,721	1,254	1,410
Drug Principal Diagnosis	1,417	1,010	1,061
Drug Secondary Diagnosis	2,446	2,060	1,899

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	798	786	790
Alcohol Package Carry-out Licenses	164	164	164

EMPLOYMENT	2016	2015	2014
Labor Force	161,047	163,003	161,200
Employed	152,364	153,141	148,789
Unemployed	8,683	9,862	12,411
Unemployment Rate	5.4%	6.1%	7.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	94	98	89
Fatal Crashes	2	0	2
Injury Crashes	39	31	31
Property Damage Crashes	53	67	76
Crash Fatalities	3	0	2
Crash Injuries	70	47	61
Drug Involved Crashes	26	18	17
Fatal Crashes	0	0	0
Injury Crashes	17	8	11
Property Damage Crashes	9	10	6
Crash Fatalities	0	0	0
Crash Injuries	22	12	17

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	197	198	218
Liquor Law Arrests	916	902	622
Drug Arrests	2,545	2,435	2,193
Methamphetamine Lab Seizures	6	9	23
Violent Offenses	6,018	5,764	5,352
Domestic Violence Reports	2,412	2,275	2,235
Property Offenses	18,982	20,347	20,187

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	8,293	7,664	8,066
Drop-outs	1,095	1,239	1,225
Drop-out Rate	13.2%	16.2%	15.2%
School Discipline Involving Alcohol	6	0	5
School Discipline Involving Drugs	95	133	123
School Discipline Involving Tobacco	0	5	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	290	329	413
Juvenile Alcohol Offenses	3	8	4
Juvenile Drug Offenses	58	66	79
School Truancy Status Offense	174	177	234
Absent from Home Status Offense	56	67	35
Beyond Parental Control Status Offense	45	60	53
Injurious Behavior Status Offense	3	1	6
Child Abuse	54	54	43
Child Neglect	637	761	596
Child Custody Issues	72	57	66

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	285	329	283
Parental Alcohol Use Related	16	4	19
Parental Drug Use Related	84	93	59
Parental Alcohol and Drug Use	2	2	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	632	719	599
Probation/Parole Admissions--Drug	1,161	1,125	1,194
Probation/Parole Admissions--DWI	5	5	9
Prison Admissions--Drug	423	456	442
Prison Admissions--DWI	0	2	1

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SAINT LOUIS CITY

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	769	713	644
CSTAR Adolescent	95	113	139
CSTAR Women and Children	837	833	790
CSTAR General Adult	1,510	1,436	1,364
CSTAR Opioid	203	202	196
Primary Recovery Treatment	318	315	306
Clinical SATOP (CIP, YCIP, SROP)	132	161	163
Other Substance Abuse Treatment	453	505	494

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	430	434	525
- Adolescent Diversion Education Program	7	*	*
- Offender Education Program	114	112	163
- Weekend Intervention Program	70	73	75
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	180	253	278
Compulsive Gambling	*	*	5
Recovery Supports	12	13	20
Early Intervention	657	654	520


The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014
Total Individuals	3,472	3,459	3,370
AGE			
Under 18	97	114	143
18 to 24	348	354	363
25 to 29	545	495	496
30 to 34	551	595	560
35 to 39	506	511	457
40 to 44	377	406	340
45 to 54	666	651	670
55 and Over	382	333	341
GENDER			
Male	2,222	2,148	2,093
Female	1,250	1,310	1,276
RACE / ETHNICITY			
Caucasian	1,056	1,043	986
African American	2,286	2,291	2,270
Native American / Alaskan	*	*	*
Asian / Pacific Islander	9	*	5
Hispanic	37	41	33
Other Race / Two or More Races	96	92	87
EDUCATION			
Less than High School Diploma	1,289	1,402	1,433
High School Graduate or G.E.D.	1,525	1,491	1,362
Associate Degree or Some College	638	542	555
Bachelor or Advanced Degree	20	24	20
EMPLOYMENT			
Employed	692	565	490
Unemployed	1,005	1,107	1,194
Not in Labor Force	1,775	1,787	1,686
HOUSING / LIVING ARRANGEMENT			
Independent Living	2,540	2,500	2,398
Dependent Living	486	420	465
Homeless	350	376	347
MARITAL / FAMILY STATUS			
Never Married	2,476	2,534	2,489
Married / Cohabiting	547	513	477
Previously Married	449	412	404

PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Alcohol	630	691	672
Marijuana / Hashish	724	699	727
Cocaine (total)	352	358	403
- Crack	290	314	349
Stimulant (total)	123	93	62
- Methamphetamine	109	77	50
Heroin	1,450	1,436	1,338
Analgesic except Heroin	133	130	114
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	31	26	32
Tranquilizer	16	15	10
Inhalant	0	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	12	8	10
Average Age at First Use of Drug	21.5	21.1	21.1
INJECTION DRUG USE			
Any Injection Use at Admission	885	846	822
- Daily Injection Use	536	546	512
- Weekly Injection Use	124	118	136
- Less than Weekly Injection Use	225	182	174
LIFETIME DUI / DWI ARRESTS			
0	2,964	2,955	2,835
1 or 2	371	374	393
3 or More	137	130	142
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,623	1,590	1,586
School	7	10	19
Mental Health Provider	5	25	18
Health Care Provider	240	254	151
Court / Criminal Justice	1,239	1,211	1,264
Other Referral Source	332	351	317
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	132	104	125
Military Veteran	137	132	137
Special Education Services Needed	307	282	384
Co-Occurring Psychological Problem	901	944	880
Co-Occurring Developmental Problem	120	90	144

SAINT LOUIS CITY

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 24, 25
CENSUS 2010 319,294
2016 POPULATION ESTIMATE 311,404

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	78	85	54
Anxiety Disorder	994	893	675
Dementia	448	352	10
Developmental Disorder	48	31	27
Impulse Control Disorder	916	819	699
Mood Disorder	3,681	3,676	3,440
Personality Disorder	421	387	322
Psychotic Disorder	2,758	2,736	2,521
Sexual Disorder	15	16	14
Other Diagnosis	363	279	186
Diagnosis Unknown	559	608	548

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	6,852	6,921	6,797	Less than High School Diploma	1,643	1,880	1,803
AGE				High School Grad or G.E.D.	0	0	*
Under 6	10	7	17	Associate Degree or Some College	0	0	0
6 to 9	325	270	287	Bachelor or Advanced Degree	0	0	0
10 to 13	355	338	309	Education Level Unknown	5,209	5,041	4,993
14 to 17	335	334	357	EMPLOYMENT			
18 to 24	457	455	440	Employed	332	345	308
25 to 29	414	428	441	Unemployed	219	298	341
30 to 34	497	528	540	Not in Labor Force	3,236	3,710	3,538
35 to 39	529	533	490	Employment Status Unknown	3,065	2,568	2,610
40 to 44	515	592	622	HOUSING / LIVING ARRANGEMENT			
45 to 49	710	744	777	Independent Living	1,877	2,465	2,266
50 to 54	916	967	938	Dependent Living	1,529	1,493	1,509
55 to 59	898	882	866	Homeless	297	330	324
60 and Over	891	843	713	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	3,149	2,633	2,698
GENDER				TREATMENT REFERRAL SOURCE			
Male	3,552	3,555	3,478	Self / Family / Friend	2,487	2,410	2,383
Female	3,300	3,366	3,319	School	55	55	44
Gender Unknown	0	0	0	Mental Health Provider	641	687	739
RACE / ETHNICITY				Health Care Provider	1,253	1,168	1,049
Caucasian	1,649	1,711	1,675	Court / Criminal Justice	423	427	399
African American	4,874	4,895	4,833	Other	1,949	2,131	2,137
Native American / Alaskan	*	6	5	Referral Source Unknown	44	43	46
Asian / Pacific Islander	26	32	28	TYPE OF COMMITMENT			
Hispanic	59	59	58	Voluntary	6,593	6,666	6,539
Other Race	240	218	198	Civil	23	24	27
Race/Ethnicity Unknown	0	0	0	Criminal	191	186	181
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	187	193	201	Commitment Type Unknown	42	42	46
Past or Current Military Service	211	201	197				

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol					Alcohol				
Chewing Tobacco					Alcohol (5+ drinks on single occasion past 2 weeks)				
Cigarettes					Chewing Tobacco				
Club drugs (Ecstasy, GHB, roofie, Special K, etc)					Cigarettes				
Cocaine					Inhalants				
Electronic Cigarettes					Marijuana				
Hallucinogens					Over-the-counter medications for non-medical use				
Heroin					Prescription medications not prescribed for student				
Inhalants									
Marijuana									
Methamphetamine					<i>Percent who believe they risk harm if they use:</i>				
Over-the-counter medications for non-medical use					Alcohol (1 or 2 drinks daily)				
Prescription medications not prescribed for student					Alcohol (Binge: 5+ drinks once or twice a week)				
Synthetic drugs (K2, bath salts, Spice, etc)					Cigarettes (1+ packs per day)				
					Marijuana (once or twice a week)				
					Other: Cocaine, LSD, Meth, Club Drug (any use)				
<i>Among students who have ever used, average age of first use of:</i>									
Alcohol					<i>Percent whose parents would disapprove if they use:</i>				
Cigarettes					Alcohol				
Inhalants					Cigarettes				
Marijuana					Marijuana				
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol					Alcohol				
Cigarettes					Cigarettes				
Marijuana					Marijuana				
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)				
<i>Percent of students who, in past 3 months:</i>									
Were emotionally bullied or made fun of by others					<i>Percent of students who, in past 30 days:</i>				
Were victims of mean rumors or lies spread at school					Were grouchy, irritable, or in a bad mood				
Were victims of an embarrassing or hurtful text message or something posted on the Internet					Had difficulty concentrating on school work				
					Were very sad				
					Felt hopeless about the future				
<i>Percent of students who, in past 12 months:</i>									
Seriously considered attempting suicide					<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide					Parents involve student in making family decisions				
Attempted suicide					Parents notice and comment on student's good work				
					Teachers notice and comment on student's good work				

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11, 12, 14, 15
Adult Psychiatric	11, 12, 14, 15
POPULATION	
Census 2010	807,835
2016 Estimate	820,909

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	792	720	771
Fatal Crashes	24	24	27
Injury Crashes	360	284	300
Property Damage Crashes	408	412	444
Crash Fatalities	31	28	33
Crash Injuries		380	415
Drug Involved Crashes	162	150	190
Fatal Crashes	8	13	9
Injury Crashes	57	55	84
Property Damage Crashes	97	82	97
Crash Fatalities	12	16	9
Crash Injuries	84	85	122

BIRTH RISK	2015	2014	2013
Resident Births	9,972	9,995	10,043
Mother Reported Smoking while Pregnant	1,879	1,953	2,103

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	38	31	35
Hepatitis B Chronic, Acute, Prenatal	64	90	55
Hepatitis C Chronic and Acute	514	1,199	700
Tuberculosis Infection Cases	314	286	360

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	7,730	7,608	7,546
Suicide	123	133	136
Homicide	26	31	32
Alcohol Induced Deaths	49	50	39
Drug Induced Deaths	108	95	105
Smoking Attributable Deaths	1,352	1,347	1,349
Self-inflicted Injuries *	729	857	967
Assault Injuries *	2,372	2,290	2,245

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	4,599	4,056	4,065
Mental Illness Secondary Diagnosis	13,181	10,772	11,354
Alcohol Principal Diagnosis	426	242	322
Alcohol Secondary Diagnosis	988	736	861
Drug Principal Diagnosis	357	201	218
Drug Secondary Diagnosis	950	699	665
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,570	3,437	3,244
Mental Illness Secondary Diagnosis	8,617	10,815	10,697
Alcohol Principal Diagnosis	604	751	794
Alcohol Secondary Diagnosis	903	1,241	1,239
Drug Principal Diagnosis	325	468	433
Drug Secondary Diagnosis	617	735	666
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	7,175	6,663	6,446
Mental Illness Secondary Diagnosis	28,653	28,891	22,947
Alcohol Principal Diagnosis	1,724	1,612	1,441
Alcohol Secondary Diagnosis	1,569	1,618	1,783
Drug Principal Diagnosis	1,159	1,095	931
Drug Secondary Diagnosis	2,208	1,605	1,471

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	1,156	1,129	1,154
Alcohol Package Carry-out Licenses	873	869	866

EMPLOYMENT	2016	2015	2014
Labor Force	396,059	398,929	392,897
Employed	378,937	380,046	370,481
Unemployed	17,122	18,883	22,416
Unemployment Rate	4.3%	4.7%	5.7%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	3,528	3,438	3,942
Liquor Law Arrests	895	1,029	1,199
Drug Arrests	6,716	5,855	4,903
Methamphetamine Lab Seizures	47	78	162
Violent Offenses	2,270	2,351	2,097
Domestic Violence Reports	6,412	6,514	6,539
Property Offenses	16,584	17,727	18,657

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	34,452	34,451	34,500
Drop-outs	561	511	632
Drop-out Rate	1.6%	1.5%	1.8%
School Discipline Involving Alcohol	47	51	45
School Discipline Involving Drugs	223	183	179
School Discipline Involving Tobacco	11	21	5

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	813	969	920
Juvenile Alcohol Offenses	109	174	110
Juvenile Drug Offenses	201	256	251
School Truancy Status Offense	688	843	799
Absent from Home Status Offense	230	282	299
Beyond Parental Control Status Offense	535	641	583
Injurious Behavior Status Offense	1,561	1,708	1,511
Child Abuse	681	876	805
Child Neglect	1,902	2,050	1,860
Child Custody Issues	223	139	80

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	1,208	1,188	1,084
Parental Alcohol Use Related	35	47	51
Parental Drug Use Related	490	457	360
Parental Alcohol and Drug Use	27	46	42

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	889	823	692
Probation/Parole Admissions--Drug	2,665	2,311	2,352
Probation/Parole Admissions--DWI	257	293	355
Prison Admissions--Drug	1,358	1,203	1,242
Prison Admissions--DWI	138	140	150

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	645	374	397
CSTAR Adolescent	299	307	346
CSTAR Women and Children	664	580	560
CSTAR General Adult	2,680	2,833	3,234
CSTAR Opioid	5	*	*
Primary Recovery Treatment	450	457	581
Clinical SATOP (CIP, YCIP, SROP)	647	682	725
Other Substance Abuse Treatment	13	*	12


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	2,775	3,047	3,209
- Adolescent Diversion Education Program	93	116	144
- Offender Education Program	939	1,103	1,109
- Weekend Intervention Program	494	610	623
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	174	235	123
Compulsive Gambling	0	0	*
Recovery Supports	338	225	275
Early Intervention	184	159	168

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	4,467	4,576	5,024	Alcohol	1,577	1,715	1,913
AGE				Marijuana / Hashish	997	1,186	1,355
Under 18	297	315	360	Cocaine (total)	110	122	184
18 to 24	696	818	918	- Crack	51	61	89
25 to 29	760	825	888	Stimulant (total)	1,105	929	924
30 to 34	757	772	832	- Methamphetamine	989	909	891
35 to 39	595	560	595	Heroin	314	214	250
40 to 44	390	394	422	Analgesic except Heroin	252	260	255
45 to 54	665	603	738	- Non-Prescription Methadone	6	5	*
55 and Over	307	289	271	PCP, LSD, other Hallucinogen	18	27	25
GENDER				Tranquilizer	35	29	24
Male	2,777	2,962	3,304	Inhalant	*	*	9
Female	1,689	1,614	1,720	Sedative	6	6	6
RACE / ETHNICITY				Other Medication or Illicit Drug	49	86	79
Caucasian	3,864	3,842	4,122	Average Age at First Use of Drug	18.4	17.8	17.9
African American	425	506	662	INJECTION DRUG USE			
Native American / Alaskan	10	17	17	Any Injection Use at Admission	733	588	651
Asian / Pacific Islander	6	17	13	- Daily Injection Use	199	134	131
Hispanic	74	81	91	- Weekly Injection Use	241	163	187
Other Race / Two or More Races	116	136	142	- Less than Weekly Injection Use	293	291	333
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,327	1,425	1,569	0	2,520	2,613	2,806
High School Graduate or G.E.D.	2,195	2,184	2,376	1 or 2	1,305	1,335	1,525
Associate Degree or Some College	867	906	1,005	3 or More	642	628	693
Bachelor or Advanced Degree	78	61	74	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	1,795	1,212	1,394
Employed	1,413	1,429	1,555	School	14	8	8
Unemployed	1,444	1,624	1,840	Mental Health Provider	30	34	50
Not in Labor Force	1,610	1,523	1,629	Health Care Provider	211	186	174
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,468	1,835	2,157
Independent Living	3,410	3,511	3,984	Other Referral Source	649	973	904
Dependent Living	607	619	644	TREATMENT ACCOMMODATION			
Homeless	218	186	188	Pregnant when Admitted to any Episode	69	48	48
MARITAL / FAMILY STATUS				Military Veteran	189	198	207
Never Married	2,381	2,624	2,841	Special Education Services Needed	305	301	306
Married / Cohabiting	1,070	1,041	1,130	Co-Occurring Psychological Problem	1,764	2,042	1,965
Previously Married	1,016	911	1,053	Co-Occurring Developmental Problem	96	85	100

DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11, 12, 14, 15
CENSUS 2010 807,835
2016 POPULATION ESTIMATE 819,272

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	566	473	461
Anxiety Disorder	4,747	4,342	4,214
Dementia	22	23	21
Developmental Disorder	266	245	256
Impulse Control Disorder	2,180	1,906	1,925
Mood Disorder	6,507	6,235	6,323
Personality Disorder	799	790	790
Psychotic Disorder	1,677	1,616	1,607
Sexual Disorder	63	48	36
Other Diagnosis	1,302	893	872
Diagnosis Unknown	491	497	645

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	9,792	9,304	9,550	Less than High School Diploma	3,846	3,559	3,401
AGE				High School Grad or G.E.D.	0	0	*
Under 6	93	72	95	Associate Degree or Some College	0	0	0
6 to 9	652	561	523	Bachelor or Advanced Degree	0	0	0
10 to 13	823	706	752	Education Level Unknown	5,946	5,745	6,148
14 to 17	896	858	843	EMPLOYMENT			
18 to 24	785	702	816	Employed	856	689	702
25 to 29	712	687	726	Unemployed	623	625	732
30 to 34	796	778	884	Not in Labor Force	6,776	6,315	6,197
35 to 39	846	823	853	Employment Status Unknown	1,537	1,675	1,919
40 to 44	750	809	815	HOUSING / LIVING ARRANGEMENT			
45 to 49	888	841	943	Independent Living	4,570	4,342	4,283
50 to 54	1,016	1,024	965	Dependent Living	3,252	2,896	2,869
55 to 59	770	738	693	Homeless	218	203	151
60 and Over	765	705	642	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,752	1,863	2,247
GENDER				TREATMENT REFERRAL SOURCE			
Male	4,551	4,226	4,473	Self / Family / Friend	4,911	4,518	4,620
Female	5,241	5,078	5,077	School	139	82	62
Gender Unknown	0	0	0	Mental Health Provider	623	655	705
RACE / ETHNICITY				Health Care Provider	1,398	1,399	1,415
Caucasian	8,140	7,808	8,075	Court / Criminal Justice	454	460	555
African American	1,081	1,023	1,005	Other	2,240	2,160	2,157
Native American / Alaskan	21	18	17	Referral Source Unknown	27	30	36
Asian / Pacific Islander	15	16	18	TYPE OF COMMITMENT			
Hispanic	163	139	149	Voluntary	9,599	9,129	9,364
Other Race	372	300	286	Civil	13	26	24
Race/Ethnicity Unknown	0	0	0	Criminal	101	86	108
TREATMENT ACCOMMODATION				Sexual Predatory	47	34	18
Hearing Impaired	289	283	278	Commitment Type Unknown	32	29	36
Past or Current Military Service	237	239	234				

DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.3	39.3	43.9	47.2	Alcohol	17.5	14.8	20.4	22.0
Chewing Tobacco	13.8	16.2	14.9	15.2	Alcohol (5+ drinks on single occasion past 2 weeks)	7.4	6.3		
Cigarettes	21.9	24.8	26.3	29.3	Chewing Tobacco	6.6	7.1	8.1	8.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.1	2.3	2.4	Cigarettes	8.0	11.3	12.5	14.9
Cocaine	0.7	1.1	2.1	1.9	Inhalants	0.9	0.7	2.3	3.0
Electronic Cigarettes	22.2				Marijuana	5.8	4.8	7.2	7.5
Hallucinogens	1.5	1.3	2.6	2.9	Over-the-counter medications for non-medical use	1.9	1.3	3.9	4.8
Heroin	0.3	0.2	1.1	0.6	Prescription medications not prescribed for student	8.9	3.4	4.5	6.7
Inhalants	2.6	2.8	5.3	6.7					
Marijuana	13.8	13.1	15.7	15.7	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.4	1.4	1.0	Alcohol (1 or 2 drinks daily)	65.8	51.1		
Over-the-counter medications for non-medical use	4.4	2.0	6.2	7.9	Alcohol (Binge: 5+ drinks once or twice a week)	74.9	63.9		
Prescription medications not prescribed for student	13.8	6.6	9.1	11.4	Cigarettes (1+ packs per day)	82.0	83.5		
Synthetic drugs (K2, bath salts, Spice, etc)	1.7	3.4	6.6		Marijuana (once or twice a week)	69.1	65.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	90.6	92.8	93.6
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.97	13.28	12.51	12.37	Alcohol	80.3	77.6	76.4	76.4
Cigarettes	12.64	12.64	12.43	12.33	Cigarettes	92.7	92.3	90.4	89.5
Inhalants	10.82	12.56	12.12	12.20	Marijuana	92.5	95.1	93.9	94.6
Marijuana	13.85	13.78	13.63	13.47					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.3	50.7	56.9	62.6	Alcohol	65.9	58.8	56.8	56.1
Cigarettes	34.3	40.4	46.8	49.3	Cigarettes	86.7	81.5	77.6	77.5
Marijuana	31.7	23.9	34.6	35.1	Marijuana	83.0	83.9	82.3	82.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.9	7.5	14.2	17.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	97.2	95.0	94.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	28.2	29.4	35.4	36.7	Alcohol	52.7	54.4	57.6	60.4
Cigarettes	9.7	12.8	16.5	16.4	Cigarettes	46.8	50.4	53.8	56.9
Marijuana	12.5	9.1	12.6	12.2	Marijuana	32.1	28.2	34.2	33.3
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.6	11.0	16.3	17.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.5	60.7	61.3	68.3	Were grouchy, irritable, or in a bad mood	31.7	27.1	24.7	29.3
Were victims of mean rumors or lies spread at school	48.8	52.9	48.0	56.2	Had difficulty concentrating on school work	26.0	23.9	22.8	25.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.2	22.9	21.0	19.5	Were very sad	20.6	19.2	18.2	23.2
					Felt hopeless about the future	11.9	11.2	11.0	14.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.3	9.6	12.2	12.1	Parents involve student in making family decisions	70.7	66.8	67.8	70.3
Made plan about how they would attempt suicide	8.7	7.1	8.9	8.0	Parents notice and comment on student's good work	83.8	84.0	81.6	84.3
Attempted suicide	5.1	3.6	5.7	5.1	Teachers notice and comment on student's good work	78.0	73.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DIVISION OF BEHAVIORAL HEALTH EASTERN REGION



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16, 22, 23-25 (SL)
Adult Psychiatric	16, 22, 23, 24, 25
POPULATION	
Census 2010	2,084,037
2016 Estimate	2,117,036

BIRTH RISK	2015	2014	2013
Resident Births	25,802	25,774	25,755
Mother Reported Smoking while Pregnant	2,890	2,996	3,256

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	256	138	228
Hepatitis B Chronic, Acute, Prenatal	216	310	244
Hepatitis C Chronic and Acute	1,844	2,587	1,799
Tuberculosis Infection Cases	1,031	1,012	1,292

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	19,475	18,853	18,339
Suicide	311	313	290
Homicide	287	221	178
Alcohol Induced Deaths	166	149	150
Drug Induced Deaths	453	506	442
Smoking Attributable Deaths	3,082	3,089	2,979
Self-inflicted Injuries *	1,736	2,030	1,951
Assault Injuries *	7,620	6,746	7,841

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	15,134	13,043	14,293
Mental Illness Secondary Diagnosis	30,857	23,046	26,078
Alcohol Principal Diagnosis	1,377	939	1,095
Alcohol Secondary Diagnosis	3,037	2,050	2,453
Drug Principal Diagnosis	1,885	1,179	1,410
Drug Secondary Diagnosis	3,232	2,472	2,853
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	11,936	13,992	11,498
Mental Illness Secondary Diagnosis	34,754	42,151	38,264
Alcohol Principal Diagnosis	1,282	1,447	1,212
Alcohol Secondary Diagnosis	4,395	4,759	4,206
Drug Principal Diagnosis	906	1,008	878
Drug Secondary Diagnosis	3,465	3,442	2,814
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	19,307	16,309	17,126
Mental Illness Secondary Diagnosis	67,980	63,074	63,637
Alcohol Principal Diagnosis	5,460	4,279	4,611
Alcohol Secondary Diagnosis	4,750	3,957	4,129
Drug Principal Diagnosis	4,635	3,513	3,417
Drug Secondary Diagnosis	6,196	5,733	5,491

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	2,916	2,847	2,881
Alcohol Package Carry-out Licenses	1,376	1,355	1,341

EMPLOYMENT	2016	2015	2014
Labor Force	1,137,236	1,137,608	1,112,517
Employed	1,088,842	1,083,742	1,045,496
Unemployed	48,394	53,866	67,021
Unemployment Rate	4.3%	4.7%	6.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	1,488	1,503	1,473
Fatal Crashes	35	30	37
Injury Crashes	575	519	503
Property Damage Crashes	878	954	933
Crash Fatalities	43	34	39
Crash Injuries		729	738
Drug Involved Crashes	391	348	322
Fatal Crashes	28	14	17
Injury Crashes	191	142	135
Property Damage Crashes	172	192	170
Crash Fatalities	31	15	18
Crash Injuries	299	200	209

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	6,077	6,345	7,636
Liquor Law Arrests	1,907	2,313	2,545
Drug Arrests	14,286	12,762	12,636
Methamphetamine Lab Seizures	71	249	485
Violent Offenses	11,204	10,929	9,797
Domestic Violence Reports	11,238	10,709	9,937
Property Offenses	56,602	58,014	56,213

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	90,473	89,612	90,558
Drop-outs	2,444	2,672	2,717
Drop-out Rate	2.7%	3.0%	3.0%
School Discipline Involving Alcohol	171	105	133
School Discipline Involving Drugs	693	710	734
School Discipline Involving Tobacco	14	16	14

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	2,009	2,157	2,357
Juvenile Alcohol Offenses	262	267	267
Juvenile Drug Offenses	629	660	732
School Truancy Status Offense	992	1,102	1,177
Absent from Home Status Offense	1,209	1,190	1,146
Beyond Parental Control Status Offense	293	323	287
Injurious Behavior Status Offense	470	412	430
Child Abuse	616	848	782
Child Neglect	2,563	3,097	2,835
Child Custody Issues	407	408	333

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	1,579	1,590	1,450
Parental Alcohol Use Related	46	55	51
Parental Drug Use Related	602	596	502
Parental Alcohol and Drug Use	38	26	20

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	1,557	1,722	1,568
Probation/Parole Admissions--Drug	3,856	3,565	3,711
Probation/Parole Admissions--DWI	505	617	652
Prison Admissions--Drug	1,506	1,455	1,437
Prison Admissions--DWI	161	177	193

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	1,665	1,504	1,397
CSTAR Adolescent	507	562	647
CSTAR Women and Children	1,564	1,443	1,386
CSTAR General Adult	4,354	4,225	3,773
CSTAR Opioid	539	480	457
Primary Recovery Treatment	646	637	631
Clinical SATOP (CIP, YCIP, SROP)	1,734	1,899	2,252
Other Substance Abuse Treatment	688	682	719

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	5,998	7,030	8,002
- Adolescent Diversion Education Program	199	431	385
- Offender Education Program	2,110	2,580	2,922
- Weekend Intervention Program	1,217	1,370	1,615
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	327	369	422
Compulsive Gambling	52	67	57
Recovery Supports	56	48	90
Early Intervention	908	945	867


The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014
Total Individuals	9,880	9,729	9,608
AGE			
Under 18	517	567	661
18 to 24	1,244	1,270	1,360
25 to 29	1,719	1,625	1,600
30 to 34	1,679	1,704	1,609
35 to 39	1,357	1,246	1,152
40 to 44	917	982	877
45 to 54	1,602	1,550	1,627
55 and Over	845	785	722
GENDER			
Male	6,450	6,361	6,349
Female	3,430	3,367	3,257
RACE / ETHNICITY			
Caucasian	5,935	5,943	5,911
African American	3,570	3,463	3,385
Native American / Alaskan	6	12	17
Asian / Pacific Islander	31	19	19
Hispanic	124	122	105
Other Race / Two or More Races	264	218	211
EDUCATION			
Less than High School Diploma	3,071	3,149	3,274
High School Graduate or G.E.D.	4,334	4,194	3,879
Associate Degree or Some College	2,388	2,285	2,337
Bachelor or Advanced Degree	87	101	115
EMPLOYMENT			
Employed	2,991	2,786	2,676
Unemployed	3,092	3,116	3,270
Not in Labor Force	3,797	3,827	3,662
HOUSING / LIVING ARRANGEMENT			
Independent Living	8,007	7,745	7,549
Dependent Living	1,012	1,003	1,116
Homeless	580	602	555
MARITAL / FAMILY STATUS			
Never Married	6,732	6,583	6,518
Married / Cohabiting	1,658	1,688	1,628
Previously Married	1,490	1,458	1,462

PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Alcohol	2,831	3,086	3,377
Marijuana / Hashish	1,811	1,854	1,885
Cocaine (total)	570	556	607
- Crack	448	467	491
Stimulant (total)	706	539	492
- Methamphetamine	650	503	445
Heroin	3,362	3,143	2,750
Analgesic except Heroin	430	394	338
- Non-Prescription Methadone	10	9	7
PCP, LSD, other Hallucinogen	73	53	54
Tranquilizer	62	57	53
Inhalant	0	6	*
Sedative	*	8	5
Other Medication or Illicit Drug	31	33	44
Average Age at First Use of Drug	20.1	19.6	19.4
INJECTION DRUG USE			
Any Injection Use at Admission	2,507	2,318	2,135
- Daily Injection Use	1,274	1,203	1,070
- Weekly Injection Use	521	446	445
- Less than Weekly Injection Use	712	669	620
LIFETIME DUI / DWI ARRESTS			
0	6,650	6,380	5,884
1 or 2	2,100	2,206	2,452
3 or More	1,130	1,143	1,272
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	3,932	3,456	3,358
School	36	62	81
Mental Health Provider	49	74	76
Health Care Provider	557	505	365
Court / Criminal Justice	4,315	4,499	4,736
Other Referral Source	842	989	861
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	320	251	276
Military Veteran	379	402	425
Special Education Services Needed	740	762	778
Co-Occurring Psychological Problem	2,987	3,137	2,808
Co-Occurring Developmental Problem	262	231	284

DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16, 22, 23, 24, 25
CENSUS 2010 2,084,037
2016 POPULATION ESTIMATE 2,116,261

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	267	279	213
Anxiety Disorder	6,181	6,150	5,108
Dementia	559	430	37
Developmental Disorder	336	339	300
Impulse Control Disorder	3,462	3,420	2,999
Mood Disorder	12,285	12,705	12,014
Personality Disorder	1,513	1,525	1,433
Psychotic Disorder	5,529	5,552	5,276
Sexual Disorder	41	38	34
Other Diagnosis	1,745	915	793
Diagnosis Unknown	1,935	1,427	1,268

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	20,515	20,589	19,786	Less than High School Diploma	5,322	5,429	5,306
AGE				High School Grad or G.E.D.	0	0	9
Under 6	61	50	84	Associate Degree or Some College	0	0	5
6 to 9	1,014	964	943	Bachelor or Advanced Degree	0	0	*
10 to 13	1,352	1,327	1,218	Education Level Unknown	15,193	15,160	14,463
14 to 17	1,518	1,529	1,453	EMPLOYMENT			
18 to 24	1,651	1,641	1,625	Employed	1,466	1,380	1,270
25 to 29	1,430	1,492	1,477	Unemployed	1,047	1,183	1,319
30 to 34	1,706	1,784	1,779	Not in Labor Force	10,277	10,573	10,055
35 to 39	1,682	1,663	1,531	Employment Status Unknown	7,725	7,453	7,142
40 to 44	1,563	1,657	1,706	HOUSING / LIVING ARRANGEMENT			
45 to 49	1,851	1,939	2,054	Independent Living	7,032	7,572	6,931
50 to 54	2,393	2,463	2,342	Dependent Living	5,083	4,941	4,993
55 to 59	2,154	2,072	1,899	Homeless	509	504	529
60 and Over	2,140	2,008	1,675	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	7,891	7,572	7,332
GENDER				TREATMENT REFERRAL SOURCE			
Male	9,938	9,924	9,617	Self / Family / Friend	6,720	6,703	6,091
Female	10,577	10,665	10,169	School	871	976	893
Gender Unknown	0	0	0	Mental Health Provider	1,712	1,796	1,941
RACE / ETHNICITY				Health Care Provider	3,888	3,691	3,238
Caucasian	11,568	11,533	10,964	Court / Criminal Justice	841	892	914
African American	7,826	8,012	7,858	Other	6,405	6,431	6,605
Native American / Alaskan	22	17	18	Referral Source Unknown	78	100	104
Asian / Pacific Islander	85	80	76	TYPE OF COMMITMENT			
Hispanic	272	267	244	Voluntary	20,066	20,128	19,331
Other Race	742	680	626	Civil	53	47	50
Race/Ethnicity Unknown	0	0	0	Criminal	302	297	283
TREATMENT ACCOMMODATION				Sexual Predatory	10	15	13
Hearing Impaired	564	602	578	Commitment Type Unknown	84	102	109
Past or Current Military Service	494	472	440				

DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	34.9	32.0	38.0	43.9	Alcohol	16.6	14.8	17.8	21.4
Chewing Tobacco	5.3	4.8	5.6	6.7	Alcohol (5+ drinks on single occasion past 2 weeks)	6.6	6.2		
Cigarettes	13.0	14.8	20.1	24.2	Chewing Tobacco	2.3	2.3	3.0	3.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.5	2.2	2.2	Cigarettes	4.9	6.0	9.6	12.4
Cocaine	1.0	1.0	1.5	1.5	Inhalants	1.0	1.1	2.4	3.0
Electronic Cigarettes	22.0				Marijuana	9.9	10.2	10.8	11.9
Hallucinogens	2.0	1.9	2.9	3.2	Over-the-counter medications for non-medical use	1.6	1.5	3.4	4.6
Heroin	0.3	0.3	0.9	0.6	Prescription medications not prescribed for student	8.3	3.8	4.8	6.4
Inhalants	2.6	2.5	4.9	5.9					
Marijuana	18.0	18.0	18.9	20.7	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.4	1.0	0.6	Alcohol (1 or 2 drinks daily)	73.6	64.9		
Over-the-counter medications for non-medical use	4.1	3.0	5.8	7.4	Alcohol (Binge: 5+ drinks once or twice a week)	81.6	76.0		
Prescription medications not prescribed for student	12.2	7.1	8.4	10.1	Cigarettes (1+ packs per day)	87.4	87.4		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	2.8	5.8		Marijuana (once or twice a week)	64.7	62.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.7	92.0	93.1	93.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.37	13.21	12.95	12.71	Alcohol	83.0	82.2	80.1	78.1
Cigarettes	13.17	13.20	12.69	12.53	Cigarettes	95.3	94.7	92.2	90.8
Inhalants	10.93	11.96	11.53	11.70	Marijuana	91.2	91.5	92.8	92.3
Marijuana	14.29	13.95	13.82	13.64					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.0	44.8	51.0	58.2	Alcohol	67.7	66.9	62.1	57.3
Cigarettes	26.1	30.9	40.1	45.5	Cigarettes	90.8	88.6	83.6	80.5
Marijuana	38.7	37.3	40.5	42.9	Marijuana	76.7	76.2	78.2	77.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	12.4	15.3	18.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	95.5	95.3	94.5
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	24.6	24.1	30.1	34.2	Alcohol	54.4	52.7	58.1	61.6
Cigarettes	6.2	8.2	11.0	12.8	Cigarettes	43.5	44.6	51.1	56.2
Marijuana	16.6	15.9	15.1	16.8	Marijuana	40.1	38.7	41.6	43.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	14.9	17.6	19.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.0	57.3	60.1	67.7	Were grouchy, irritable, or in a bad mood	29.4	24.6	23.7	24.6
Were victims of mean rumors or lies spread at school	44.4	44.4	45.1	50.0	Had difficulty concentrating on school work	27.4	24.9	23.8	24.6
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.1	25.1	20.1	19.1	Were very sad	20.0	19.8	17.6	19.3
					Felt hopeless about the future	11.5	11.8	10.9	11.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.6	12.0	11.8	11.5	Parents involve student in making family decisions	72.3	70.3	70.2	70.2
Made plan about how they would attempt suicide	8.7	8.6	8.6	8.3	Parents notice and comment on student's good work	84.0	82.8	83.1	83.5
Attempted suicide	5.2	5.2	5.9	5.5	Teachers notice and comment on student's good work	76.3	73.3		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17, 18, 19, 20, 21
Adult Psychiatric	17A, 17B, 18, 19, 20, 21
POPULATION	
Census 2010	712,520
2016 Estimate	705,970

BIRTH RISK	2015	2014	2013
Resident Births	8,310	8,359	8,653
Mother Reported Smoking while Pregnant	2,077	2,214	2,388

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	23	23	27
Hepatitis B Chronic, Acute, Prenatal	54	51	49
Hepatitis C Chronic and Acute	720	1,289	871
Tuberculosis Infection Cases	173	179	204

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	8,695	8,418	8,455
Suicide	131	132	134
Homicide	44	35	29
Alcohol Induced Deaths	56	40	44
Drug Induced Deaths	130	142	134
Smoking Attributable Deaths	1,702	1,598	1,686
Self-inflicted Injuries *	822	1,032	1,164
Assault Injuries *	2,368	2,430	2,538

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	7,608	7,535	7,584
Mental Illness Secondary Diagnosis	14,898	12,928	14,542
Alcohol Principal Diagnosis	463	370	400
Alcohol Secondary Diagnosis	1,098	873	1,118
Drug Principal Diagnosis	879	895	764
Drug Secondary Diagnosis	1,359	882	882
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,556	1,895	1,690
Mental Illness Secondary Diagnosis	9,552	12,045	10,664
Alcohol Principal Diagnosis	224	306	272
Alcohol Secondary Diagnosis	806	960	814
Drug Principal Diagnosis	202	254	270
Drug Secondary Diagnosis	634	730	577
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	8,280	8,356	7,853
Mental Illness Secondary Diagnosis	25,984	27,790	29,395
Alcohol Principal Diagnosis	1,199	1,174	1,225
Alcohol Secondary Diagnosis	1,337	1,203	1,222
Drug Principal Diagnosis	1,446	1,369	1,227
Drug Secondary Diagnosis	2,196	1,707	1,635

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	790	761	779
Alcohol Package Carry-out Licenses	776	768	774

EMPLOYMENT	2016	2015	2014
Labor Force	314,635	317,700	312,393
Employed	296,528	298,835	290,267
Unemployed	18,107	18,865	22,126
Unemployment Rate	5.8%	5.9%	7.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	649	644	664
Fatal Crashes	25	33	31
Injury Crashes	304	286	307
Property Damage Crashes	320	325	326
Crash Fatalities	27	36	33
Crash Injuries		385	469
Drug Involved Crashes	215	222	204
Fatal Crashes	14	19	14
Injury Crashes	88	100	89
Property Damage Crashes	113	103	101
Crash Fatalities	18	19	17
Crash Injuries	126	145	139

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	2,969	3,319	3,368
Liquor Law Arrests	442	583	634
Drug Arrests	6,035	5,692	4,734
Methamphetamine Lab Seizures	32	84	174
Violent Offenses	2,518	2,637	2,489
Domestic Violence Reports	4,610	4,523	4,483
Property Offenses	15,471	16,296	18,428

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	31,741	31,344	33,230
Drop-outs	450	424	446
Drop-out Rate	1.4%	1.4%	1.3%
School Discipline Involving Alcohol	61	43	36
School Discipline Involving Drugs	155	189	240
School Discipline Involving Tobacco	15	15	8

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	1,004	1,046	949
Juvenile Alcohol Offenses	91	92	97
Juvenile Drug Offenses	165	221	191
School Truancy Status Offense	1,146	1,077	1,056
Absent from Home Status Offense	281	240	216
Beyond Parental Control Status Offense	547	514	549
Injurious Behavior Status Offense	983	839	733
Child Abuse	599	686	752
Child Neglect	3,091	2,656	2,662
Child Custody Issues	296	233	237

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	1,684	1,362	1,472
Parental Alcohol Use Related	39	37	37
Parental Drug Use Related	951	691	733
Parental Alcohol and Drug Use	33	36	39

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	808	791	802
Probation/Parole Admissions--Drug	3,231	2,751	2,429
Probation/Parole Admissions--DWI	287	338	334
Prison Admissions--Drug	1,635	1,368	1,247
Prison Admissions--DWI	128	144	149

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	960	877	993
CSTAR Adolescent	293	307	279
CSTAR Women and Children	382	354	336
CSTAR General Adult	3,440	3,357	3,070
CSTAR Opioid	6	7	*
Primary Recovery Treatment	452	365	479
Clinical SATOP (CIP, YCIP, SROP)	545	596	600
Other Substance Abuse Treatment	17	6	13


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	2,175	2,350	2,540
- Adolescent Diversion Education Program	*	7	*
- Offender Education Program	812	874	963
- Weekend Intervention Program	444	460	588
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	32	58	45
Compulsive Gambling	7	5	5
Recovery Supports	349	358	1,119
Early Intervention	241	182	118

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	5,053	5,013	5,222	Alcohol	1,386	1,554	1,685
AGE				Marijuana / Hashish	1,149	1,280	1,310
Under 18	312	316	289	Cocaine (total)	88	95	131
18 to 24	770	741	919	- Crack	56	59	67
25 to 29	895	935	944	Stimulant (total)	1,371	1,110	1,070
30 to 34	922	891	959	- Methamphetamine	1,331	1,076	1,030
35 to 39	678	630	625	Heroin	411	323	292
40 to 44	445	467	492	Analgesic except Heroin	515	518	589
45 to 54	711	743	728	- Non-Prescription Methadone	5	9	7
55 and Over	320	290	266	PCP, LSD, other Hallucinogen	9	10	8
GENDER				Tranquilizer	76	99	86
Male	3,006	3,090	3,430	Inhalant	*	*	7
Female	2,047	1,923	1,791	Sedative	6	*	5
RACE / ETHNICITY				Other Medication or Illicit Drug	39	17	39
Caucasian	4,560	4,473	4,550	Average Age at First Use of Drug	18.8	18.4	18.2
African American	366	399	527	INJECTION DRUG USE			
Native American / Alaskan	*	13	16	Any Injection Use at Admission	1,083	873	865
Asian / Pacific Islander	*	*	*	- Daily Injection Use	270	189	216
Hispanic	62	60	79	- Weekly Injection Use	314	242	249
Other Race / Two or More Races	86	94	83	- Less than Weekly Injection Use	499	442	400
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,743	1,821	1,871	0	3,114	2,964	3,099
High School Graduate or G.E.D.	2,350	2,307	2,444	1 or 2	1,293	1,340	1,404
Associate Degree or Some College	929	867	875	3 or More	646	709	719
Bachelor or Advanced Degree	31	18	32	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	1,906	1,453	1,453
Employed	1,259	1,276	1,294	School	15	6	6
Unemployed	1,821	1,752	2,055	Mental Health Provider	29	29	36
Not in Labor Force	1,973	1,985	1,873	Health Care Provider	374	376	304
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	2,027	2,318	2,547
Independent Living	4,157	4,136	4,332	Other Referral Source	581	701	742
Dependent Living	540	549	624	TREATMENT ACCOMMODATION			
Homeless	285	211	175	Pregnant when Admitted to any Episode	97	84	94
MARITAL / FAMILY STATUS				Military Veteran	175	189	240
Never Married	2,414	2,443	2,524	Special Education Services Needed	500	513	458
Married / Cohabiting	1,446	1,398	1,456	Co-Occurring Psychological Problem	2,307	2,302	2,093
Previously Married	1,193	1,172	1,242	Co-Occurring Developmental Problem	216	214	274

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A, 17B, 18, 19, 20, 21
CENSUS 2010 712,520
2016 POPULATION ESTIMATE 707,970

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	595	665	874
Anxiety Disorder	3,554	3,628	3,877
Dementia	32	34	30
Developmental Disorder	86	81	86
Impulse Control Disorder	1,892	1,914	1,934
Mood Disorder	8,222	8,424	9,008
Personality Disorder	423	464	543
Psychotic Disorder	2,038	1,985	1,976
Sexual Disorder	157	145	144
Other Diagnosis	702	554	617
Diagnosis Unknown	1,286	1,113	1,144

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	14,344	14,389	15,362	Less than High School Diploma	3,996	4,025	3,835
AGE				High School Grad or G.E.D.	0	0	*
Under 6	74	77	80	Associate Degree or Some College	0	0	0
6 to 9	747	722	760	Bachelor or Advanced Degree	0	0	0
10 to 13	1,003	1,033	1,059	Education Level Unknown	10,348	10,364	11,526
14 to 17	1,160	1,131	1,153	EMPLOYMENT			
18 to 24	1,160	1,192	1,415	Employed	701	698	623
25 to 29	1,098	1,174	1,413	Unemployed	566	635	705
30 to 34	1,179	1,295	1,478	Not in Labor Force	7,281	7,131	6,779
35 to 39	1,351	1,341	1,359	Employment Status Unknown	5,796	5,925	7,255
40 to 44	1,249	1,305	1,403	HOUSING / LIVING ARRANGEMENT			
45 to 49	1,336	1,357	1,382	Independent Living	4,925	4,970	4,747
50 to 54	1,440	1,466	1,608	Dependent Living	3,455	3,396	3,206
55 to 59	1,195	1,108	1,093	Homeless	149	191	184
60 and Over	1,352	1,188	1,159	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	5,815	5,832	7,225
GENDER				TREATMENT REFERRAL SOURCE			
Male	6,567	6,613	7,072	Self / Family / Friend	7,414	7,238	7,664
Female	7,777	7,776	8,290	School	198	205	191
Gender Unknown	0	0	0	Mental Health Provider	1,060	1,177	1,268
RACE / ETHNICITY				Health Care Provider	2,944	2,642	2,750
Caucasian	12,553	12,667	13,614	Court / Criminal Justice	869	961	992
African American	1,099	1,078	1,082	Other	1,831	2,128	2,455
Native American / Alaskan	25	24	23	Referral Source Unknown	28	38	42
Asian / Pacific Islander	10	8	9	TYPE OF COMMITMENT			
Hispanic	240	251	335	Voluntary	13,899	13,982	14,947
Other Race	417	361	299	Civil	16	14	16
Race/Ethnicity Unknown	0	0	0	Criminal	239	218	218
TREATMENT ACCOMMODATION				Sexual Predatory	155	148	152
Hearing Impaired	512	509	526	Commitment Type Unknown	35	27	29
Past or Current Military Service	440	426	396				

DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.1	37.2	41.0	46.2	Alcohol	14.8	14.5	17.3	21.8
Chewing Tobacco	16.0	17.8	18.0	19.7	Alcohol (5+ drinks on single occasion past 2 weeks)	6.8	6.9		
Cigarettes	25.1	26.5	28.5	33.0	Chewing Tobacco	6.8	10.9	9.9	11.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.3	2.0	2.0	Cigarettes	9.1	11.6	14.1	17.3
Cocaine	1.0	0.9	1.8	1.5	Inhalants	1.1	1.3	2.3	3.5
Electronic Cigarettes	25.2				Marijuana	5.5	5.8	7.0	8.4
Hallucinogens	1.9	1.3	2.6	3.0	Over-the-counter medications for non-medical use	2.0	1.6	3.6	5.4
Heroin	0.4	0.3	0.9	0.7	Prescription medications not prescribed for student	9.2	4.8	5.2	8.1
Inhalants	3.0	3.5	6.1	8.1	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	13.9	12.8	14.4	16.6	Alcohol (1 or 2 drinks daily)	62.7	54.9		
Methamphetamine	0.6	0.6	1.3	1.1	Alcohol (Binge: 5+ drinks once or twice a week)	73.7	64.9		
Over-the-counter medications for non-medical use	4.9	3.2	6.2	8.4	Cigarettes (1+ packs per day)	82.9	82.8		
Prescription medications not prescribed for student	13.4	8.8	9.9	13.9	Marijuana (once or twice a week)	70.6	67.3		
Synthetic drugs (K2, bath salts, Spice, etc)	2.3	3.3	6.9		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6	91.2	93.5	92.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.67	12.76	12.45	12.33	Alcohol	82.7	79.0	78.5	77.4
Cigarettes	12.21	12.62	12.11	11.94	Cigarettes	91.6	89.9	89.6	88.9
Inhalants	11.14	11.93	12.04	12.33	Marijuana	92.6	93.1	94.2	94.3
Marijuana	13.58	13.90	13.44	13.44	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.2	63.7	60.2	58.0
Alcohol	45.6	46.5	53.6	61.1	Cigarettes	83.8	80.6	78.0	75.4
Cigarettes	34.6	39.9	46.1	51.6	Marijuana	83.0	82.8	83.8	82.4
Marijuana	30.1	27.7	31.8	36.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.0	96.4	95.9	94.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	9.4	13.1	17.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	46.9	48.9	54.9	58.6
Alcohol	25.7	28.0	30.9	35.6	Cigarettes	45.9	49.4	53.8	59.1
Cigarettes	11.7	14.2	15.7	18.0	Marijuana	32.2	31.2	33.6	36.5
Marijuana	12.3	11.1	10.9	12.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	14.0	17.2	19.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.1	59.5	61.0	69.1	Were grouchy, irritable, or in a bad mood	32.0	25.2	25.7	24.3
Were victims of mean rumors or lies spread at school	51.9	52.4	51.5	57.9	Had difficulty concentrating on school work	27.4	23.0	23.2	25.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.3	23.9	20.4	19.9	Were very sad	20.9	19.5	19.9	18.9
					Felt hopeless about the future	12.7	10.8	11.3	12.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.9	11.0	11.9	12.6	Parents involve student in making family decisions	69.7	70.9	68.7	69.2
Made plan about how they would attempt suicide	9.2	7.8	8.9	9.3	Parents notice and comment on student's good work	83.7	83.1	82.7	83.5
Attempted suicide	5.5	4.5	5.5	5.9	Teachers notice and comment on student's good work	77.1	74.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8, 9, 10
Adult Psychiatric	8A, 8B, 9, 10
POPULATION	
Census 2010	926,656
2016 Estimate	948,919

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	925	895	886
Fatal Crashes	27	24	27
Injury Crashes	384	373	369
Property Damage Crashes	514	498	490
Crash Fatalities	29	28	29
Crash Injuries		524	537
Drug Involved Crashes	261	241	215
Fatal Crashes	9	18	7
Injury Crashes	101	96	96
Property Damage Crashes	151	127	112
Crash Fatalities	11	21	7
Crash Injuries	158	145	167

BIRTH RISK	2015	2014	2013
Resident Births	11,761	11,628	11,493
Mother Reported Smoking while Pregnant	2,215	2,241	2,296

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	25	32	34
Hepatitis B Chronic, Acute, Prenatal	78	80	88
Hepatitis C Chronic and Acute	969	1,266	1,032
Tuberculosis Infection Cases	332	299	326

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	10,193	9,859	9,675
Suicide	213	192	148
Homicide	38	42	27
Alcohol Induced Deaths	98	77	75
Drug Induced Deaths	169	167	146
Smoking Attributable Deaths	1,791	1,767	1,797
Self-inflicted Injuries *	1,195	1,408	1,298
Assault Injuries *	2,627	2,563	2,630

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	6,952	5,728	5,697
Mental Illness Secondary Diagnosis	14,765	11,124	11,495
Alcohol Principal Diagnosis	789	302	422
Alcohol Secondary Diagnosis	1,182	667	696
Drug Principal Diagnosis	643	377	430
Drug Secondary Diagnosis	1,557	778	735
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	4,104	5,170	4,865
Mental Illness Secondary Diagnosis	12,510	16,642	16,578
Alcohol Principal Diagnosis	1,267	1,613	1,494
Alcohol Secondary Diagnosis	1,398	1,759	1,805
Drug Principal Diagnosis	859	1,086	1,042
Drug Secondary Diagnosis	1,309	1,460	1,321
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	8,323	8,077	7,955
Mental Illness Secondary Diagnosis	43,033	43,689	46,145
Alcohol Principal Diagnosis	2,988	2,851	2,839
Alcohol Secondary Diagnosis	2,513	4,178	2,482
Drug Principal Diagnosis	2,578	2,195	2,049
Drug Secondary Diagnosis	3,586	3,525	3,145

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	977	931	938
Alcohol Package Carry-out Licenses	966	951	960

EMPLOYMENT	2016	2015	2014
Labor Force	462,303	464,185	453,322
Employed	441,507	441,604	426,990
Unemployed	20,796	22,581	26,332
Unemployment Rate	4.5%	4.9%	5.8%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	4,389	3,932	4,964
Liquor Law Arrests	1,019	825	742
Drug Arrests	6,543	5,685	5,121
Methamphetamine Lab Seizures	46	76	203
Violent Offenses	4,680	4,772	4,186
Domestic Violence Reports	8,895	9,082	9,050
Property Offenses	34,583	34,237	33,608

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	42,640	41,994	41,522
Drop-outs	764	685	677
Drop-out Rate	1.8%	1.6%	1.6%
School Discipline Involving Alcohol	91	103	90
School Discipline Involving Drugs	361	366	421
School Discipline Involving Tobacco	12	21	20

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	1,377	1,420	1,185
Juvenile Alcohol Offenses	178	159	157
Juvenile Drug Offenses	397	426	328
School Truancy Status Offense	391	681	350
Absent from Home Status Offense	519	461	312
Beyond Parental Control Status Offense	535	426	387
Injurious Behavior Status Offense	976	973	832
Child Abuse	307	517	498
Child Neglect	2,288	2,951	2,408
Child Custody Issues	380	421	760

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	1,232	1,558	1,717
Parental Alcohol Use Related	43	37	61
Parental Drug Use Related	522	587	605
Parental Alcohol and Drug Use	28	51	53

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	2,710	2,353	2,285
Probation/Parole Admissions--Drug	2,188	1,950	2,053
Probation/Parole Admissions--DWI	401	416	438
Prison Admissions--Drug	1,026	952	974
Prison Admissions--DWI	159	161	180

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	1,343	1,259	1,144
CSTAR Adolescent	409	344	334
CSTAR Women and Children	862	768	702
CSTAR General Adult	2,979	2,842	2,607
CSTAR Opioid	*	0	6
Primary Recovery Treatment	290	1,112	991
Clinical SATOP (CIP, YCIP, SROP)	760	834	820
Other Substance Abuse Treatment	7	5	5


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	3,130	3,462	3,705
- Adolescent Diversion Education Program	33	63	67
- Offender Education Program	1,097	1,260	1,353
- Weekend Intervention Program	603	660	728
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	198	205	204
Compulsive Gambling	*	*	*
Recovery Supports	955	807	1,618
Early Intervention	254	240	263

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	5,645	6,222	6,083	Alcohol	1,966	2,361	2,327
AGE				Marijuana / Hashish	1,053	1,194	1,277
Under 18	412	350	334	Cocaine (total)	23	48	50
18 to 24	810	957	963	- Crack	16	23	27
25 to 29	962	1,100	1,034	Stimulant (total)	1,840	1,885	1,648
30 to 34	960	1,070	1,036	- Methamphetamine	1,704	1,838	1,588
35 to 39	757	790	785	Heroin	218	133	136
40 to 44	522	641	631	Analgesic except Heroin	451	502	521
45 to 54	851	963	973	- Non-Prescription Methadone	6	*	7
55 and Over	371	351	327	PCP, LSD, other Hallucinogen	6	9	11
GENDER				Tranquilizer	61	56	60
Male	3,444	3,910	3,934	Inhalant	0	6	8
Female	2,200	2,312	2,149	Sedative	*	5	15
RACE / ETHNICITY				Other Medication or Illicit Drug	23	23	30
Caucasian	5,182	5,699	5,571	Average Age at First Use of Drug	17.9	17.8	17.6
African American	173	219	217	INJECTION DRUG USE			
Native American / Alaskan	20	22	30	Any Injection Use at Admission	1,218	1,297	1,139
Asian / Pacific Islander	7	18	19	- Daily Injection Use	316	255	231
Hispanic	158	158	152	- Weekly Injection Use	389	388	311
Other Race / Two or More Races	165	160	159	- Less than Weekly Injection Use	513	654	597
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,944	2,041	1,974	0	3102	3,383	3,202
High School Graduate or G.E.D.	2,391	2,715	2,675	1 or 2	1,602	1,762	1,806
Associate Degree or Some College	1,262	1,426	1,379	3 or More	941	1,077	1,075
Bachelor or Advanced Degree	48	40	55	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	2,416	2,181	1,971
Employed	1,684	1,865	1,761	School	13	13	16
Unemployed	1,938	2,058	2,152	Mental Health Provider	20	49	80
Not in Labor Force	2,023	2,299	2,170	Health Care Provider	584	438	398
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	2041	2,683	2,700
Independent Living	4,260	4,845	4,818	Other Referral Source	543	818	874
Dependent Living	814	743	706	TREATMENT ACCOMMODATION			
Homeless	418	428	381	Pregnant when Admitted to any Episode	126	116	111
MARITAL / FAMILY STATUS				Military Veteran	213	236	261
Never Married	2,822	3,015	2,921	Special Education Services Needed	454	552	497
Married / Cohabiting	1,458	1,639	1,606	Co-Occurring Psychological Problem	2,537	2,772	2,493
Previously Married	1,365	1,568	1,556	Co-Occurring Developmental Problem	216	158	205

DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8A, 8B, 9, 10
CENSUS 2010 926,656
2016 POPULATION ESTIMATE 944,767

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	572	546	473
Anxiety Disorder	4,825	4,285	3,932
Dementia	42	30	26
Developmental Disorder	187	180	171
Impulse Control Disorder	1,682	1,519	1,408
Mood Disorder	6,603	6,140	5,709
Personality Disorder	1,296	1,317	1,238
Psychotic Disorder	1,831	1,684	1,614
Sexual Disorder	33	33	31
Other Diagnosis	1,571	1,090	960
Diagnosis Unknown	944	1,070	1,469

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	10,695	10,157	10,033	Less than High School Diploma	3,430	3,146	2,833
AGE				High School Grad or G.E.D.	0	0	*
Under 6	134	177	224	Associate Degree or Some College	0	0	0
6 to 9	594	601	592	Bachelor or Advanced Degree	0	0	0
10 to 13	796	708	734	Education Level Unknown	7,265	7,011	7,199
14 to 17	889	770	682	EMPLOYMENT			
18 to 24	810	774	801	Employed	646	583	494
25 to 29	806	777	813	Unemployed	498	419	471
30 to 34	982	974	922	Not in Labor Force	6,090	5,632	5,217
35 to 39	1,023	881	918	Employment Status Unknown	3,461	3,523	3,851
40 to 44	912	934	932	HOUSING / LIVING ARRANGEMENT			
45 to 49	1,005	978	1,023	Independent Living	3,912	3,612	3,299
50 to 54	1,166	1,157	1,081	Dependent Living	2,885	2,693	2,592
55 to 59	865	793	748	Homeless	268	216	168
60 and Over	713	633	563	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	3,630	3,636	3,974
GENDER				TREATMENT REFERRAL SOURCE			
Male	5,083	4,779	4,684	Self / Family / Friend	6,433	6,262	6,604
Female	5,611	5,378	5,349	School	87	67	57
Gender Unknown	*	0	0	Mental Health Provider	296	336	328
RACE / ETHNICITY				Health Care Provider	1,642	1,321	1,105
Caucasian	9,745	9,317	9,193	Court / Criminal Justice	786	777	536
African American	260	261	262	Other	1,367	1,296	1,295
Native American / Alaskan	36	30	35	Referral Source Unknown	84	98	108
Asian / Pacific Islander	21	15	16	TYPE OF COMMITMENT			
Hispanic	269	238	249	Voluntary	10,135	9,579	9,662
Other Race	364	296	278	Civil	394	411	199
Race/Ethnicity Unknown	0	0	0	Criminal	70	58	53
TREATMENT ACCOMMODATION				Sexual Predatory	9	10	11
Hearing Impaired	271	256	259	Commitment Type Unknown	87	99	108
Past or Current Military Service	258	224	208				

DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	32.8	31.9	34.0	39.8	Alcohol	12.5	12.8	13.9	17.0
Chewing Tobacco	11.1	12.4	12.6	14.8	Alcohol (5+ drinks on single occasion past 2 weeks)	4.5	5.9		
Cigarettes	20.4	21.2	23.4	27.8	Chewing Tobacco	4.8	6.4	6.6	7.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.9	2.2	2.3	Cigarettes	7.6	8.9	10.7	14.3
Cocaine	1.1	1.0	1.8	1.7	Inhalants	1.1	1.2	2.4	3.1
Electronic Cigarettes	23.0				Marijuana	6.3	6.0	6.7	8.0
Hallucinogens	1.7	2.3	3.1	3.3	Over-the-counter medications for non-medical use	1.5	1.6	3.7	5.0
Heroin	0.3	0.4	0.9	0.7	Prescription medications not prescribed for student	8.7	3.2	4.4	6.7
Inhalants	3.0	3.3	5.8	7.1					
Marijuana	14.1	13.3	14.1	16.0	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.6	0.8	1.4	1.1	Alcohol (1 or 2 drinks daily)	69.1	60.8		
Over-the-counter medications for non-medical use	4.1	2.9	6.2	8.4	Alcohol (Binge: 5+ drinks once or twice a week)	77.7	72.6		
Prescription medications not prescribed for student	12.6	7.5	8.4	11.8	Cigarettes (1+ packs per day)	85.0	86.0		
Synthetic drugs (K2, bath salts, Spice, etc)	1.9	3.6	7.4		Marijuana (once or twice a week)	68.7	69.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	92.8	93.7	93.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.86	12.96	12.44	12.42	Alcohol	85.5	83.5	82.6	80.6
Cigarettes	12.42	12.60	12.17	12.11	Cigarettes	93.5	93.1	91.9	89.7
Inhalants	10.90	12.01	12.05	12.23	Marijuana	92.6	93.4	93.9	93.2
Marijuana	13.70	13.72	13.11	13.37					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	41.0	40.9	47.0	54.8	Alcohol	71.8	68.8	66.9	63.1
Cigarettes	31.3	33.9	40.3	46.8	Cigarettes	87.7	84.4	81.8	77.0
Marijuana	32.7	27.3	30.9	35.4	Marijuana	81.9	82.8	83.1	81.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.9	11.1	14.8	18.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	96.6	95.1	94.2
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	21.1	22.1	25.3	29.6	Alcohol	48.9	47.6	50.9	54.7
Cigarettes	9.3	11.6	12.9	15.7	Cigarettes	45.5	46.7	48.9	56.4
Marijuana	13.0	11.2	11.8	13.1	Marijuana	33.9	29.8	32.3	36.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	14.0	16.8	19.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.9	59.8	60.4	67.7	Were grouchy, irritable, or in a bad mood	32.0	24.1	23.1	24.0
Were victims of mean rumors or lies spread at school	48.8	50.6	49.1	54.7	Had difficulty concentrating on school work	28.5	22.6	22.0	24.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.8	24.1	20.9	19.0	Were very sad	24.8	21.8	19.2	19.5
					Felt hopeless about the future	14.4	12.5	10.7	11.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	15.1	12.3	11.9	11.7	Parents involve student in making family decisions	70.4	69.9	69.9	70.7
Made plan about how they would attempt suicide	11.3	9.2	8.6	8.7	Parents notice and comment on student's good work	82.6	83.0	83.0	83.6
Attempted suicide	6.7	5.4	5.4	5.5	Teachers notice and comment on student's good work	74.9	72.9		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1, 2-5 (JC), 6, 7, 13
Adult Psychiatric	1, 2, 3, 4, 5, 6, 7, 13
POPULATION	
Census 2010	1,457,879
2016 Estimate	1,500,166

BIRTH RISK	2015	2014	2013
Resident Births	19,197	19,348	19,300
Mother Reported Smoking while Pregnant	2,741	3,050	3,112

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	163	125	138
Hepatitis B Chronic, Acute, Prenatal	150	166	170
Hepatitis C Chronic and Acute	1,041	1,446	924
Tuberculosis Infection Cases	983	1,060	1,026

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	13,716	13,403	13,239
Suicide	265	234	250
Homicide	144	111	124
Alcohol Induced Deaths	140	159	136
Drug Induced Deaths	228	211	215
Smoking Attributable Deaths	2,373	2,321	2,298
Self-inflicted Injuries *	1,860	2,167	2,311
Assault Injuries *	6,340	5,890	6,408

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	12,378	11,962	11,825
Mental Illness Secondary Diagnosis	25,728	17,476	15,913
Alcohol Principal Diagnosis	1,238	937	1,166
Alcohol Secondary Diagnosis	3,061	2,041	2,285
Drug Principal Diagnosis	575	487	638
Drug Secondary Diagnosis	3,139	2,265	1,923
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,750	3,530	3,708
Mental Illness Secondary Diagnosis	21,594	27,078	25,208
Alcohol Principal Diagnosis	751	1,119	987
Alcohol Secondary Diagnosis	2,716	3,503	3,301
Drug Principal Diagnosis	353	548	576
Drug Secondary Diagnosis	1,959	2,555	2,467
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	13,361	11,750	12,188
Mental Illness Secondary Diagnosis	25,786	29,978	31,431
Alcohol Principal Diagnosis	6,190	5,423	5,546
Alcohol Secondary Diagnosis	4,388	4,141	4,620
Drug Principal Diagnosis	2,866	2,388	2,804
Drug Secondary Diagnosis	6,687	5,374	4,831

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	1,668	1,600	1,614
Alcohol Package Carry-out Licenses	1,140	1,150	1,140

EMPLOYMENT	2016	2015	2014
Labor Force	801,293	795,346	787,002
Employed	764,894	753,953	737,991
Unemployed	36,399	41,393	49,011
Unemployment Rate	4.5%	5.2%	6.2%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	1,266	1,242	1,292
Fatal Crashes	37	26	30
Injury Crashes	511	516	524
Property Damage Crashes	718	700	738
Crash Fatalities	41	26	30
Crash Injuries		735	736
Drug Involved Crashes	319	263	260
Fatal Crashes	8	12	8
Injury Crashes	157	120	125
Property Damage Crashes	154	131	127
Crash Fatalities	9	12	8
Crash Injuries	219	183	182

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	5,494	5,781	6,452
Liquor Law Arrests	1,338	1,573	2,129
Drug Arrests	9,413	8,043	7,896
Methamphetamine Lab Seizures	11	20	21
Violent Offenses	10,906	9,265	8,325
Domestic Violence Reports	13,151	13,442	12,370
Property Offenses	48,487	48,750	50,950

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	68,352	67,304	66,267
Drop-outs	1,346	1,360	2,002
Drop-out Rate	2.0%	2.0%	3.0%
School Discipline Involving Alcohol	78	96	93
School Discipline Involving Drugs	468	580	522
School Discipline Involving Tobacco	12	6	11

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	1,174	1,179	1,104
Juvenile Alcohol Offenses	98	132	144
Juvenile Drug Offenses	352	372	384
School Truancy Status Offense	520	627	550
Absent from Home Status Offense	422	364	308
Beyond Parental Control Status Offense	386	416	341
Injurious Behavior Status Offense	518	528	628
Child Abuse	493	533	579
Child Neglect	2,172	1,994	2,242
Child Custody Issues	686	231	226

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	1,599	1,358	1,537
Parental Alcohol Use Related	29	35	37
Parental Drug Use Related	640	496	503
Parental Alcohol and Drug Use	55	41	49

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	1,847	1,704	1,711
Probation/Parole Admissions--Drug	2,589	2,442	2,369
Probation/Parole Admissions--DWI	433	475	517
Prison Admissions--Drug	1,124	1,174	1,168
Prison Admissions--DWI	157	198	247

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	1,048	1,000	1,209
CSTAR Adolescent	527	538	540
CSTAR Women and Children	904	915	891
CSTAR General Adult	4,500	4,399	4,593
CSTAR Opioid	298	171	143
Primary Recovery Treatment	527	508	698
Clinical SATOP (CIP, YCIP, SROP)	1,067	1,253	1,269
Other Substance Abuse Treatment	*	*	8


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	4,814	5,047	5,273
- Adolescent Diversion Education Program	88	101	84
- Offender Education Program	1,769	1,728	1,921
- Weekend Intervention Program	973	1,066	1,112
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	155	183	210
Compulsive Gambling	7	16	16
Recovery Supports	1,726	1,543	1,883
Early Intervention	92	101	132

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	8,213	8,239	8,671	Alcohol	2,838	3,177	3,336
AGE				Marijuana / Hashish	2,017	2,059	2,130
Under 18	532	538	544	Cocaine (total)	395	385	503
18 to 24	1,115	1,208	1,394	- Crack	218	202	295
25 to 29	1,394	1,308	1,397	Stimulant (total)	1,825	1,662	1,641
30 to 34	1,333	1,375	1,418	- Methamphetamine	1,719	1,619	1,578
35 to 39	1,012	976	998	Heroin	360	230	228
40 to 44	777	784	858	Analgesic except Heroin	547	488	535
45 to 54	1,383	1,425	1,512	- Non-Prescription Methadone	7	*	*
55 and Over	667	625	550	PCP, LSD, other Hallucinogen	142	148	183
GENDER				Tranquilizer	63	54	54
Male	5,298	5,448	5,882	Inhalant	5	6	6
Female	2,912	2,791	2,788	Sedative	*	6	*
RACE / ETHNICITY				Other Medication or Illicit Drug	18	24	51
Caucasian	5,867	5,978	6,264	Average Age at First Use of Drug	18.2	18.0	18.0
African American	1,757	1,713	1,886	INJECTION DRUG USE			
Native American / Alaskan	29	35	27	Any Injection Use at Admission	1,078	845	946
Asian / Pacific Islander	28	32	15	- Daily Injection Use	231	203	223
Hispanic	335	320	322	- Weekly Injection Use	290	202	247
Other Race / Two or More Races	289	262	265	- Less than Weekly Injection Use	557	440	476
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	2,523	2,465	2,729	0	5,074	4,839	5,013
High School Graduate or G.E.D.	3,736	3,786	3,895	1 or 2	1,966	2,150	2,368
Associate Degree or Some College	1,876	1,888	1,948	3 or More	1,173	1,250	1,290
Bachelor or Advanced Degree	78	99	99	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	2,870	2,486	2,957
Employed	2,636	2,605	2,473	School	46	41	35
Unemployed	2,765	2,920	3,295	Mental Health Provider	143	195	213
Not in Labor Force	2,812	2,713	2,903	Health Care Provider	437	483	355
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	3,209	3,450	3,429
Independent Living	6,102	6,117	6,488	Other Referral Source	1,036	1,222	1,223
Dependent Living	930	1,030	1,057	TREATMENT ACCOMMODATION			
Homeless	836	746	768	Pregnant when Admitted to any Episode	129	106	124
MARITAL / FAMILY STATUS				Military Veteran	232	309	313
Never Married	5,049	5,006	5,239	Special Education Services Needed	521	494	500
Married / Cohabiting	1,549	1,617	1,696	Co-Occurring Psychological Problem	3,118	2,997	3,196
Previously Married	1,615	1,616	1,736	Co-Occurring Developmental Problem	257	166	180

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1, 2, 3, 4, 5, 6, 7, 13
CENSUS 2010 1,457,879
2016 POPULATION ESTIMATE 1,487,934

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	1,062	1,075	946
Anxiety Disorder	8,423	8,372	6,941
Dementia	50	46	37
Developmental Disorder	239	266	255
Impulse Control Disorder	3,781	3,703	3,415
Mood Disorder	13,266	13,838	12,540
Personality Disorder	1,219	1,044	995
Psychotic Disorder	4,083	4,249	4,100
Sexual Disorder	70	46	33
Other Diagnosis	2,006	1,752	1,483
Diagnosis Unknown	2,533	2,146	2,413

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	22,489	22,477	20,944	Less than High School Diploma	4,971	5,171	4,421
AGE				High School Grad or G.E.D.	*	*	22
Under 6	177	148	195	Associate Degree or Some College	0	0	*
6 to 9	1,307	1,210	1,254	Bachelor or Advanced Degree	0	0	0
10 to 13	1,705	1,588	1,552	Education Level Unknown	17,517	17,305	16,499
14 to 17	1,913	1,797	1,590	EMPLOYMENT			
18 to 24	1,842	1,822	1,722	Employed	1,288	1,264	934
25 to 29	1,726	1,802	1,665	Unemployed	1,191	1,304	1,295
30 to 34	1,907	2,017	1,899	Not in Labor Force	9,020	9,533	8,081
35 to 39	1,868	1,900	1,790	Employment Status Unknown	10,990	10,376	10,634
40 to 44	1,779	1,891	1,837	HOUSING / LIVING ARRANGEMENT			
45 to 49	2,010	2,037	1,948	Independent Living	6,492	6,790	5,609
50 to 54	2,368	2,507	2,301	Dependent Living	4,584	4,764	4,165
55 to 59	1,992	1,953	1,699	Homeless	549	584	454
60 and Over	1,895	1,805	1,492	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	10,864	10,339	10,716
GENDER				TREATMENT REFERRAL SOURCE			
Male	10,642	10,651	10,021	Self / Family / Friend	12,304	12,129	11,776
Female	11,847	11,826	10,923	School	462	355	282
Gender Unknown	0	0	0	Mental Health Provider	1,664	1,780	1,914
RACE / ETHNICITY				Health Care Provider	3,155	3,142	2,679
Caucasian	14,800	14,531	13,820	Court / Criminal Justice	1,041	991	895
African American	5,531	5,794	5,391	Other	3,741	3,954	3,249
Native American / Alaskan	82	81	80	Referral Source Unknown	122	126	149
Asian / Pacific Islander	79	87	75	TYPE OF COMMITMENT			
Hispanic	846	794	628	Voluntary	22,062	22,034	20,486
Other Race	1,150	1,190	950	Civil	50	78	63
Race/Ethnicity Unknown	*	0	0	Criminal	237	230	243
TREATMENT ACCOMMODATION				Sexual Predatory	14	17	16
Hearing Impaired	611	583	504	Commitment Type Unknown	126	118	136
Past or Current Military Service	499	507	466				

DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	31.7	31.4	36.9	39.4	Alcohol	12.7	12.4	15.5	17.3
Chewing Tobacco	8.1	8.8	10.1	9.5	Alcohol (5+ drinks on single occasion past 2 weeks)	4.4	5.5		
Cigarettes	15.7	17.9	21.2	24.6	Chewing Tobacco	3.4	4.3	5.3	5.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.8	2.1	2.1	Cigarettes	5.9	7.3	9.5	12.7
Cocaine	1.1	1.3	1.8	1.7	Inhalants	1.0	1.2	2.0	2.9
Electronic Cigarettes	18.3				Marijuana	6.4	7.1	8.2	8.6
Hallucinogens	1.7	2.0	2.8	2.5	Over-the-counter medications for non-medical use	1.8	1.9	3.4	4.7
Heroin	0.2	0.4	0.9	0.6	Prescription medications not prescribed for student	8.6	3.6	4.4	6.3
Inhalants	2.7	3.1	5.1	6.1					
Marijuana	14.6	14.5	16.1	16.5	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.4	0.6	1.3	0.9	Alcohol (1 or 2 drinks daily)	67.7	60.5		
Over-the-counter medications for non-medical use	4.2	3.2	5.9	7.4	Alcohol (Binge: 5+ drinks once or twice a week)	77.3	72.6		
Prescription medications not prescribed for student	12.8	7.8	8.0	10.5	Cigarettes (1+ packs per day)	84.6	85.4		
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	3.5	6.1		Marijuana (once or twice a week)	65.5	62.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	90.0	90.5	92.7	91.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.96	13.09	12.83	12.57	Alcohol	83.7	82.6	80.0	80.0
Cigarettes	12.66	12.92	12.70	12.28	Cigarettes	94.2	93.0	91.8	90.5
Inhalants	10.50	11.28	11.69	11.69	Marijuana	92.3	92.3	93.4	93.5
Marijuana	13.86	13.88	13.65	13.49					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	40.1	41.5	51.4	54.1	Alcohol	72.0	66.6	62.1	62.1
Cigarettes	26.9	31.9	40.8	44.5	Cigarettes	89.6	85.7	81.6	79.5
Marijuana	32.8	32.3	37.5	36.8	Marijuana	80.9	79.2	81.0	81.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	12.2	14.5	17.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	95.6	94.9	94.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	21.0	24.1	29.1	30.4	Alcohol	49.8	50.1	56.7	56.2
Cigarettes	7.0	10.2	12.4	14.0	Cigarettes	43.1	45.1	51.9	53.6
Marijuana	13.8	13.5	13.8	13.1	Marijuana	35.2	34.1	37.7	36.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.1	14.3	16.7	18.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.4	58.4	59.9	65.8	Were grouchy, irritable, or in a bad mood	32.5	25.9	24.3	25.1
Were victims of mean rumors or lies spread at school	46.4	48.1	46.8	51.4	Had difficulty concentrating on school work	26.8	24.3	22.6	23.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.9	24.8	20.1	19.0	Were very sad	21.5	20.6	18.6	18.8
					Felt hopeless about the future	12.8	12.2	11.0	11.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.7	12.3	11.8	11.4	Parents involve student in making family decisions	69.7	69.7	68.4	69.8
Made plan about how they would attempt suicide	9.5	9.2	8.7	8.3	Parents notice and comment on student's good work	83.1	82.0	82.0	82.9
Attempted suicide	5.7	5.3	5.0	5.6	Teachers notice and comment on student's good work	72.4	71.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 1



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	1
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	183,003
2016 Estimate	180,607

BIRTH RISK	2015	2014	2013
Resident Births	2,144	2,106	2,113
Mother Reported Smoking while Pregnant	468	512	493

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	7	1	5
Hepatitis B Chronic, Acute, Prenatal	15	16	21
Hepatitis C Chronic and Acute	169	309	238
Tuberculosis Infection Cases	83	156	34

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,932	1,985	1,975
Suicide	35	20	30
Homicide	12	5	2
Alcohol Induced Deaths	15	14	18
Drug Induced Deaths	18	20	25
Smoking Attributable Deaths	365	376	349
Self-inflicted Injuries *	266	322	267
Assault Injuries *	592	568	620

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,299	983	1,114
Mental Illness Secondary Diagnosis	2,706	1,725	1,552
Alcohol Principal Diagnosis	49	31	60
Alcohol Secondary Diagnosis	182	101	108
Drug Principal Diagnosis	45	32	60
Drug Secondary Diagnosis	196	90	95
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,086	1,332	1,153
Mental Illness Secondary Diagnosis	2,750	3,347	2,699
Alcohol Principal Diagnosis	69	175	174
Alcohol Secondary Diagnosis	330	404	325
Drug Principal Diagnosis	57	142	165
Drug Secondary Diagnosis	174	245	226
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,714	1,476	1,685
Mental Illness Secondary Diagnosis	4,118	3,204	2,931
Alcohol Principal Diagnosis	328	305	353
Alcohol Secondary Diagnosis	439	339	395
Drug Principal Diagnosis	235	215	214
Drug Secondary Diagnosis	475	325	307

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	200	194	210
Alcohol Package Carry-out Licenses	193	191	187

EMPLOYMENT	2016	2015	2014
Labor Force	94,677	94,693	95,961
Employed	90,787	90,365	90,603
Unemployed	3,890	4,328	5,358
Unemployment Rate	4.1%	4.6%	5.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	166	179	192
Fatal Crashes	7	6	5
Injury Crashes	75	75	80
Property Damage Crashes	84	98	107
Crash Fatalities	7	6	5
Crash Injuries		106	113
Drug Involved Crashes	47	44	33
Fatal Crashes	1	5	0
Injury Crashes	26	14	17
Property Damage Crashes	20	25	16
Crash Fatalities	1	5	0
Crash Injuries	45	22	23

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	744	782	830
Liquor Law Arrests	491	538	547
Drug Arrests	1,485	1,182	1,128
Methamphetamine Lab Seizures	0	4	5
Violent Offenses	664	633	613
Domestic Violence Reports	1,733	1,785	1,521
Property Offenses	5,725	5,787	5,741

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	7,742	7,676	7,607
Drop-outs	150	89	78
Drop-out Rate	1.9%	1.2%	1.0%
School Discipline Involving Alcohol	6	9	12
School Discipline Involving Drugs	53	39	26
School Discipline Involving Tobacco	2	1	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	131	166	166
Juvenile Alcohol Offenses	24	18	52
Juvenile Drug Offenses	61	41	45
School Truancy Status Offense	208	167	230
Absent from Home Status Offense	191	144	134
Beyond Parental Control Status Offense	151	134	148
Injurious Behavior Status Offense	150	103	161
Child Abuse	39	36	24
Child Neglect	387	370	397
Child Custody Issues	6	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	188	191	140
Parental Alcohol Use Related	6	7	5
Parental Drug Use Related	65	62	43
Parental Alcohol and Drug Use	5	7	2

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	269	286	275
Probation/Parole Admissions--Drug	530	517	563
Probation/Parole Admissions--DWI	68	84	84
Prison Admissions--Drug	337	349	370
Prison Admissions--DWI	36	36	49

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 1

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	51	29	183
CSTAR Adolescent	97	84	103
CSTAR Women and Children	25	14	22
CSTAR General Adult	801	694	618
CSTAR Opioid	*	*	*
Primary Recovery Treatment	9	22	141
Clinical SATOP (CIP, YCIP, SROP)	77	86	102
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	628	658	661
- Adolescent Diversion Education Program	67	67	63
- Offender Education Program	237	270	264
- Weekend Intervention Program	111	121	125
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	8
Compulsive Gambling	*	0	5
Recovery Supports	9	9	10
Early Intervention	*	5	22

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	1,019	892	1,016	Alcohol	244	278	329
AGE				Marijuana / Hashish	330	248	263
Under 18	98	84	101	Cocaine (total)	11	17	30
18 to 24	157	150	177	- Crack	5	9	21
25 to 29	179	144	177	Stimulant (total)	308	223	244
30 to 34	174	151	153	- Methamphetamine	294	217	237
35 to 39	118	95	103	Heroin	21	12	10
40 to 44	94	88	90	Analgesic except Heroin	92	96	116
45 to 54	141	137	157	- Non-Prescription Methadone	*	0	0
55 and Over	58	43	58	PCP, LSD, other Hallucinogen	*	*	8
GENDER				Tranquilizer	5	10	7
Male	638	593	665	Inhalant	*	*	*
Female	380	299	351	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	6
Caucasian	890	784	899	Average Age at First Use of Drug	18.5	18.5	18.4
African American	79	60	73	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	200	145	171
Asian / Pacific Islander	*	*	*	- Daily Injection Use	26	10	41
Hispanic	24	21	23	- Weekly Injection Use	42	18	44
Other Race / Two or More Races	28	28	26	- Less than Weekly Injection Use	132	117	86
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	332	281	347	0	677	580	653
High School Graduate or G.E.D.	458	443	500	1 or 2	216	205	228
Associate Degree or Some College	213	158	157	3 or More	126	107	135
Bachelor or Advanced Degree	16	10	12	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	249	167	445
Employed	278	259	263	School	*	*	*
Unemployed	334	236	306	Mental Health Provider	*	14	5
Not in Labor Force	407	397	447	Health Care Provider	53	40	45
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	606	564	443
Independent Living	681	602	718	Other Referral Source	78	88	62
Dependent Living	182	159	167	TREATMENT ACCOMMODATION			
Homeless	47	37	84	Pregnant when Admitted to any Episode	18	10	7
MARITAL / FAMILY STATUS				Military Veteran	13	23	32
Never Married	610	550	606	Special Education Services Needed	53	52	79
Married / Cohabiting	203	169	189	Co-Occurring Psychological Problem	322	213	309
Previously Married	206	173	221	Co-Occurring Developmental Problem	42	30	33

SUBSTANCE USE SERVICE AREA 1

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.0	27.6	35.7	38.8	Alcohol	17.1	10.4	14.9	16.0
Chewing Tobacco	15.9	8.5	12.6	13.7	Alcohol (5+ drinks on single occasion past 2 weeks)	8.0	5.0		
Cigarettes	19.9	19.2	20.0	24.6	Chewing Tobacco	6.2	4.5	6.5	7.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.3	1.1	1.3	Cigarettes	8.8	7.5	9.2	13.2
Cocaine	0.7	1.0	0.9	1.1	Inhalants	1.0	1.1	1.7	3.0
Electronic Cigarettes	21.5				Marijuana	8.0	4.3	5.3	5.4
Hallucinogens	1.5	1.5	1.8	1.7	Over-the-counter medications for non-medical use	1.5	2.1	2.1	4.1
Heroin	0.2	0.3	0.5	0.4	Prescription medications not prescribed for student	7.6	2.5	3.4	5.6
Inhalants	2.4	3.1	4.8	6.1					
Marijuana	15.0	10.6	11.1	10.5	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.6	0.7	1.4	0.6	Alcohol (1 or 2 drinks daily)	66.9	60.6		
Over-the-counter medications for non-medical use	4.6	3.0	4.1	6.2	Alcohol (Binge: 5+ drinks once or twice a week)	76.3	71.8		
Prescription medications not prescribed for student	12.5	5.6	6.2	9.1	Cigarettes (1+ packs per day)	85.2	86.7		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	2.7	5.8		Marijuana (once or twice a week)	65.8	70.2		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	93.2	91.9	92.3	94.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.50	12.86	12.56	12.39	Alcohol	79.5	85.2	83.5	82.4
Cigarettes	13.32	12.48	12.45	11.83	Cigarettes	92.3	92.7	94.4	92.1
Inhalants	11.29	10.99	11.51	12.29	Marijuana	91.4	93.5	96.0	96.0
Marijuana	14.45	13.65	13.63	13.46					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	46.5	35.4	50.6	54.3	Alcohol	68.4	70.9	65.0	65.2
Cigarettes	32.7	29.8	39.7	44.7	Cigarettes	86.5	86.2	82.7	81.2
Marijuana	35.1	22.9	30.7	28.6	Marijuana	80.2	84.0	86.7	87.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	8.1	12.4	15.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	96.3	97.0	95.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.9	19.8	27.3	28.9	Alcohol	52.2	45.7	53.3	54.4
Cigarettes	9.6	9.8	11.7	14.0	Cigarettes	47.3	43.0	47.1	53.2
Marijuana	13.8	9.3	9.9	8.4	Marijuana	37.1	25.1	28.6	29.0
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	9.5	12.8	15.7
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.3	56.3	62.2	67.6	Were grouchy, irritable, or in a bad mood	32.4	25.5	24.8	30.2
Were victims of mean rumors or lies spread at school	49.3	46.2	48.4	54.6	Had difficulty concentrating on school work	28.0	23.0	78.8	25.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.4	23.3	20.0	20.0	Were very sad	20.4	19.9	16.1	20.8
					Felt hopeless about the future	11.9	10.4	9.9	11.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.5	9.5	10.0	11.1	Parents involve student in making family decisions	74.2	72.0	70.3	71.5
Made plan about how they would attempt suicide	9.2	7.4	8.0	7.4	Parents notice and comment on student's good work	84.5	85.0	84.1	83.9
Attempted suicide	5.4	4.2	4.0	4.8	Teachers notice and comment on student's good work	79.4	76.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREAS 2-5 (JC)



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	2-5 (JC)
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	674,158
2016 Estimate	691,801

BIRTH RISK	2015	2014	2013
Resident Births	9,345	9,520	9,478
Mother Reported Smoking while Pregnant	1,152	1,347	1,357

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	123	98	105
Hepatitis B Chronic, Acute, Prenatal	115	95	130
Hepatitis C Chronic and Acute	694	780	519
Tuberculosis Infection Cases	635	776	828

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	6,320	6,073	6,091
Suicide	119	104	116
Homicide	119	83	109
Alcohol Induced Deaths	69	83	77
Drug Induced Deaths	132	119	118
Smoking Attributable Deaths	1,036	989	1,005
Self-inflicted Injuries *	854	990	1,122
Assault Injuries *	4,194	3,866	4,242

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	6,323	6,460	6,521
Mental Illness Secondary Diagnosis	11,529	7,606	6,771
Alcohol Principal Diagnosis	817	607	815
Alcohol Secondary Diagnosis	1,936	1,328	1,622
Drug Principal Diagnosis	326	276	392
Drug Secondary Diagnosis	2,116	1,630	1,301
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,157	1,429	1,615
Mental Illness Secondary Diagnosis	11,305	13,597	12,373
Alcohol Principal Diagnosis	463	644	544
Alcohol Secondary Diagnosis	1,607	2,046	1,923
Drug Principal Diagnosis	196	261	263
Drug Secondary Diagnosis	1,234	1,663	1,557
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	6,473	5,551	5,482
Mental Illness Secondary Diagnosis	10,763	15,080	17,292
Alcohol Principal Diagnosis	4,598	4,012	4,099
Alcohol Secondary Diagnosis	2,836	2,729	3,119
Drug Principal Diagnosis	1,803	1,535	1,854
Drug Secondary Diagnosis	4,833	3,521	2,978

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	876	838	825
Alcohol Package Carry-out Licenses	457	469	461

EMPLOYMENT	2016	2015	2014
Labor Force	369,829	367,147	363,483
Employed	351,092	345,606	338,018
Unemployed	18,737	21,541	25,465
Unemployment Rate	5.1%	5.9%	7.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	606	562	615
Fatal Crashes	13	10	13
Injury Crashes	226	227	248
Property Damage Crashes	367	325	354
Crash Fatalities	14	10	13
Crash Injuries		341	367
Drug Involved Crashes	152	105	127
Fatal Crashes	3	2	3
Injury Crashes	79	57	67
Property Damage Crashes	70	46	57
Crash Fatalities	3	2	3
Crash Injuries	112	87	104

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	2,532	2,704	3,034
Liquor Law Arrests	350	450	683
Drug Arrests	3,841	3,323	3,770
Methamphetamine Lab Seizures	7	8	11
Violent Offenses	9,201	7,774	6,885
Domestic Violence Reports	8,543	8,768	8,183
Property Offenses	34,121	34,198	36,464

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	29,622	29,123	28,224
Drop-outs	842	907	1,541
Drop-out Rate	2.8%	3.1%	5.5%
School Discipline Involving Alcohol	29	46	44
School Discipline Involving Drugs	183	301	288
School Discipline Involving Tobacco	4	2	6

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	404	414	463
Juvenile Alcohol Offenses	12	12	15
Juvenile Drug Offenses	81	95	94
School Truancy Status Offense	5	3	4
Absent from Home Status Offense	33	21	18
Beyond Parental Control Status Offense	4	2	11
Injurious Behavior Status Offense	9	11	14
Child Abuse	359	382	417
Child Neglect	999	752	787
Child Custody Issues	568	144	165

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	989	793	976
Parental Alcohol Use Related	16	23	14
Parental Drug Use Related	419	283	290
Parental Alcohol and Drug Use	37	30	39

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	1,193	1,097	1,109
Probation/Parole Admissions--Drug	725	626	642
Probation/Parole Admissions--DWI	169	176	172
Prison Admissions--Drug	126	144	163
Prison Admissions--DWI	33	55	62

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREAS 2-5 (JC)

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	799	819	860
CSTAR Adolescent	200	237	243
CSTAR Women and Children	769	787	775
CSTAR General Adult	2,074	1,988	2,031
CSTAR Opioid	247	142	124
Primary Recovery Treatment	480	441	491
Clinical SATOP (CIP, YCIP, SROP)	527	615	622
Other Substance Abuse Treatment	*	*	8

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	2,324	2,372	2,449
- Adolescent Diversion Education Program	9	9	5
- Offender Education Program	888	789	859
- Weekend Intervention Program	437	468	502
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	127	120	171
Compulsive Gambling	*	15	8
Recovery Supports	1,374	1,300	1,669
Early Intervention	42	21	32

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	4,625	4,686	4,709	Alcohol	1,615	1,793	1,805
AGE				Marijuana / Hashish	1,023	1,150	1,161
Under 18	195	228	245	Cocaine (total)	351	337	420
18 to 24	546	586	637	- Crack	196	178	251
25 to 29	742	696	689	Stimulant (total)	926	854	745
30 to 34	743	773	772	- Methamphetamine	880	836	706
35 to 39	612	600	558	Heroin	255	150	156
40 to 44	455	454	510	Analgesic except Heroin	289	225	208
45 to 54	873	919	955	- Non-Prescription Methadone	*	0	*
55 and Over	459	430	343	PCP, LSD, other Hallucinogen	131	140	168
GENDER				Tranquilizer	28	27	25
Male	3,067	3,144	3,254	Inhalant	*	*	0
Female	1,557	1,542	1,454	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	5	19
Caucasian	2,685	2,804	2,669	Average Age at First Use of Drug	18.5	18.2	18.0
African American	1,557	1,521	1,701	INJECTION DRUG USE			
Native American / Alaskan	20	19	16	Any Injection Use at Admission	554	406	408
Asian / Pacific Islander	18	17	11	- Daily Injection Use	138	133	125
Hispanic	219	212	208	- Weekly Injection Use	173	106	112
Other Race / Two or More Races	175	170	170	- Less than Weekly Injection Use	243	167	171
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,466	1,460	1,568	0	2,943	2,836	2,806
High School Graduate or G.E.D.	2,033	2,068	1,972	1 or 2	1,072	1,159	1,224
Associate Degree or Some College	1,090	1,112	1,114	3 or More	610	691	679
Bachelor or Advanced Degree	36	46	55	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	1,788	1,528	1,707
Employed	1,298	1,275	1,129	School	38	31	25
Unemployed	1,818	1,927	1,948	Mental Health Provider	53	77	87
Not in Labor Force	1,509	1,484	1,632	Health Care Provider	288	339	233
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,751	1,917	1,885
Independent Living	3,341	3,297	3,274	Other Referral Source	559	667	562
Dependent Living	462	583	637	TREATMENT ACCOMMODATION			
Homeless	690	631	612	Pregnant when Admitted to any Episode	73	67	75
MARITAL / FAMILY STATUS				Military Veteran	133	169	180
Never Married	2,959	2,951	2,986	Special Education Services Needed	284	318	293
Married / Cohabiting	781	825	844	Co-Occurring Psychological Problem	1,688	1,799	1,794
Previously Married	885	910	879	Co-Occurring Developmental Problem	141	101	104

SUBSTANCE USE SERVICE AREAS 2-5 (JC)

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	29.8	30.5	36.7	37.7	Alcohol	11.1	11.5	14.9	16.3
Chewing Tobacco	18.8	7.1	9.6	6.3	Alcohol (5+ drinks on single occasion past 2 weeks)	3.1	5.1		
Cigarettes	15.6	17.3	21.1	24.7	Chewing Tobacco	2.5	3.5	3.8	3.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.9	2.4	2.1	Cigarettes	5.1	6.7	9.2	12.4
Cocaine	1.4	1.5	2.1	1.8	Inhalants	1.0	1.4	2.0	2.7
Electronic Cigarettes	17.8				Marijuana	6.8	8.1	10.2	10.5
Hallucinogens	1.9	1.8	3.0	2.5	Over-the-counter medications for non-medical use	2.2	2.2	3.5	4.6
Heroin	0.2	0.5	1.0	0.6	Prescription medications not prescribed for student	9.3	3.9	4.5	6.2
Inhalants	2.6	3.4	5.0	5.8					
Marijuana	17.2	16.6	19.6	19.7	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.6	1.3	0.9	Alcohol (1 or 2 drinks daily)	68.0	60.3		
Over-the-counter medications for non-medical use	4.7	3.7	5.9	7.3	Alcohol (Binge: 5+ drinks once or twice a week)	78.4	73.1		
Prescription medications not prescribed for student	13.8	8.5	8.0	9.9	Cigarettes (1+ packs per day)	82.7	83.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.3	6.4		Marijuana (once or twice a week)	60.3	56.4		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	87.6	88.2	91.8	89.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.73	12.99	12.94	12.46	Alcohol	84.6	83.3	79.3	80.4
Cigarettes	12.25	12.76	12.65	12.12	Cigarettes	94.1	93.5	90.6	90.0
Inhalants	10.32	11.00	11.55	11.21	Marijuana	90.5	90.7	91.5	92.0
Marijuana	13.62	13.73	13.61	13.33					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	39.9	40.8	51.5	50.9	Alcohol	73.2	66.5	61.1	62.8
Cigarettes	27.3	30.9	41.0	42.7	Cigarettes	89.8	86.1	81.3	79.3
Marijuana	36.0	35.2	42.9	39.6	Marijuana	77.7	76.0	76.9	78.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	13.0	15.1	17.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	95.0	93.9	93.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	19.9	23.7	29.3	29.3	Alcohol	47.5	48.3	56.9	52.7
Cigarettes	6.3	9.7	12.4	13.5	Cigarettes	41.7	44.3	54.4	51.7
Marijuana	16.5	16.0	17.0	15.4	Marijuana	40.0	37.4	43.6	39.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	15.7	18.7	19.8
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.3	57.9	58.0	63.5	Were grouchy, irritable, or in a bad mood	34.8	27.6	25.5	23.4
Were victims of mean rumors or lies spread at school	44.3	48.7	44.7	48.6	Had difficulty concentrating on school work	27.4	24.7	23.3	22.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.6	24.2	18.3	17.2	Were very sad	22.8	20.8	19.9	17.1
					Felt hopeless about the future	14.3	12.2	11.8	11.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.7	13.3	12.5	11.6	Parents involve student in making family decisions	68.2	68.8	67.0	69.1
Made plan about how they would attempt suicide	10.0	9.6	8.8	8.7	Parents notice and comment on student's good work	80.5	80.8	80.9	82.2
Attempted suicide	6.4	5.9	5.6	6.2	Teachers notice and comment on student's good work	69.4	70.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 6



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	6
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	334,755
2016 Estimate	360,148

BIRTH RISK	2015	2014	2013
Resident Births	4,523	4,428	4,433
Mother Reported Smoking while Pregnant	499	541	605

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	25	17	18
Hepatitis B Chronic, Acute, Prenatal	8	42	13
Hepatitis C Chronic and Acute	47	176	62
Tuberculosis Infection Cases	55	33	26

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	2,717	2,596	2,505
Suicide	73	54	58
Homicide	9	15	10
Alcohol Induced Deaths	41	34	27
Drug Induced Deaths	50	35	44
Smoking Attributable Deaths	480	437	461
Self-inflicted Injuries *	460	515	561
Assault Injuries *	910	866	939

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,663	2,586	2,173
Mental Illness Secondary Diagnosis	5,849	4,105	3,796
Alcohol Principal Diagnosis	211	178	183
Alcohol Secondary Diagnosis	478	334	263
Drug Principal Diagnosis	121	103	91
Drug Secondary Diagnosis	487	314	287
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	243	361	465
Mental Illness Secondary Diagnosis	4,973	6,624	6,703
Alcohol Principal Diagnosis	140	160	164
Alcohol Secondary Diagnosis	520	687	699
Drug Principal Diagnosis	68	86	97
Drug Secondary Diagnosis	397	412	459
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,916	2,652	2,918
Mental Illness Secondary Diagnosis	7,401	8,179	7,642
Alcohol Principal Diagnosis	827	731	726
Alcohol Secondary Diagnosis	609	609	696
Drug Principal Diagnosis	470	355	433
Drug Secondary Diagnosis	839	1,055	1,071

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	353	337	342
Alcohol Package Carry-out Licenses	229	225	226

EMPLOYMENT	2016	2015	2014
Labor Force	203,053	200,561	196,227
Employed	195,213	191,579	185,724
Unemployed	7,840	8,982	10,503
Unemployment Rate	3.9%	4.5%	5.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	260	286	274
Fatal Crashes	9	5	6
Injury Crashes	108	116	104
Property Damage Crashes	143	165	164
Crash Fatalities	10	5	6
Crash Injuries		162	138
Drug Involved Crashes	82	64	57
Fatal Crashes	2	2	4
Injury Crashes	34	26	24
Property Damage Crashes	46	36	29
Crash Fatalities	3	2	4
Crash Injuries	42	42	30

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	1,277	1,301	1,486
Liquor Law Arrests	198	234	344
Drug Arrests	1,982	1,754	1,458
Methamphetamine Lab Seizures	1	4	2
Violent Offenses	529	381	400
Domestic Violence Reports	1,255	1,213	1,105
Property Offenses	3,779	4,017	3,935

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	18,059	17,624	17,564
Drop-outs	185	203	204
Drop-out Rate	1.0%	1.2%	1.2%
School Discipline Involving Alcohol	16	23	18
School Discipline Involving Drugs	158	152	109
School Discipline Involving Tobacco	5	2	3

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	363	323	241
Juvenile Alcohol Offenses	38	42	38
Juvenile Drug Offenses	105	130	132
School Truancy Status Offense	83	88	41
Absent from Home Status Offense	66	33	26
Beyond Parental Control Status Offense	73	76	42
Injurious Behavior Status Offense	72	81	57
Child Abuse	35	34	33
Child Neglect	319	326	243
Child Custody Issues	27	17	16

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	102	102	101
Parental Alcohol Use Related	1	1	4
Parental Drug Use Related	50	32	47
Parental Alcohol and Drug Use	4	1	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	201	150	135
Probation/Parole Admissions--Drug	542	525	532
Probation/Parole Admissions--DWI	126	123	147
Prison Admissions--Drug	240	229	249
Prison Admissions--DWI	56	62	55

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 6

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	108	74	89
CSTAR Adolescent	114	89	84
CSTAR Women and Children	53	58	52
CSTAR General Adult	863	961	997
CSTAR Opioid	37	24	15
Primary Recovery Treatment	18	18	19
Clinical SATOP (CIP, YCIP, SROP)	275	328	315
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	1,108	1,206	1,225
- Adolescent Diversion Education Program	6	13	8
- Offender Education Program	386	389	463
- Weekend Intervention Program	298	320	301
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	22	16
Compulsive Gambling	0	0	*
Recovery Supports	59	35	42
Early Intervention	26	43	39

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	1,393	1,502	1,534	Alcohol	562	654	653
AGE				Marijuana / Hashish	342	363	344
Under 18	113	94	86	Cocaine (total)	24	21	36
18 to 24	234	270	322	- Crack	14	13	18
25 to 29	273	293	275	Stimulant (total)	287	312	338
30 to 34	227	260	255	- Methamphetamine	278	303	333
35 to 39	149	160	168	Heroin	64	49	40
40 to 44	112	151	124	Analgesic except Heroin	83	85	99
45 to 54	203	190	217	- Non-Prescription Methadone	*	*	*
55 and Over	82	84	87	PCP, LSD, other Hallucinogen	6	*	*
GENDER				Tranquilizer	19	10	10
Male	906	1,007	1,046	Inhalant	0	0	*
Female	486	495	488	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	*	8
Caucasian	1,219	1,331	1,375	Average Age at First Use of Drug	17.8	17.7	17.7
African American	74	86	64	INJECTION DRUG USE			
Native American / Alaskan	*	8	9	Any Injection Use at Admission	170	174	183
Asian / Pacific Islander	7	10	*	- Daily Injection Use	38	32	29
Hispanic	62	59	61	- Weekly Injection Use	41	53	40
Other Race / Two or More Races	50	35	46	- Less than Weekly Injection Use	91	89	114
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	345	324	349	0	753	745	765
High School Graduate or G.E.D.	660	723	756	1 or 2	379	479	491
Associate Degree or Some College	372	426	409	3 or More	261	278	278
Bachelor or Advanced Degree	16	28	20	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	344	350	382
Employed	625	687	619	School	*	8	6
Unemployed	366	391	481	Mental Health Provider	81	91	109
Not in Labor Force	402	424	434	Health Care Provider	43	53	45
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	498	613	626
Independent Living	1,173	1,312	1,338	Other Referral Source	219	208	173
Dependent Living	127	114	107	TREATMENT ACCOMMODATION			
Homeless	60	47	34	Pregnant when Admitted to any Episode	21	19	26
MARITAL / FAMILY STATUS				Military Veteran	53	72	60
Never Married	868	873	893	Special Education Services Needed	105	76	66
Married / Cohabiting	261	328	308	Co-Occurring Psychological Problem	621	545	514
Previously Married	264	301	333	Co-Occurring Developmental Problem	38	9	18

SUBSTANCE USE SERVICE AREA 6

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	30.9	29.0	36.4	38.2	Alcohol	12.7	11.6	16.5	17.5
Chewing Tobacco	13.4	6.7	12.0	10.0	Alcohol (5+ drinks on single occasion past 2 weeks)	4.4	4.9		
Cigarettes	13.5	14.2	19.5	21.2	Chewing Tobacco	2.8	2.8	5.2	5.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	1.1	2.4	2.3	Cigarettes	4.9	5.7	8.9	11.0
Cocaine	0.9	0.8	1.9	1.7	Inhalants	0.9	1.0	2.0	2.8
Electronic Cigarettes	17.5				Marijuana	6.8	5.9	8.8	7.8
Hallucinogens	1.9	1.6	3.4	2.9	Over-the-counter medications for non-medical use	1.5	1.4	4.0	5.1
Heroin	0.2	0.3	0.9	0.6	Prescription medications not prescribed for student	8.0	3.5	4.8	6.6
Inhalants	2.3	2.5	5.3	6.2					
Marijuana	13.7	12.3	16.6	14.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.6	1.3	0.8	Alcohol (1 or 2 drinks daily)	72.3	64.3		
Over-the-counter medications for non-medical use	3.7	2.2	6.7	7.9	Alcohol (Binge: 5+ drinks once or twice a week)	81.4	75.6		
Prescription medications not prescribed for student	11.8	7.0	8.8	11.3	Cigarettes (1+ packs per day)	86.8	88.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	2.6	6.4		Marijuana (once or twice a week)	68.8	66.8		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	93.1	93.8	93.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.21	13.32	12.99	12.81	Alcohol	85.4	83.6	80.4	80.6
Cigarettes	12.95	13.29	13.05	12.63	Cigarettes	95.4	93.9	92.6	91.3
Inhalants	10.65	11.50	11.93	11.89	Marijuana	93.5	94.2	93.7	94.3
Marijuana	14.14	14.13	13.79	13.74					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	39.5	41.1	52.5	55.1	Alcohol	72.4	68.9	63.5	63.1
Cigarettes	24.5	29.8	40.5	42.9	Cigarettes	91.0	87.7	82.6	81.0
Marijuana	32.3	32.3	40.4	37.5	Marijuana	82.0	81.4	80.4	82.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.3	12.2	17.6	19.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	96.4	94.8	94.3
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	20.4	21.6	28.4	29.0	Alcohol	50.5	52.4	60.4	59.7
Cigarettes	6.0	8.7	11.5	12.9	Cigarettes	40.4	44.2	51.9	53.0
Marijuana	12.5	11.8	13.9	12.5	Marijuana	33.1	33.3	39.5	37.0
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	13.2	18.0	18.3
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	56.6	56.7	59.9	67.4	Were grouchy, irritable, or in a bad mood	30.1	23.3	23.3	25.0
Were victims of mean rumors or lies spread at school	42.8	44.3	46.1	52.2	Had difficulty concentrating on school work	26.9	23.7	23.1	23.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.6	24.3	22.0	20.7	Were very sad	20.3	18.8	18.3	19.6
					Felt hopeless about the future	11.9	12.0	11.5	12.3
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.9	11.2	12.1	11.3	Parents involve student in making family decisions	73.1	71.8	69.1	70.8
Made plan about how they would attempt suicide	9.1	8.2	8.9	7.8	Parents notice and comment on student's good work	84.8	83.8	82.3	83.9
Attempted suicide	5.1	4.8	4.7	4.9	Teachers notice and comment on student's good work	76.5	71.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 7



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	7
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	185,454
2016 Estimate	189,405

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	178	147	141
Fatal Crashes	6	2	4
Injury Crashes	78	60	48
Property Damage Crashes	94	85	89
Crash Fatalities	8	2	4
Crash Injuries		72	61
Drug Involved Crashes	28	36	28
Fatal Crashes	2	2	0
Injury Crashes	13	16	10
Property Damage Crashes	13	18	18
Crash Fatalities	2	2	0
Crash Injuries	15	20	12

BIRTH RISK	2015	2014	2013
Resident Births	2,189	2,310	2,306
Mother Reported Smoking while Pregnant	353	394	421

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	7	7	10
Hepatitis B Chronic, Acute, Prenatal	7	10	4
Hepatitis C Chronic and Acute	86	83	71
Tuberculosis Infection Cases	197	84	126

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,730	1,687	1,693
Suicide	28	42	34
Homicide	4	6	3
Alcohol Induced Deaths	12	20	13
Drug Induced Deaths	19	21	16
Smoking Attributable Deaths	306	326	299
Self-inflicted Injuries *	208	230	242
Assault Injuries *	477	438	427

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,529	1,389	1,442
Mental Illness Secondary Diagnosis	3,668	2,346	2,255
Alcohol Principal Diagnosis	138	98	87
Alcohol Secondary Diagnosis	313	168	155
Drug Principal Diagnosis	63	53	62
Drug Secondary Diagnosis	230	141	149
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	152	247	309
Mental Illness Secondary Diagnosis	1,911	2,649	2,556
Alcohol Principal Diagnosis	65	106	94
Alcohol Secondary Diagnosis	186	266	270
Drug Principal Diagnosis	22	40	36
Drug Secondary Diagnosis	116	177	174
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,516	1,304	1,354
Mental Illness Secondary Diagnosis	1,746	1,658	1,527
Alcohol Principal Diagnosis	349	291	308
Alcohol Secondary Diagnosis	309	281	267
Drug Principal Diagnosis	279	188	213
Drug Secondary Diagnosis	368	306	324

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	165	155	158
Alcohol Package Carry-out Licenses	161	164	163

EMPLOYMENT	2016	2015	2014
Labor Force	96,123	95,311	94,355
Employed	91,964	90,609	88,855
Unemployed	4,159	4,702	5,500
Unemployment Rate	4.3%	4.9%	5.8%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	676	679	753
Liquor Law Arrests	238	269	455
Drug Arrests	1,524	1,247	1,121
Methamphetamine Lab Seizures	0	1	2
Violent Offenses	373	332	299
Domestic Violence Reports	1,237	1,280	1,151
Property Offenses	3,918	3,721	3,768

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	9,194	9,194	9,200
Drop-outs	134	133	148
Drop-out Rate	1.5%	1.4%	1.6%
School Discipline Involving Alcohol	21	14	17
School Discipline Involving Drugs	67	76	91
School Discipline Involving Tobacco	1	1	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	234	207	173
Juvenile Alcohol Offenses	15	26	30
Juvenile Drug Offenses	94	86	96
School Truancy Status Offense	114	136	122
Absent from Home Status Offense	117	150	118
Beyond Parental Control Status Offense	109	152	111
Injurious Behavior Status Offense	225	263	296
Child Abuse	0	10	24
Child Neglect	331	322	592
Child Custody Issues	67	58	45

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	193	146	185
Parental Alcohol Use Related	4	4	5
Parental Drug Use Related	60	51	72
Parental Alcohol and Drug Use	7	1	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	88	87	100
Probation/Parole Admissions--Drug	470	431	344
Probation/Parole Admissions--DWI	45	61	70
Prison Admissions--Drug	227	221	193
Prison Admissions--DWI	18	29	51

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 7

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	50	39	34
CSTAR Adolescent	91	95	85
CSTAR Women and Children	33	34	28
CSTAR General Adult	335	351	480
CSTAR Opioid	9	0	*
Primary Recovery Treatment	9	9	11
Clinical SATOP (CIP, YCIP, SROP)	137	170	165
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	550	585	689
- Adolescent Diversion Education Program	*	5	*
- Offender Education Program	194	202	272
- Weekend Intervention Program	96	109	147
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	15	30	12
Compulsive Gambling	0	*	0
Recovery Supports	272	191	155
Early Intervention	8	13	17

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	645	655	807	Alcohol	258	295	333
AGE				Marijuana / Hashish	166	154	205
Under 18	99	99	84	Cocaine (total)	5	5	14
18 to 24	91	99	145	- Crack	*	*	*
25 to 29	102	90	148	Stimulant (total)	146	140	182
30 to 34	94	108	128	- Methamphetamine	115	136	172
35 to 39	67	65	86	Heroin	14	16	15
40 to 44	53	53	74	Analgesic except Heroin	44	35	41
45 to 54	107	96	111	- Non-Prescription Methadone	*	*	0
55 and Over	32	45	31	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	5	*	5
Male	365	403	546	Inhalant	*	0	*
Female	280	252	261	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	6	10
Caucasian	572	582	745	Average Age at First Use of Drug	16.9	16.9	17.5
African American	36	34	36	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	71	52	87
Asian / Pacific Islander	0	*	*	- Daily Injection Use	18	18	17
Hispanic	21	19	19	- Weekly Injection Use	17	14	30
Other Race / Two or More Races	23	19	14	- Less than Weekly Injection Use	36	20	40
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	238	208	241	0	387	346	440
High School Graduate or G.E.D.	279	305	360	1 or 2	143	185	246
Associate Degree or Some College	120	134	197	3 or More	115	124	121
Bachelor or Advanced Degree	8	8	9	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	340	262	309
Employed	204	205	284	School	*	0	*
Unemployed	149	198	272	Mental Health Provider	*	8	5
Not in Labor Force	292	252	251	Health Care Provider	33	27	20
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	168	209	271
Independent Living	474	491	634	Other Referral Source	95	140	189
Dependent Living	108	114	100	TREATMENT ACCOMMODATION			
Homeless	27	22	18	Pregnant when Admitted to any Episode	10	5	9
MARITAL / FAMILY STATUS				Military Veteran	17	18	22
Never Married	351	363	457	Special Education Services Needed	24	10	19
Married / Cohabiting	154	151	188	Co-Occurring Psychological Problem	235	241	309
Previously Married	140	141	162	Co-Occurring Developmental Problem	22	10	18

SUBSTANCE USE SERVICE AREA 7

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	31.3	38.2	36.8	44.5	Alcohol	12.2	17.5	14.2	20.2
Chewing Tobacco	16.1	14.2	16.0	12.7	Alcohol (5+ drinks on single occasion past 2 weeks)	4.2	7.8		
Cigarettes	13.1	21.8	21.5	27.4	Chewing Tobacco	3.4	6.9	6.4	7.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	3.2	2.0	2.3	Cigarettes	6.0	10.0	9.4	14.4
Cocaine	0.7	1.9	1.6	1.9	Inhalants	1.6	1.0	2.2	3.3
Electronic Cigarettes	18.2				Marijuana	3.6	9.2	4.8	7.5
Hallucinogens	1.2	4.2	2.4	2.9	Over-the-counter medications for non-medical use	1.4	1.8	3.3	5.1
Heroin	0.2	0.5	0.7	0.5	Prescription medications not prescribed for student	8.5	4.3	4.4	7.0
Inhalants	3.5	3.2	5.4	7.6	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	8.2	16.4	11.1	15.3	Alcohol (1 or 2 drinks daily)	61.6	58.6		
Methamphetamine	0.1	0.7	1.3	1.2	Alcohol (Binge: 5+ drinks once or twice a week)	69.6	69.5		
Over-the-counter medications for non-medical use	3.3	3.1	6.2	8.3	Cigarettes (1+ packs per day)	86.2	86.4		
Prescription medications not prescribed for student	11.8	9.0	7.9	12.0	Marijuana (once or twice a week)	73.8	63.6		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	6.0	5.3		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.1	91.5	94.2	93.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.79	13.36	12.65	12.72	Alcohol	82.7	78.4	78.0	76.9
Cigarettes	12.92	13.29	12.54	12.66	Cigarettes	94.9	90.9	92.3	90.1
Inhalants	10.04	12.10	11.76	12.16	Marijuana	95.7	92.7	95.2	94.3
Marijuana	13.79	14.20	13.53	13.70	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	72.7	61.5	61.9	57.3
Alcohol	34.2	48.3	47.9	60.4	Cigarettes	91.0	82.6	82.5	77.9
Cigarettes	22.2	37.9	37.7	49.9	Marijuana	88.0	78.3	85.9	83.0
Marijuana	23.8	35.8	26.4	36.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	95.1	95.8	94.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.4	14.9	11.0	17.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	53.2	55.2	53.2	61.6
Alcohol	18.6	30.2	29.5	35.3	Cigarettes	47.1	49.6	47.9	58.6
Cigarettes	6.6	12.9	12.3	16.0	Marijuana	24.3	36.5	29.2	34.9
Marijuana	8.4	13.8	9.4	12.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.0	17.0	13.0	18.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	64.8	63.3	61.2	67.8	Were grouchy, irritable, or in a bad mood	28.7	26.6	21.0	27.6
Were victims of mean rumors or lies spread at school	54.4	53.0	49.5	54.8	Had difficulty concentrating on school work	24.2	26.7	21.1	25.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.1	28.3	20.4	20.7	Were very sad	19.6	23.7	17.4	21.8
<i>Percent of students who, in past 12 months:</i>					Felt hopeless about the future	11.1	14.7	8.8	13.5
Seriously considered attempting suicide	10.7	13.5	10.9	11.6	<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide	8.8	10.9	8.8	8.1	Parents involve student in making family decisions	65.1	67.2	69.5	69.7
Attempted suicide	4.8	5.4	5.0	5.2	Parents notice and comment on student's good work	87.6	80.6	83.0	83.1
					Teachers notice and comment on student's good work	68.3	68.1		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 8



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	8
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	112,950
2016 Estimate	110,130

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	80	91	94
Fatal Crashes	2	5	4
Injury Crashes	37	42	41
Property Damage Crashes	41	44	49
Crash Fatalities	2	6	5
Crash Injuries		53	61
Drug Involved Crashes	25	24	19
Fatal Crashes	1	6	1
Injury Crashes	8	6	4
Property Damage Crashes	16	12	14
Crash Fatalities	1	7	1
Crash Injuries	17	11	10

BIRTH RISK	2015	2014	2013
Resident Births	1,227	1,230	1,177
Mother Reported Smoking while Pregnant	305	273	291

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	5	1	7
Hepatitis B Chronic, Acute, Prenatal	1	5	9
Hepatitis C Chronic and Acute	74	141	100
Tuberculosis Infection Cases	17	8	18

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,667	1,611	1,487
Suicide	22	33	18
Homicide	5	5	2
Alcohol Induced Deaths	18	10	11
Drug Induced Deaths	12	18	18
Smoking Attributable Deaths	327	313	305
Self-inflicted Injuries *	141	162	157
Assault Injuries *	298	294	321

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	957	980	1,068
Mental Illness Secondary Diagnosis	2,664	2,481	2,593
Alcohol Principal Diagnosis	63	51	41
Alcohol Secondary Diagnosis	214	183	171
Drug Principal Diagnosis	56	35	47
Drug Secondary Diagnosis	201	126	159
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	250	340	362
Mental Illness Secondary Diagnosis	1,148	1,516	1,591
Alcohol Principal Diagnosis	42	59	62
Alcohol Secondary Diagnosis	141	138	156
Drug Principal Diagnosis	32	38	41
Drug Secondary Diagnosis	71	108	114
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,123	1,053	1,017
Mental Illness Secondary Diagnosis	4,579	5,080	5,044
Alcohol Principal Diagnosis	225	186	173
Alcohol Secondary Diagnosis	304	301	284
Drug Principal Diagnosis	240	182	176
Drug Secondary Diagnosis	377	389	335

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	136	126	126
Alcohol Package Carry-out Licenses	146	141	147

EMPLOYMENT	2016	2015	2014
Labor Force	48,999	49,658	48,746
Employed	46,390	46,782	45,435
Unemployed	2,609	2,876	3,311
Unemployment Rate	5.3%	5.8%	6.8%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	413	402	477
Liquor Law Arrests	96	69	74
Drug Arrests	1,114	974	923
Methamphetamine Lab Seizures	1	3	1
Violent Offenses	464	490	402
Domestic Violence Reports	663	665	643
Property Offenses	2,708	3,053	3,098

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	5,009	5,011	4,998
Drop-outs	72	79	95
Drop-out Rate	1.4%	1.6%	1.9%
School Discipline Involving Alcohol	10	15	4
School Discipline Involving Drugs	55	56	41
School Discipline Involving Tobacco	6	7	5

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	145	172	162
Juvenile Alcohol Offenses	22	28	30
Juvenile Drug Offenses	46	48	30
School Truancy Status Offense	122	126	162
Absent from Home Status Offense	58	51	47
Beyond Parental Control Status Offense	132	101	112
Injurious Behavior Status Offense	138	150	174
Child Abuse	80	110	126
Child Neglect	474	562	473
Child Custody Issues	37	18	32

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	132	157	124
Parental Alcohol Use Related	2	2	8
Parental Drug Use Related	72	70	30
Parental Alcohol and Drug Use	3	6	6

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	117	90	82
Probation/Parole Admissions--Drug	444	344	345
Probation/Parole Admissions--DWI	40	47	48
Prison Admissions--Drug	209	170	138
Prison Admissions--DWI	19	21	26

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 8

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	55	42	48
CSTAR Adolescent	63	52	67
CSTAR Women and Children	40	36	53
CSTAR General Adult	541	655	937
CSTAR Opioid	0	0	*
Primary Recovery Treatment	8	14	22
Clinical SATOP (CIP, YCIP, SROP)	71	70	134
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	288	282	520
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	91	84	174
- Weekend Intervention Program	54	48	97
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	12	25	25
Compulsive Gambling	0	0	0
Recovery Supports	40	60	244
Early Intervention	5	5	16

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	737	839	1,319	Alcohol	210	273	459
AGE				Marijuana / Hashish	158	217	333
Under 18	65	53	71	Cocaine (total)	*	*	12
18 to 24	104	124	208	- Crack	*	*	*
25 to 29	119	142	207	Stimulant (total)	271	257	388
30 to 34	108	126	218	- Methamphetamine	188	250	364
35 to 39	107	120	176	Heroin	13	6	8
40 to 44	70	93	123	Analgesic except Heroin	65	68	92
45 to 54	105	130	236	- Non-Prescription Methadone	*	0	*
55 and Over	59	51	80	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	9	5	8
Male	442	527	813	Inhalant	0	0	*
Female	294	312	506	Sedative	*	*	6
RACE / ETHNICITY				Other Medication or Illicit Drug	7	7	11
Caucasian	710	804	1,231	Average Age at First Use of Drug	17.9	17.7	17.6
African American	6	15	33	INJECTION DRUG USE			
Native American / Alaskan	*	*	6	Any Injection Use at Admission	107	111	165
Asian / Pacific Islander	0	*	*	- Daily Injection Use	29	16	20
Hispanic	10	5	24	- Weekly Injection Use	27	26	39
Other Race / Two or More Races	13	16	29	- Less than Weekly Injection Use	51	69	106
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	277	289	422	0	469	524	793
High School Graduate or G.E.D.	331	425	662	1 or 2	163	215	344
Associate Degree or Some College	118	121	225	3 or More	105	100	182
Bachelor or Advanced Degree	11	*	10	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	379	194	361
Employed	142	178	338	School	*	0	*
Unemployed	222	290	444	Mental Health Provider	*	16	23
Not in Labor Force	373	371	537	Health Care Provider	57	38	58
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	163	288	407
Independent Living	557	643	1,063	Other Referral Source	129	285	454
Dependent Living	94	90	129	TREATMENT ACCOMMODATION			
Homeless	42	22	24	Pregnant when Admitted to any Episode	16	8	19
MARITAL / FAMILY STATUS				Military Veteran	14	13	35
Never Married	355	413	637	Special Education Services Needed	27	29	44
Married / Cohabiting	202	231	374	Co-Occurring Psychological Problem	292	391	501
Previously Married	180	195	308	Co-Occurring Developmental Problem	24	11	17

SUBSTANCE USE SERVICE AREA 8

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	38.7	38.2	45.5	49.8	Alcohol	16.9	17.4	21.0	23.3
Chewing Tobacco	19.6	15.9	12.7	18.8	Alcohol (5+ drinks on single occasion past 2 weeks)	8.2	8.0		
Cigarettes	23.6	23.6	29.5	31.7	Chewing Tobacco	6.4	9.7	8.2	10.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.4	2.4	2.5	Cigarettes	10.5	10.3	14.4	15.7
Cocaine	0.9	1.2	2.0	1.6	Inhalants	1.8	1.1	2.1	2.8
Electronic Cigarettes	22.7				Marijuana	5.4	4.5	6.3	7.0
Hallucinogens	1.5	1.4	2.8	2.6	Over-the-counter medications for non-medical use	2.1	1.7	3.6	5.0
Heroin	0.5	0.4	1.4	0.7	Prescription medications not prescribed for student	8.7	3.0	5.6	6.4
Inhalants	3.7	3.1	5.7	6.5					
Marijuana	13.6	10.7	15.6	15.8	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7	0.7	1.8	1.1	Alcohol (1 or 2 drinks daily)	61.5	53.7		
Over-the-counter medications for non-medical use	4.6	3.7	5.2	8.0	Alcohol (Binge: 5+ drinks once or twice a week)	73.8	67.5		
Prescription medications not prescribed for student	12.7	7.2	9.5	11.3	Cigarettes (1+ packs per day)	82.6	82.9		
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	4.0	8.5		Marijuana (once or twice a week)	70.9	72.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	93.1	92.7	93.5
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.73	12.52	12.53	12.29	Alcohol	80.3	79.8	74.9	74.3
Cigarettes	12.30	12.51	12.19	12.19	Cigarettes	91.8	91.1	89.0	88.4
Inhalants	11.17	12.29	12.07	12.49	Marijuana	91.7	95.2	95.1	93.6
Marijuana	13.60	13.32	13.06	13.40					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	46.4	42.6	56.9	62.0	Alcohol	66.7	63.2	54.5	56.2
Cigarettes	35.4	35.9	47.6	51.6	Cigarettes	85.7	84.5	78.4	76.3
Marijuana	30.7	21.3	30.2	32.3	Marijuana	84.8	87.2	83.8	83.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	7.4	13.4	16.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	97.7	95.0	94.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.9	28.3	37.4	39.7	Alcohol	50.0	47.7	61.3	61.2
Cigarettes	11.0	11.3	16.4	16.9	Cigarettes	48.4	47.8	55.5	60.6
Marijuana	10.8	8.1	9.6	12.1	Marijuana	33.4	20.4	32.4	35.6
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	8.5	16.7	21.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	65.8	61.2	64.1	71.8	Were grouchy, irritable, or in a bad mood	33.8	25.7	25.9	25.7
Were victims of mean rumors or lies spread at school	56.3	50.8	50.6	58.7	Had difficulty concentrating on school work	27.6	21.8	24.7	26.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	29.1	21.5	21.9	21.1	Were very sad	26.4	18.7	21.4	21.8
					Felt hopeless about the future	14.3	12.1	9.7	13.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.3	12.6	12.6	11.7	Parents involve student in making family decisions	69.0	69.8	66.7	66.8
Made plan about how they would attempt suicide	11.2	8.6	8.7	8.7	Parents notice and comment on student's good work	82.3	83.4	81.6	81.1
Attempted suicide	6.6	5.2	4.5	5.7	Teachers notice and comment on student's good work	75.4	75.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 9



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	9
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	285,234
2016 Estimate	286,446

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	320	302	286
Fatal Crashes	9	7	15
Injury Crashes	122	120	123
Property Damage Crashes	189	175	148
Crash Fatalities	10	8	15
Crash Injuries		181	177
Drug Involved Crashes	85	85	66
Fatal Crashes	2	5	1
Injury Crashes	27	31	29
Property Damage Crashes	56	49	36
Crash Fatalities	4	5	1
Crash Injuries	38	47	51

BIRTH RISK	2015	2014	2013
Resident Births	3,760	3,725	3,750
Mother Reported Smoking while Pregnant	688	743	771

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	7	8	15
Hepatitis B Chronic, Acute, Prenatal	24	18	22
Hepatitis C Chronic and Acute	257	377	260
Tuberculosis Infection Cases	119	105	117

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	3,019	3,045	3,079
Suicide	59	63	48
Homicide	15	9	8
Alcohol Induced Deaths	27	17	16
Drug Induced Deaths	34	40	36
Smoking Attributable Deaths	564	593	601
Self-inflicted Injuries *	259	316	331
Assault Injuries *	706	728	702

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,155	1,725	1,804
Mental Illness Secondary Diagnosis	5,132	3,977	4,358
Alcohol Principal Diagnosis	251	103	160
Alcohol Secondary Diagnosis	423	279	305
Drug Principal Diagnosis	236	135	147
Drug Secondary Diagnosis	434	254	237
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,276	1,552	1,356
Mental Illness Secondary Diagnosis	3,215	4,358	4,266
Alcohol Principal Diagnosis	295	398	326
Alcohol Secondary Diagnosis	326	437	468
Drug Principal Diagnosis	278	275	279
Drug Secondary Diagnosis	308	301	233
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,151	2,073	2,254
Mental Illness Secondary Diagnosis	16,155	17,194	17,185
Alcohol Principal Diagnosis	830	706	627
Alcohol Secondary Diagnosis	1,152	2,910	842
Drug Principal Diagnosis	668	537	498
Drug Secondary Diagnosis	1,284	1,368	902

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	227	227	232
Alcohol Package Carry-out Licenses	334	341	349

EMPLOYMENT	2016	2015	2014
Labor Force	136,439	137,203	134,710
Employed	130,591	130,976	127,240
Unemployed	5,848	6,227	7,470
Unemployment Rate	4.3%	4.5%	5.5%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	1,875	1,611	2,037
Liquor Law Arrests	234	240	299
Drug Arrests	1,392	1,202	1,285
Methamphetamine Lab Seizures	24	34	125
Violent Offenses	1,049	1,061	1,031
Domestic Violence Reports	2,659	2,956	3,020
Property Offenses	9,667	9,793	10,243

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	14,165	13,976	13,591
Drop-outs	304	247	262
Drop-out Rate	2.1%	1.8%	1.9%
School Discipline Involving Alcohol	48	37	42
School Discipline Involving Drugs	62	66	110
School Discipline Involving Tobacco	0	2	3

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	423	351	296
Juvenile Alcohol Offenses	45	44	26
Juvenile Drug Offenses	111	102	66
School Truancy Status Offense	222	409	141
Absent from Home Status Offense	233	124	74
Beyond Parental Control Status Offense	312	189	127
Injurious Behavior Status Offense	351	275	144
Child Abuse	88	150	166
Child Neglect	934	1,284	912
Child Custody Issues	157	222	566

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	504	730	896
Parental Alcohol Use Related	18	13	32
Parental Drug Use Related	237	255	312
Parental Alcohol and Drug Use	10	23	13

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	468	363	316
Probation/Parole Admissions--Drug	529	458	516
Probation/Parole Admissions--DWI	163	151	189
Prison Admissions--Drug	239	215	242
Prison Admissions--DWI	60	66	66

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 9

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	393	317	270
CSTAR Adolescent	155	105	115
CSTAR Women and Children	360	332	299
CSTAR General Adult	1,071	1,276	966
CSTAR Opioid	*	0	*
Primary Recovery Treatment	30	101	85
Clinical SATOP (CIP, YCIP, SROP)	211	278	284
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	862	1,128	1,191
- Adolescent Diversion Education Program	10	36	49
- Offender Education Program	302	426	404
- Weekend Intervention Program	161	223	207
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	57	58	69
Compulsive Gambling	*	*	*
Recovery Supports	154	83	349
Early Intervention	121	128	117

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	1,908	2,058	1,903	Alcohol	657	783	776
AGE				Marijuana / Hashish	408	448	410
Under 18	159	109	116	Cocaine (total)	8	9	18
18 to 24	267	294	276	- Crack	6	6	10
25 to 29	316	344	297	Stimulant (total)	651	625	500
30 to 34	315	369	322	- Methamphetamine	629	606	482
35 to 39	237	285	258	Heroin	17	9	12
40 to 44	187	229	198	Analgesic except Heroin	141	147	153
45 to 54	303	294	317	- Non-Prescription Methadone	*	0	*
55 and Over	124	134	119	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	20	26	18
Male	1,146	1,298	1,212	Inhalant	0	5	5
Female	762	760	691	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	6	7
Caucasian	1,736	1,875	1,736	Average Age at First Use of Drug	18.1	18.0	17.7
African American	43	61	64	INJECTION DRUG USE			
Native American / Alaskan	9	11	9	Any Injection Use at Admission	357	364	318
Asian / Pacific Islander	6	6	9	- Daily Injection Use	74	59	62
Hispanic	82	69	71	- Weekly Injection Use	129	116	90
Other Race / Two or More Races	60	55	44	- Less than Weekly Injection Use	154	189	166
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	717	756	674	0	983	1,038	933
High School Graduate or G.E.D.	764	830	779	1 or 2	584	628	581
Associate Degree or Some College	416	464	434	3 or More	341	392	389
Bachelor or Advanced Degree	11	8	16	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	547	628	555
Employed	615	683	575	School	0	0	*
Unemployed	670	737	721	Mental Health Provider	6	11	10
Not in Labor Force	623	638	607	Health Care Provider	324	192	190
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	834	1,002	929
Independent Living	1,471	1,700	1,555	Other Referral Source	191	218	207
Dependent Living	281	206	208	TREATMENT ACCOMMODATION			
Homeless	129	108	95	Pregnant when Admitted to any Episode	36	31	33
MARITAL / FAMILY STATUS				Military Veteran	87	96	98
Never Married	896	933	857	Special Education Services Needed	251	319	266
Married / Cohabiting	520	579	520	Co-Occurring Psychological Problem	1,073	1,115	939
Previously Married	492	546	526	Co-Occurring Developmental Problem	93	58	70

SUBSTANCE USE SERVICE AREA 9

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.7	32.4	32.0	39.1	Alcohol	12.0	12.5	12.3	16.4
Chewing Tobacco	15.6	15.5	11.9	15.7	Alcohol (5+ drinks on single occasion past 2 weeks)	4.4	5.8		
Cigarettes	21.4	22.0	23.1	28.5	Chewing Tobacco	6.0	8.0	6.8	8.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.2	1.6	1.8	Cigarettes	7.6	8.9	10.0	14.5
Cocaine	0.9	0.5	1.2	1.4	Inhalants	0.9	1.2	2.0	3.4
Electronic Cigarettes	23.7				Marijuana	5.5	4.0	5.1	6.3
Hallucinogens	1.3	1.4	2.7	2.4	Over-the-counter medications for non-medical use	1.4	1.3	3.4	4.7
Heroin	0.2	0.4	0.8	0.5	Prescription medications not prescribed for student	8.0	2.8	3.7	6.2
Inhalants	2.6	2.7	5.1	7.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	12.8	11.0	12.0	14.4	Alcohol (1 or 2 drinks daily)	69.6	58.5		
Methamphetamine	0.4	0.7	1.2	1.1	Alcohol (Binge: 5+ drinks once or twice a week)	78.4	71.3		
Over-the-counter medications for non-medical use	3.5	2.5	5.7	8.0	Cigarettes (1+ packs per day)	84.8	85.1		
Prescription medications not prescribed for student	12.0	6.5	7.1	10.7	Marijuana (once or twice a week)	73.4	71.4		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	2.6	7.1		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	93.2	94.1	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.80	12.91	12.31	12.43	Alcohol	86.6	82.6	83.8	80.9
Cigarettes	12.29	12.53	12.10	12.04	Cigarettes	93.6	93.1	92.4	89.7
Inhalants	10.57	11.10	12.13	12.17	Marijuana	94.4	94.1	95.3	93.9
Marijuana	13.73	14.02	13.23	13.45	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	72.5	68.9	69.6	65.1
Alcohol	38.7	40.4	44.6	52.2	Cigarettes	87.5	84.8	83.4	77.6
Cigarettes	30.1	32.0	38.0	44.2	Marijuana	85.3	86.1	86.1	83.7
Marijuana	28.6	21.5	26.1	31.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	97.1	95.5	94.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	7.1	12.0	15.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	46.7	48.2	46.3	50.9
Alcohol	21.3	23.3	22.6	27.6	Cigarettes	44.0	46.8	45.8	53.8
Cigarettes	10.5	12.2	11.9	15.7	Marijuana	29.5	25.3	27.4	33.7
Marijuana	10.6	8.2	9.3	11.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	12.2	14.5	17.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.9	58.3	59.8	66.5	Were grouchy, irritable, or in a bad mood	31.3	22.6	20.8	23.7
Were victims of mean rumors or lies spread at school	48.4	49.6	48.6	53.8	Had difficulty concentrating on school work	25.9	21.2	21.1	23.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.2	22.9	19.7	17.8	Were very sad	24.1	21.7	18.2	20.7
					Felt hopeless about the future	13.3	12.7	10.6	11.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.2	12.3	10.5	11.2	Parents involve student in making family decisions	70.6	70.4	71.4	71.3
Made plan about how they would attempt suicide	9.9	9.2	7.6	8.3	Parents notice and comment on student's good work	83.7	83.5	83.8	84.3
Attempted suicide	6.1	4.9	4.9	5.6	Teachers notice and comment on student's good work	75.2	72.4		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 10



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	10
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	528,472
2016 Estimate	552,343

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	525	502	506
Fatal Crashes	16	12	8
Injury Crashes	225	211	205
Property Damage Crashes	284	279	293
Crash Fatalities	17	14	9
Crash Injuries		290	299
Drug Involved Crashes	151	132	130
Fatal Crashes	6	7	5
Injury Crashes	66	59	63
Property Damage Crashes	79	66	62
Crash Fatalities	6	9	5
Crash Injuries	103	87	106

BIRTH RISK	2015	2014	2013
Resident Births	6,774	6,673	6,566
Mother Reported Smoking while Pregnant	1,222	1,225	1,234

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	13	23	12
Hepatitis B Chronic, Acute, Prenatal	53	57	57
Hepatitis C Chronic and Acute	638	748	672
Tuberculosis Infection Cases	196	186	191

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	5,507	5,203	5,109
Suicide	132	96	82
Homicide	18	28	17
Alcohol Induced Deaths	53	50	48
Drug Induced Deaths	123	109	92
Smoking Attributable Deaths	900	861	890
Self-inflicted Injuries *	795	930	810
Assault Injuries *	1,623	1,541	1,607

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,840	3,023	2,825
Mental Illness Secondary Diagnosis	6,969	4,666	4,544
Alcohol Principal Diagnosis	475	148	221
Alcohol Secondary Diagnosis	545	205	220
Drug Principal Diagnosis	351	207	236
Drug Secondary Diagnosis	922	398	339
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,578	3,278	3,147
Mental Illness Secondary Diagnosis	8,147	10,768	10,721
Alcohol Principal Diagnosis	930	1,156	1,106
Alcohol Secondary Diagnosis	931	1,184	1,181
Drug Principal Diagnosis	549	773	722
Drug Secondary Diagnosis	930	1,051	974
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	5,049	4,951	4,684
Mental Illness Secondary Diagnosis	22,299	21,415	23,916
Alcohol Principal Diagnosis	1,933	1,959	2,039
Alcohol Secondary Diagnosis	1,057	967	1,356
Drug Principal Diagnosis	1,670	1,476	1,375
Drug Secondary Diagnosis	1,925	1,768	1,908

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	614	578	580
Alcohol Package Carry-out Licenses	486	469	464

EMPLOYMENT	2016	2015	2014
Labor Force	276,865	277,324	269,866
Employed	264,526	263,846	254,315
Unemployed	12,339	13,478	15,551
Unemployment Rate	4.5%	4.9%	5.8%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	2,101	1,919	2,450
Liquor Law Arrests	689	516	369
Drug Arrests	4,037	3,509	2,913
Methamphetamine Lab Seizures	21	39	77
Violent Offenses	3,167	3,221	2,753
Domestic Violence Reports	5,573	5,461	5,387
Property Offenses	22,208	21,391	20,267

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	23,466	23,008	22,933
Drop-outs	388	359	320
Drop-out Rate	1.7%	1.6%	1.4%
School Discipline Involving Alcohol	33	51	44
School Discipline Involving Drugs	244	244	270
School Discipline Involving Tobacco	6	12	12

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	809	897	727
Juvenile Alcohol Offenses	111	87	101
Juvenile Drug Offenses	240	276	232
School Truancy Status Offense	47	146	47
Absent from Home Status Offense	228	286	191
Beyond Parental Control Status Offense	91	136	148
Injurious Behavior Status Offense	487	548	514
Child Abuse	139	257	206
Child Neglect	880	1,105	1,023
Child Custody Issues	186	181	162

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	596	671	697
Parental Alcohol Use Related	23	22	21
Parental Drug Use Related	213	262	263
Parental Alcohol and Drug Use	15	22	34

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	2,125	1,900	1,887
Probation/Parole Admissions--Drug	1,215	1,148	1,192
Probation/Parole Admissions--DWI	198	218	201
Prison Admissions--Drug	578	567	594
Prison Admissions--DWI	80	74	88

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 10

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	895	900	837
CSTAR Adolescent	191	187	180
CSTAR Women and Children	462	400	369
CSTAR General Adult	1,367	911	972
CSTAR Opioid	*	0	*
Primary Recovery Treatment	252	997	896
Clinical SATOP (CIP, YCIP, SROP)	478	486	464
Other Substance Abuse Treatment	5	5	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	1,980	2,052	2,213
- Adolescent Diversion Education Program	23	27	18
- Offender Education Program	704	750	841
- Weekend Intervention Program	388	389	465
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	129	122	119
Compulsive Gambling	*	0	0
Recovery Supports	761	664	1,114
Early Intervention	128	107	131

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	3,000	3,325	3,238	Alcohol	1,099	1,305	1,236
AGE				Marijuana / Hashish	487	529	631
Under 18	188	188	176	Cocaine (total)	14	35	27
18 to 24	439	539	540	- Crack	9	14	15
25 to 29	527	614	593	Stimulant (total)	918	1,003	859
30 to 34	537	575	559	- Methamphetamine	887	982	830
35 to 39	413	385	398	Heroin	188	118	119
40 to 44	265	319	339	Analgesic except Heroin	245	287	295
45 to 54	443	539	482	- Non-Prescription Methadone	*	*	*
55 and Over	188	166	151	PCP, LSD, other Hallucinogen	*	9	9
GENDER				Tranquilizer	32	25	35
Male	1,856	2,085	2,143	Inhalant	0	*	*
Female	1,144	1,240	1,095	Sedative	*	*	6
RACE / ETHNICITY				Other Medication or Illicit Drug	13	10	18
Caucasian	2,736	3,020	2,935	Average Age at First Use of Drug	17.7	17.7	17.5
African American	124	143	140	INJECTION DRUG USE			
Native American / Alaskan	9	10	18	Any Injection Use at Admission	754	822	699
Asian / Pacific Islander	*	10	7	- Daily Injection Use	213	180	155
Hispanic	66	84	71	- Weekly Injection Use	233	246	192
Other Race / Two or More Races	92	89	96	- Less than Weekly Injection Use	308	396	352
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	950	996	1,006	0	1,650	1,821	1,683
High School Graduate or G.E.D.	1,296	1,460	1,409	1 or 2	855	919	1,000
Associate Degree or Some College	728	841	790	3 or More	495	585	555
Bachelor or Advanced Degree	26	28	33	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	1,490	1,359	1,161
Employed	927	1,004	962	School	11	13	11
Unemployed	1,046	1,031	1,122	Mental Health Provider	11	22	51
Not in Labor Force	1,027	1,290	1,154	Health Care Provider	203	208	156
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,044	1,393	1,521
Independent Living	2,232	2,502	2,505	Other Referral Source	223	315	315
Dependent Living	439	447	409	TREATMENT ACCOMMODATION			
Homeless	247	298	270	Pregnant when Admitted to any Episode	74	77	59
MARITAL / FAMILY STATUS				Military Veteran	112	127	138
Never Married	1,571	1,669	1,624	Special Education Services Needed	176	204	196
Married / Cohabiting	736	829	796	Co-Occurring Psychological Problem	1,172	1,266	1,186
Previously Married	693	827	818	Co-Occurring Developmental Problem	99	89	119

SUBSTANCE USE SERVICE AREA 10

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	31.1	30.4	32.8	38.3	Alcohol	11.9	12.0	13.4	16.1
Chewing Tobacco	16.9	10.0	14.9	13.5	Alcohol (5+ drinks on single occasion past 2 weeks)	3.9	5.5		
Cigarettes	19.2	20.3	22.4	26.7	Chewing Tobacco	3.8	4.8	6.2	7.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	2.5	2.5	2.6	Cigarettes	7.0	8.6	10.4	14.0
Cocaine	1.2	1.3	2.0	2.0	Inhalants	1.0	1.3	2.7	3.0
Electronic Cigarettes	22.7				Marijuana	7.0	7.4	7.7	9.1
Hallucinogens	1.9	3.0	3.4	3.9	Over-the-counter medications for non-medical use	1.5	1.7	3.9	5.2
Heroin	0.4	0.4	0.9	0.7	Prescription medications not prescribed for student	9.0	3.4	4.6	7.0
Inhalants	3.2	3.6	6.2	7.0	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	14.9	15.2	15.1	17.0	Alcohol (1 or 2 drinks daily)	70.2	63.4		
Methamphetamine	0.7	0.9	1.5	1.1	Alcohol (Binge: 5+ drinks once or twice a week)	78.0	74.4		
Over-the-counter medications for non-medical use	4.4	3.0	6.6	8.8	Cigarettes (1+ packs per day)	85.6	87.1		
Prescription medications not prescribed for student	12.8	8.1	8.9	12.5	Marijuana (once or twice a week)	65.6	67.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.0	4.1	7.3		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	92.5	93.7	92.8
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.92	13.09	12.48	12.44	Alcohol	85.9	84.8	83.3	81.7
Cigarettes	12.53	12.67	12.20	12.13	Cigarettes	93.8	93.5	92.1	90.0
Inhalants	11.00	12.39	12.01	12.22	Marijuana	91.7	92.6	92.9	92.8
Marijuana	13.70	13.65	13.06	13.32	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	72.4	69.8	67.7	63.3
Alcohol	41.4	40.9	46.5	54.8	Cigarettes	88.2	84.1	81.6	76.9
Cigarettes	31.2	34.6	40.1	47.4	Marijuana	79.4	80.1	81.3	80.5
Marijuana	35.3	31.8	33.8	38.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	96.1	95.0	93.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0	14.2	16.6	21.3	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	49.9	47.3	51.5	55.6
Alcohol	20.1	20.2	24.5	28.8	Cigarettes	45.8	46.4	49.4	57.1
Cigarettes	8.4	11.3	12.7	15.4	Marijuana	36.5	34.2	35.2	38.2
Marijuana	14.7	13.6	13.6	14.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	16.0	18.1	21.1
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.6	60.3	60.1	67.7	Were grouchy, irritable, or in a bad mood	32.1	24.6	23.8	23.9
Were victims of mean rumors or lies spread at school	47.7	51.2	49.2	54.5	Had difficulty concentrating on school work	30.1	23.5	22.0	25.5
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.5	25.4	21.4	19.3	Were very sad	25.0	22.5	19.3	18.4
					Felt hopeless about the future	15.0	12.5	11.0	11.7
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	16.5	12.2	12.5	12.1	Parents involve student in making family decisions	70.6	69.6	69.6	71.1
Made plan about how they would attempt suicide	12.1	9.3	9.2	8.9	Parents notice and comment on student's good work	82.0	82.7	82.7	83.7
Attempted suicide	7.1	5.7	5.9	5.3	Teachers notice and comment on student's good work	74.7	72.8		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 11



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	11
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	306,402
2016 Estimate	309,238

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	347	304	311
Fatal Crashes	9	11	16
Injury Crashes	169	123	126
Property Damage Crashes	169	170	169
Crash Fatalities	11	14	17
Crash Injuries		162	189
Drug Involved Crashes	53	82	89
Fatal Crashes	3	6	6
Injury Crashes	17	27	40
Property Damage Crashes	33	49	43
Crash Fatalities	4	9	6
Crash Injuries	24	41	57

BIRTH RISK	2015	2014	2013
Resident Births	3,775	3,824	3,803
Mother Reported Smoking while Pregnant	742	788	820

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	14	5	14
Hepatitis B Chronic, Acute, Prenatal	25	34	17
Hepatitis C Chronic and Acute	198	572	317
Tuberculosis Infection Cases	66	57	103

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	2,838	2,739	2,696
Suicide	45	53	48
Homicide	12	15	14
Alcohol Induced Deaths	21	19	17
Drug Induced Deaths	49	36	39
Smoking Attributable Deaths	529	493	497
Self-inflicted Injuries *	265	329	386
Assault Injuries *	994	948	941

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,931	1,553	1,553
Mental Illness Secondary Diagnosis	4,288	3,299	3,403
Alcohol Principal Diagnosis	139	76	102
Alcohol Secondary Diagnosis	326	209	249
Drug Principal Diagnosis	168	102	114
Drug Secondary Diagnosis	333	238	221
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,056	1,393	1,264
Mental Illness Secondary Diagnosis	3,720	4,698	4,366
Alcohol Principal Diagnosis	176	252	285
Alcohol Secondary Diagnosis	361	480	514
Drug Principal Diagnosis	107	171	170
Drug Secondary Diagnosis	235	268	264
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,865	2,698	2,555
Mental Illness Secondary Diagnosis	14,178	14,761	10,307
Alcohol Principal Diagnosis	556	534	495
Alcohol Secondary Diagnosis	560	575	614
Drug Principal Diagnosis	447	450	432
Drug Secondary Diagnosis	829	603	534

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	446	443	460
Alcohol Package Carry-out Licenses	340	339	327

EMPLOYMENT	2016	2015	2014
Labor Force	138,541	138,796	137,620
Employed	132,268	131,688	128,824
Unemployed	6,273	7,108	8,796
Unemployment Rate	4.5%	5.1%	6.4%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	1,355	1,326	1,378
Liquor Law Arrests	176	266	238
Drug Arrests	2,586	2,528	1,894
Methamphetamine Lab Seizures	9	13	37
Violent Offenses	908	809	801
Domestic Violence Reports	2,381	2,534	2,354
Property Offenses	5,854	6,243	6,178

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	13,580	13,611	13,606
Drop-outs	235	212	260
Drop-out Rate	1.7%	1.6%	1.9%
School Discipline Involving Alcohol	21	29	29
School Discipline Involving Drugs	167	137	107
School Discipline Involving Tobacco	7	19	5

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	273	279	311
Juvenile Alcohol Offenses	48	47	22
Juvenile Drug Offenses	78	98	85
School Truancy Status Offense	300	299	278
Absent from Home Status Offense	74	97	56
Beyond Parental Control Status Offense	192	243	216
Injurious Behavior Status Offense	429	438	486
Child Abuse	508	619	594
Child Neglect	800	842	838
Child Custody Issues	157	24	17

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	444	423	418
Parental Alcohol Use Related	10	21	23
Parental Drug Use Related	207	165	131
Parental Alcohol and Drug Use	8	14	17

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	228	250	192
Probation/Parole Admissions--Drug	1,055	913	947
Probation/Parole Admissions--DWI	107	107	127
Prison Admissions--Drug	496	475	450
Prison Admissions--DWI	46	55	53

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 11

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	222	126	147
CSTAR Adolescent	91	93	90
CSTAR Women and Children	176	167	177
CSTAR General Adult	869	917	1,013
CSTAR Opioid	*	*	0
Primary Recovery Treatment	118	135	174
Clinical SATOP (CIP, YCIP, SROP)	244	274	282
Other Substance Abuse Treatment	5	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	994	1,037	1,145
- Adolescent Diversion Education Program	29	30	35
- Offender Education Program	300	372	396
- Weekend Intervention Program	203	198	235
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	52	76	28
Compulsive Gambling	0	0	0
Recovery Supports	*	14	16
Early Intervention	88	72	40

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	1,452	1,526	1,590	Alcohol	520	593	630
AGE				Marijuana / Hashish	265	308	323
Under 18	88	96	92	Cocaine (total)	27	36	32
18 to 24	224	262	287	- Crack	14	14	12
25 to 29	256	260	286	Stimulant (total)	364	339	312
30 to 34	253	267	276	- Methamphetamine	302	331	301
35 to 39	201	216	197	Heroin	159	96	142
40 to 44	126	132	143	Analgesic except Heroin	89	107	97
45 to 54	210	197	221	- Non-Prescription Methadone	*	*	*
55 and Over	94	96	88	PCP, LSD, other Hallucinogen	*	6	*
GENDER				Tranquilizer	10	10	9
Male	888	978	1,047	Inhalant	*	*	0
Female	563	548	543	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	12	28	40
Caucasian	1,288	1,323	1,355	Average Age at First Use of Drug	18.3	18.1	18.3
African American	113	140	165	INJECTION DRUG USE			
Native American / Alaskan	*	9	6	Any Injection Use at Admission	279	234	276
Asian / Pacific Islander	*	7	*	- Daily Injection Use	97	67	69
Hispanic	20	19	28	- Weekly Injection Use	99	75	90
Other Race / Two or More Races	31	36	35	- Less than Weekly Injection Use	83	92	117
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	425	473	477	0	842	858	877
High School Graduate or G.E.D.	680	712	734	1 or 2	423	440	478
Associate Degree or Some College	319	317	357	3 or More	187	228	235
Bachelor or Advanced Degree	28	24	22	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	736	465	517
Employed	459	462	465	School	*	6	*
Unemployed	517	563	646	Mental Health Provider	*	8	20
Not in Labor Force	476	501	479	Health Care Provider	64	61	53
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	412	582	697
Independent Living	1,138	1,182	1,296	Other Referral Source	219	392	276
Dependent Living	181	182	165	TREATMENT ACCOMMODATION			
Homeless	66	55	45	Pregnant when Admitted to any Episode	24	13	20
MARITAL / FAMILY STATUS				Military Veteran	57	65	70
Never Married	747	882	853	Special Education Services Needed	56	57	52
Married / Cohabiting	384	352	406	Co-Occurring Psychological Problem	518	740	667
Previously Married	321	292	331	Co-Occurring Developmental Problem	39	14	28

SUBSTANCE USE SERVICE AREA 11

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	42.3	39.2	42.8	46.5	Alcohol	21.7	15.5	20.0	22.0
Chewing Tobacco	18.9	13.7	15.6	15.3	Alcohol (5+ drinks on single occasion past 2 weeks)	9.2	6.2		
Cigarettes	27.1	25.1	24.9	29.7	Chewing Tobacco	7.3	6.3	7.6	8.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1	1.0	2.6	2.7	Cigarettes	10.6	10.3	11.9	14.0
Cocaine	0.9	1.1	2.0	2.0	Inhalants	0.7	0.6	2.5	3.5
Electronic Cigarettes	30.1				Marijuana	7.2	5.9	7.7	7.2
Hallucinogens	2.3	1.7	2.8	3.4	Over-the-counter medications for non-medical use	2.1	1.3	5.0	5.2
Heroin	0.2	0.2	1.3	0.9	Prescription medications not prescribed for student	10.0	3.2	5.1	7.7
Inhalants	2.5	1.9	5.1	7.2	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	17.2	14.6	15.1	15.8	Alcohol (1 or 2 drinks daily)	63.4	56.0		
Methamphetamine	0.6	0.4	1.2	1.3	Alcohol (Binge: 5+ drinks once or twice a week)	72.8	69.3		
Over-the-counter medications for non-medical use	5.2	2.1	7.1	8.5	Cigarettes (1+ packs per day)	82.6	87.1		
Prescription medications not prescribed for student	16.1	6.7	9.4	12.3	Marijuana (once or twice a week)	65.1	66.9		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.0	6.7		Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	91.7	93.1	94.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.91	12.85	12.50	12.29	Alcohol	78.7	78.3	75.6	77.8
Cigarettes	12.56	12.63	12.42	12.13	Cigarettes	91.5	93.0	90.1	90.9
Inhalants	11.53	11.77	12.17	12.20	Marijuana	91.0	93.7	92.9	95.0
Marijuana	13.95	13.92	13.49	13.37	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	62.3	63.4	56.3	57.7
Alcohol	53.2	44.8	57.0	61.1	Cigarettes	83.3	85.1	78.2	77.0
Cigarettes	40.4	35.1	45.7	48.8	Marijuana	78.7	82.4	81.4	82.5
Marijuana	37.6	27.1	33.6	35.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	96.4	94.4	94.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	9.3	15.0	20.1	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	55.1	50.6	58.2	60.3
Alcohol	33.2	27.2	34.6	36.7	Cigarettes	52.6	49.4	54.5	56.9
Cigarettes	12.1	11.5	16.3	15.8	Marijuana	36.3	29.5	35.7	33.7
Marijuana	15.4	10.9	14.2	12.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.9	13.2	18.4	19.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	61.7	57.9	57.2	68.9	Were grouchy, irritable, or in a bad mood	34.1	23.3	24.9	26.3
Were victims of mean rumors or lies spread at school	51.8	49.8	47.9	54.7	Had difficulty concentrating on school work	25.1	22.8	23.8	25.0
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.8	23.1	19.2	18.5	Were very sad	22.1	20.2	18.5	22.6
					Felt hopeless about the future	12.7	12.4	10.4	13.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.7	12.0	13.6	13.2	Parents involve student in making family decisions	68.9	69.7	67.4	70.0
Made plan about how they would attempt suicide	8.7	8.0	9.0	9.4	Parents notice and comment on student's good work	83.0	82.7	80.3	84.5
Attempted suicide	5.7	5.2	5.5	5.8	Teachers notice and comment on student's good work	76.1	73.0		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 12



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	12
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	319,063
2016 Estimate	331,188

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	294	283	313
Fatal Crashes	9	7	9
Injury Crashes	128	107	104
Property Damage Crashes	157	169	200
Crash Fatalities	10	8	14
Crash Injuries		136	134
Drug Involved Crashes	79	46	60
Fatal Crashes	4	5	2
Injury Crashes	34	21	26
Property Damage Crashes	41	20	32
Crash Fatalities	6	5	2
Crash Injuries	51	32	42

BIRTH RISK	2015	2014	2013
Resident Births	3,973	4,056	4,100
Mother Reported Smoking while Pregnant	610	668	759

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	15	24	15
Hepatitis B Chronic, Acute, Prenatal	30	44	35
Hepatitis C Chronic and Acute	177	294	261
Tuberculosis Infection Cases	212	186	226

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	2,783	2,784	2,844
Suicide	50	46	54
Homicide	9	12	12
Alcohol Induced Deaths	22	23	14
Drug Induced Deaths	28	40	42
Smoking Attributable Deaths	450	457	477
Self-inflicted Injuries *	289	311	381
Assault Injuries *	999	964	953

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,737	1,549	1,601
Mental Illness Secondary Diagnosis	5,641	4,713	5,038
Alcohol Principal Diagnosis	228	120	151
Alcohol Secondary Diagnosis	427	327	393
Drug Principal Diagnosis	138	60	66
Drug Secondary Diagnosis	430	321	296
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,166	1,582	1,572
Mental Illness Secondary Diagnosis	3,245	3,955	4,111
Alcohol Principal Diagnosis	367	434	437
Alcohol Secondary Diagnosis	395	505	518
Drug Principal Diagnosis	179	232	204
Drug Secondary Diagnosis	275	336	289
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	3,057	2,722	2,626
Mental Illness Secondary Diagnosis	11,698	11,502	10,434
Alcohol Principal Diagnosis	864	786	659
Alcohol Secondary Diagnosis	769	798	930
Drug Principal Diagnosis	478	425	336
Drug Secondary Diagnosis	1,133	818	758

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	462	443	445
Alcohol Package Carry-out Licenses	299	301	307

EMPLOYMENT	2016	2015	2014
Labor Force	171,297	173,218	169,629
Employed	164,490	165,728	160,992
Unemployed	6,807	7,490	8,637
Unemployment Rate	4.0%	4.3%	5.1%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	1,482	1,464	1,856
Liquor Law Arrests	482	490	681
Drug Arrests	2,786	2,244	2,094
Methamphetamine Lab Seizures	9	16	23
Violent Offenses	1,018	1,196	966
Domestic Violence Reports	2,676	2,721	2,868
Property Offenses	7,484	8,156	9,013

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	13,383	13,312	13,318
Drop-outs	214	204	252
Drop-out Rate	1.6%	1.5%	1.9%
School Discipline Involving Alcohol	9	9	3
School Discipline Involving Drugs	28	23	53
School Discipline Involving Tobacco	4	2	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	407	515	439
Juvenile Alcohol Offenses	28	51	51
Juvenile Drug Offenses	96	93	125
School Truancy Status Offense	234	273	267
Absent from Home Status Offense	125	139	215
Beyond Parental Control Status Offense	239	273	258
Injurious Behavior Status Offense	739	806	597
Child Abuse	80	113	92
Child Neglect	595	553	476
Child Custody Issues	50	101	48

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	398	398	389
Parental Alcohol Use Related	8	4	22
Parental Drug Use Related	150	147	134
Parental Alcohol and Drug Use	6	9	15

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	446	374	326
Probation/Parole Admissions--Drug	974	835	814
Probation/Parole Admissions--DWI	91	129	138
Prison Admissions--Drug	492	451	495
Prison Admissions--DWI	69	55	66

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 12

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	242	95	102
CSTAR Adolescent	109	114	108
CSTAR Women and Children	290	227	206
CSTAR General Adult	790	936	889
CSTAR Opioid	0	*	0
Primary Recovery Treatment	274	249	260
Clinical SATOP (CIP, YCIP, SROP)	255	287	243
Other Substance Abuse Treatment	*	*	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	1,208	1,402	1,173
- Adolescent Diversion Education Program	24	42	41
- Offender Education Program	469	550	472
- Weekend Intervention Program	207	318	231
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	84	102	49
Compulsive Gambling	0	0	*
Recovery Supports	328	203	158
Early Intervention	32	29	38

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	1,523	1,642	1,518	Alcohol	561	645	599
AGE				Marijuana / Hashish	335	448	432
Under 18	109	120	116	Cocaine (total)	59	67	112
18 to 24	206	260	245	- Crack	29	37	62
25 to 29	249	299	248	Stimulant (total)	351	302	220
30 to 34	257	270	251	- Methamphetamine	310	296	218
35 to 39	211	190	186	Heroin	76	50	53
40 to 44	135	149	134	Analgesic except Heroin	98	92	69
45 to 54	237	235	252	- Non-Prescription Methadone	*	*	*
55 and Over	119	119	86	PCP, LSD, other Hallucinogen	12	9	15
GENDER				Tranquilizer	12	9	5
Male	921	1,064	995	Inhalant	*	0	*
Female	602	578	523	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	14	16	10
Caucasian	1,260	1,270	1,074	Average Age at First Use of Drug	18.4	17.6	17.8
African American	195	261	356	INJECTION DRUG USE			
Native American / Alaskan	*	7	*	Any Injection Use at Admission	249	173	172
Asian / Pacific Islander	*	9	8	- Daily Injection Use	64	41	35
Hispanic	34	43	35	- Weekly Injection Use	86	47	57
Other Race / Two or More Races	40	64	53	- Less than Weekly Injection Use	99	85	80
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	430	490	447	0	780	909	799
High School Graduate or G.E.D.	694	758	653	1 or 2	490	506	499
Associate Degree or Some College	359	363	378	3 or More	253	227	220
Bachelor or Advanced Degree	40	31	40	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	741	477	513
Employed	431	488	464	School	*	*	*
Unemployed	485	588	552	Mental Health Provider	7	13	14
Not in Labor Force	607	566	502	Health Care Provider	97	73	62
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	441	701	649
Independent Living	1,160	1,230	1,159	Other Referral Source	195	357	260
Dependent Living	178	210	195	TREATMENT ACCOMMODATION			
Homeless	118	96	100	Pregnant when Admitted to any Episode	23	15	9
MARITAL / FAMILY STATUS				Military Veteran	75	66	61
Never Married	844	941	930	Special Education Services Needed	100	90	109
Married / Cohabiting	337	370	288	Co-Occurring Psychological Problem	637	727	612
Previously Married	342	331	300	Co-Occurring Developmental Problem	38	30	33

SUBSTANCE USE SERVICE AREA 12

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	35.1	38.4	45.1	47.8	Alcohol	13.6	13.9	20.6	22.7
Chewing Tobacco	15.9	18.6	18.2	13.4	Alcohol (5+ drinks on single occasion past 2 weeks)	5.7	6.0		
Cigarettes	17.0	26.1	26.3	29.9	Chewing Tobacco	4.9	7.6	9.0	7.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	1.3	1.9	2.7	Cigarettes	5.7	12.3	11.7	14.3
Cocaine	0.5	1.3	2.0	2.4	Inhalants	0.9	0.7	1.9	2.7
Electronic Cigarettes	17.2				Marijuana	5.6	5.0	7.4	10.0
Hallucinogens	1.1	1.0	2.1	3.2	Over-the-counter medications for non-medical use	1.8	1.1	3.3	5.2
Heroin	0.2	0.2	0.5	0.6	Prescription medications not prescribed for student	8.0	4.2	4.5	7.0
Inhalants	2.6	3.6	5.5	7.1					
Marijuana	12.6	13.7	17.3	19.6	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.2	0.4	1.1	0.7	Alcohol (1 or 2 drinks daily)	70.8	47.2		
Over-the-counter medications for non-medical use	4.3	1.6	6.2	8.4	Alcohol (Binge: 5+ drinks once or twice a week)	78.9	59.1		
Prescription medications not prescribed for student	12.2	6.9	9.8	12.2	Cigarettes (1+ packs per day)	80.9	81.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	3.3	6.5		Marijuana (once or twice a week)	71.1	62.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.9	88.9	92.3	93.2
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.99	13.83	12.55	12.72	Alcohol	83.7	77.7	77.1	75.2
Cigarettes	12.35	12.51	12.48	12.33	Cigarettes	94.7	91.4	90.6	89.4
Inhalants	10.66	12.83	12.07	12.32	Marijuana	93.2	95.8	94.4	93.2
Marijuana	13.52	13.45	13.73	13.60					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	44.8	54.3	57.7	65.5	Alcohol	70.8	57.3	57.2	54.1
Cigarettes	28.9	43.6	47.8	51.1	Cigarettes	89.9	78.5	78.7	77.5
Marijuana	31.2	22.4	37.3	41.3	Marijuana	84.6	84.6	83.0	79.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	5.1	14.1	19.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	97.7	95.9	94.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	23.2	30.3	36.3	37.4	Alcohol	49.2	55.2	58.3	63.1
Cigarettes	7.2	13.8	15.6	15.8	Cigarettes	40.8	50.2	54.6	59.6
Marijuana	11.5	8.0	11.9	14.8	Marijuana	31.1	27.3	35.6	39.7
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	8.7	15.0	19.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	58.8	62.8	63.5	68.9	Were grouchy, irritable, or in a bad mood	29.3	29.4	24.1	29.7
Were victims of mean rumors or lies spread at school	44.9	55.9	46.6	55.3	Had difficulty concentrating on school work	29.4	25.4	22.0	27.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.8	22.2	21.7	19.1	Were very sad	20.2	18.7	17.4	21.8
					Felt hopeless about the future	11.8	11.3	12.1	14.4
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.7	7.7	10.4	12.1	Parents involve student in making family decisions	72.9	65.6	68.9	70.0
Made plan about how they would attempt suicide	8.8	6.9	8.4	8.1	Parents notice and comment on student's good work	85.0	87.5	83.0	83.4
Attempted suicide	5.1	2.1	5.1	5.1	Teachers notice and comment on student's good work	79.0	75.7		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 13



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	13
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	80,509
2016 Estimate	78,205

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	56	68	70
Fatal Crashes	2	3	2
Injury Crashes	24	38	44
Property Damage Crashes	30	27	24
Crash Fatalities	2	3	2
Crash Injuries		54	57
Drug Involved Crashes	10	14	15
Fatal Crashes	0	1	1
Injury Crashes	5	7	7
Property Damage Crashes	5	6	7
Crash Fatalities	0	1	1
Crash Injuries	5	12	13

BIRTH RISK	2015	2014	2013
Resident Births	996	984	970
Mother Reported Smoking while Pregnant	269	256	236

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	2	0
Hepatitis B Chronic, Acute, Prenatal	5	3	2
Hepatitis C Chronic and Acute	45	98	34
Tuberculosis Infection Cases	13	11	12

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,017	1,062	975
Suicide	10	14	12
Homicide	0	2	0
Alcohol Induced Deaths	3	8	1
Drug Induced Deaths	9	16	12
Smoking Attributable Deaths	187	193	185
Self-inflicted Injuries *	72	110	119
Assault Injuries *	167	152	180

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	564	544	575
Mental Illness Secondary Diagnosis	1,976	1,694	1,539
Alcohol Principal Diagnosis	23	23	21
Alcohol Secondary Diagnosis	152	110	137
Drug Principal Diagnosis	20	23	33
Drug Secondary Diagnosis	110	90	91
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	112	161	166
Mental Illness Secondary Diagnosis	655	861	877
Alcohol Principal Diagnosis	14	34	11
Alcohol Secondary Diagnosis	73	100	84
Drug Principal Diagnosis	10	19	15
Drug Secondary Diagnosis	38	58	51
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	742	767	749
Mental Illness Secondary Diagnosis	1,758	1,857	2,039
Alcohol Principal Diagnosis	88	84	60
Alcohol Secondary Diagnosis	195	183	143
Drug Principal Diagnosis	79	95	90
Drug Secondary Diagnosis	172	167	151

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	74	76	79
Alcohol Package Carry-out Licenses	100	101	103

EMPLOYMENT	2016	2015	2014
Labor Force	37,611	37,634	36,976
Employed	35,838	35,794	34,791
Unemployed	1,773	1,840	2,185
Unemployment Rate	4.7%	4.9%	5.9%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	265	315	349
Liquor Law Arrests	61	82	100
Drug Arrests	581	537	419
Methamphetamine Lab Seizures	3	3	1
Violent Offenses	139	145	128
Domestic Violence Reports	383	396	410
Property Offenses	944	1,027	1,042

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	3,735	3,688	3,672
Drop-outs	35	28	31
Drop-out Rate	0.9%	0.8%	0.8%
School Discipline Involving Alcohol	6	4	2
School Discipline Involving Drugs	7	12	8
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	42	69	61
Juvenile Alcohol Offenses	9	34	9
Juvenile Drug Offenses	11	20	17
School Truancy Status Offense	110	233	153
Absent from Home Status Offense	15	16	12
Beyond Parental Control Status Offense	49	52	29
Injurious Behavior Status Offense	62	70	100
Child Abuse	60	71	81
Child Neglect	136	224	223
Child Custody Issues	18	12	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	127	126	135
Parental Alcohol Use Related	2	0	9
Parental Drug Use Related	46	68	51
Parental Alcohol and Drug Use	2	2	7

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	96	84	92
Probation/Parole Admissions--Drug	322	343	288
Probation/Parole Admissions--DWI	25	31	44
Prison Admissions--Drug	194	231	193
Prison Admissions--DWI	14	16	30

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 13

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	40	39	43
CSTAR Adolescent	25	33	25
CSTAR Women and Children	24	22	14
CSTAR General Adult	427	405	467
CSTAR Opioid	*	*	0
Primary Recovery Treatment	11	18	36
Clinical SATOP (CIP, YCIP, SROP)	51	54	65
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	204	226	249
- Adolescent Diversion Education Program	5	7	6
- Offender Education Program	64	78	63
- Weekend Intervention Program	31	48	37
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	*
Compulsive Gambling	*	0	0
Recovery Supports	12	8	7
Early Intervention	14	19	22

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	531	504	605	Alcohol	159	157	216
AGE				Marijuana / Hashish	156	144	157
Under 18	27	33	28	Cocaine (total)	*	5	*
18 to 24	87	103	113	- Crack	*	*	*
25 to 29	98	85	108	Stimulant (total)	158	133	132
30 to 34	95	83	110	- Methamphetamine	152	127	130
35 to 39	66	56	83	Heroin	6	*	7
40 to 44	63	38	60	Analgesic except Heroin	39	47	71
45 to 54	59	83	72	- Non-Prescription Methadone	0	0	0
55 and Over	36	23	31	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	6	*	7
Male	322	301	371	Inhalant	0	0	*
Female	209	203	234	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	7	8
Caucasian	501	477	576	Average Age at First Use of Drug	17.7	18.2	18.0
African American	11	12	12	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	83	68	97
Asian / Pacific Islander	0	0	0	- Daily Injection Use	11	10	11
Hispanic	9	9	11	- Weekly Injection Use	17	11	21
Other Race / Two or More Races	13	10	9	- Less than Weekly Injection Use	55	47	65
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	142	192	224	0	314	332	349
High School Graduate or G.E.D.	306	247	307	1 or 2	156	122	179
Associate Degree or Some College	81	58	71	3 or More	61	50	77
Bachelor or Advanced Degree	*	7	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	149	179	114
Employed	231	179	178	School	*	*	*
Unemployed	98	168	288	Mental Health Provider	*	5	7
Not in Labor Force	202	156	139	Health Care Provider	20	24	12
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	186	147	204
Independent Living	433	415	524	Other Referral Source	85	119	237
Dependent Living	51	60	46	TREATMENT ACCOMMODATION			
Homeless	12	9	20	Pregnant when Admitted to any Episode	7	5	7
MARITAL / FAMILY STATUS				Military Veteran	16	27	19
Never Married	261	269	297	Special Education Services Needed	55	38	43
Married / Cohabiting	150	144	167	Co-Occurring Psychological Problem	252	199	270
Previously Married	120	91	141	Co-Occurring Developmental Problem	14	16	7

SUBSTANCE USE SERVICE AREA 13

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	42.6	39.4	45.6	48.4	Alcohol	19.6	14.6	21.9	21.4
Chewing Tobacco	18.6	18.9	13.4	20.7	Alcohol (5+ drinks on single occasion past 2 weeks)	9.3	6.9		
Cigarettes	26.1	26.3	32.7	32.0	Chewing Tobacco	8.7	10.5	11.1	11.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	0.7	1.8	1.4	Cigarettes	11.9	12.8	16.2	17.0
Cocaine	1.6	1.0	1.8	1.4	Inhalants	1.1	1.9	2.3	3.0
Electronic Cigarettes	19.6				Marijuana	4.9	3.8	6.6	4.6
Hallucinogens	1.5	1.2	2.5	1.6	Over-the-counter medications for non-medical use	2.1	1.6	4.5	4.2
Heroin	0.4	0.2	1.4	0.8	Prescription medications not prescribed for student	8.3	3.2	5.4	6.1
Inhalants	3.3	4.2	5.8	5.7					
Marijuana	13.1	9.3	13.5	10.7	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.6	0.4	1.4	0.7	Alcohol (1 or 2 drinks daily)	61.4	51.4		
Over-the-counter medications for non-medical use	4.5	3.1	6.5	7.1	Alcohol (Binge: 5+ drinks once or twice a week)	70.8	65.2		
Prescription medications not prescribed for student	12.5	6.8	9.7	11.6	Cigarettes (1+ packs per day)	84.4	83.0		
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	3.4	6.3		Marijuana (once or twice a week)	73.8	74.7		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	93.1	91.6	94.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.79	12.73	12.58	12.51	Alcohol	78.6	76.4	77.9	75.3
Cigarettes	12.78	12.83	12.81	12.39	Cigarettes	91.1	91.0	89.1	88.4
Inhalants	11.35	11.57	12.11	12.23	Marijuana	94.7	94.9	95.0	97.0
Marijuana	13.93	13.82	13.62	14.00					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.8	46.9	58.4	61.2	Alcohol	64.2	61.5	54.7	56.2
Cigarettes	36.2	38.0	52.1	53.4	Cigarettes	83.4	81.0	74.8	75.0
Marijuana	26.9	19.9	31.2	26.9	Marijuana	86.1	88.6	85.0	87.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	6.7	12.1	13.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	97.8	95.6	96.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	30.3	32.5	35.7	37.7	Alcohol	52.9	51.9	58.2	63.0
Cigarettes	13.9	15.7	19.1	18.4	Cigarettes	48.1	47.9	58.5	62.9
Marijuana	10.0	8.1	10.7	7.4	Marijuana	28.7	23.6	32.6	28.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	11.2	16.5	15.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.9	63.2	64.7	70.6	Were grouchy, irritable, or in a bad mood	33.4	22.4	25.0	22.9
Were victims of mean rumors or lies spread at school	54.7	52.2	54.3	58.9	Had difficulty concentrating on school work	25.4	20.9	21.8	22.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	27.6	26.7	25.0	20.8	Were very sad	23.4	19.6	19.9	18.6
					Felt hopeless about the future	11.0	10.6	11.5	11.2
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.0	12.0	11.7	11.3	Parents involve student in making family decisions	70.4	70.3	68.6	68.3
Made plan about how they would attempt suicide	8.9	8.5	8.7	8.3	Parents notice and comment on student's good work	83.2	81.1	81.1	82.8
Attempted suicide	5.3	5.3	5.1	5.4	Teachers notice and comment on student's good work	76.4	75.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 14



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	14
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	107,082
2016 Estimate	105,622

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	96	75	84
Fatal Crashes	4	3	0
Injury Crashes	38	29	35
Property Damage Crashes	54	43	49
Crash Fatalities	6	3	0
Crash Injuries		42	42
Drug Involved Crashes	18	15	28
Fatal Crashes	0	2	0
Injury Crashes	4	3	15
Property Damage Crashes	14	10	13
Crash Fatalities	0	2	0
Crash Injuries	5	6	20

BIRTH RISK	2015	2014	2013
Resident Births	1,343	1,221	1,297
Mother Reported Smoking while Pregnant	274	250	309

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	4	1	5
Hepatitis B Chronic, Acute, Prenatal	6	5	1
Hepatitis C Chronic and Acute	61	66	37
Tuberculosis Infection Cases	23	31	22

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,244	1,226	1,149
Suicide	19	24	24
Homicide	2	2	4
Alcohol Induced Deaths	3	3	6
Drug Induced Deaths	20	11	15
Smoking Attributable Deaths	207	220	207
Self-inflicted Injuries *	112	132	131
Assault Injuries *	199	212	176

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	550	601	515
Mental Illness Secondary Diagnosis	2,050	1,799	1,958
Alcohol Principal Diagnosis	30	29	47
Alcohol Secondary Diagnosis	143	119	146
Drug Principal Diagnosis	22	25	22
Drug Secondary Diagnosis	101	78	95
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	136	181	155
Mental Illness Secondary Diagnosis	756	1,084	1,123
Alcohol Principal Diagnosis	18	27	31
Alcohol Secondary Diagnosis	67	134	105
Drug Principal Diagnosis	18	28	26
Drug Secondary Diagnosis	55	65	58
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	708	691	678
Mental Illness Secondary Diagnosis	1,656	1,489	1,201
Alcohol Principal Diagnosis	201	222	209
Alcohol Secondary Diagnosis	126	117	114
Drug Principal Diagnosis	125	133	96
Drug Secondary Diagnosis	118	82	76

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	148	145	149
Alcohol Package Carry-out Licenses	137	133	134

EMPLOYMENT	2016	2015	2014
Labor Force	51,086	51,422	50,918
Employed	48,584	48,801	47,938
Unemployed	2,502	2,621	2,980
Unemployment Rate	4.9%	5.1%	5.9%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	448	428	447
Liquor Law Arrests	216	221	226
Drug Arrests	916	761	588
Methamphetamine Lab Seizures	16	33	70
Violent Offenses	220	246	222
Domestic Violence Reports	631	530	565
Property Offenses	2,206	2,169	2,355

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	4,635	4,726	4,796
Drop-outs	52	41	57
Drop-out Rate	1.1%	0.9%	1.2%
School Discipline Involving Alcohol	12	6	2
School Discipline Involving Drugs	10	15	8
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	89	73	113
Juvenile Alcohol Offenses	21	43	21
Juvenile Drug Offenses	15	27	17
School Truancy Status Offense	131	173	202
Absent from Home Status Offense	10	15	10
Beyond Parental Control Status Offense	88	96	97
Injurious Behavior Status Offense	274	301	335
Child Abuse	52	103	83
Child Neglect	365	514	420
Child Custody Issues	4	3	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	227	254	171
Parental Alcohol Use Related	12	18	5
Parental Drug Use Related	86	93	60
Parental Alcohol and Drug Use	10	14	3

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	159	147	139
Probation/Parole Admissions--Drug	380	335	331
Probation/Parole Admissions--DWI	37	42	54
Prison Admissions--Drug	241	176	183
Prison Admissions--DWI	12	16	21

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 14

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	127	118	99
CSTAR Adolescent	77	73	81
CSTAR Women and Children	147	121	122
CSTAR General Adult	689	676	710
CSTAR Opioid	*	0	*
Primary Recovery Treatment	23	44	63
Clinical SATOP (CIP, YCIP, SROP)	93	69	77
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	370	363	435
- Adolescent Diversion Education Program	28	33	54
- Offender Education Program	113	112	122
- Weekend Intervention Program	46	51	74
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	25	32	25
Compulsive Gambling	0	0	0
Recovery Supports	*	6	5
Early Intervention	36	42	71

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	978	947	994	Alcohol	329	318	338
AGE				Marijuana / Hashish	265	282	338
Under 18	76	70	80	Cocaine (total)	16	10	17
18 to 24	168	208	227	- Crack	5	6	8
25 to 29	172	180	199	Stimulant (total)	246	201	192
30 to 34	158	156	151	- Methamphetamine	235	195	187
35 to 39	120	107	100	Heroin	54	40	33
40 to 44	87	76	69	Analgesic except Heroin	36	42	42
45 to 54	140	103	124	- Non-Prescription Methadone	*	*	*
55 and Over	57	47	44	PCP, LSD, other Hallucinogen	*	12	6
GENDER				Tranquilizer	10	5	6
Male	637	619	646	Inhalant	*	*	6
Female	341	328	348	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	18	36	15
Caucasian	852	859	879	Average Age at First Use of Drug	18.6	17.8	17.4
African American	80	55	78	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	133	124	110
Asian / Pacific Islander	*	*	0	- Daily Injection Use	22	18	16
Hispanic	15	12	10	- Weekly Injection Use	41	26	17
Other Race / Two or More Races	35	22	27	- Less than Weekly Injection Use	70	80	77
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	317	315	320	0	594	578	604
High School Graduate or G.E.D.	535	471	531	1 or 2	256	262	284
Associate Degree or Some College	118	155	137	3 or More	128	107	106
Bachelor or Advanced Degree	8	6	6	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	189	192	126
Employed	331	303	321	School	5	0	*
Unemployed	256	302	288	Mental Health Provider	13	7	7
Not in Labor Force	391	342	385	Health Care Provider	37	39	38
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	375	301	360
Independent Living	699	728	783	Other Referral Source	171	160	204
Dependent Living	180	166	171	TREATMENT ACCOMMODATION			
Homeless	22	30	28	Pregnant when Admitted to any Episode	16	10	13
MARITAL / FAMILY STATUS				Military Veteran	32	42	43
Never Married	526	546	574	Special Education Services Needed	104	94	70
Married / Cohabiting	221	207	217	Co-Occurring Psychological Problem	437	411	372
Previously Married	231	194	203	Co-Occurring Developmental Problem	6	33	16

SUBSTANCE USE SERVICE AREA 14

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	44.2	39.4	42.6	45.9	Alcohol	17.6	14.9	20.3	19.3
Chewing Tobacco	20.6	14.0	13.3	18.6	Alcohol (5+ drinks on single occasion past 2 weeks)	7.2	6.7		
Cigarettes	22.8	18.5	30.2	27.0	Chewing Tobacco	11.7	7.4	7.2	8.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.2	0.3	2.4	1.4	Cigarettes	8.4	10.5	16.1	17.3
Cocaine	0.3	0.7	2.9	1.2	Inhalants	2.5	0.7	3.1	2.3
Electronic Cigarettes	17.5				Marijuana	1.1	2.8	5.9	3.4
Hallucinogens	0.3	1.6	3.3	1.7	Over-the-counter medications for non-medical use	1.5	2.2	2.8	3.3
Heroin	0.8	0.0	2.1	0.4	Prescription medications not prescribed for student	7.6	2.2	2.4	4.0
Inhalants	4.2	3.0	5.1	5.1					
Marijuana	6.6	8.7	13.2	7.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.2	0.4	2.5	0.9	Alcohol (1 or 2 drinks daily)	61.2	52.0		
Over-the-counter medications for non-medical use	2.6	3.1	4.0	5.7	Alcohol (Binge: 5+ drinks once or twice a week)	72.9	64.2		
Prescription medications not prescribed for student	11.8	5.7	6.6	7.4	Cigarettes (1+ packs per day)	85.2	84.8		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	4.0	6.8		Marijuana (once or twice a week)	75.9	72.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	94.7	92.2	94.7	93.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.25	12.86	12.36	11.79	Alcohol	74.2	78.6	78.0	77.6
Cigarettes	13.57	12.98	12.34	12.84	Cigarettes	87.8	92.9	91.0	86.8
Inhalants	9.79	12.82	12.34	12.13	Marijuana	94.0	96.5	95.1	96.7
Marijuana	14.86	14.58	13.68	13.34					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	43.7	50.3	54.4	59.1	Alcohol	62.0	60.4	57.3	59.4
Cigarettes	34.3	40.9	48.5	46.5	Cigarettes	86.1	84.4	72.0	78.5
Marijuana	13.6	19.2	32.4	21.1	Marijuana	91.4	87.8	81.2	89.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.0	8.5	13.3	9.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	97.6	94.0	95.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	27.7	28.1	34.3	33.9	Alcohol	59.3	56.9	55.4	55.4
Cigarettes	11.4	12.6	21.1	18.7	Cigarettes	51.5	52.9	50.8	50.5
Marijuana	6.0	8.1	12.2	7.3	Marijuana	22.6	28.9	26.8	19.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.8	14.5	13.9	10.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.9	64.5	66.8	65.8	Were grouchy, irritable, or in a bad mood	33.1	30.5	25.8	34.3
Were victims of mean rumors or lies spread at school	50.1	55.7	50.7	60.1	Had difficulty concentrating on school work	17.9	24.3	22.0	18.7
Were victims of an embarrassing or hurtful text message or something posted on the Internet	18.2	27.0	24.0	22.0	Were very sad	17.9	21.1	19.6	27.8
					Felt hopeless about the future	10.8	10.6	10.0	18.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	9.0	12.4	14.2	9.9	Parents involve student in making family decisions	68.5	60.8	65.2	71.6
Made plan about how they would attempt suicide	10.0	7.1	11.1	5.5	Parents notice and comment on student's good work	83.2	78.7	81.3	86.7
Attempted suicide	4.1	4.1	8.2	3.1	Teachers notice and comment on student's good work	82.6	68.2		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 15



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	15
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	75,288
2016 Estimate	74,861

BIRTH RISK	2015	2014	2013
Resident Births	881	894	843
Mother Reported Smoking while Pregnant	253	247	215

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	5	1	1
Hepatitis B Chronic, Acute, Prenatal	3	7	2
Hepatitis C Chronic and Acute	78	267	85
Tuberculosis Infection Cases	13	12	9

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	865	859	857
Suicide	9	10	10
Homicide	3	2	2
Alcohol Induced Deaths	3	5	2
Drug Induced Deaths	11	8	9
Smoking Attributable Deaths	166	177	168
Self-inflicted Injuries *	63	85	69
Assault Injuries *	180	166	175

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	381	353	396
Mental Illness Secondary Diagnosis	1,202	961	955
Alcohol Principal Diagnosis	29	17	22
Alcohol Secondary Diagnosis	92	81	73
Drug Principal Diagnosis	29	14	16
Drug Secondary Diagnosis	86	62	53
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	212	281	253
Mental Illness Secondary Diagnosis	896	1,078	1,097
Alcohol Principal Diagnosis	43	38	41
Alcohol Secondary Diagnosis	80	122	102
Drug Principal Diagnosis	21	37	33
Drug Secondary Diagnosis	52	66	55
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	545	552	587
Mental Illness Secondary Diagnosis	1,121	1,139	1,005
Alcohol Principal Diagnosis	103	70	78
Alcohol Secondary Diagnosis	114	128	125
Drug Principal Diagnosis	109	87	67
Drug Secondary Diagnosis	128	102	103

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	100	98	100
Alcohol Package Carry-out Licenses	97	96	98

EMPLOYMENT	2016	2015	2014
Labor Force	35,135	35,493	34,730
Employed	33,595	33,829	32,727
Unemployed	1,540	1,664	2,003
Unemployment Rate	4.4%	4.7%	5.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	55	58	63
Fatal Crashes	2	3	2
Injury Crashes	25	25	35
Property Damage Crashes	28	30	26
Crash Fatalities	4	3	2
Crash Injuries		40	50
Drug Involved Crashes	12	7	13
Fatal Crashes	1	0	1
Injury Crashes	2	4	3
Property Damage Crashes	9	3	9
Crash Fatalities	2	0	1
Crash Injuries	4	6	3

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	243	220	261
Liquor Law Arrests	21	52	54
Drug Arrests	428	322	327
Methamphetamine Lab Seizures	13	16	32
Violent Offenses	124	100	108
Domestic Violence Reports	724	729	752
Property Offenses	1,040	1,159	1,111

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	2,854	2,802	2,780
Drop-outs	60	54	63
Drop-out Rate	2.1%	1.9%	2.3%
School Discipline Involving Alcohol	5	7	11
School Discipline Involving Drugs	18	8	11
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	44	102	57
Juvenile Alcohol Offenses	12	33	16
Juvenile Drug Offenses	12	38	24
School Truancy Status Offense	23	98	52
Absent from Home Status Offense	21	31	18
Beyond Parental Control Status Offense	16	29	12
Injurious Behavior Status Offense	119	163	93
Child Abuse	41	41	36
Child Neglect	142	141	126
Child Custody Issues	12	11	14

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	139	113	106
Parental Alcohol Use Related	5	4	1
Parental Drug Use Related	47	52	35
Parental Alcohol and Drug Use	3	9	7

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	56	52	35
Probation/Parole Admissions--Drug	256	228	260
Probation/Parole Admissions--DWI	22	15	36
Prison Admissions--Drug	129	101	114
Prison Admissions--DWI	11	14	10

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 15

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	54	35	38
CSTAR Adolescent	22	27	39
CSTAR Women and Children	51	65	36
CSTAR General Adult	332	304	354
CSTAR Opioid	*	*	0
Primary Recovery Treatment	35	29	72
Clinical SATOP (CIP, YCIP, SROP)	55	52	61
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	203	245	237
- Adolescent Diversion Education Program	12	11	12
- Offender Education Program	57	69	53
- Weekend Intervention Program	38	43	42
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	13	25	12
Compulsive Gambling	0	0	0
Recovery Supports	*	*	7
Early Intervention	28	16	18

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	514	461	545	Alcohol	167	159	202
AGE				Marijuana / Hashish	132	148	165
Under 18	24	29	43	Cocaine (total)	8	9	16
18 to 24	98	88	98	- Crack	*	*	5
25 to 29	83	86	92	Stimulant (total)	144	87	101
30 to 34	89	79	91	- Methamphetamine	142	87	97
35 to 39	63	47	65	Heroin	25	28	19
40 to 44	42	37	47	Analgesic except Heroin	29	19	28
45 to 54	78	68	79	- Non-Prescription Methadone	0	0	0
55 and Over	37	27	30	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	5	*
Male	331	301	382	Inhalant	0	0	0
Female	183	160	163	Sedative	*	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	6	8
Caucasian	464	390	483	Average Age at First Use of Drug	18.5	17.9	17.9
African American	37	50	43	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	72	57	50
Asian / Pacific Islander	0	0	0	- Daily Injection Use	16	8	5
Hispanic	5	7	*	- Weekly Injection Use	15	15	13
Other Race / Two or More Races	10	14	17	- Less than Weekly Injection Use	41	34	32
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	155	147	197	0	304	268	319
High School Graduate or G.E.D.	286	243	283	1 or 2	136	127	145
Associate Degree or Some College	71	71	63	3 or More	74	66	81
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	129	78	132
Employed	192	176	191	School	*	0	0
Unemployed	186	171	219	Mental Health Provider	6	6	5
Not in Labor Force	136	114	135	Health Care Provider	13	13	15
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	240	251	294
Independent Living	413	371	441	Other Referral Source	64	64	62
Dependent Living	68	61	73	TREATMENT ACCOMMODATION			
Homeless	12	5	7	Pregnant when Admitted to any Episode	6	10	6
MARITAL / FAMILY STATUS				Military Veteran	25	25	23
Never Married	264	255	287	Special Education Services Needed	45	60	66
Married / Cohabiting	128	112	135	Co-Occurring Psychological Problem	172	164	181
Previously Married	122	94	123	Co-Occurring Developmental Problem	13	8	22

SUBSTANCE USE SERVICE AREA 15

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	40.6	44.0	46.0	50.4	Alcohol	16.6	16.7	20.9	25.5
Chewing Tobacco	17.9	17.5	6.9	15.8	Alcohol (5+ drinks on single occasion past 2 weeks)	7.1	7.4		
Cigarettes	20.4	27.0	26.7	30.3	Chewing Tobacco	5.9	7.2	8.2	8.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.0	2.2	1.6	Cigarettes	7.8	11.0	13.1	16.1
Cocaine	0.8	0.8	2.1	1.6	Inhalants	0.1	1.1	2.2	3.3
Electronic Cigarettes	14.8				Marijuana	6.2	3.0	6.2	6.2
Hallucinogens	1.3	0.6	2.7	2.3	Over-the-counter medications for non-medical use	1.7	0.8	3.5	5.1
Heroin	0.6	0.3	1.0	0.2	Prescription medications not prescribed for student	10.3	2.7	4.3	6.7
Inhalants	1.2	2.1	5.6	5.8					
Marijuana	12.6	12.1	13.8	14.5	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.4	0.5	1.5	0.9	Alcohol (1 or 2 drinks daily)	56.4	50.6		
Over-the-counter medications for non-medical use	3.9	1.8	6.1	7.6	Alcohol (Binge: 5+ drinks once or twice a week)	66.8	67.7		
Prescription medications not prescribed for student	13.1	5.8	8.3	12.8	Cigarettes (1+ packs per day)	80.4	79.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	4.7	6.8		Marijuana (once or twice a week)	69.2	62.5		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	89.9	91.7	90.5	93.0
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.82	12.93	12.55	12.25	Alcohol	78.4	73.1	73.8	73.3
Cigarettes	13.18	12.93	12.43	12.06	Cigarettes	94.2	93.1	90.2	90.2
Inhalants	9.80	12.74	11.79	11.60	Marijuana	95.1	94.8	94.8	95.0
Marijuana	14.19	14.05	13.66	13.30					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	49.4	54.8	56.9	62.9	Alcohol	63.3	47.2	57.1	51.2
Cigarettes	32.2	43.3	45.3	49.7	Cigarettes	87.6	78.1	77.9	76.5
Marijuana	29.0	26.9	28.9	34.0	Marijuana	84.5	79.6	84.4	84.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	10.7	12.3	14.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.2	96.6	94.2	95.6
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	30.5	34.9	36.0	40.8	Alcohol	51.2	60.0	54.9	58.8
Cigarettes	8.8	12.9	14.7	16.7	Cigarettes	44.6	50.8	51.4	57.9
Marijuana	11.3	9.4	8.2	9.0	Marijuana	29.3	27.0	31.3	34.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	8.7	16.6	17.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	63.0	54.7	62.5	69.0	Were grouchy, irritable, or in a bad mood	31.1	23.6	24.3	28.6
Were victims of mean rumors or lies spread at school	52.5	45.5	51.3	58.6	Had difficulty concentrating on school work	23.0	20.3	23.2	29.9
Were victims of an embarrassing or hurtful text message or something posted on the Internet	25.5	18.8	22.2	21.0	Were very sad	18.8	14.9	19.5	21.5
					Felt hopeless about the future	10.2	7.2	10.0	14.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.6	5.7	10.5	12.1	Parents involve student in making family decisions	70.9	72.3	68.1	70.1
Made plan about how they would attempt suicide	6.7	4.9	7.9	7.7	Parents notice and comment on student's good work	83.3	80.2	82.1	83.0
Attempted suicide	3.7	3.8	5.3	6.8	Teachers notice and comment on student's good work	76.4	73.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 16



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	16
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	547,056
2016 Estimate	582,825

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	500	531	492
Fatal Crashes	15	17	17
Injury Crashes	198	174	163
Property Damage Crashes	287	340	312
Crash Fatalities	17	20	19
Crash Injuries		233	239
Drug Involved Crashes	125	123	106
Fatal Crashes	13	8	7
Injury Crashes	57	44	36
Property Damage Crashes	55	71	63
Crash Fatalities	13	9	7
Crash Injuries	97	58	53

BIRTH RISK	2015	2014	2013
Resident Births	6,964	6,850	6,912
Mother Reported Smoking while Pregnant	903	894	1,060

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	21	24	14
Hepatitis B Chronic, Acute, Prenatal	25	40	30
Hepatitis C Chronic and Acute	305	396	307
Tuberculosis Infection Cases	98	87	111

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	4,558	4,313	4,093
Suicide	100	78	84
Homicide	18	10	9
Alcohol Induced Deaths	26	32	25
Drug Induced Deaths	115	112	105
Smoking Attributable Deaths	782	773	719
Self-inflicted Injuries *	530	598	555
Assault Injuries *	1,189	1,147	1,241

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	4,156	3,683	3,813
Mental Illness Secondary Diagnosis	8,511	5,954	6,704
Alcohol Principal Diagnosis	400	311	337
Alcohol Secondary Diagnosis	694	425	439
Drug Principal Diagnosis	478	303	299
Drug Secondary Diagnosis	524	365	364
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,595	3,058	2,660
Mental Illness Secondary Diagnosis	8,249	9,947	8,976
Alcohol Principal Diagnosis	200	264	244
Alcohol Secondary Diagnosis	899	1,040	907
Drug Principal Diagnosis	120	172	172
Drug Secondary Diagnosis	450	513	463
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,743	4,093	3,885
Mental Illness Secondary Diagnosis	19,168	19,206	20,259
Alcohol Principal Diagnosis	985	764	812
Alcohol Secondary Diagnosis	974	860	899
Drug Principal Diagnosis	1,020	893	758
Drug Secondary Diagnosis	1,115	1,132	1,326

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	694	675	671
Alcohol Package Carry-out Licenses	408	394	382

EMPLOYMENT	2016	2015	2014
Labor Force	318,053	315,127	304,893
Employed	306,017	301,830	288,607
Unemployed	12,036	13,297	16,286
Unemployment Rate	3.8%	4.2%	5.3%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	2,241	2,290	2,680
Liquor Law Arrests	284	395	474
Drug Arrests	3,385	2,927	2,591
Methamphetamine Lab Seizures	10	40	155
Violent Offenses	1,029	940	891
Domestic Violence Reports	2,883	2,754	2,606
Property Offenses	9,065	9,051	9,089

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	27,093	26,845	26,950
Drop-outs	379	419	359
Drop-out Rate	1.4%	1.6%	1.3%
School Discipline Involving Alcohol	47	60	57
School Discipline Involving Drugs	212	228	195
School Discipline Involving Tobacco	5	4	5

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	420	444	424
Juvenile Alcohol Offenses	96	108	89
Juvenile Drug Offenses	189	223	213
School Truancy Status Offense	338	399	382
Absent from Home Status Offense	250	292	227
Beyond Parental Control Status Offense	49	59	56
Injurious Behavior Status Offense	222	201	226
Child Abuse	56	73	79
Child Neglect	659	676	684
Child Custody Issues	38	30	33

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	404	368	331
Parental Alcohol Use Related	2	21	9
Parental Drug Use Related	197	165	154
Parental Alcohol and Drug Use	18	5	7

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	538	592	517
Probation/Parole Admissions--Drug	1,059	934	933
Probation/Parole Admissions--DWI	199	258	229
Prison Admissions--Drug	514	447	454
Prison Admissions--DWI	76	86	87

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 16

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	245	203	198
CSTAR Adolescent	185	223	222
CSTAR Women and Children	315	204	198
CSTAR General Adult	875	955	794
CSTAR Opioid	65	44	50
Primary Recovery Treatment	44	41	36
Clinical SATOP (CIP, YCIP, SROP)	625	632	756
Other Substance Abuse Treatment	11	6	15

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	2,199	2,479	2,719
- Adolescent Diversion Education Program	65	193	159
- Offender Education Program	813	915	979
- Weekend Intervention Program	471	469	551
<i>(See also Clinical SATOP at left)</i>			
OTHER SERVICES PROVIDED			
Co-Dependency	47	32	24
Compulsive Gambling	24	29	17
Recovery Supports	11	7	14
Early Intervention	14	13	16

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	2,118	2,078	2,019	Alcohol	836	872	942
AGE				Marijuana / Hashish	392	402	408
Under 18	185	227	225	Cocaine (total)	27	28	23
18 to 24	350	331	385	- Crack	19	19	14
25 to 29	398	386	356	Stimulant (total)	219	183	173
30 to 34	381	350	328	- Methamphetamine	205	178	160
35 to 39	248	229	212	Heroin	512	465	353
40 to 44	162	172	146	Analgesic except Heroin	104	94	82
45 to 54	269	271	279	- Non-Prescription Methadone	*	*	*
55 and Over	125	112	88	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	16	16	20
Male	1,315	1,360	1,305	Inhalant	0	*	*
Female	803	718	713	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	6	10	12
Caucasian	1,938	1,917	1,864	Average Age at First Use of Drug	18.3	17.9	17.4
African American	100	96	91	INJECTION DRUG USE			
Native American / Alaskan	*	*	5	Any Injection Use at Admission	510	466	400
Asian / Pacific Islander	8	*	6	- Daily Injection Use	208	173	127
Hispanic	36	21	25	- Weekly Injection Use	146	119	102
Other Race / Two or More Races	50	46	36	- Less than Weekly Injection Use	156	174	171
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	601	621	649	0	1,120	1,069	901
High School Graduate or G.E.D.	919	907	797	1 or 2	618	622	722
Associate Degree or Some College	573	522	535	3 or More	380	387	396
Bachelor or Advanced Degree	25	28	36	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	700	519	499
Employed	844	802	768	School	24	41	39
Unemployed	653	613	656	Mental Health Provider	21	24	28
Not in Labor Force	621	663	595	Health Care Provider	82	77	52
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,035	1,127	1,148
Independent Living	1,781	1,683	1,629	Other Referral Source	186	220	207
Dependent Living	231	276	275	TREATMENT ACCOMMODATION			
Homeless	64	76	59	Pregnant when Admitted to any Episode	64	52	42
MARITAL / FAMILY STATUS				Military Veteran	91	108	103
Never Married	1,316	1,270	1,210	Special Education Services Needed	160	217	145
Married / Cohabiting	413	435	413	Co-Occurring Psychological Problem	669	693	590
Previously Married	389	373	396	Co-Occurring Developmental Problem	49	60	40

SUBSTANCE USE SERVICE AREA 16

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	36.4	32.8	37.1	44.3	Alcohol	17.1	13.8	16.4	21.4
Chewing Tobacco	14.4	7.3	18.7	9.7	Alcohol (5+ drinks on single occasion past 2 weeks)	7.4	6.0		
Cigarettes	13.8	15.7	18.3	23.6	Chewing Tobacco	3.5	3.0	3.9	5.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.7	1.8	2.1	Cigarettes	5.3	6.8	8.2	12.8
Cocaine	0.9	1.1	1.3	1.7	Inhalants	0.8	1.0	2.1	3.3
Electronic Cigarettes	21.0				Marijuana	7.1	7.4	6.9	8.5
Hallucinogens	1.7	2.2	2.3	3.6	Over-the-counter medications for non-medical use	1.2	1.3	3.6	4.7
Heroin	0.2	0.4	0.7	0.6	Prescription medications not prescribed for student	7.6	4.1	3.9	6.4
Inhalants	2.3	3.0	4.6	7.0					
Marijuana	14.0	13.8	13.4	15.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.3	0.6	0.9	0.7	Alcohol (1 or 2 drinks daily)	69.2	63.6		
Over-the-counter medications for non-medical use	3.2	2.9	6.0	7.6	Alcohol (Binge: 5+ drinks once or twice a week)	79.4	75.4		
Prescription medications not prescribed for student	11.2	7.4	7.5	10.7	Cigarettes (1+ packs per day)	87.4	89.4		
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	3.6	5.3		Marijuana (once or twice a week)	68.0	67.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	93.8	94.8	93.1
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.22	12.84	12.68	12.41	Alcohol	82.5	80.9	79.9	77.0
Cigarettes	13.32	13.08	12.55	12.34	Cigarettes	95.7	94.7	93.4	90.8
Inhalants	11.02	11.73	11.52	11.82	Marijuana	93.1	92.5	95.0	93.7
Marijuana	14.37	13.77	13.60	13.45					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	45.2	46.0	51.2	59.6	Alcohol	66.2	63.9	62.3	56.8
Cigarettes	26.6	32.5	39.0	47.8	Cigarettes	90.7	87.6	85.4	80.2
Marijuana	34.0	33.3	35.6	37.8	Marijuana	81.1	80.1	83.3	81.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	12.3	15.8	19.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	95.8	96.3	94.5
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	25.1	25.1	28.4	33.9	Alcohol	56.3	55.8	58.9	62.3
Cigarettes	7.0	8.8	9.9	14.1	Cigarettes	44.0	44.9	49.6	55.9
Marijuana	13.0	13.1	11.1	12.6	Marijuana	35.0	33.6	35.1	36.8
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	13.0	14.8	18.0
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.8	58.4	59.4	69.8	Were grouchy, irritable, or in a bad mood	29.0	24.2	22.1	21.6
Were victims of mean rumors or lies spread at school	45.0	44.8	44.5	52.5	Had difficulty concentrating on school work	27.6	25.8	24.4	24.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	24.8	20.7	20.3	Were very sad	19.3	19.7	17.5	15.6
					Felt hopeless about the future	10.9	11.4	11.4	10.8
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.0	11.0	10.5	10.9	Parents involve student in making family decisions	71.0	68.7	67.5	69.4
Made plan about how they would attempt suicide	7.3	8.0	8.1	7.9	Parents notice and comment on student's good work	84.5	83.1	82.8	83.4
Attempted suicide	4.5	4.4	4.9	5.0	Teachers notice and comment on student's good work	72.9	70.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 17



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	17
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	211,091
2016 Estimate	209,451

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	195	182	199
Fatal Crashes	9	9	8
Injury Crashes	97	77	87
Property Damage Crashes	89	96	104
Crash Fatalities	9	9	8
Crash Injuries		99	130
Drug Involved Crashes	73	64	64
Fatal Crashes	4	4	6
Injury Crashes	26	28	24
Property Damage Crashes	43	32	34
Crash Fatalities	4	4	8
Crash Injuries	40	43	42

BIRTH RISK	2015	2014	2013
Resident Births	2,428	2,303	2,401
Mother Reported Smoking while Pregnant	613	628	695

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	7	8	9
Hepatitis B Chronic, Acute, Prenatal	22	19	22
Hepatitis C Chronic and Acute	248	659	315
Tuberculosis Infection Cases	76	79	62

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	2,513	2,448	2,347
Suicide	40	36	37
Homicide	12	12	7
Alcohol Induced Deaths	15	13	8
Drug Induced Deaths	57	64	48
Smoking Attributable Deaths	501	478	454
Self-inflicted Injuries *	275	290	349
Assault Injuries *	781	796	789

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,335	2,223	2,279
Mental Illness Secondary Diagnosis	4,605	4,114	4,246
Alcohol Principal Diagnosis	121	77	98
Alcohol Secondary Diagnosis	319	263	294
Drug Principal Diagnosis	351	332	298
Drug Secondary Diagnosis	406	314	301
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	715	893	756
Mental Illness Secondary Diagnosis	3,011	3,599	3,704
Alcohol Principal Diagnosis	75	78	99
Alcohol Secondary Diagnosis	239	306	261
Drug Principal Diagnosis	70	75	104
Drug Secondary Diagnosis	226	235	216
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,814	2,818	2,512
Mental Illness Secondary Diagnosis	10,432	14,070	15,815
Alcohol Principal Diagnosis	480	451	434
Alcohol Secondary Diagnosis	463	347	427
Drug Principal Diagnosis	582	516	499
Drug Secondary Diagnosis	695	553	670

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	243	236	241
Alcohol Package Carry-out Licenses	209	202	198

EMPLOYMENT	2016	2015	2014
Labor Force	89,367	90,370	89,254
Employed	84,593	85,102	82,822
Unemployed	4,774	5,268	6,432
Unemployment Rate	5.3%	5.8%	7.2%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	890	989	1,024
Liquor Law Arrests	103	145	154
Drug Arrests	1,822	1,814	1,321
Methamphetamine Lab Seizures	26	59	108
Violent Offenses	554	606	589
Domestic Violence Reports	960	914	857
Property Offenses	4,772	4,875	5,300

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	9,468	9,456	9,448
Drop-outs	154	161	169
Drop-out Rate	1.6%	1.7%	1.8%
School Discipline Involving Alcohol	22	16	8
School Discipline Involving Drugs	48	52	56
School Discipline Involving Tobacco	1	5	2

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	416	385	316
Juvenile Alcohol Offenses	23	20	23
Juvenile Drug Offenses	48	53	28
School Truancy Status Offense	172	228	341
Absent from Home Status Offense	31	31	22
Beyond Parental Control Status Offense	129	148	130
Injurious Behavior Status Offense	273	264	156
Child Abuse	158	200	237
Child Neglect	617	549	508
Child Custody Issues	27	32	18

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	430	345	373
Parental Alcohol Use Related	13	11	11
Parental Drug Use Related	241	144	192
Parental Alcohol and Drug Use	1	11	13

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	159	160	166
Probation/Parole Admissions--Drug	915	779	723
Probation/Parole Admissions--DWI	75	89	86
Prison Admissions--Drug	508	463	416
Prison Admissions--DWI	31	34	48

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 17

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	294	218	215
CSTAR Adolescent	92	83	55
CSTAR Women and Children	96	62	56
CSTAR General Adult	1,105	994	933
CSTAR Opioid	*	*	*
Primary Recovery Treatment	202	124	145
Clinical SATOP (CIP, YCIP, SROP)	143	165	190
Other Substance Abuse Treatment	8	*	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	673	703	773
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	246	264	288
- Weekend Intervention Program	141	153	178
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	18	7
Compulsive Gambling	*	*	*
Recovery Supports	13	7	29
Early Intervention	182	148	97

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	1,599	1,417	1,379	Alcohol	384	402	430
AGE				Marijuana / Hashish	293	307	260
Under 18	96	86	59	Cocaine (total)	14	17	14
18 to 24	223	190	216	- Crack	11	13	6
25 to 29	296	282	296	Stimulant (total)	380	292	253
30 to 34	308	276	290	- Methamphetamine	363	282	239
35 to 39	208	166	153	Heroin	235	173	161
40 to 44	141	129	118	Analgesic except Heroin	243	192	218
45 to 54	224	208	184	- Non-Prescription Methadone	*	6	*
55 and Over	103	80	63	PCP, LSD, other Hallucinogen	5	*	*
GENDER				Tranquilizer	21	24	16
Male	927	828	844	Inhalant	*	0	*
Female	672	589	535	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	19	7	22
Caucasian	1,546	1,356	1,323	Average Age at First Use of Drug	19.6	19.3	18.7
African American	33	37	28	INJECTION DRUG USE			
Native American / Alaskan	*	6	5	Any Injection Use at Admission	437	322	289
Asian / Pacific Islander	*	0	0	- Daily Injection Use	138	86	80
Hispanic	13	9	17	- Weekly Injection Use	117	83	84
Other Race / Two or More Races	15	17	17	- Less than Weekly Injection Use	182	153	125
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	503	492	486	0	1,015	868	809
High School Graduate or G.E.D.	771	645	616	1 or 2	415	363	382
Associate Degree or Some College	317	273	267	3 or More	169	186	188
Bachelor or Advanced Degree	8	7	10	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	813	540	511
Employed	399	346	350	School	9	*	*
Unemployed	591	541	596	Mental Health Provider	5	7	11
Not in Labor Force	609	530	433	Health Care Provider	122	112	80
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	508	560	562
Independent Living	1,329	1,197	1,172	Other Referral Source	119	171	197
Dependent Living	181	144	150	TREATMENT ACCOMMODATION			
Homeless	77	53	44	Pregnant when Admitted to any Episode	30	35	32
MARITAL / FAMILY STATUS				Military Veteran	50	56	65
Never Married	786	709	708	Special Education Services Needed	145	160	121
Married / Cohabiting	458	365	373	Co-Occurring Psychological Problem	702	640	639
Previously Married	355	343	298	Co-Occurring Developmental Problem	83	73	95

SUBSTANCE USE SERVICE AREA 17

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.1	35.8	41.7	46.9	Alcohol	15.5	13.7	19.4	22.9
Chewing Tobacco	19.6	17.0	24.2	19.8	Alcohol (5+ drinks on single occasion past 2 weeks)	7.2	5.9		
Cigarettes	24.8	25.0	26.5	31.0	Chewing Tobacco	7.3	9.2	10.0	11.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.9	2.0	1.8	Cigarettes	10.0	9.5	13.2	16.6
Cocaine	0.9	0.8	1.7	1.8	Inhalants	0.9	1.1	3.5	3.8
Electronic Cigarettes	28.5				Marijuana	5.7	8.6	9.0	9.7
Hallucinogens	2.0	1.8	3.0	3.4	Over-the-counter medications for non-medical use	1.8	1.6	4.2	6.1
Heroin	0.5	0.3	1.1	0.9	Prescription medications not prescribed for student	8.3	5.8	5.9	8.3
Inhalants	2.8	3.5	6.7	8.4					
Marijuana	14.6	14.7	16.1	17.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.7	0.5	1.3	1.3	Alcohol (1 or 2 drinks daily)	62.6	58.6		
Over-the-counter medications for non-medical use	4.8	3.4	7.0	9.3	Alcohol (Binge: 5+ drinks once or twice a week)	73.5	67.1		
Prescription medications not prescribed for student	13.3	9.8	10.3	14.7	Cigarettes (1+ packs per day)	82.5	85.1		
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	2.8	6.7		Marijuana (once or twice a week)	67.8	64.3		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6	92.1	93.8	93.3
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.64	12.72	12.28	12.01	Alcohol	79.8	77.2	76.3	75.2
Cigarettes	12.46	12.75	12.00	11.62	Cigarettes	90.9	89.5	89.5	89.2
Inhalants	11.19	11.42	11.83	12.13	Marijuana	92.4	91.5	93.5	94.4
Marijuana	13.86	14.10	13.40	13.11					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	46.6	44.0	54.1	62.3	Alcohol	67.2	63.6	58.3	57.9
Cigarettes	34.7	38.0	44.8	49.0	Cigarettes	84.1	82.7	78.6	76.7
Marijuana	31.2	32.4	33.7	36.6	Marijuana	82.2	81.0	81.2	81.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	11.4	14.4	17.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	96.2	95.4	94.7
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	26.5	27.5	31.8	36.6	Alcohol	51.3	46.0	55.2	59.5
Cigarettes	11.1	12.6	15.0	17.2	Cigarettes	49.5	47.4	51.5	58.3
Marijuana	12.1	13.3	13.2	14.2	Marijuana	33.9	31.6	33.0	36.0
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	14.0	16.2	20.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.1	57.3	61.2	70.1	Were grouchy, irritable, or in a bad mood	32.8	24.5	26.5	24.7
Were victims of mean rumors or lies spread at school	49.1	49.8	50.3	58.7	Had difficulty concentrating on school work	27.3	24.4	25.0	26.3
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.9	23.7	21.6	19.8	Were very sad	23.6	19.6	21.5	19.2
					Felt hopeless about the future	13.1	11.9	12.6	13.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.7	12.1	13.1	13.8	Parents involve student in making family decisions	68.9	70.4	67.8	68.3
Made plan about how they would attempt suicide	10.1	9.1	9.5	9.8	Parents notice and comment on student's good work	82.3	82.0	82.1	84.2
Attempted suicide	6.4	5.9	5.6	5.9	Teachers notice and comment on student's good work	76.8	74.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 18



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	18
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	127,952
2016 Estimate	125,823

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	126	123	144
Fatal Crashes	5	6	6
Injury Crashes	65	64	68
Property Damage Crashes	56	53	70
Crash Fatalities	5	6	6
Crash Injuries		90	106
Drug Involved Crashes	31	26	28
Fatal Crashes	3	1	4
Injury Crashes	18	15	14
Property Damage Crashes	10	10	10
Crash Fatalities	3	1	4
Crash Injuries	30	17	19

BIRTH RISK	2015	2014	2013
Resident Births	1,465	1,533	1,493
Mother Reported Smoking while Pregnant	391	431	428

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	1	1
Hepatitis B Chronic, Acute, Prenatal	8	11	6
Hepatitis C Chronic and Acute	128	185	126
Tuberculosis Infection Cases	19	23	23

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,601	1,540	1,608
Suicide	28	23	29
Homicide	8	7	6
Alcohol Induced Deaths	8	8	7
Drug Induced Deaths	13	12	16
Smoking Attributable Deaths	284	269	310
Self-inflicted Injuries *	109	181	201
Assault Injuries *	190	238	246

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,172	1,157	1,165
Mental Illness Secondary Diagnosis	2,283	2,237	2,271
Alcohol Principal Diagnosis	130	131	128
Alcohol Secondary Diagnosis	187	151	168
Drug Principal Diagnosis	176	209	204
Drug Secondary Diagnosis	226	154	134
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	147	187	198
Mental Illness Secondary Diagnosis	1,063	1,294	1,229
Alcohol Principal Diagnosis	35	46	27
Alcohol Secondary Diagnosis	103	110	116
Drug Principal Diagnosis	23	34	38
Drug Secondary Diagnosis	88	111	88
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	766	1,052	964
Mental Illness Secondary Diagnosis	3,103	4,940	5,317
Alcohol Principal Diagnosis	154	171	148
Alcohol Secondary Diagnosis	163	207	217
Drug Principal Diagnosis	159	148	140
Drug Secondary Diagnosis	194	216	198

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	90	84	85
Alcohol Package Carry-out Licenses	137	135	144

EMPLOYMENT	2016	2015	2014
Labor Force	49,746	50,266	49,313
Employed	46,598	46,912	45,561
Unemployed	3,148	3,354	3,752
Unemployment Rate	6.3%	6.7%	7.6%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	559	531	552
Liquor Law Arrests	96	133	140
Drug Arrests	1,130	1,185	1,080
Methamphetamine Lab Seizures	3	8	30
Violent Offenses	302	263	248
Domestic Violence Reports	557	779	726
Property Offenses	2,013	2,085	2,526

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	5,740	5,810	5,858
Drop-outs	44	34	32
Drop-out Rate	0.8%	0.6%	0.5%
School Discipline Involving Alcohol	3	8	5
School Discipline Involving Drugs	16	24	23
School Discipline Involving Tobacco	2	0	2

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	79	71	60
Juvenile Alcohol Offenses	13	34	30
Juvenile Drug Offenses	23	27	23
School Truancy Status Offense	144	295	202
Absent from Home Status Offense	39	42	28
Beyond Parental Control Status Offense	93	117	137
Injurious Behavior Status Offense	163	148	146
Child Abuse	120	240	199
Child Neglect	425	431	502
Child Custody Issues	84	50	65

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	168	166	247
Parental Alcohol Use Related	3	3	7
Parental Drug Use Related	69	69	114
Parental Alcohol and Drug Use	11	8	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	141	144	151
Probation/Parole Admissions--Drug	414	380	355
Probation/Parole Admissions--DWI	37	41	45
Prison Admissions--Drug	175	159	145
Prison Admissions--DWI	24	13	20

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 18

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	125	138	147
CSTAR Adolescent	28	35	52
CSTAR Women and Children	24	40	35
CSTAR General Adult	364	327	303
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	19	49
Clinical SATOP (CIP, YCIP, SROP)	98	138	89
Other Substance Abuse Treatment	*	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	359	402	384
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	136	131	153
- Weekend Intervention Program	55	59	81
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	11	15	14
Compulsive Gambling	0	0	0
Recovery Supports	9	15	16
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	551	584	545	Alcohol	202	224	205
AGE				Marijuana / Hashish	102	105	100
Under 18	30	35	56	Cocaine (total)	0	*	*
18 to 24	79	91	95	- Crack	0	0	*
25 to 29	97	134	87	Stimulant (total)	170	160	151
30 to 34	100	104	83	- Methamphetamine	168	158	150
35 to 39	67	71	55	Heroin	11	9	10
40 to 44	44	49	57	Analgesic except Heroin	58	74	68
45 to 54	87	73	87	- Non-Prescription Methadone	0	*	*
55 and Over	47	27	25	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	6	*
Male	328	346	350	Inhalant	0	0	0
Female	223	238	195	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	6
Caucasian	530	556	528	Average Age at First Use of Drug	18.1	17.8	17.9
African American	*	5	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	139	133	124
Asian / Pacific Islander	0	0	0	- Daily Injection Use	27	32	29
Hispanic	8	10	6	- Weekly Injection Use	44	38	45
Other Race / Two or More Races	13	18	11	- Less than Weekly Injection Use	68	63	50
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	211	200	204	0	287	305	308
High School Graduate or G.E.D.	244	272	244	1 or 2	166	183	152
Associate Degree or Some College	91	111	92	3 or More	98	96	85
Bachelor or Advanced Degree	5	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	254	222	201
Employed	118	139	79	School	*	*	*
Unemployed	151	167	180	Mental Health Provider	*	0	*
Not in Labor Force	282	278	286	Health Care Provider	57	37	39
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	174	245	200
Independent Living	445	491	446	Other Referral Source	47	71	96
Dependent Living	48	57	76	TREATMENT ACCOMMODATION			
Homeless	38	20	14	Pregnant when Admitted to any Episode	15	13	11
MARITAL / FAMILY STATUS				Military Veteran	32	22	21
Never Married	212	252	230	Special Education Services Needed	80	70	35
Married / Cohabiting	189	200	157	Co-Occurring Psychological Problem	284	280	187
Previously Married	150	132	158	Co-Occurring Developmental Problem	37	31	23

SUBSTANCE USE SERVICE AREA 18

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	30.9	36.4	39.6	46.3	Alcohol	11.7	15.1	15.0	20.7
Chewing Tobacco	17.5	22.2	17.1	26.1	Alcohol (5+ drinks on single occasion past 2 weeks)	5.9	7.0		
Cigarettes	21.7	29.3	29.0	35.4	Chewing Tobacco	8.3	15.0	13.6	15.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.6	2.1	2.1	Cigarettes	7.6	13.2	12.9	18.8
Cocaine	0.5	0.2	1.2	1.1	Inhalants	1.1	0.8	2.6	3.6
Electronic Cigarettes	17.4				Marijuana	3.4	2.8	4.5	6.0
Hallucinogens	1.2	1.2	2.5	2.7	Over-the-counter medications for non-medical use	0.9	0.6	2.9	5.1
Heroin	0.2	0.2	0.8	0.7	Prescription medications not prescribed for student	7.6	3.0	4.2	7.5
Inhalants	2.4	2.1	6.3	7.6	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	10.3	9.4	11.2	13.6	Alcohol (1 or 2 drinks daily)	65.1	51.1		
Methamphetamine	0.6	0.3	1.1	0.9	Alcohol (Binge: 5+ drinks once or twice a week)	74.5	62.1		
Over-the-counter medications for non-medical use	3.1	1.2	5.1	8.1	Cigarettes (1+ packs per day)	86.8	83.9		
Prescription medications not prescribed for student	11.5	7.2	9.0	12.3	Marijuana (once or twice a week)	74.7	71.2		
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	3.9	7.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	92.2	93.6	92.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.25	12.95	12.29	12.14	Alcohol	87.8	80.9	79.5	79.2
Cigarettes	11.77	12.85	12.07	11.82	Cigarettes	94.4	86.0	88.5	88.6
Inhalants	10.90	12.69	12.28	12.20	Marijuana	94.1	94.5	95.5	95.2
Marijuana	13.69	14.15	13.08	13.45	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	76.4	65.5	62.2	57.3
Alcohol	33.8	44.1	50.9	59.5	Cigarettes	88.7	76.4	76.7	73.7
Cigarettes	28.7	40.2	45.4	51.8	Marijuana	86.9	86.8	86.5	85.2
Marijuana	24.0	19.2	24.4	31.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	98.0	96.5	95.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.7	6.2	10.1	15.5	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	35.4	48.4	52.0	57.2
Alcohol	19.1	27.4	29.1	35.5	Cigarettes	33.0	50.5	53.4	60.5
Cigarettes	8.6	15.4	16.4	20.1	Marijuana	22.3	27.7	27.8	34.2
Marijuana	8.9	8.8	8.3	10.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.8	12.0	14.8	18.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	69.6	56.2	61.5	69.6	Were grouchy, irritable, or in a bad mood	29.6	21.5	23.9	23.0
Were victims of mean rumors or lies spread at school	46.3	51.5	51.7	58.8	Had difficulty concentrating on school work	23.9	21.4	20.3	24.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.2	21.5	19.7	19.3	Were very sad	18.3	17.0	19.8	18.2
<i>Percent of students who, in past 12 months:</i>					Felt hopeless about the future	10.2	8.9	11.6	12.3
Seriously considered attempting suicide	9.4	6.9	10.8	11.7	<i>Percent of students who say that:</i>				
Made plan about how they would attempt suicide	7.2	4.8	8.9	9.2	Parents involve student in making family decisions	73.9	72.4	67.8	69.7
Attempted suicide	3.5	2.5	5.4	5.5	Parents notice and comment on student's good work	85.5	84.3	82.4	83.4
					Teachers notice and comment on student's good work	77.2	75.5		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 19



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	19
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	113,344
2016 Estimate	111,906

BIRTH RISK	2015	2014	2013
Resident Births	1,326	1,347	1,428
Mother Reported Smoking while Pregnant	392	390	411

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	3	2	4
Hepatitis B Chronic, Acute, Prenatal	7	7	11
Hepatitis C Chronic and Acute	166	208	183
Tuberculosis Infection Cases	30	32	34

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,636	1,456	1,531
Suicide	23	25	25
Homicide	8	2	4
Alcohol Induced Deaths	13	10	16
Drug Induced Deaths	19	27	26
Smoking Attributable Deaths	348	282	299
Self-inflicted Injuries *	152	197	250
Assault Injuries *	408	430	410

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,314	1,303	1,285
Mental Illness Secondary Diagnosis	2,666	2,159	2,433
Alcohol Principal Diagnosis	70	53	59
Alcohol Secondary Diagnosis	190	158	227
Drug Principal Diagnosis	116	116	102
Drug Secondary Diagnosis	199	142	143
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	271	326	292
Mental Illness Secondary Diagnosis	1,904	2,366	2,251
Alcohol Principal Diagnosis	39	40	41
Alcohol Secondary Diagnosis	149	145	130
Drug Principal Diagnosis	46	64	50
Drug Secondary Diagnosis	116	97	86
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,528	1,467	1,507
Mental Illness Secondary Diagnosis	2,706	2,173	3,142
Alcohol Principal Diagnosis	151	136	181
Alcohol Secondary Diagnosis	183	186	199
Drug Principal Diagnosis	236	201	193
Drug Secondary Diagnosis	301	260	232

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	131	131	132
Alcohol Package Carry-out Licenses	139	135	141

EMPLOYMENT	2016	2015	2014
Labor Force	48,919	49,187	48,223
Employed	45,932	45,969	44,597
Unemployed	2,987	3,218	3,626
Unemployment Rate	6.1%	6.5%	7.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	108	116	95
Fatal Crashes	6	6	5
Injury Crashes	45	60	51
Property Damage Crashes	57	50	39
Crash Fatalities	6	8	5
Crash Injuries		87	85
Drug Involved Crashes	39	55	43
Fatal Crashes	5	3	0
Injury Crashes	19	26	19
Property Damage Crashes	15	26	24
Crash Fatalities	8	3	0
Crash Injuries	26	42	24

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	368	517	537
Liquor Law Arrests	93	127	96
Drug Arrests	1,146	1,086	910
Methamphetamine Lab Seizures	1	7	12
Violent Offenses	386	391	359
Domestic Violence Reports	865	727	823
Property Offenses	2,828	2,922	3,348

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	5,279	5,050	4,986
Drop-outs	84	78	75
Drop-out Rate	1.6%	1.5%	1.5%
School Discipline Involving Alcohol	14	3	11
School Discipline Involving Drugs	30	42	63
School Discipline Involving Tobacco	9	2	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	194	178	210
Juvenile Alcohol Offenses	19	13	10
Juvenile Drug Offenses	24	54	33
School Truancy Status Offense	104	92	93
Absent from Home Status Offense	78	62	44
Beyond Parental Control Status Offense	112	110	117
Injurious Behavior Status Offense	47	29	16
Child Abuse	127	57	111
Child Neglect	814	647	651
Child Custody Issues	171	137	129

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	411	269	404
Parental Alcohol Use Related	14	12	13
Parental Drug Use Related	235	103	197
Parental Alcohol and Drug Use	6	12	9

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	173	175	186
Probation/Parole Admissions--Drug	672	523	445
Probation/Parole Admissions--DWI	44	46	54
Prison Admissions--Drug	332	274	224
Prison Admissions--DWI	25	26	23

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 19

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	161	142	144
CSTAR Adolescent	47	46	40
CSTAR Women and Children	49	34	52
CSTAR General Adult	754	826	646
CSTAR Opioid	0	*	0
Primary Recovery Treatment	77	50	85
Clinical SATOP (CIP, YCIP, SROP)	93	97	114
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	309	358	385
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	111	114	116
- Weekend Intervention Program	58	62	65
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	8	*
Compulsive Gambling	*	*	*
Recovery Supports	58	85	350
Early Intervention	16	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	966	1,046	1,076	Alcohol	250	288	318
AGE				Marijuana / Hashish	255	314	279
Under 18	47	46	39	Cocaine (total)	12	8	13
18 to 24	163	162	189	- Crack	11	6	12
25 to 29	163	181	163	Stimulant (total)	295	261	266
30 to 34	183	186	222	- Methamphetamine	291	253	257
35 to 39	120	140	150	Heroin	48	51	49
40 to 44	98	111	119	Analgesic except Heroin	84	98	128
45 to 54	143	155	138	- Non-Prescription Methadone	*	*	*
55 and Over	49	65	56	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	18	17	15
Male	585	663	691	Inhalant	0	*	*
Female	381	383	384	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	5	*
Caucasian	904	955	985	Average Age at First Use of Drug	18.3	18.7	18.6
African American	39	65	65	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	188	152	209
Asian / Pacific Islander	0	*	*	- Daily Injection Use	33	21	47
Hispanic	16	14	17	- Weekly Injection Use	56	44	69
Other Race / Two or More Races	10	14	10	- Less than Weekly Injection Use	99	87	93
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	341	386	381	0	628	637	645
High School Graduate or G.E.D.	453	496	527	1 or 2	234	278	303
Associate Degree or Some College	166	162	163	3 or More	104	131	128
Bachelor or Advanced Degree	6	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	282	236	279
Employed	204	277	263	School	0	0	*
Unemployed	465	372	520	Mental Health Provider	*	9	*
Not in Labor Force	297	397	293	Health Care Provider	73	85	86
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	454	501	499
Independent Living	775	843	876	Other Referral Source	119	159	152
Dependent Living	112	104	137	TREATMENT ACCOMMODATION			
Homeless	65	60	48	Pregnant when Admitted to any Episode	17	17	14
MARITAL / FAMILY STATUS				Military Veteran	30	43	50
Never Married	428	462	419	Special Education Services Needed	96	110	112
Married / Cohabiting	275	296	349	Co-Occurring Psychological Problem	435	514	529
Previously Married	263	288	308	Co-Occurring Developmental Problem	32	43	98

SUBSTANCE USE SERVICE AREA 19

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.4	35.3	42.4	45.2	Alcohol	15.1	14.4	18.1	20.6
Chewing Tobacco	18.4	18.1	15.6	19.0	Alcohol (5+ drinks on single occasion past 2 weeks)	6.5	7.5		
Cigarettes	24.1	25.4	30.8	35.2	Chewing Tobacco	6.5	10.1	9.8	10.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	1.3	2.7	2.6	Cigarettes	9.6	11.5	16.3	17.9
Cocaine	0.8	1.1	2.9	2.3	Inhalants	1.0	0.8	1.5	3.6
Electronic Cigarettes	27.0				Marijuana	6.4	6.5	8.0	9.8
Hallucinogens	1.2	1.6	2.8	3.8	Over-the-counter medications for non-medical use	1.7	1.7	4.2	5.7
Heroin	0.4	0.5	1.3	0.7	Prescription medications not prescribed for student	8.9	4.5	6.2	9.7
Inhalants	3.3	3.2	5.1	9.0					
Marijuana	13.9	14.1	16.9	17.4	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.9	1.8	1.8	Alcohol (1 or 2 drinks daily)	62.6	53.3		
Over-the-counter medications for non-medical use	4.3	3.3	7.6	9.4	Alcohol (Binge: 5+ drinks once or twice a week)	75.4	62.0		
Prescription medications not prescribed for student	13.2	9.6	12.1	15.7	Cigarettes (1+ packs per day)	82.8	78.6		
Synthetic drugs (K2, bath salts, Spice, etc)	2.0	4.4	7.1		Marijuana (once or twice a week)	68.2	64.9		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.7	88.7	93.9	93.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.78	12.57	12.65	12.33	Alcohol	83.6	80.5	80.0	78.6
Cigarettes	12.39	12.12	12.18	11.94	Cigarettes	92.3	90.2	90.2	88.6
Inhalants	11.40	11.91	12.13	12.72	Marijuana	92.4	92.0	94.8	93.6
Marijuana	13.76	13.70	13.34	13.39					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	51.3	48.2	55.3	58.8	Alcohol	67.1	64.2	59.1	58.2
Cigarettes	35.9	43.6	50.0	52.7	Cigarettes	85.2	80.8	76.7	74.9
Marijuana	38.4	32.4	35.9	35.9	Marijuana	81.5	80.6	82.5	82.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.2	11.7	14.8	18.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	95.8	95.6	94.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	26.6	28.0	33.7	33.7	Alcohol	51.4	51.9	56.0	55.3
Cigarettes	10.5	14.8	17.8	18.6	Cigarettes	50.1	52.1	57.5	59.0
Marijuana	13.6	12.3	12.3	12.7	Marijuana	39.1	33.8	38.2	36.5
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.6	16.5	19.6	18.9
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	57.0	59.9	57.7	67.2	Were grouchy, irritable, or in a bad mood	30.6	26.6	25.4	24.1
Were victims of mean rumors or lies spread at school	48.1	52.8	52.0	58.6	Had difficulty concentrating on school work	26.6	23.3	24.5	27.8
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.7	22.5	19.5	18.4	Were very sad	21.1	19.6	19.2	19.2
					Felt hopeless about the future	12.1	11.3	10.8	12.9
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	11.8	10.8	12.6	12.4	Parents involve student in making family decisions	68.3	66.2	69.3	69.6
Made plan about how they would attempt suicide	9.6	8.9	8.4	8.9	Parents notice and comment on student's good work	82.8	81.5	82.5	84.1
Attempted suicide	5.8	4.9	5.7	5.7	Teachers notice and comment on student's good work	74.3	72.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 20



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	20
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	83,563
2016 Estimate	79,322

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	63	76	74
Fatal Crashes	2	4	8
Injury Crashes	34	32	31
Property Damage Crashes	27	40	35
Crash Fatalities	3	5	10
Crash Injuries		45	50
Drug Involved Crashes	26	34	26
Fatal Crashes	1	6	1
Injury Crashes	11	15	17
Property Damage Crashes	14	13	8
Crash Fatalities	1	6	1
Crash Injuries	14	23	26

BIRTH RISK	2015	2014	2013
Resident Births	1,045	1,102	1,203
Mother Reported Smoking while Pregnant	281	303	355

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	4	6	6
Hepatitis B Chronic, Acute, Prenatal	7	7	2
Hepatitis C Chronic and Acute	71	92	103
Tuberculosis Infection Cases	12	7	13

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,052	1,086	1,097
Suicide	12	13	15
Homicide	7	8	3
Alcohol Induced Deaths	10	3	2
Drug Induced Deaths	15	15	15
Smoking Attributable Deaths	214	235	240
Self-inflicted Injuries *	121	153	139
Assault Injuries *	397	422	460

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,167	1,247	1,143
Mental Illness Secondary Diagnosis	2,122	1,780	1,863
Alcohol Principal Diagnosis	69	48	37
Alcohol Secondary Diagnosis	161	144	139
Drug Principal Diagnosis	141	133	71
Drug Secondary Diagnosis	220	119	106
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	180	207	255
Mental Illness Secondary Diagnosis	1,233	1,661	1,518
Alcohol Principal Diagnosis	23	38	26
Alcohol Secondary Diagnosis	106	120	109
Drug Principal Diagnosis	22	34	38
Drug Secondary Diagnosis	57	105	70
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,060	1,108	982
Mental Illness Secondary Diagnosis	2,083	1,874	1,238
Alcohol Principal Diagnosis	117	139	173
Alcohol Secondary Diagnosis	170	128	97
Drug Principal Diagnosis	172	200	135
Drug Secondary Diagnosis	238	179	145

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	60	63	64
Alcohol Package Carry-out Licenses	114	114	114

EMPLOYMENT	2016	2015	2014
Labor Force	34,846	35,606	34,557
Employed	31,953	32,982	31,681
Unemployed	2,893	2,624	2,876
Unemployment Rate	8.3%	7.4%	8.3%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	403	419	397
Liquor Law Arrests	21	45	55
Drug Arrests	670	531	503
Methamphetamine Lab Seizures	2	5	5
Violent Offenses	409	448	402
Domestic Violence Reports	719	655	646
Property Offenses	1,993	1,931	2,594

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	3,940	3,875	4,026
Drop-outs	39	32	39
Drop-out Rate	1.0%	0.8%	1.0%
School Discipline Involving Alcohol	5	10	1
School Discipline Involving Drugs	21	24	38
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	81	95	108
Juvenile Alcohol Offenses	7	5	15
Juvenile Drug Offenses	27	20	31
School Truancy Status Offense	120	144	128
Absent from Home Status Offense	45	21	22
Beyond Parental Control Status Offense	116	50	78
Injurious Behavior Status Offense	129	34	84
Child Abuse	99	48	97
Child Neglect	606	336	475
Child Custody Issues	6	4	13

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	283	215	229
Parental Alcohol Use Related	2	4	1
Parental Drug Use Related	168	124	131
Parental Alcohol and Drug Use	4	1	6

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	177	144	126
Probation/Parole Admissions--Drug	537	446	383
Probation/Parole Admissions--DWI	58	82	64
Prison Admissions--Drug	275	190	223
Prison Admissions--DWI	25	33	30

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 20

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	154	169	233
CSTAR Adolescent	68	62	60
CSTAR Women and Children	53	44	71
CSTAR General Adult	418	435	466
CSTAR Opioid	0	0	0
Primary Recovery Treatment	129	145	177
Clinical SATOP (CIP, YCIP, SROP)	62	62	65
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	216	250	274
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	77	76	89
- Weekend Intervention Program	36	42	68
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	5	11
Compulsive Gambling	0	0	0
Recovery Supports	52	52	107
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	726	752	883	Alcohol	192	211	253
AGE				Marijuana / Hashish	208	236	278
Under 18	70	65	67	Cocaine (total)	25	32	36
18 to 24	108	111	139	- Crack	10	18	19
25 to 29	119	142	148	Stimulant (total)	211	169	210
30 to 34	129	117	154	- Methamphetamine	205	165	207
35 to 39	104	104	113	Heroin	12	15	13
40 to 44	59	64	90	Analgesic except Heroin	46	53	60
45 to 54	96	107	128	- Non-Prescription Methadone	0	*	0
55 and Over	41	42	44	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	21	32	28
Male	446	473	594	Inhalant	*	*	*
Female	280	279	289	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	10	*	0
Caucasian	563	583	646	Average Age at First Use of Drug	18.1	18.0	18.1
African American	152	147	210	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	78	84	80
Asian / Pacific Islander	0	0	0	- Daily Injection Use	18	15	18
Hispanic	7	5	10	- Weekly Injection Use	27	32	14
Other Race / Two or More Races	8	17	18	- Less than Weekly Injection Use	33	37	48
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	312	355	373	0	496	490	591
High School Graduate or G.E.D.	328	308	413	1 or 2	142	179	186
Associate Degree or Some College	85	87	92	3 or More	88	83	106
Bachelor or Advanced Degree	*	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	149	135	158
Employed	164	138	189	School	*	0	0
Unemployed	181	253	247	Mental Health Provider	6	7	7
Not in Labor Force	381	361	447	Health Care Provider	54	62	40
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	384	416	515
Independent Living	580	585	709	Other Referral Source	120	122	150
Dependent Living	107	114	128	TREATMENT ACCOMMODATION			
Homeless	27	32	11	Pregnant when Admitted to any Episode	14	9	18
MARITAL / FAMILY STATUS				Military Veteran	23	23	39
Never Married	371	393	442	Special Education Services Needed	88	74	79
Married / Cohabiting	207	216	234	Co-Occurring Psychological Problem	257	266	197
Previously Married	148	143	207	Co-Occurring Developmental Problem	18	20	18

SUBSTANCE USE SERVICE AREA 20

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.8	42.8	43.1	44.3	Alcohol	12.0	16.8	18.3	20.4
Chewing Tobacco	29.5	19.2	14.3	16.5	Alcohol (5+ drinks on single occasion past 2 weeks)	5.5	9.1		
Cigarettes	29.8	32.9	33.3	35.4	Chewing Tobacco	5.0	13.6	8.0	8.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	0.7	1.5	1.8	Cigarettes	8.6	15.5	17.0	17.2
Cocaine	0.5	1.2	2.2	1.9	Inhalants	1.2	1.8	2.5	3.3
Electronic Cigarettes	21.8				Marijuana	4.1	6.3	9.0	6.8
Hallucinogens	0.9	0.9	1.4	1.9	Over-the-counter medications for non-medical use	2.0	2.1	3.6	4.8
Heroin	0.1	0.8	1.0	0.7	Prescription medications not prescribed for student	12.1	5.7	7.9	9.6
Inhalants	3.9	3.6	7.0	8.0	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	18.8	17.4	18.6	15.8	Alcohol (1 or 2 drinks daily)	66.0	52.5		
Methamphetamine	0.9	0.7	1.2	0.9	Alcohol (Binge: 5+ drinks once or twice a week)	76.0	62.4		
Over-the-counter medications for non-medical use	4.4	4.2	6.0	7.3	Cigarettes (1+ packs per day)	83.9	78.3		
Prescription medications not prescribed for student	17.5	10.3	13.3	14.7	Marijuana (once or twice a week)	73.6	60.5		
Synthetic drugs (K2, bath salts, Spice, etc)	2.7	2.5	7.7		Other: Cocaine, LSD, Meth, Club Drug (any use)	89.9	88.6	92.4	90.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.61	12.81	12.71	12.67	Alcohol	88.1	82.2	82.0	81.4
Cigarettes	11.09	12.42	11.89	12.14	Cigarettes	93.4	90.3	89.4	89.4
Inhalants	10.65	11.41	12.40	12.12	Marijuana	94.7	94.0	94.1	93.8
Marijuana	13.09	13.57	13.81	13.72	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.1	63.0	61.3	60.7
Alcohol	46.3	50.1	55.9	58.7	Cigarettes	80.6	78.0	76.5	75.2
Cigarettes	38.3	48.1	51.3	54.4	Marijuana	79.8	75.5	81.8	82.7
Marijuana	24.9	34.8	37.1	36.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	95.4	95.9	94.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.3	11.1	12.6	14.7	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	40.0	48.7	53.6	57.4
Alcohol	22.1	32.2	33.3	35.2	Cigarettes	47.0	57.2	57.5	60.1
Cigarettes	16.1	17.2	17.2	17.9	Marijuana	33.8	43.7	39.2	39.2
Marijuana	15.9	13.6	13.5	10.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	19.6	19.4	21.5
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	67.8	65.0	63.7	69.4	Were grouchy, irritable, or in a bad mood	35.3	30.5	31.1	25.2
Were victims of mean rumors or lies spread at school	58.0	56.6	55.6	60.3	Had difficulty concentrating on school work	32.7	20.0	22.5	25.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	23.7	24.4	21.1	20.6	Were very sad	19.0	20.9	19.0	17.5
					Felt hopeless about the future	18.0	12.6	10.0	11.1
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	10.3	14.8	12.4	12.3	Parents involve student in making family decisions	67.5	69.7	70.0	70.1
Made plan about how they would attempt suicide	8.5	8.9	10.7	9.4	Parents notice and comment on student's good work	86.1	85.2	84.7	82.5
Attempted suicide	4.6	7.1	6.2	6.9	Teachers notice and comment on student's good work	80.9	75.3		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 21



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	21
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	176,570
2016 Estimate	179,468

BIRTH RISK	2015	2014	2013
Resident Births	2,046	2,074	2,128
Mother Reported Smoking while Pregnant	400	462	499

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	7	6	7
Hepatitis B Chronic, Acute, Prenatal	10	7	8
Hepatitis C Chronic and Acute	107	145	144
Tuberculosis Infection Cases	36	38	72

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,893	1,888	1,872
Suicide	28	35	28
Homicide	9	6	9
Alcohol Induced Deaths	10	6	11
Drug Induced Deaths	26	24	29
Smoking Attributable Deaths	355	334	383
Self-inflicted Injuries *	165	211	225
Assault Injuries *	592	544	633

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,620	1,605	1,712
Mental Illness Secondary Diagnosis	3,222	2,638	3,729
Alcohol Principal Diagnosis	73	61	78
Alcohol Secondary Diagnosis	241	157	290
Drug Principal Diagnosis	95	105	89
Drug Secondary Diagnosis	308	153	198
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	243	282	189
Mental Illness Secondary Diagnosis	2,341	3,125	1,962
Alcohol Principal Diagnosis	52	104	79
Alcohol Secondary Diagnosis	209	279	198
Drug Principal Diagnosis	41	47	40
Drug Secondary Diagnosis	147	182	117
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,112	1,911	1,888
Mental Illness Secondary Diagnosis	7,660	4,733	3,883
Alcohol Principal Diagnosis	297	277	289
Alcohol Secondary Diagnosis	358	335	282
Drug Principal Diagnosis	297	304	260
Drug Secondary Diagnosis	768	499	390

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	266	247	257
Alcohol Package Carry-out Licenses	177	182	177

EMPLOYMENT	2016	2015	2014
Labor Force	91,757	92,271	91,046
Employed	87,452	87,870	85,606
Unemployed	4,305	4,401	5,440
Unemployment Rate	4.7%	4.8%	6.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	157	147	152
Fatal Crashes	3	8	4
Injury Crashes	63	53	70
Property Damage Crashes	91	86	78
Crash Fatalities	4	8	4
Crash Injuries		64	98
Drug Involved Crashes	46	43	43
Fatal Crashes	1	5	3
Injury Crashes	14	16	15
Property Damage Crashes	31	22	25
Crash Fatalities	2	5	4
Crash Injuries	16	20	28

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	749	863	858
Liquor Law Arrests	129	133	189
Drug Arrests	1,267	1,076	920
Methamphetamine Lab Seizures	0	5	19
Violent Offenses	867	929	891
Domestic Violence Reports	1,509	1,448	1,431
Property Offenses	3,865	4,483	4,660

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	7,314	7,154	8,914
Drop-outs	129	119	131
Drop-out Rate	1.8%	1.7%	1.5%
School Discipline Involving Alcohol	17	6	11
School Discipline Involving Drugs	40	47	60
School Discipline Involving Tobacco	3	8	3

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	234	317	255
Juvenile Alcohol Offenses	29	20	19
Juvenile Drug Offenses	43	67	76
School Truancy Status Offense	606	318	292
Absent from Home Status Offense	88	84	100
Beyond Parental Control Status Offense	97	89	87
Injurious Behavior Status Offense	371	364	331
Child Abuse	95	141	108
Child Neglect	629	693	526
Child Custody Issues	8	10	12

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	392	367	219
Parental Alcohol Use Related	7	7	5
Parental Drug Use Related	238	251	99
Parental Alcohol and Drug Use	11	4	10

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	158	168	173
Probation/Parole Admissions--Drug	693	623	523
Probation/Parole Admissions--DWI	73	80	85
Prison Admissions--Drug	345	282	239
Prison Admissions--DWI	23	38	28

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 21

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	226	210	254
CSTAR Adolescent	58	81	72
CSTAR Women and Children	160	174	122
CSTAR General Adult	799	775	722
CSTAR Opioid	*	*	0
Primary Recovery Treatment	29	27	23
Clinical SATOP (CIP, YCIP, SROP)	149	134	142
Other Substance Abuse Treatment	7	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	618	637	724
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	242	289	317
- Weekend Intervention Program	154	144	196
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	12	10
Compulsive Gambling	*	*	*
Recovery Supports	217	199	617
Early Intervention	38	28	11

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	1,211	1,214	1,339	Alcohol	358	429	479
AGE				Marijuana / Hashish	291	318	393
Under 18	69	84	68	Cocaine (total)	37	36	67
18 to 24	197	187	280	- Crack	24	22	29
25 to 29	220	196	250	Stimulant (total)	315	228	190
30 to 34	202	208	210	- Methamphetamine	304	218	177
35 to 39	179	149	154	Heroin	105	75	59
40 to 44	103	114	108	Analgesic except Heroin	84	101	115
45 to 54	161	200	191	- Non-Prescription Methadone	*	0	*
55 and Over	80	76	78	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	13	20	23
Male	720	780	951	Inhalant	*	*	*
Female	491	434	388	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	8
Caucasian	1,017	1,023	1,068	Average Age at First Use of Drug	18.8	17.8	17.7
African American	140	145	222	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	241	182	163
Asian / Pacific Islander	0	*	*	- Daily Injection Use	54	35	42
Hispanic	18	22	29	- Weekly Injection Use	70	45	37
Other Race / Two or More Races	40	28	27	- Less than Weekly Injection Use	117	102	84
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	376	388	427	0	688	664	746
High School Graduate or G.E.D.	554	586	644	1 or 2	336	337	381
Associate Degree or Some College	270	234	261	3 or More	187	213	212
Bachelor or Advanced Degree	11	6	7	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	408	320	304
Employed	374	376	413	School	*	*	*
Unemployed	433	419	512	Mental Health Provider	12	6	12
Not in Labor Force	404	419	414	Health Care Provider	68	80	59
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	507	596	771
Independent Living	1,028	1,020	1,129	Other Referral Source	176	178	147
Dependent Living	92	130	133	TREATMENT ACCOMMODATION			
Homeless	78	46	58	Pregnant when Admitted to any Episode	21	10	19
MARITAL / FAMILY STATUS				Military Veteran	40	45	65
Never Married	617	627	725	Special Education Services Needed	91	99	111
Married / Cohabiting	317	321	343	Co-Occurring Psychological Problem	629	602	541
Previously Married	277	266	271	Co-Occurring Developmental Problem	46	47	40

SUBSTANCE USE SERVICE AREA 21

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	39.5	37.4	39.4	46.8	Alcohol	17.6	13.8	15.5	22.6
Chewing Tobacco	19.2	15.2	10.5	17.4	Alcohol (5+ drinks on single occasion past 2 weeks)	8.0	6.7		
Cigarettes	25.9	23.8	26.7	31.1	Chewing Tobacco	6.4	9.3	7.9	9.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	1.5	1.6	2.0	Cigarettes	9.1	10.8	13.4	16.6
Cocaine	2.1	1.2	1.4	1.0	Inhalants	1.2	1.9	1.4	3.1
Electronic Cigarettes	27.1				Marijuana	6.9	4.1	5.1	8.8
Hallucinogens	3.3	0.9	2.5	3.0	Over-the-counter medications for non-medical use	3.2	1.8	3.1	5.0
Heroin	0.5	0.1	0.5	0.7	Prescription medications not prescribed for student	9.9	4.5	3.4	6.9
Inhalants	3.1	4.3	5.3	7.5					
Marijuana	12.7	10.4	11.2	17.9	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.5	0.7	1.2	0.6	Alcohol (1 or 2 drinks daily)	59.4	55.2		
Over-the-counter medications for non-medical use	7.0	3.7	5.4	7.5	Alcohol (Binge: 5+ drinks once or twice a week)	70.6	66.9		
Prescription medications not prescribed for student	12.9	7.7	7.0	12.7	Cigarettes (1+ packs per day)	80.0	83.5		
Synthetic drugs (K2, bath salts, Spice, etc)	3.2	3.3	6.0		Marijuana (once or twice a week)	70.9	72.1		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	91.7	91.8	93.5	92.9
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	12.91	12.76	12.52	12.63	Alcohol	78.9	77.5	77.6	75.7
Cigarettes	12.83	12.65	12.32	12.28	Cigarettes	88.7	92.5	90.3	88.9
Inhalants	11.41	12.40	11.83	12.51	Marijuana	90.8	93.8	93.6	94.2
Marijuana	13.38	13.85	13.58	13.69					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	48.4	48.1	53.0	63.4	Alcohol	64.4	62.9	61.0	57.3
Cigarettes	35.6	36.1	43.1	52.2	Cigarettes	80.8	82.1	79.9	75.5
Marijuana	30.4	22.7	29.7	39.6	Marijuana	84.0	86.5	86.4	80.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.2	7.8	12.9	18.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	89.0	96.5	95.9	94.4
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	30.9	26.9	28.3	35.8	Alcohol	50.7	51.2	56.8	61.0
Cigarettes	13.0	13.4	13.9	17.2	Cigarettes	47.2	46.1	52.7	58.8
Marijuana	12.2	8.6	8.2	13.8	Marijuana	31.2	25.9	32.8	37.4
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	11.7	17.4	19.6
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	69.3	61.2	61.3	68.6	Were grouchy, irritable, or in a bad mood	31.7	25.3	23.6	24.5
Were victims of mean rumors or lies spread at school	58.4	53.6	50.3	54.7	Had difficulty concentrating on school work	27.7	23.7	22.6	24.2
Were victims of an embarrassing or hurtful text message or something posted on the Internet	26.2	26.1	19.9	21.0	Were very sad	20.1	20.3	19.0	19.6
					Felt hopeless about the future	11.0	10.0	10.7	13.5
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	12.4	10.7	10.8	12.4	Parents involve student in making family decisions	69.8	73.0	69.6	69.2
Made plan about how they would attempt suicide	9.8	7.6	7.6	9.0	Parents notice and comment on student's good work	83.3	83.0	82.7	83.1
Attempted suicide	6.2	3.0	4.9	5.8	Teachers notice and comment on student's good work	77.0	74.6		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREA 22



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	22
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	218,733
2016 Estimate	224,226

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	191	217	209
Fatal Crashes	7	7	9
Injury Crashes	73	81	87
Property Damage Crashes	111	129	113
Crash Fatalities	9	7	9
Crash Injuries		107	135
Drug Involved Crashes	53	50	46
Fatal Crashes	8	4	8
Injury Crashes	22	15	21
Property Damage Crashes	23	31	17
Crash Fatalities	11	4	9
Crash Injuries	38	17	36

BIRTH RISK	2015	2014	2013
Resident Births	2,581	2,529	2,639
Mother Reported Smoking while Pregnant	511	497	561

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	6	6	4
Hepatitis B Chronic, Acute, Prenatal	12	12	9
Hepatitis C Chronic and Acute	197	248	145
Tuberculosis Infection Cases	46	34	45

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,980	1,954	1,834
Suicide	46	48	35
Homicide	9	3	3
Alcohol Induced Deaths	14	16	15
Drug Induced Deaths	65	73	63
Smoking Attributable Deaths	411	381	354
Self-inflicted Injuries *	165	234	208
Assault Injuries *	453	442	453

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,388	1,238	1,594
Mental Illness Secondary Diagnosis	3,007	2,042	2,267
Alcohol Principal Diagnosis	72	56	44
Alcohol Secondary Diagnosis	203	113	141
Drug Principal Diagnosis	148	98	96
Drug Secondary Diagnosis	219	129	148
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,294	1,445	984
Mental Illness Secondary Diagnosis	3,735	4,952	4,716
Alcohol Principal Diagnosis	90	138	103
Alcohol Secondary Diagnosis	375	477	411
Drug Principal Diagnosis	96	143	107
Drug Secondary Diagnosis	229	255	235
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,289	1,113	1,388
Mental Illness Secondary Diagnosis	9,771	9,019	6,371
Alcohol Principal Diagnosis	311	247	248
Alcohol Secondary Diagnosis	262	295	225
Drug Principal Diagnosis	523	399	356
Drug Secondary Diagnosis	407	504	370

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	184	176	177
Alcohol Package Carry-out Licenses	145	147	147

EMPLOYMENT	2016	2015	2014
Labor Force	118,727	118,671	115,975
Employed	113,646	112,917	108,717
Unemployed	5,081	5,754	7,258
Unemployment Rate	4.3%	4.8%	6.3%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	854	952	1,096
Liquor Law Arrests	173	280	472
Drug Arrests	1,483	1,470	1,540
Methamphetamine Lab Seizures	51	127	205
Violent Offenses	372	450	485
Domestic Violence Reports	1,530	1,485	1,308
Property Offenses	4,010	3,904	3,745

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	10,629	10,624	10,646
Drop-outs	152	153	154
Drop-out Rate	1.4%	1.4%	1.4%
School Discipline Involving Alcohol	49	8	9
School Discipline Involving Drugs	80	86	94
School Discipline Involving Tobacco	5	1	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	317	317	402
Juvenile Alcohol Offenses	43	47	47
Juvenile Drug Offenses	91	99	111
School Truancy Status Offense	181	211	194
Absent from Home Status Offense	92	45	55
Beyond Parental Control Status Offense	48	53	50
Injurious Behavior Status Offense	139	97	78
Child Abuse	135	187	234
Child Neglect	499	538	578
Child Custody Issues	121	131	82

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	420	360	370
Parental Alcohol Use Related	21	24	10
Parental Drug Use Related	206	186	170
Parental Alcohol and Drug Use	18	4	8

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	68	90	106
Probation/Parole Admissions--Drug	573	449	471
Probation/Parole Admissions--DWI	124	122	122
Prison Admissions--Drug	269	249	255
Prison Admissions--DWI	38	46	37

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREA 22

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	166	127	111
CSTAR Adolescent	107	125	154
CSTAR Women and Children	79	77	79
CSTAR General Adult	848	821	726
CSTAR Opioid	20	7	19
Primary Recovery Treatment	23	21	22
Clinical SATOP (CIP, YCIP, SROP)	218	286	312
Other Substance Abuse Treatment	17	9	12

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	698	872	985
- Adolescent Diversion Education Program	8	13	12
- Offender Education Program	214	295	330
- Weekend Intervention Program	133	198	213
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	11	*	13
Compulsive Gambling	5	*	*
Recovery Supports	16	17	38
Early Intervention	35	28	38

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014
Total Individuals	1,312	1,334	1,323
AGE			
Under 18	118	127	157
18 to 24	192	192	208
25 to 29	258	266	246
30 to 34	218	239	219
35 to 39	182	153	156
40 to 44	106	126	114
45 to 54	175	166	175
55 and Over	63	65	48
GENDER			
Male	835	859	883
Female	477	475	440
RACE / ETHNICITY			
Caucasian	1,255	1,278	1,275
African American	21	25	19
Native American / Alaskan	*	0	*
Asian / Pacific Islander	0	*	*
Hispanic	7	14	14
Other Race / Two or More Races	32	21	18
EDUCATION			
Less than High School Diploma	414	408	457
High School Graduate or G.E.D.	555	585	533
Associate Degree or Some College	337	333	324
Bachelor or Advanced Degree	6	8	9
EMPLOYMENT			
Employed	402	423	389
Unemployed	532	532	520
Not in Labor Force	378	379	414
HOUSING / LIVING ARRANGEMENT			
Independent Living	1,058	1,068	1,023
Dependent Living	133	150	183
Homeless	48	25	37
MARITAL / FAMILY STATUS			
Never Married	856	842	830
Married / Cohabiting	227	261	257
Previously Married	229	231	236

PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Alcohol	366	444	490
Marijuana / Hashish	202	281	274
Cocaine (total)	16	16	16
- Crack	7	11	9
Stimulant (total)	254	192	187
- Methamphetamine	245	186	175
Heroin	359	310	269
Analgesic except Heroin	81	59	55
- Non-Prescription Methadone	*	0	0
PCP, LSD, other Hallucinogen	15	6	5
Tranquilizer	14	13	11
Inhalant	0	*	0
Sedative	0	*	0
Other Medication or Illicit Drug	5	9	16
Average Age at First Use of Drug	20.0	19.0	18.8
INJECTION DRUG USE			
Any Injection Use at Admission	416	361	339
- Daily Injection Use	140	93	104
- Weekly Injection Use	122	95	81
- Less than Weekly Injection Use	154	173	154
LIFETIME DUI / DWI ARRESTS			
0	753	716	687
1 or 2	380	419	413
3 or More	179	199	223
TREATMENT REFERRAL SOURCE			
Self / Family / Friend	451	372	349
School	*	5	13
Mental Health Provider	5	*	*
Health Care Provider	51	28	42
Court / Criminal Justice	660	754	747
Other Referral Source	133	158	137
TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	32	16	28
Military Veteran	42	43	56
Special Education Services Needed	89	76	72
Co-Occurring Psychological Problem	624	668	605
Co-Occurring Developmental Problem	25	22	28

SUBSTANCE USE SERVICE AREA 22

MISSOURI STUDENT SURVEY


	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	37.6	40.0	43.9	49.4	Alcohol	15.3	18.1	20.0	25.1
Chewing Tobacco	16.8	9.8	7.8	11.2	Alcohol (5+ drinks on single occasion past 2 weeks)	5.4	8.5		
Cigarettes	16.8	22.0	25.8	27.6	Chewing Tobacco	3.4	5.1	6.2	5.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.1	2.6	2.6	Cigarettes	6.6	10.3	13.3	14.2
Cocaine	1.1	1.5	2.1	1.9	Inhalants	1.0	1.3	2.7	3.1
Electronic Cigarettes	31.1				Marijuana	10.6	11.4	11.1	11.3
Hallucinogens	2.3	3.1	3.6	3.8	Over-the-counter medications for non-medical use	1.5	2.2	4.7	5.4
Heroin	0.1	0.5	1.1	0.7	Prescription medications not prescribed for student	8.7	4.6	5.8	7.9
Inhalants	2.5	3.6	6.1	6.4					
Marijuana	19.3	20.3	20.2	20.1	<i>Percent who believe they risk harm if they use:</i>				
Methamphetamine	0.2	0.6	1.2	0.8	Alcohol (1 or 2 drinks daily)	69.3	58.8		
Over-the-counter medications for non-medical use	3.7	3.7	7.2	9.5	Alcohol (Binge: 5+ drinks once or twice a week)	79.4	71.2		
Prescription medications not prescribed for student	12.7	9.4	9.7	13.4	Cigarettes (1+ packs per day)	87.1	87.5		
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	5.4	8.3		Marijuana (once or twice a week)	61.0	57.6		
					Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	93.3	93.5	94.4
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.06	12.89	12.75	12.69	Alcohol	82.7	79.4	77.1	75.2
Cigarettes	12.69	12.83	12.85	12.44	Cigarettes	95.2	93.6	91.2	89.9
Inhalants	11.07	12.53	12.48	12.20	Marijuana	90.3	90.0	92.8	92.0
Marijuana	13.75	13.79	13.79	13.68					
<i>Percent whose friends used in past 12 months:</i>					<i>Percent who say it would be wrong to use:</i>				
Alcohol	46.6	51.8	57.1	64.4	Alcohol	66.9	61.9	59.1	54.6
Cigarettes	30.2	43.8	47.7	51.6	Cigarettes	89.7	84.5	80.6	78.8
Marijuana	41.2	43.3	43.1	44.1	Marijuana	75.1	72.9	77.7	78.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	17.4	18.5	21.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	95.2	95.0	94.9
<i>Percent who would likely use, if offered by a best friend:</i>					<i>Percent who say it would be easy to obtain:</i>				
Alcohol	26.0	30.5	34.0	39.0	Alcohol	52.0	58.0	59.6	63.0
Cigarettes	8.2	12.2	13.9	15.8	Cigarettes	45.6	53.6	57.1	61.6
Marijuana	18.4	19.2	15.9	15.6	Marijuana	41.8	44.8	44.5	44.1
					Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	20.7	21.6	21.2
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	59.5	60.6	59.9	66.9	Were grouchy, irritable, or in a bad mood	31.9	28.0	24.2	28.4
Were victims of mean rumors or lies spread at school	48.3	48.8	48.5	50.7	Had difficulty concentrating on school work	31.4	29.7	26.1	23.4
Were victims of an embarrassing or hurtful text message or something posted on the Internet	28.2	28.7	21.8	19.1	Were very sad	23.0	23.9	21.0	20.5
					Felt hopeless about the future	12.5	13.5	11.3	11.0
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.7	14.4	12.2	11.6	Parents involve student in making family decisions	67.9	66.1	67.2	67.6
Made plan about how they would attempt suicide	9.1	10.0	8.6	8.1	Parents notice and comment on student's good work	82.4	79.4	81.8	83.1
Attempted suicide	5.6	6.0	5.3	5.3	Teachers notice and comment on student's good work	69.4	67.1		

Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:
<https://seow.dmh.mo.gov/DetailSearch.aspx>

SUBSTANCE USE SERVICE AREAS 23-25 (SL)



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	23-25 (SL)
Adult Psychiatric	Not Applicable
POPULATION	
Census 2010	1,318,248
2016 Estimate	1,309,985

BIRTH RISK	2015	2014	2013
Resident Births	16,257	16,395	16,204
Mother Reported Smoking while Pregnant	1,476	1,605	1,635

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	229	108	210
Hepatitis B Chronic, Acute, Prenatal	179	258	205
Hepatitis C Chronic and Acute	1,342	1,943	1,347
Tuberculosis Infection Cases	887	891	1,136

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	12,937	12,586	12,412
Suicide	165	187	171
Homicide	260	208	166
Alcohol Induced Deaths	126	101	110
Drug Induced Deaths	273	321	274
Smoking Attributable Deaths	1,889	1,935	1,906
Self-inflicted Injuries *	1,041	1,198	1,188
Assault Injuries *	5,978	5,157	6,147

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	9,590	8,122	8,886
Mental Illness Secondary Diagnosis	19,339	15,050	17,107
Alcohol Principal Diagnosis	905	572	714
Alcohol Secondary Diagnosis	2,140	1,512	1,873
Drug Principal Diagnosis	1,259	778	1,015
Drug Secondary Diagnosis	2,489	1,978	2,341
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	8,047	9,489	7,854
Mental Illness Secondary Diagnosis	22,770	27,252	24,572
Alcohol Principal Diagnosis	992	1,045	865
Alcohol Secondary Diagnosis	3,121	3,242	2,888
Drug Principal Diagnosis	690	693	599
Drug Secondary Diagnosis	2,786	2,674	2,116
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	13,275	11,103	11,853
Mental Illness Secondary Diagnosis	39,041	34,849	37,007
Alcohol Principal Diagnosis	4,164	3,268	3,551
Alcohol Secondary Diagnosis	3,514	2,802	3,005
Drug Principal Diagnosis	3,092	2,221	2,303
Drug Secondary Diagnosis	4,674	4,097	3,795

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	2,038	1,996	2,033
Alcohol Package Carry-out Licenses	823	814	812

EMPLOYMENT	2016	2015	2014
Labor Force	700,456	703,810	691,649
Employed	669,179	668,995	648,172
Unemployed	31,277	34,815	43,477
Unemployment Rate	4.5%	4.9%	6.3%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	797	755	772
Fatal Crashes	13	6	11
Injury Crashes	304	264	253
Property Damage Crashes	480	485	508
Crash Fatalities	17	7	11
Crash Injuries		389	364
Drug Involved Crashes	213	175	170
Fatal Crashes	7	2	2
Injury Crashes	112	83	78
Property Damage Crashes	94	90	90
Crash Fatalities	7	2	2
Crash Injuries	164	125	120

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	2,982	3,103	3,860
Liquor Law Arrests	1,450	1,638	1,599
Drug Arrests	9,418	8,365	8,505
Methamphetamine Lab Seizures	10	82	125
Violent Offenses	9,803	9,539	8,421
Domestic Violence Reports	6,825	6,470	6,023
Property Offenses	43,527	45,059	43,379

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	52,751	52,143	52,962
Drop-outs	1,913	2,100	2,204
Drop-out Rate	3.6%	4.0%	4.2%
School Discipline Involving Alcohol	75	37	67
School Discipline Involving Drugs	401	396	445
School Discipline Involving Tobacco	4	11	9

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	1,272	1,396	1,531
Juvenile Alcohol Offenses	123	112	131
Juvenile Drug Offenses	349	338	408
School Truancy Status Offense	473	492	601
Absent from Home Status Offense	867	853	864
Beyond Parental Control Status Offense	196	211	181
Injurious Behavior Status Offense	109	114	126
Child Abuse	425	588	469
Child Neglect	1,405	1,883	1,573
Child Custody Issues	248	247	218

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	755	862	749
Parental Alcohol Use Related	23	10	32
Parental Drug Use Related	199	245	178
Parental Alcohol and Drug Use	2	17	5

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	951	1,040	945
Probation/Parole Admissions--Drug	2,224	2,182	2,307
Probation/Parole Admissions--DWI	182	237	301
Prison Admissions--Drug	723	759	728
Prison Admissions--DWI	47	45	69

* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

SUBSTANCE USE SERVICE AREAS 23-25 (SL)

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2016	FY2015	FY2014
Detoxification	1,254	1,174	1,088
CSTAR Adolescent	215	214	271
CSTAR Women and Children	1,170	1,162	1,109
CSTAR General Adult	2,631	2,449	2,253
CSTAR Opioid	454	429	388
Primary Recovery Treatment	579	575	573
Clinical SATOP (CIP, YCIP, SROP)	891	981	1,184
Other Substance Abuse Treatment	660	667	692

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2016	FY2015	FY2014
Offender Management Unit	3,101	3,679	4,298
- Adolescent Diversion Education Program	126	225	214
- Offender Education Program	1,083	1,370	1,613
- Weekend Intervention Program	613	703	851
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	269	333	385
Compulsive Gambling	23	34	38
Recovery Supports	29	24	38
Early Intervention	859	904	813

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2016	FY2015	FY2014	PRIMARY DRUG PROBLEM	FY2016	FY2015	FY2014
Total Individuals	6,450	6,317	6,266	Alcohol	1,629	1,770	1,945
AGE				Marijuana / Hashish	1,217	1,171	1,203
Under 18	214	213	279	Cocaine (total)	527	512	568
18 to 24	702	747	767	- Crack	422	437	468
25 to 29	1,063	973	998	Stimulant (total)	233	164	132
30 to 34	1,080	1,115	1,062	- Methamphetamine	200	139	110
35 to 39	927	864	784	Heroin	2,491	2,368	2,128
40 to 44	649	684	617	Analgesic except Heroin	245	241	201
45 to 54	1,158	1,113	1,173	- Non-Prescription Methadone	7	7	5
55 and Over	657	608	586	PCP, LSD, other Hallucinogen	54	43	47
GENDER				Tranquilizer	32	28	22
Male	4,300	4,142	4,161	Inhalant	0	*	*
Female	2,150	2,174	2,104	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	20	14	16
Caucasian	2,742	2,748	2,772	Average Age at First Use of Drug	20.8	20.4	20.1
African American	3,449	3,342	3,275	INJECTION DRUG USE			
Native American / Alaskan	*	8	11	Any Injection Use at Admission	1,581	1,491	1,396
Asian / Pacific Islander	23	13	12	- Daily Injection Use	926	937	839
Hispanic	81	87	66	- Weekly Injection Use	253	232	262
Other Race / Two or More Races	182	151	157	- Less than Weekly Injection Use	402	322	295
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	2,056	2,120	2,168	0	4,777	4,595	4,296
High School Graduate or G.E.D.	2,860	2,702	2,549	1 or 2	1,102	1,165	1,317
Associate Degree or Some College	1,478	1,430	1,478	3 or More	571	557	653
Bachelor or Advanced Degree	56	65	70	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	2,781	2,565	2,510
Employed	1,745	1,561	1,519	School	9	16	29
Unemployed	1,907	1,971	2,094	Mental Health Provider	23	47	44
Not in Labor Force	2,798	2,785	2,653	Health Care Provider	424	400	271
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	2,620	2,618	2,841
Independent Living	5,168	4,994	4,897	Other Referral Source	523	611	517
Dependent Living	648	577	658	TREATMENT ACCOMMODATION			
Homeless	468	501	459	Pregnant when Admitted to any Episode	224	183	206
MARITAL / FAMILY STATUS				Military Veteran	246	251	266
Never Married	4,560	4,471	4,478	Special Education Services Needed	491	469	561
Married / Cohabiting	1,018	992	958	Co-Occurring Psychological Problem	1,694	1,776	1,613
Previously Married	872	854	830	Co-Occurring Developmental Problem	188	149	216

SUBSTANCE USE SERVICE AREAS 23-25 (SL)

MISSOURI STUDENT SURVEY

	2016	2014	2012	2010		2016	2014	2012	2010
<i>Percent of students who have ever used:</i>					<i>Percent of students who, in past 30 days, used:</i>				
Alcohol	33.5	30.3	37.3	42.7	Alcohol	16.6	14.6	18.1	20.8
Chewing Tobacco	16.3	3.0	4.1	4.4	Alcohol (5+ drinks on single occasion past 2 weeks)	6.5	5.8		
Cigarettes	11.8	13.3	19.9	23.9	Chewing Tobacco	1.4	1.5	2.0	2.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.3	2.2	2.2	Cigarettes	4.3	5.0	9.5	11.8
Cocaine	1.1	0.9	1.5	1.3	Inhalants	1.0	1.2	2.5	2.8
Electronic Cigarettes	20.6				Marijuana	11.3	8.1	12.5	13.6
Hallucinogens	2.0	1.6	3.1	2.9	Over-the-counter medications for non-medical use	1.8	1.5	3.0	4.4
Heroin	0.3	0.3	1.0	0.6	Prescription medications not prescribed for student	8.6	3.6	5.1	6.1
Inhalants	2.7	2.2	4.7	5.4	<i>Percent who believe they risk harm if they use:</i>				
Marijuana	19.9	19.3	21.2	23.0	Alcohol (1 or 2 drinks daily)	76.9	66.3		
Methamphetamine	0.3	0.3	1.1	0.5	Alcohol (Binge: 5+ drinks once or twice a week)	83.3	77.0		
Over-the-counter medications for non-medical use	4.6	3.0	5.4	6.9	Cigarettes (1+ packs per day)	87.5	86.6		
Prescription medications not prescribed for student	12.7	6.7	8.6	9.2	Marijuana (once or twice a week)	63.6	61.5		
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	2.1	5.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.7	91.0	92.2	92.7
<i>Among students who have ever used, average age of first use of:</i>					<i>Percent whose parents would disapprove if they use:</i>				
Alcohol	13.54	13.45	13.12	12.86	Alcohol	83.3	83.2	80.7	79.2
Cigarettes	13.22	13.35	12.71	12.63	Cigarettes	95.1	94.9	91.9	90.9
Inhalants	10.87	11.94	11.32	11.53	Marijuana	90.4	91.4	91.7	91.8
Marijuana	14.37	14.03	13.89	13.70	<i>Percent who say it would be wrong to use:</i>				
<i>Percent whose friends used in past 12 months:</i>					Alcohol	68.6	69.0	62.5	58.1
Alcohol	42.8	43.2	49.8	56.5	Cigarettes	91.1	89.7	83.3	81.0
Cigarettes	24.9	28.2	39.2	43.4	Marijuana	74.7	75.3	75.8	74.9
Marijuana	40.6	37.8	42.3	45.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	95.4	94.9	94.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	11.6	14.5	16.8	<i>Percent who say it would be easy to obtain:</i>				
<i>Percent who would likely use, if offered by a best friend:</i>					Alcohol	53.9	50.6	57.4	61.0
Alcohol	24.1	22.6	30.2	33.5	Cigarettes	42.8	43.1	50.8	55.5
Cigarettes	5.4	7.2	11.0	11.6	Marijuana	42.5	39.7	44.2	46.7
Marijuana	18.3	16.4	16.9	19.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	14.7	18.3	20.4
<i>Percent of students who, in past 3 months:</i>					<i>Percent of students who, in past 30 days:</i>				
Were emotionally bullied or made fun of by others	60.2	56.3	60.5	66.9	Were grouchy, irritable, or in a bad mood	29.1	24.2	24.4	25.3
Were victims of mean rumors or lies spread at school	43.3	43.5	44.7	48.7	Had difficulty concentrating on school work	26.5	23.7	23.0	25.1
Were victims of an embarrassing or hurtful text message or something posted on the Internet	24.7	24.7	19.5	18.6	Were very sad	19.8	19.1	17.1	20.7
					Felt hopeless about the future	11.7	11.6	10.5	12.6
<i>Percent of students who, in past 12 months:</i>					<i>Percent of students who say that:</i>				
Seriously considered attempting suicide	13.3	12.0	12.4	11.7	Parents involve student in making family decisions	74.0	71.7	72.0	71.0
Made plan about how they would attempt suicide	9.4	8.6	8.8	8.5	Parents notice and comment on student's good work	84.1	83.2	83.5	83.5
Attempted suicide	5.5	5.3	6.4	5.7	Teachers notice and comment on student's good work	69.4	75.4		


Note: The Missouri Student Survey is conducted biennially in even-numbered years. The survey is not conducted in every school district, and data are not displayed for counties or survey questions with small numbers of respondents. Percentages displayed are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2016 Missouri Student Surveys.

Access complete Missouri Student Survey data on the Missouri Behavioral Health Data website:

<https://seow.dmh.mo.gov/DetailSearch.aspx>

PSYCHIATRIC SERVICE AREA 1



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	1
POPULATION	
Census 2010	183,003
2016 Estimate	180,607

BIRTH RISK	2015	2014	2013
Resident Births	2,144	2,106	2,113
Mother Reported Smoking while Pregnant	468	512	493

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	7	1	5
Hepatitis B Chronic, Acute, Prenatal	15	16	21
Hepatitis C Chronic and Acute	169	309	238
Tuberculosis Infection Cases	83	156	34

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,932	1,985	1,975
Suicide	35	20	30
Homicide	12	5	2
Alcohol Induced Deaths	15	14	18
Drug Induced Deaths	18	20	25
Smoking Attributable Deaths	365	376	349
Self-inflicted Injuries *	266	322	267
Assault Injuries *	592	568	620

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,299	983	1,114
Mental Illness Secondary Diagnosis	2,706	1,725	1,552
Alcohol Principal Diagnosis	49	31	60
Alcohol Secondary Diagnosis	182	101	108
Drug Principal Diagnosis	45	32	60
Drug Secondary Diagnosis	196	90	95
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,086	1,332	1,153
Mental Illness Secondary Diagnosis	2,750	3,347	2,699
Alcohol Principal Diagnosis	69	175	174
Alcohol Secondary Diagnosis	330	404	325
Drug Principal Diagnosis	57	142	165
Drug Secondary Diagnosis	174	245	226
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,714	1,476	1,685
Mental Illness Secondary Diagnosis	4,118	3,204	2,931
Alcohol Principal Diagnosis	328	305	353
Alcohol Secondary Diagnosis	439	339	395
Drug Principal Diagnosis	235	215	214
Drug Secondary Diagnosis	475	325	307

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	200	194	210
Alcohol Package Carry-out Licenses	193	191	187

EMPLOYMENT	2016	2015	2014
Labor Force	94,677	94,693	95,961
Employed	90,787	90,365	90,603
Unemployed	3,890	4,328	5,358
Unemployment Rate	4.1%	4.6%	5.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	166	179	192
Fatal Crashes	7	6	5
Injury Crashes	75	75	80
Property Damage Crashes	84	98	107
Crash Fatalities	7	6	5
Crash Injuries		106	113
Drug Involved Crashes	47	44	33
Fatal Crashes	1	5	0
Injury Crashes	26	14	17
Property Damage Crashes	20	25	16
Crash Fatalities	1	5	0
Crash Injuries	45	22	23

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	744	782	830
Liquor Law Arrests	491	538	547
Drug Arrests	1,485	1,182	1,128
Methamphetamine Lab Seizures	0	4	5
Violent Offenses	664	633	613
Domestic Violence Reports	1,733	1,785	1,521
Property Offenses	5,725	5,787	5,741

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	7,742	7,676	7,607
Drop-outs	150	89	78
Drop-out Rate	1.9%	1.2%	1.0%
School Discipline Involving Alcohol	6	9	12
School Discipline Involving Drugs	53	39	26
School Discipline Involving Tobacco	2	1	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	131	166	166
Juvenile Alcohol Offenses	24	18	52
Juvenile Drug Offenses	61	41	45
School Truancy Status Offense	208	167	230
Absent from Home Status Offense	191	144	134
Beyond Parental Control Status Offense	151	134	148
Injurious Behavior Status Offense	150	103	161
Child Abuse	39	36	24
Child Neglect	387	370	397
Child Custody Issues	6	0	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	188	191	140
Parental Alcohol Use Related	6	7	5
Parental Drug Use Related	65	62	43
Parental Alcohol and Drug Use	5	7	2

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	269	286	275
Probation/Parole Admissions--Drug	530	517	563
Probation/Parole Admissions--DWI	68	84	84
Prison Admissions--Drug	337	349	370
Prison Admissions--DWI	36	36	49


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 1

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 183,003
2016 POPULATION ESTIMATE 180,871


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	143	135	96
Anxiety Disorder	1,169	992	742
Dementia	8	8	8
Developmental Disorder	35	39	38
Impulse Control Disorder	604	513	443
Mood Disorder	1,624	1,503	1,232
Personality Disorder	223	220	189
Psychotic Disorder	482	491	463
Sexual Disorder	19	9	*
Other Diagnosis	365	346	293
Diagnosis Unknown	180	193	197

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	2,730	2,488	2,105	Less than High School Diploma	658	885	747
AGE				High School Grad or G.E.D.	0	0	*
Under 6	62	53	45	Associate Degree or Some College	0	0	0
6 to 9	241	200	186	Bachelor or Advanced Degree	0	0	0
10 to 13	236	187	169	Education Level Unknown	2,072	1,603	1,354
14 to 17	209	175	150	EMPLOYMENT			
18 to 24	210	197	150	Employed	200	191	134
25 to 29	244	224	160	Unemployed	167	161	171
30 to 34	242	229	158	Not in Labor Force	1,115	1,425	1,291
35 to 39	209	201	141	Employment Status Unknown	1,248	711	509
40 to 44	216	197	172	HOUSING / LIVING ARRANGEMENT			
45 to 49	216	201	197	Independent Living	969	1,096	898
50 to 54	265	259	258	Dependent Living	544	719	678
55 to 59	201	191	150	Homeless	52	65	42
60 and Over	179	174	169	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,165	608	487
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,429	1,305	1,110	Self / Family / Friend	1,073	974	751
Female	1,301	1,183	995	School	158	119	90
Gender Unknown	0	0	0	Mental Health Provider	304	390	430
RACE / ETHNICITY				Health Care Provider	537	405	343
Caucasian	2,280	2,092	1,782	Court / Criminal Justice	387	315	214
African American	229	212	170	Other	252	266	248
Native American / Alaskan	11	11	8	Referral Source Unknown	19	19	29
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	81	81	68	Voluntary	2,572	2,333	1,955
Other Race	128	89	76	Civil	7	8	9
Race/Ethnicity Unknown	0	0	0	Criminal	124	127	111
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	86	101	103	Commitment Type Unknown	26	19	29
Past or Current Military Service	96	89	76				

PSYCHIATRIC SERVICE AREAS 2, 3, 4, 5



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	2, 3, 4, 5
POPULATION	
Census 2010	674,158
2016 Estimate	691,801

BIRTH RISK	2015	2014	2013
Resident Births	9,345	9,520	9,478
Mother Reported Smoking while Pregnant	1,152	1,347	1,357

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	123	98	105
Hepatitis B Chronic, Acute, Prenatal	115	95	130
Hepatitis C Chronic and Acute	694	780	519
Tuberculosis Infection Cases	635	776	828

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	6,320	6,073	6,091
Suicide	119	104	116
Homicide	119	83	109
Alcohol Induced Deaths	69	83	77
Drug Induced Deaths	132	119	118
Smoking Attributable Deaths	1,036	989	1,005
Self-inflicted Injuries *	854	990	1,122
Assault Injuries *	4,194	3,866	4,242

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	6,323	6,460	6,521
Mental Illness Secondary Diagnosis	11,529	7,606	6,771
Alcohol Principal Diagnosis	817	607	815
Alcohol Secondary Diagnosis	1,936	1,328	1,622
Drug Principal Diagnosis	326	276	392
Drug Secondary Diagnosis	2,116	1,630	1,301
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,157	1,429	1,615
Mental Illness Secondary Diagnosis	11,305	13,597	12,373
Alcohol Principal Diagnosis	463	644	544
Alcohol Secondary Diagnosis	1,607	2,046	1,923
Drug Principal Diagnosis	196	261	263
Drug Secondary Diagnosis	1,234	1,663	1,557
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	6,473	5,551	5,482
Mental Illness Secondary Diagnosis	10,763	15,080	17,292
Alcohol Principal Diagnosis	4,598	4,012	4,099
Alcohol Secondary Diagnosis	2,836	2,729	3,119
Drug Principal Diagnosis	1,803	1,535	1,854
Drug Secondary Diagnosis	4,833	3,521	2,978

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	876	838	825
Alcohol Package Carry-out Licenses	457	469	461

EMPLOYMENT	2016	2015	2014
Labor Force	369,829	367,147	363,483
Employed	351,092	345,606	338,018
Unemployed	18,737	21,541	25,465
Unemployment Rate	5.1%	5.9%	7.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	606	562	615
Fatal Crashes	13	10	13
Injury Crashes	226	227	248
Property Damage Crashes	367	325	354
Crash Fatalities	14	10	13
Crash Injuries		341	367
Drug Involved Crashes	152	105	127
Fatal Crashes	3	2	3
Injury Crashes	79	57	67
Property Damage Crashes	70	46	57
Crash Fatalities	3	2	3
Crash Injuries	112	87	104

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	2,532	2,704	3,034
Liquor Law Arrests	350	450	683
Drug Arrests	3,841	3,323	3,770
Methamphetamine Lab Seizures	7	8	11
Violent Offenses	9,201	7,774	6,885
Domestic Violence Reports	8,543	8,768	8,183
Property Offenses	34,121	34,198	36,464

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	29,622	29,123	28,224
Drop-outs	842	907	1,541
Drop-out Rate	2.8%	3.1%	5.5%
School Discipline Involving Alcohol	29	46	44
School Discipline Involving Drugs	183	301	288
School Discipline Involving Tobacco	4	2	6

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	404	414	463
Juvenile Alcohol Offenses	12	12	15
Juvenile Drug Offenses	81	95	94
School Truancy Status Offense	5	3	4
Absent from Home Status Offense	33	21	18
Beyond Parental Control Status Offense	4	2	11
Injurious Behavior Status Offense	9	11	14
Child Abuse	359	382	417
Child Neglect	999	752	787
Child Custody Issues	568	144	165

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	989	793	976
Parental Alcohol Use Related	16	23	14
Parental Drug Use Related	419	283	290
Parental Alcohol and Drug Use	37	30	39

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	1,193	1,097	1,109
Probation/Parole Admissions--Drug	725	626	642
Probation/Parole Admissions--DWI	169	176	172
Prison Admissions--Drug	126	144	163
Prison Admissions--DWI	33	55	62


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREAS 2, 3, 4, 5

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 2, 3, 4, 5
CENSUS 2010 674,158
2016 POPULATION ESTIMATE 686,373


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	633	724	640
Anxiety Disorder	4,559	5,068	4,150
Dementia	28	28	24
Developmental Disorder	133	156	135
Impulse Control Disorder	2,073	2,241	1,993
Mood Disorder	6,943	7,947	7,051
Personality Disorder	690	543	550
Psychotic Disorder	2,699	2,930	2,810
Sexual Disorder	30	24	18
Other Diagnosis	1,109	1,038	874
Diagnosis Unknown	1,931	1,576	1,770

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	12,692	13,574	12,448	Less than High School Diploma	2,511	2,613	2,188
AGE				High School Grad or G.E.D.	*	0	0
Under 6	45	54	102	Associate Degree or Some College	0	0	0
6 to 9	686	706	718	Bachelor or Advanced Degree	0	0	0
10 to 13	910	914	855	Education Level Unknown	10,180	10,961	10,260
14 to 17	1,055	1,046	870	EMPLOYMENT			
18 to 24	1,020	1,060	1,055	Employed	512	548	413
25 to 29	958	1,103	1,002	Unemployed	575	811	690
30 to 34	1,023	1,216	1,157	Not in Labor Force	4,710	5,079	4,135
35 to 39	1,038	1,145	1,065	Employment Status Unknown	6,895	7,136	7,210
40 to 44	1,039	1,157	1,090	HOUSING / LIVING ARRANGEMENT			
45 to 49	1,177	1,254	1,189	Independent Living	3,229	3,472	2,654
50 to 54	1,386	1,568	1,411	Dependent Living	2,103	2,446	2,114
55 to 59	1,241	1,250	1,059	Homeless	384	415	338
60 and Over	1,114	1,101	875	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	6,976	7,241	7,342
GENDER				TREATMENT REFERRAL SOURCE			
Male	6,228	6,636	6,102	Self / Family / Friend	5,603	5,995	5,822
Female	6,464	6,938	6,346	School	208	197	165
Gender Unknown	0	0	0	Mental Health Provider	1,243	1,250	1,314
RACE / ETHNICITY				Health Care Provider	1,990	2,240	1,914
Caucasian	6,272	6,733	6,316	Court / Criminal Justice	469	505	503
African American	4,978	5,310	4,966	Other	3,112	3,316	2,651
Native American / Alaskan	43	44	52	Referral Source Unknown	67	71	79
Asian / Pacific Islander	52	57	45	TYPE OF COMMITMENT			
Hispanic	565	532	390	Voluntary	12,489	13,350	12,204
Other Race	781	898	679	Civil	42	66	49
Race/Ethnicity Unknown	*	0	0	Criminal	90	86	119
TREATMENT ACCOMMODATION				Sexual Predatory	8	9	10
Hearing Impaired	351	330	253	Commitment Type Unknown	63	63	66
Past or Current Military Service	264	295	274				

PSYCHIATRIC SERVICE AREA 6



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	6
POPULATION	
Census 2010	334,755
2016 Estimate	360,148

BIRTH RISK	2015	2014	2013
Resident Births	4,523	4,428	4,433
Mother Reported Smoking while Pregnant	499	541	605

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	25	17	18
Hepatitis B Chronic, Acute, Prenatal	8	42	13
Hepatitis C Chronic and Acute	47	176	62
Tuberculosis Infection Cases	55	33	26

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	2,717	2,596	2,505
Suicide	73	54	58
Homicide	9	15	10
Alcohol Induced Deaths	41	34	27
Drug Induced Deaths	50	35	44
Smoking Attributable Deaths	480	437	461
Self-inflicted Injuries *	460	515	561
Assault Injuries *	910	866	939

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	2,663	2,586	2,173
Mental Illness Secondary Diagnosis	5,849	4,105	3,796
Alcohol Principal Diagnosis	211	178	183
Alcohol Secondary Diagnosis	478	334	263
Drug Principal Diagnosis	121	103	91
Drug Secondary Diagnosis	487	314	287
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	243	361	465
Mental Illness Secondary Diagnosis	4,973	6,624	6,703
Alcohol Principal Diagnosis	140	160	164
Alcohol Secondary Diagnosis	520	687	699
Drug Principal Diagnosis	68	86	97
Drug Secondary Diagnosis	397	412	459
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,916	2,652	2,918
Mental Illness Secondary Diagnosis	7,401	8,179	7,642
Alcohol Principal Diagnosis	827	731	726
Alcohol Secondary Diagnosis	609	609	696
Drug Principal Diagnosis	470	355	433
Drug Secondary Diagnosis	839	1,055	1,071

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	353	337	342
Alcohol Package Carry-out Licenses	229	225	226

EMPLOYMENT	2016	2015	2014
Labor Force	203,053	200,561	196,227
Employed	195,213	191,579	185,724
Unemployed	7,840	8,982	10,503
Unemployment Rate	3.9%	4.5%	5.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	260	286	274
Fatal Crashes	9	5	6
Injury Crashes	108	116	104
Property Damage Crashes	143	165	164
Crash Fatalities	10	5	6
Crash Injuries		162	138
Drug Involved Crashes	82	64	57
Fatal Crashes	2	2	4
Injury Crashes	34	26	24
Property Damage Crashes	46	36	29
Crash Fatalities	3	2	4
Crash Injuries	42	42	30

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	1,277	1,301	1,486
Liquor Law Arrests	198	234	344
Drug Arrests	1,982	1,754	1,458
Methamphetamine Lab Seizures	1	4	2
Violent Offenses	529	381	400
Domestic Violence Reports	1,255	1,213	1,105
Property Offenses	3,779	4,017	3,935

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	18,059	17,624	17,564
Drop-outs	185	203	204
Drop-out Rate	1.0%	1.2%	1.2%
School Discipline Involving Alcohol	16	23	18
School Discipline Involving Drugs	158	152	109
School Discipline Involving Tobacco	5	2	3

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	363	323	241
Juvenile Alcohol Offenses	38	42	38
Juvenile Drug Offenses	105	130	132
School Truancy Status Offense	83	88	41
Absent from Home Status Offense	66	33	26
Beyond Parental Control Status Offense	73	76	42
Injurious Behavior Status Offense	72	81	57
Child Abuse	35	34	33
Child Neglect	319	326	243
Child Custody Issues	27	17	16

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	102	102	101
Parental Alcohol Use Related	1	1	4
Parental Drug Use Related	50	32	47
Parental Alcohol and Drug Use	4	1	0

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	201	150	135
Probation/Parole Admissions--Drug	542	525	532
Probation/Parole Admissions--DWI	126	123	147
Prison Admissions--Drug	240	229	249
Prison Admissions--DWI	56	62	55


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 6

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 6
CENSUS 2010 334,755
2016 POPULATION ESTIMATE 354,503


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	81	67	51
Anxiety Disorder	912	822	736
Dementia	*	*	*
Developmental Disorder	13	16	11
Impulse Control Disorder	399	376	462
Mood Disorder	2,370	2,427	2,432
Personality Disorder	38	42	44
Psychotic Disorder	471	470	482
Sexual Disorder	*	5	*
Other Diagnosis	135	50	56
Diagnosis Unknown	298	277	270

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	3,727	3,634	3,698	Less than High School Diploma	610	641	571
AGE				High School Grad or G.E.D.	0	*	0
Under 6	19	17	22	Associate Degree or Some College	0	0	0
6 to 9	156	122	181	Bachelor or Advanced Degree	0	0	0
10 to 13	251	219	237	Education Level Unknown	3,117	2,992	3,127
14 to 17	313	312	293	EMPLOYMENT			
18 to 24	298	308	280	Employed	271	292	216
25 to 29	282	274	304	Unemployed	206	165	248
30 to 34	356	340	367	Not in Labor Force	1,172	1,317	1,164
35 to 39	352	340	363	Employment Status Unknown	2,078	1,860	2,070
40 to 44	276	309	329	HOUSING / LIVING ARRANGEMENT			
45 to 49	342	339	343	Independent Living	854	1,061	1,041
50 to 54	412	420	380	Dependent Living	812	695	556
55 to 59	309	308	317	Homeless	46	45	49
60 and Over	361	326	282	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	2,015	1,833	2,052
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,514	1,500	1,611	Self / Family / Friend	3,468	3,385	3,463
Female	2,213	2,134	2,087	School	36	6	*
Gender Unknown	0	0	0	Mental Health Provider	27	36	50
RACE / ETHNICITY				Health Care Provider	109	103	81
Caucasian	3,153	3,119	3,208	Court / Criminal Justice	16	23	15
African American	226	195	188	Other	45	55	58
Native American / Alaskan	22	20	17	Referral Source Unknown	26	26	29
Asian / Pacific Islander	21	24	25	TYPE OF COMMITMENT			
Hispanic	150	132	120	Voluntary	3,690	3,595	3,657
Other Race	155	144	140	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	6	6	7
TREATMENT ACCOMMODATION				Sexual Predatory	*	5	*
Hearing Impaired	87	78	81	Commitment Type Unknown	27	26	29
Past or Current Military Service	46	53	43				

PSYCHIATRIC SERVICE AREA 7



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	7
POPULATION	
Census 2010	185,454
2016 Estimate	189,405

BIRTH RISK	2015	2014	2013
Resident Births	2,189	2,310	2,306
Mother Reported Smoking while Pregnant	353	394	421

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	7	7	10
Hepatitis B Chronic, Acute, Prenatal	7	10	4
Hepatitis C Chronic and Acute	86	83	71
Tuberculosis Infection Cases	197	84	126

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,730	1,687	1,693
Suicide	28	42	34
Homicide	4	6	3
Alcohol Induced Deaths	12	20	13
Drug Induced Deaths	19	21	16
Smoking Attributable Deaths	306	326	299
Self-inflicted Injuries *	208	230	242
Assault Injuries *	477	438	427

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,529	1,389	1,442
Mental Illness Secondary Diagnosis	3,668	2,346	2,255
Alcohol Principal Diagnosis	138	98	87
Alcohol Secondary Diagnosis	313	168	155
Drug Principal Diagnosis	63	53	62
Drug Secondary Diagnosis	230	141	149
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	152	247	309
Mental Illness Secondary Diagnosis	1,911	2,649	2,556
Alcohol Principal Diagnosis	65	106	94
Alcohol Secondary Diagnosis	186	266	270
Drug Principal Diagnosis	22	40	36
Drug Secondary Diagnosis	116	177	174
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,516	1,304	1,354
Mental Illness Secondary Diagnosis	1,746	1,658	1,527
Alcohol Principal Diagnosis	349	291	308
Alcohol Secondary Diagnosis	309	281	267
Drug Principal Diagnosis	279	188	213
Drug Secondary Diagnosis	368	306	324

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	165	155	158
Alcohol Package Carry-out Licenses	161	164	163

EMPLOYMENT	2016	2015	2014
Labor Force	96,123	95,311	94,355
Employed	91,964	90,609	88,855
Unemployed	4,159	4,702	5,500
Unemployment Rate	4.3%	4.9%	5.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	178	147	141
Fatal Crashes	6	2	4
Injury Crashes	78	60	48
Property Damage Crashes	94	85	89
Crash Fatalities	8	2	4
Crash Injuries		72	61
Drug Involved Crashes	28	36	28
Fatal Crashes	2	2	0
Injury Crashes	13	16	10
Property Damage Crashes	13	18	18
Crash Fatalities	2	2	0
Crash Injuries	15	20	12

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	676	679	753
Liquor Law Arrests	238	269	455
Drug Arrests	1,524	1,247	1,121
Methamphetamine Lab Seizures	0	1	2
Violent Offenses	373	332	299
Domestic Violence Reports	1,237	1,280	1,151
Property Offenses	3,918	3,721	3,768

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	9,194	9,194	9,200
Drop-outs	134	133	148
Drop-out Rate	1.5%	1.4%	1.6%
School Discipline Involving Alcohol	21	14	17
School Discipline Involving Drugs	67	76	91
School Discipline Involving Tobacco	1	1	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	234	207	173
Juvenile Alcohol Offenses	15	26	30
Juvenile Drug Offenses	94	86	96
School Truancy Status Offense	114	136	122
Absent from Home Status Offense	117	150	118
Beyond Parental Control Status Offense	109	152	111
Injurious Behavior Status Offense	225	263	296
Child Abuse	0	10	24
Child Neglect	331	322	592
Child Custody Issues	67	58	45

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	193	146	185
Parental Alcohol Use Related	4	4	5
Parental Drug Use Related	60	51	72
Parental Alcohol and Drug Use	7	1	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	88	87	100
Probation/Parole Admissions--Drug	470	431	344
Probation/Parole Admissions--DWI	45	61	70
Prison Admissions--Drug	227	221	193
Prison Admissions--DWI	18	29	51


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 7

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 7
CENSUS 2010 185,454
2016 POPULATION ESTIMATE 188,049


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	135	103	124
Anxiety Disorder	878	723	698
Dementia	5	*	*
Developmental Disorder	22	22	28
Impulse Control Disorder	347	265	273
Mood Disorder	1,083	916	936
Personality Disorder	101	82	64
Psychotic Disorder	248	213	199
Sexual Disorder	9	*	*
Other Diagnosis	164	113	99
Diagnosis Unknown	51	58	121

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,496	1,293	1,428	Less than High School Diploma	474	434	423
AGE				High School Grad or G.E.D.	0	0	0
Under 6	29	17	20	Associate Degree or Some College	0	0	0
6 to 9	97	82	88	Bachelor or Advanced Degree	0	0	0
10 to 13	129	114	158	Education Level Unknown	1,022	859	1,005
14 to 17	152	133	158	EMPLOYMENT			
18 to 24	129	112	116	Employed	84	58	45
25 to 29	109	90	115	Unemployed	103	48	55
30 to 34	114	106	116	Not in Labor Force	815	691	633
35 to 39	132	113	125	Employment Status Unknown	494	496	695
40 to 44	121	118	133	HOUSING / LIVING ARRANGEMENT			
45 to 49	132	110	127	Independent Living	588	405	355
50 to 54	157	135	133	Dependent Living	447	379	376
55 to 59	109	94	82	Homeless	41	27	14
60 and Over	86	69	57	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	420	482	683
GENDER				TREATMENT REFERRAL SOURCE			
Male	657	558	635	Self / Family / Friend	1,199	999	1,093
Female	839	735	793	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	22	23	25
RACE / ETHNICITY				Health Care Provider	143	111	113
Caucasian	1,350	1,176	1,309	Court / Criminal Justice	23	28	47
African American	68	54	48	Other	106	127	142
Native American / Alaskan	*	*	0	Referral Source Unknown	*	*	5
Asian / Pacific Islander	5	*	*	TYPE OF COMMITMENT			
Hispanic	22	23	29	Voluntary	1,476	1,279	1,415
Other Race	49	35	38	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	15	9	5
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	42	40	39	Commitment Type Unknown	*	*	5
Past or Current Military Service	47	41	47				

PSYCHIATRIC SERVICE AREA 8A



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	8A
POPULATION	
Census 2010	82,114
2016 Estimate	81,744

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	105	94	91
Fatal Crashes	4	2	6
Injury Crashes	46	39	39
Property Damage Crashes	55	53	46
Crash Fatalities	4	2	6
Crash Injuries		59	51
Drug Involved Crashes	23	26	24
Fatal Crashes	1	2	0
Injury Crashes	10	11	12
Property Damage Crashes	12	13	12
Crash Fatalities	2	2	0
Crash Injuries	11	13	16

BIRTH RISK	2015	2014	2013
Resident Births	993	960	962
Mother Reported Smoking while Pregnant	204	211	215

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	0	5
Hepatitis B Chronic, Acute, Prenatal	6	5	5
Hepatitis C Chronic and Acute	76	116	80
Tuberculosis Infection Cases	24	17	14

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	972	944	958
Suicide	16	16	9
Homicide	4	1	1
Alcohol Induced Deaths	11	3	7
Drug Induced Deaths	15	10	11
Smoking Attributable Deaths	174	177	184
Self-inflicted Injuries *	102	112	115
Assault Injuries *	186	223	201

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	575	497	450
Mental Illness Secondary Diagnosis	1,189	956	883
Alcohol Principal Diagnosis	62	29	30
Alcohol Secondary Diagnosis	95	65	63
Drug Principal Diagnosis	45	33	50
Drug Secondary Diagnosis	128	93	53
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	271	258	270
Mental Illness Secondary Diagnosis	923	1,208	1,204
Alcohol Principal Diagnosis	64	73	72
Alcohol Secondary Diagnosis	87	119	144
Drug Principal Diagnosis	62	47	59
Drug Secondary Diagnosis	85	92	68
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	705	706	577
Mental Illness Secondary Diagnosis	1,829	1,707	1,756
Alcohol Principal Diagnosis	200	148	129
Alcohol Secondary Diagnosis	149	207	202
Drug Principal Diagnosis	195	167	153
Drug Secondary Diagnosis	294	249	261

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	53	52	51
Alcohol Package Carry-out Licenses	108	108	107

EMPLOYMENT	2016	2015	2014
Labor Force	36,831	36,808	35,634
Employed	35,203	34,990	33,492
Unemployed	1,628	1,818	2,142
Unemployment Rate	4.4%	4.9%	6.0%

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	487	308	407
Liquor Law Arrests	70	59	41
Drug Arrests	555	361	363
Methamphetamine Lab Seizures	2	13	45
Violent Offenses	264	331	284
Domestic Violence Reports	511	559	578
Property Offenses	1,795	2,128	2,035

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	4,119	4,056	3,934
Drop-outs	61	46	46
Drop-out Rate	1.5%	1.1%	1.2%
School Discipline Involving Alcohol	39	32	28
School Discipline Involving Drugs	24	33	24
School Discipline Involving Tobacco	0	2	2

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	80	101	80
Juvenile Alcohol Offenses	6	5	2
Juvenile Drug Offenses	15	39	12
School Truancy Status Offense	1	91	18
Absent from Home Status Offense	28	41	17
Beyond Parental Control Status Offense	35	35	28
Injurious Behavior Status Offense	59	88	34
Child Abuse	67	90	43
Child Neglect	359	520	142
Child Custody Issues	118	163	207

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	154	183	246
Parental Alcohol Use Related	9	4	9
Parental Drug Use Related	77	75	82
Parental Alcohol and Drug Use	4	9	4

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	150	136	117
Probation/Parole Admissions--Drug	236	201	223
Probation/Parole Admissions--DWI	29	27	38
Prison Admissions--Drug	115	101	88
Prison Admissions--DWI	9	8	17


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 8A

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8A
CENSUS 2010 82,114
2016 POPULATION ESTIMATE 81,506


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	68	59	59
Anxiety Disorder	546	426	374
Dementia	5	*	*
Developmental Disorder	20	21	22
Impulse Control Disorder	257	217	196
Mood Disorder	824	606	503
Personality Disorder	160	139	116
Psychotic Disorder	188	144	135
Sexual Disorder	6	*	*
Other Diagnosis	200	118	106
Diagnosis Unknown	271	376	443

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,532	1,323	1,260	Less than High School Diploma	544	505	355
AGE				High School Grad or G.E.D.	0	0	0
Under 6	13	11	15	Associate Degree or Some College	0	0	0
6 to 9	89	100	80	Bachelor or Advanced Degree	0	0	0
10 to 13	121	101	109	Education Level Unknown	988	818	905
14 to 17	181	150	97	EMPLOYMENT			
18 to 24	117	91	110	Employed	100	83	39
25 to 29	122	101	95	Unemployed	88	68	39
30 to 34	107	115	118	Not in Labor Force	832	799	604
35 to 39	139	83	99	Employment Status Unknown	512	373	578
40 to 44	117	119	124	HOUSING / LIVING ARRANGEMENT			
45 to 49	139	127	112	Independent Living	549	503	348
50 to 54	143	131	124	Dependent Living	370	347	273
55 to 59	117	108	97	Homeless	13	11	*
60 and Over	127	86	80	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	600	462	635
GENDER				TREATMENT REFERRAL SOURCE			
Male	711	609	600	Self / Family / Friend	763	685	754
Female	820	714	660	School	62	54	39
Gender Unknown	*	0	0	Mental Health Provider	72	59	60
RACE / ETHNICITY				Health Care Provider	227	188	147
Caucasian	1,449	1,257	1,208	Court / Criminal Justice	93	56	40
African American	9	10	11	Other	310	276	214
Native American / Alaskan	6	*	*	Referral Source Unknown	5	5	6
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	48	35	26	Voluntary	1,492	1,295	1,240
Other Race	18	18	12	Civil	25	15	7
Race/Ethnicity Unknown	0	0	0	Criminal	9	8	6
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	71	67	65	Commitment Type Unknown	*	*	5
Past or Current Military Service	28	16	19				

PSYCHIATRIC SERVICE AREA 8B



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	8B
POPULATION	
Census 2010	112,950
2016 Estimate	110,130

BIRTH RISK	2015	2014	2013
Resident Births	1,227	1,230	1,177
Mother Reported Smoking while Pregnant	305	273	291

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	5	1	7
Hepatitis B Chronic, Acute, Prenatal	1	5	9
Hepatitis C Chronic and Acute	74	141	100
Tuberculosis Infection Cases	17	8	18

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,667	1,611	1,487
Suicide	22	33	18
Homicide	5	5	2
Alcohol Induced Deaths	18	10	11
Drug Induced Deaths	12	18	18
Smoking Attributable Deaths	327	313	305
Self-inflicted Injuries *	141	162	157
Assault Injuries *	298	294	321

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	957	980	1,068
Mental Illness Secondary Diagnosis	2,664	2,481	2,593
Alcohol Principal Diagnosis	63	51	41
Alcohol Secondary Diagnosis	214	183	171
Drug Principal Diagnosis	56	35	47
Drug Secondary Diagnosis	201	126	159
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	250	340	362
Mental Illness Secondary Diagnosis	1,148	1,516	1,591
Alcohol Principal Diagnosis	42	59	62
Alcohol Secondary Diagnosis	141	138	156
Drug Principal Diagnosis	32	38	41
Drug Secondary Diagnosis	71	108	114
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,123	1,053	1,017
Mental Illness Secondary Diagnosis	4,579	5,080	5,044
Alcohol Principal Diagnosis	225	186	173
Alcohol Secondary Diagnosis	304	301	284
Drug Principal Diagnosis	240	182	176
Drug Secondary Diagnosis	377	389	335

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	136	126	126
Alcohol Package Carry-out Licenses	146	141	147

EMPLOYMENT	2016	2015	2014
Labor Force	48,999	49,658	48,746
Employed	46,390	46,782	45,435
Unemployed	2,609	2,876	3,311
Unemployment Rate	5.3%	5.8%	6.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	80	91	94
Fatal Crashes	2	5	4
Injury Crashes	37	42	41
Property Damage Crashes	41	44	49
Crash Fatalities	2	6	5
Crash Injuries		53	61
Drug Involved Crashes	25	24	19
Fatal Crashes	1	6	1
Injury Crashes	8	6	4
Property Damage Crashes	16	12	14
Crash Fatalities	1	7	1
Crash Injuries	17	11	10

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	413	402	477
Liquor Law Arrests	96	69	74
Drug Arrests	1,114	974	923
Methamphetamine Lab Seizures	1	3	1
Violent Offenses	464	490	402
Domestic Violence Reports	663	665	643
Property Offenses	2,708	3,053	3,098

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	5,009	5,011	4,998
Drop-outs	72	79	95
Drop-out Rate	1.4%	1.6%	1.9%
School Discipline Involving Alcohol	10	15	4
School Discipline Involving Drugs	55	56	41
School Discipline Involving Tobacco	6	7	5

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	145	172	162
Juvenile Alcohol Offenses	22	28	30
Juvenile Drug Offenses	46	48	30
School Truancy Status Offense	122	126	162
Absent from Home Status Offense	58	51	47
Beyond Parental Control Status Offense	132	101	112
Injurious Behavior Status Offense	138	150	174
Child Abuse	80	110	126
Child Neglect	474	562	473
Child Custody Issues	37	18	32

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	132	157	124
Parental Alcohol Use Related	2	2	8
Parental Drug Use Related	72	70	30
Parental Alcohol and Drug Use	3	6	6

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	117	90	82
Probation/Parole Admissions--Drug	444	344	345
Probation/Parole Admissions--DWI	40	47	48
Prison Admissions--Drug	209	170	138
Prison Admissions--DWI	19	21	26


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 8B

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 112,950
2016 POPULATION ESTIMATE 110,230


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	77	67	61
Anxiety Disorder	922	774	788
Dementia	*	*	*
Developmental Disorder	14	15	11
Impulse Control Disorder	243	203	162
Mood Disorder	1,166	1,029	1,100
Personality Disorder	129	111	105
Psychotic Disorder	259	239	244
Sexual Disorder	*	*	*
Other Diagnosis	186	145	143
Diagnosis Unknown	63	66	149

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,610	1,490	1,661	Less than High School Diploma	615	548	644
AGE				High School Grad or G.E.D.	0	0	0
Under 6	5	20	12	Associate Degree or Some College	0	0	0
6 to 9	97	85	84	Bachelor or Advanced Degree	0	0	0
10 to 13	124	125	126	Education Level Unknown	995	942	1,017
14 to 17	145	123	115	EMPLOYMENT			
18 to 24	113	99	135	Employed	73	63	97
25 to 29	108	87	139	Unemployed	87	44	60
30 to 34	153	137	165	Not in Labor Force	1,121	1,064	1,136
35 to 39	142	132	156	Employment Status Unknown	329	319	368
40 to 44	134	122	144	HOUSING / LIVING ARRANGEMENT			
45 to 49	150	150	165	Independent Living	686	683	751
50 to 54	176	194	201	Dependent Living	546	476	515
55 to 59	138	110	133	Homeless	43	19	35
60 and Over	125	106	86	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	335	312	360
GENDER				TREATMENT REFERRAL SOURCE			
Male	721	654	736	Self / Family / Friend	991	933	1,099
Female	889	836	925	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	38	50	63
RACE / ETHNICITY				Health Care Provider	202	168	174
Caucasian	1,533	1,434	1,603	Court / Criminal Justice	36	35	39
African American	17	12	16	Other	328	289	268
Native American / Alaskan	5	5	7	Referral Source Unknown	12	14	15
Asian / Pacific Islander	*	*	0	TYPE OF COMMITMENT			
Hispanic	22	13	9	Voluntary	1,574	1,464	1,629
Other Race	32	25	26	Civil	9	*	9
Race/Ethnicity Unknown	0	0	0	Criminal	11	6	5
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	43	35	35	Commitment Type Unknown	13	14	15
Past or Current Military Service	41	33	30				

PSYCHIATRIC SERVICE AREA 9



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	9
POPULATION	
Census 2010	211,003
2016 Estimate	212,333

BIRTH RISK	2015	2014	2013
Resident Births	2,840	2,830	2,850
Mother Reported Smoking while Pregnant	498	550	572

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	5	8	10
Hepatitis B Chronic, Acute, Prenatal	19	13	17
Hepatitis C Chronic and Acute	187	271	192
Tuberculosis Infection Cases	96	89	104

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	2,151	2,214	2,218
Suicide	44	49	41
Homicide	11	9	7
Alcohol Induced Deaths	20	14	10
Drug Induced Deaths	19	31	25
Smoking Attributable Deaths	410	435	438
Self-inflicted Injuries *	160	212	223
Assault Injuries *	528	524	521

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,633	1,272	1,405
Mental Illness Secondary Diagnosis	4,056	3,122	3,547
Alcohol Principal Diagnosis	197	76	130
Alcohol Secondary Diagnosis	335	217	246
Drug Principal Diagnosis	192	105	100
Drug Secondary Diagnosis	313	169	186
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,040	1,322	1,125
Mental Illness Secondary Diagnosis	2,385	3,294	3,201
Alcohol Principal Diagnosis	238	333	263
Alcohol Secondary Diagnosis	244	327	333
Drug Principal Diagnosis	228	235	228
Drug Secondary Diagnosis	227	217	170
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,488	1,410	1,728
Mental Illness Secondary Diagnosis	14,634	15,727	15,643
Alcohol Principal Diagnosis	637	565	503
Alcohol Secondary Diagnosis	1,016	2,726	662
Drug Principal Diagnosis	486	380	363
Drug Secondary Diagnosis	1,022	1,149	660

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	178	178	184
Alcohol Package Carry-out Licenses	238	245	254

EMPLOYMENT	2016	2015	2014
Labor Force	103,239	104,013	102,572
Employed	98,858	99,419	97,035
Unemployed	4,381	4,594	5,537
Unemployment Rate	4.2%	4.4%	5.4%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	220	209	204
Fatal Crashes	5	5	9
Injury Crashes	81	82	90
Property Damage Crashes	134	122	105
Crash Fatalities	6	6	9
Crash Injuries		125	135
Drug Involved Crashes	63	60	44
Fatal Crashes	1	3	1
Injury Crashes	18	21	19
Property Damage Crashes	44	36	24
Crash Fatalities	2	3	1
Crash Injuries	28	35	37

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	1,409	1,313	1,650
Liquor Law Arrests	165	181	262
Drug Arrests	1,012	914	976
Methamphetamine Lab Seizures	22	22	82
Violent Offenses	817	753	759
Domestic Violence Reports	2,175	2,428	2,478
Property Offenses	7,987	7,744	8,320

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	10,398	10,240	10,006
Drop-outs	246	204	225
Drop-out Rate	2.4%	2.0%	2.2%
School Discipline Involving Alcohol	10	5	15
School Discipline Involving Drugs	38	33	88
School Discipline Involving Tobacco	0	0	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	348	257	230
Juvenile Alcohol Offenses	40	40	25
Juvenile Drug Offenses	97	67	56
School Truancy Status Offense	222	321	127
Absent from Home Status Offense	209	85	60
Beyond Parental Control Status Offense	279	157	103
Injurious Behavior Status Offense	298	187	118
Child Abuse	32	76	130
Child Neglect	597	793	804
Child Custody Issues	39	59	359

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	362	555	660
Parental Alcohol Use Related	10	9	23
Parental Drug Use Related	165	186	236
Parental Alcohol and Drug Use	6	14	10

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	330	241	206
Probation/Parole Admissions--Drug	306	273	314
Probation/Parole Admissions--DWI	135	125	152
Prison Admissions--Drug	130	116	158
Prison Admissions--DWI	51	59	50


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 9

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 211,003
2016 POPULATION ESTIMATE 211,468


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	257	279	218
Anxiety Disorder	1,309	1,350	1,244
Dementia	7	*	*
Developmental Disorder	30	40	41
Impulse Control Disorder	582	664	645
Mood Disorder	2,023	2,085	1,754
Personality Disorder	357	455	474
Psychotic Disorder	401	363	314
Sexual Disorder	9	16	16
Other Diagnosis	488	389	296
Diagnosis Unknown	304	326	593

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	3,562	3,633	3,458	Less than High School Diploma	1,003	1,103	885
AGE				High School Grad or G.E.D.	0	0	0
Under 6	19	49	88	Associate Degree or Some College	0	0	0
6 to 9	161	213	251	Bachelor or Advanced Degree	0	0	0
10 to 13	287	294	312	Education Level Unknown	2,559	2,530	2,573
14 to 17	344	341	304	EMPLOYMENT			
18 to 24	334	352	299	Employed	280	309	228
25 to 29	314	311	307	Unemployed	163	173	229
30 to 34	380	355	277	Not in Labor Force	1,623	1,758	1,487
35 to 39	351	302	282	Employment Status Unknown	1,496	1,393	1,514
40 to 44	300	322	312	HOUSING / LIVING ARRANGEMENT			
45 to 49	303	311	318	Independent Living	1,211	1,346	1,028
50 to 54	359	355	337	Dependent Living	825	868	838
55 to 59	262	271	217	Homeless	73	74	59
60 and Over	148	157	154	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,453	1,345	1,533
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,712	1,747	1,623	Self / Family / Friend	2,722	2,797	2,838
Female	1,850	1,886	1,835	School	0	*	0
Gender Unknown	0	0	0	Mental Health Provider	32	37	47
RACE / ETHNICITY				Health Care Provider	340	299	190
Caucasian	3,253	3,324	3,133	Court / Criminal Justice	379	382	206
African American	87	89	89	Other	81	103	161
Native American / Alaskan	18	15	15	Referral Source Unknown	8	13	16
Asian / Pacific Islander	9	5	7	TYPE OF COMMITMENT			
Hispanic	106	108	134	Voluntary	3,192	3,238	3,257
Other Race	89	92	80	Civil	339	364	170
Race/Ethnicity Unknown	0	0	0	Criminal	19	15	10
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	42	34	39	Commitment Type Unknown	9	14	17
Past or Current Military Service	70	60	53				

PSYCHIATRIC SERVICE AREA 10



DBH REGION	Southwest
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	10
POPULATION	
Census 2010	520,589
2016 Estimate	544,712

BIRTH RISK	2015	2014	2013
Resident Births	6,701	6,608	6,504
Mother Reported Smoking while Pregnant	1,208	1,207	1,218

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	13	23	12
Hepatitis B Chronic, Acute, Prenatal	52	57	57
Hepatitis C Chronic and Acute	632	738	660
Tuberculosis Infection Cases	195	185	190

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	5,403	5,090	5,012
Suicide	131	94	80
Homicide	18	27	17
Alcohol Induced Deaths	49	50	47
Drug Induced Deaths	123	108	92
Smoking Attributable Deaths	881	841	869
Self-inflicted Injuries *	792	922	803
Assault Injuries *	1,615	1,522	1,587

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,787	2,979	2,774
Mental Illness Secondary Diagnosis	6,856	4,565	4,472
Alcohol Principal Diagnosis	467	146	221
Alcohol Secondary Diagnosis	538	202	216
Drug Principal Diagnosis	350	204	233
Drug Secondary Diagnosis	915	390	337
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,543	3,250	3,108
Mental Illness Secondary Diagnosis	8,054	10,624	10,582
Alcohol Principal Diagnosis	923	1,148	1,097
Alcohol Secondary Diagnosis	926	1,175	1,172
Drug Principal Diagnosis	537	766	714
Drug Secondary Diagnosis	926	1,043	969
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	5,007	4,908	4,633
Mental Illness Secondary Diagnosis	21,991	21,175	23,702
Alcohol Principal Diagnosis	1,926	1,952	2,034
Alcohol Secondary Diagnosis	1,044	944	1,334
Drug Principal Diagnosis	1,657	1,466	1,357
Drug Secondary Diagnosis	1,893	1,738	1,889

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	610	575	577
Alcohol Package Carry-out Licenses	474	457	452

EMPLOYMENT	2016	2015	2014
Labor Force	273,234	273,706	266,370
Employed	261,056	260,413	251,028
Unemployed	12,178	13,293	15,342
Unemployment Rate	4.5%	4.9%	5.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	520	501	497
Fatal Crashes	16	12	8
Injury Crashes	220	210	199
Property Damage Crashes	284	279	290
Crash Fatalities	17	14	9
Crash Injuries		287	290
Drug Involved Crashes	150	131	128
Fatal Crashes	6	7	5
Injury Crashes	65	58	61
Property Damage Crashes	79	66	62
Crash Fatalities	6	9	5
Crash Injuries	102	86	104

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	2,080	1,909	2,430
Liquor Law Arrests	688	516	365
Drug Arrests	3,862	3,436	2,859
Methamphetamine Lab Seizures	21	38	75
Violent Offenses	3,135	3,198	2,741
Domestic Violence Reports	5,546	5,430	5,351
Property Offenses	22,093	21,312	20,155

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	23,114	22,688	22,584
Drop-outs	385	356	311
Drop-out Rate	1.7%	1.6%	1.4%
School Discipline Involving Alcohol	32	51	43
School Discipline Involving Drugs	244	244	268
School Discipline Involving Tobacco	6	12	12

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	804	890	713
Juvenile Alcohol Offenses	110	86	100
Juvenile Drug Offenses	239	272	230
School Truancy Status Offense	46	143	43
Absent from Home Status Offense	224	284	188
Beyond Parental Control Status Offense	89	133	144
Injurious Behavior Status Offense	481	548	506
Child Abuse	128	241	199
Child Neglect	858	1,076	989
Child Custody Issues	186	181	162

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	584	663	687
Parental Alcohol Use Related	22	22	21
Parental Drug Use Related	208	256	257
Parental Alcohol and Drug Use	15	22	33

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	2,113	1,886	1,880
Probation/Parole Admissions--Drug	1,202	1,132	1,171
Probation/Parole Admissions--DWI	197	217	200
Prison Admissions--Drug	572	565	590
Prison Admissions--DWI	80	73	87


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 10

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 520,589
2016 POPULATION ESTIMATE 541,563


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	170	141	135
Anxiety Disorder	2,048	1,735	1,526
Dementia	26	25	20
Developmental Disorder	123	104	97
Impulse Control Disorder	600	435	405
Mood Disorder	2,590	2,420	2,352
Personality Disorder	650	612	543
Psychotic Disorder	983	938	921
Sexual Disorder	15	12	12
Other Diagnosis	697	438	415
Diagnosis Unknown	306	302	284

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	3,991	3,711	3,654	Less than High School Diploma	1,268	990	949
AGE				High School Grad or G.E.D.	0	0	*
Under 6	97	97	109	Associate Degree or Some College	0	0	0
6 to 9	247	203	177	Bachelor or Advanced Degree	0	0	0
10 to 13	264	188	187	Education Level Unknown	2,723	2,721	2,704
14 to 17	219	156	166	EMPLOYMENT			
18 to 24	246	232	257	Employed	193	128	130
25 to 29	262	278	272	Unemployed	160	134	143
30 to 34	342	367	362	Not in Labor Force	2,514	2,011	1,990
35 to 39	391	364	381	Employment Status Unknown	1,124	1,438	1,391
40 to 44	361	371	352	HOUSING / LIVING ARRANGEMENT			
45 to 49	413	390	428	Independent Living	1,466	1,080	1,172
50 to 54	488	477	419	Dependent Living	1,144	1,002	966
55 to 59	348	304	301	Homeless	139	112	70
60 and Over	313	284	243	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,242	1,517	1,446
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,939	1,769	1,725	Self / Family / Friend	1,957	1,847	1,913
Female	2,052	1,942	1,929	School	22	10	15
Gender Unknown	0	0	0	Mental Health Provider	154	190	158
RACE / ETHNICITY				Health Care Provider	873	666	594
Caucasian	3,510	3,302	3,249	Court / Criminal Justice	278	304	251
African American	147	150	146	Other	648	628	652
Native American / Alaskan	7	9	11	Referral Source Unknown	59	66	71
Asian / Pacific Islander	9	7	8	TYPE OF COMMITMENT			
Hispanic	93	82	80	Voluntary	3,877	3,582	3,536
Other Race	225	161	160	Civil	21	30	13
Race/Ethnicity Unknown	0	0	0	Criminal	31	29	32
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	115	120	120	Commitment Type Unknown	61	67	71
Past or Current Military Service	119	115	106				

PSYCHIATRIC SERVICE AREA 11



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	11
POPULATION	
Census 2010	246,463
2016 Estimate	248,142

BIRTH RISK	2015	2014	2013
Resident Births	3,054	3,111	3,058
Mother Reported Smoking while Pregnant	609	634	630

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	13	5	10
Hepatitis B Chronic, Acute, Prenatal	19	26	13
Hepatitis C Chronic and Acute	150	244	189
Tuberculosis Infection Cases	51	45	84

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	2,300	2,250	2,176
Suicide	37	44	37
Homicide	12	12	14
Alcohol Induced Deaths	21	14	12
Drug Induced Deaths	40	30	29
Smoking Attributable Deaths	446	403	407
Self-inflicted Injuries *	212	270	276
Assault Injuries *	707	678	656

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,631	1,324	1,302
Mental Illness Secondary Diagnosis	3,348	2,598	2,607
Alcohol Principal Diagnosis	114	65	80
Alcohol Secondary Diagnosis	274	159	186
Drug Principal Diagnosis	147	92	104
Drug Secondary Diagnosis	251	180	170
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	803	1,030	909
Mental Illness Secondary Diagnosis	2,986	3,744	3,418
Alcohol Principal Diagnosis	144	203	207
Alcohol Secondary Diagnosis	306	405	429
Drug Principal Diagnosis	84	113	135
Drug Secondary Diagnosis	178	194	206
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	2,305	2,134	2,045
Mental Illness Secondary Diagnosis	12,642	13,456	9,068
Alcohol Principal Diagnosis	462	445	430
Alcohol Secondary Diagnosis	447	474	511
Drug Principal Diagnosis	354	354	369
Drug Secondary Diagnosis	626	483	427

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	390	391	409
Alcohol Package Carry-out Licenses	279	276	270

EMPLOYMENT	2016	2015	2014
Labor Force	109,075	109,365	108,546
Employed	104,024	103,652	101,406
Unemployed	5,051	5,713	7,140
Unemployment Rate	4.6%	5.2%	6.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	288	238	261
Fatal Crashes	7	7	12
Injury Crashes	143	95	101
Property Damage Crashes	138	136	148
Crash Fatalities	9	7	13
Crash Injuries		124	155
Drug Involved Crashes	42	68	72
Fatal Crashes	3	5	5
Injury Crashes	16	23	33
Property Damage Crashes	23	40	34
Crash Fatalities	4	5	5
Crash Injuries	23	37	48

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	1,053	1,010	1,080
Liquor Law Arrests	151	237	182
Drug Arrests	2,123	2,039	1,563
Methamphetamine Lab Seizures	9	13	35
Violent Offenses	700	613	623
Domestic Violence Reports	1,796	1,876	1,840
Property Offenses	4,714	5,056	5,001

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	11,326	11,364	11,392
Drop-outs	189	173	200
Drop-out Rate	1.7%	1.5%	1.8%
School Discipline Involving Alcohol	10	29	28
School Discipline Involving Drugs	159	119	103
School Discipline Involving Tobacco	7	10	3

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	204	199	249
Juvenile Alcohol Offenses	30	40	17
Juvenile Drug Offenses	66	67	62
School Truancy Status Offense	241	229	210
Absent from Home Status Offense	68	89	53
Beyond Parental Control Status Offense	83	123	117
Injurious Behavior Status Offense	388	329	317
Child Abuse	508	605	568
Child Neglect	669	675	672
Child Custody Issues	145	16	4

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	353	336	320
Parental Alcohol Use Related	8	18	23
Parental Drug Use Related	144	136	98
Parental Alcohol and Drug Use	7	12	17

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	188	216	140
Probation/Parole Admissions--Drug	909	783	828
Probation/Parole Admissions--DWI	82	80	110
Prison Admissions--Drug	422	409	389
Prison Admissions--DWI	37	46	41


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 11

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 246,463
2016 POPULATION ESTIMATE 248,454


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	173	115	93
Anxiety Disorder	1,507	1,339	1,141
Dementia	0	*	*
Developmental Disorder	40	33	29
Impulse Control Disorder	411	347	278
Mood Disorder	1,695	1,633	1,525
Personality Disorder	205	155	101
Psychotic Disorder	433	390	360
Sexual Disorder	7	7	6
Other Diagnosis	254	166	170
Diagnosis Unknown	87	88	151

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	2,471	2,371	2,294	Less than High School Diploma	1,022	928	841
AGE				High School Grad or G.E.D.	0	0	0
Under 6	29	28	39	Associate Degree or Some College	0	0	0
6 to 9	171	153	131	Bachelor or Advanced Degree	0	0	0
10 to 13	213	181	189	Education Level Unknown	1,449	1,443	1,453
14 to 17	216	211	210	EMPLOYMENT			
18 to 24	170	155	171	Employed	158	121	117
25 to 29	157	171	171	Unemployed	174	189	178
30 to 34	205	205	210	Not in Labor Force	1,736	1,528	1,398
35 to 39	218	204	194	Employment Status Unknown	403	533	601
40 to 44	187	208	196	HOUSING / LIVING ARRANGEMENT			
45 to 49	242	225	224	Independent Living	1,218	1,072	983
50 to 54	256	269	243	Dependent Living	825	746	711
55 to 59	211	189	172	Homeless	64	49	26
60 and Over	196	172	144	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	364	504	574
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,075	1,029	1,042	Self / Family / Friend	1,663	1,555	1,414
Female	1,396	1,342	1,252	School	6	14	8
Gender Unknown	0	0	0	Mental Health Provider	117	127	143
RACE / ETHNICITY				Health Care Provider	305	276	254
Caucasian	2,156	2,126	2,071	Court / Criminal Justice	74	101	152
African American	166	128	124	Other	303	297	321
Native American / Alaskan	9	6	7	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	60	46	40	Voluntary	2,441	2,341	2,265
Other Race	76	61	49	Civil	*	9	7
Race/Ethnicity Unknown	0	0	0	Criminal	19	17	19
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	81	85	78	Commitment Type Unknown	*	*	*
Past or Current Military Service	55	66	56				

PSYCHIATRIC SERVICE AREA 12



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	12
POPULATION	
Census 2010	334,670
2016 Estimate	347,206

BIRTH RISK	2015	2014	2013
Resident Births	4,194	4,250	4,320
Mother Reported Smoking while Pregnant	635	698	804

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	16	24	15
Hepatitis B Chronic, Acute, Prenatal	33	46	36
Hepatitis C Chronic and Acute	184	321	268
Tuberculosis Infection Cases	215	187	228

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	2,924	2,934	2,993
Suicide	51	48	56
Homicide	9	14	12
Alcohol Induced Deaths	22	25	15
Drug Induced Deaths	28	40	42
Smoking Attributable Deaths	469	485	509
Self-inflicted Injuries *	290	314	398
Assault Injuries *	1,022	1,002	981

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,796	1,594	1,647
Mental Illness Secondary Diagnosis	5,804	4,831	5,188
Alcohol Principal Diagnosis	233	125	157
Alcohol Secondary Diagnosis	434	333	413
Drug Principal Diagnosis	139	63	68
Drug Secondary Diagnosis	448	328	300
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,207	1,636	1,621
Mental Illness Secondary Diagnosis	3,379	4,158	4,294
Alcohol Principal Diagnosis	375	447	458
Alcohol Secondary Diagnosis	406	523	538
Drug Principal Diagnosis	184	236	207
Drug Secondary Diagnosis	282	345	297
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	3,148	2,819	2,723
Mental Illness Secondary Diagnosis	12,028	11,820	10,739
Alcohol Principal Diagnosis	875	800	671
Alcohol Secondary Diagnosis	781	811	947
Drug Principal Diagnosis	493	438	357
Drug Secondary Diagnosis	1,155	847	780

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	473	454	454
Alcohol Package Carry-out Licenses	315	318	322

EMPLOYMENT	2016	2015	2014
Labor Force	178,821	180,681	176,998
Employed	171,690	172,826	167,922
Unemployed	7,131	7,855	9,076
Unemployment Rate	4.0%	4.3%	5.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	307	299	319
Fatal Crashes	10	8	11
Injury Crashes	135	111	107
Property Damage Crashes	162	180	201
Crash Fatalities	11	9	16
Crash Injuries		142	138
Drug Involved Crashes	79	47	65
Fatal Crashes	4	5	3
Injury Crashes	34	21	26
Property Damage Crashes	41	21	36
Crash Fatalities	6	5	3
Crash Injuries	51	32	42

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	1,517	1,528	1,902
Liquor Law Arrests	484	490	686
Drug Arrests	2,833	2,277	2,119
Methamphetamine Lab Seizures	9	16	25
Violent Offenses	1,045	1,223	994
Domestic Violence Reports	2,765	2,860	2,955
Property Offenses	7,610	8,297	9,118

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	14,103	14,036	14,038
Drop-outs	226	211	264
Drop-out Rate	1.6%	1.5%	1.9%
School Discipline Involving Alcohol	10	9	3
School Discipline Involving Drugs	29	27	53
School Discipline Involving Tobacco	4	2	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	410	522	443
Juvenile Alcohol Offenses	31	51	51
Juvenile Drug Offenses	98	95	126
School Truancy Status Offense	243	275	271
Absent from Home Status Offense	127	143	216
Beyond Parental Control Status Offense	241	276	259
Injurious Behavior Status Offense	740	814	606
Child Abuse	80	116	98
Child Neglect	606	574	482
Child Custody Issues	54	101	48

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	403	405	392
Parental Alcohol Use Related	8	4	22
Parental Drug Use Related	154	151	136
Parental Alcohol and Drug Use	6	9	15

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	446	374	326
Probation/Parole Admissions--Drug	1,015	867	846
Probation/Parole Admissions--DWI	93	132	139
Prison Admissions--Drug	508	471	511
Prison Admissions--DWI	71	56	68


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 12

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 334,670
2016 POPULATION ESTIMATE 345,274


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	165	161	154
Anxiety Disorder	1,845	1,750	1,723
Dementia	8	10	8
Developmental Disorder	63	72	70
Impulse Control Disorder	640	595	520
Mood Disorder	2,441	2,400	2,384
Personality Disorder	318	335	370
Psychotic Disorder	627	645	620
Sexual Disorder	13	13	12
Other Diagnosis	436	299	252
Diagnosis Unknown	192	207	195

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	3,619	3,595	3,516	Less than High School Diploma	1,316	1,264	1,120
AGE				High School Grad or G.E.D.	0	0	*
Under 6	21	22	22	Associate Degree or Some College	0	0	0
6 to 9	200	181	155	Bachelor or Advanced Degree	0	0	0
10 to 13	244	249	232	Education Level Unknown	2,303	2,331	2,395
14 to 17	282	281	252	EMPLOYMENT			
18 to 24	269	263	272	Employed	346	328	327
25 to 29	274	264	286	Unemployed	220	229	299
30 to 34	322	306	339	Not in Labor Force	2,574	2,489	2,338
35 to 39	326	315	315	Employment Status Unknown	479	549	552
40 to 44	309	325	322	HOUSING / LIVING ARRANGEMENT			
45 to 49	357	341	378	Independent Living	1,895	1,943	1,924
50 to 54	403	422	378	Dependent Living	1,043	936	896
55 to 59	298	311	293	Homeless	118	117	100
60 and Over	314	315	272	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	563	599	596
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,654	1,602	1,591	Self / Family / Friend	1,740	1,694	1,599
Female	1,965	1,993	1,925	School	98	39	22
Gender Unknown	0	0	0	Mental Health Provider	276	303	323
RACE / ETHNICITY				Health Care Provider	711	771	808
Caucasian	2,754	2,741	2,711	Court / Criminal Justice	271	259	286
African American	611	635	602	Other	517	520	470
Native American / Alaskan	5	5	*	Referral Source Unknown	6	9	8
Asian / Pacific Islander	10	11	12	TYPE OF COMMITMENT			
Hispanic	65	54	54	Voluntary	3,564	3,542	3,447
Other Race	174	149	133	Civil	6	11	11
Race/Ethnicity Unknown	0	0	0	Criminal	37	31	45
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	127	117	114	Commitment Type Unknown	9	8	9
Past or Current Military Service	84	88	90				

PSYCHIATRIC SERVICE AREA 13



DBH REGION	Western
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	13
POPULATION	
Census 2010	80,509
2016 Estimate	78,205

BIRTH RISK	2015	2014	2013
Resident Births	996	984	970
Mother Reported Smoking while Pregnant	269	256	236

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	2	0
Hepatitis B Chronic, Acute, Prenatal	5	3	2
Hepatitis C Chronic and Acute	45	98	34
Tuberculosis Infection Cases	13	11	12

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,017	1,062	975
Suicide	10	14	12
Homicide	0	2	0
Alcohol Induced Deaths	3	8	1
Drug Induced Deaths	9	16	12
Smoking Attributable Deaths	187	193	185
Self-inflicted Injuries *	72	110	119
Assault Injuries *	167	152	180

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	564	544	575
Mental Illness Secondary Diagnosis	1,976	1,694	1,539
Alcohol Principal Diagnosis	23	23	21
Alcohol Secondary Diagnosis	152	110	137
Drug Principal Diagnosis	20	23	33
Drug Secondary Diagnosis	110	90	91
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	112	161	166
Mental Illness Secondary Diagnosis	655	861	877
Alcohol Principal Diagnosis	14	34	11
Alcohol Secondary Diagnosis	73	100	84
Drug Principal Diagnosis	10	19	15
Drug Secondary Diagnosis	38	58	51
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	742	767	749
Mental Illness Secondary Diagnosis	1,758	1,857	2,039
Alcohol Principal Diagnosis	88	84	60
Alcohol Secondary Diagnosis	195	183	143
Drug Principal Diagnosis	79	95	90
Drug Secondary Diagnosis	172	167	151

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	74	76	79
Alcohol Package Carry-out Licenses	100	101	103

EMPLOYMENT	2016	2015	2014
Labor Force	37,611	37,634	36,976
Employed	35,838	35,794	34,791
Unemployed	1,773	1,840	2,185
Unemployment Rate	4.7%	4.9%	5.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	56	68	70
Fatal Crashes	2	3	2
Injury Crashes	24	38	44
Property Damage Crashes	30	27	24
Crash Fatalities	2	3	2
Crash Injuries		54	57
Drug Involved Crashes	10	14	15
Fatal Crashes	0	1	1
Injury Crashes	5	7	7
Property Damage Crashes	5	6	7
Crash Fatalities	0	1	1
Crash Injuries	5	12	13

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	265	315	349
Liquor Law Arrests	61	82	100
Drug Arrests	581	537	419
Methamphetamine Lab Seizures	3	3	1
Violent Offenses	139	145	128
Domestic Violence Reports	383	396	410
Property Offenses	944	1,027	1,042

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	3,735	3,688	3,672
Drop-outs	35	28	31
Drop-out Rate	0.9%	0.8%	0.8%
School Discipline Involving Alcohol	6	4	2
School Discipline Involving Drugs	7	12	8
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	42	69	61
Juvenile Alcohol Offenses	9	34	9
Juvenile Drug Offenses	11	20	17
School Truancy Status Offense	110	233	153
Absent from Home Status Offense	15	16	12
Beyond Parental Control Status Offense	49	52	29
Injurious Behavior Status Offense	62	70	100
Child Abuse	60	71	81
Child Neglect	136	224	223
Child Custody Issues	18	12	0

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	127	126	135
Parental Alcohol Use Related	2	0	9
Parental Drug Use Related	46	68	51
Parental Alcohol and Drug Use	2	2	7

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	96	84	92
Probation/Parole Admissions--Drug	322	343	288
Probation/Parole Admissions--DWI	25	31	44
Prison Admissions--Drug	194	231	193
Prison Admissions--DWI	14	16	30


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 13

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 80,509
2016 POPULATION ESTIMATE 78,138


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	70	46	35
Anxiety Disorder	905	767	615
Dementia	8	8	*
Developmental Disorder	36	33	43
Impulse Control Disorder	358	308	244
Mood Disorder	1,246	1,045	889
Personality Disorder	167	157	148
Psychotic Disorder	183	145	146
Sexual Disorder	8	6	6
Other Diagnosis	233	205	161
Diagnosis Unknown	73	42	55

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,844	1,488	1,265	Less than High School Diploma	718	598	492
AGE				High School Grad or G.E.D.	0	0	18
Under 6	22	7	6	Associate Degree or Some College	0	0	*
6 to 9	127	100	81	Bachelor or Advanced Degree	0	0	0
10 to 13	179	154	133	Education Level Unknown	1,126	890	753
14 to 17	184	131	119	EMPLOYMENT			
18 to 24	185	145	121	Employed	221	175	126
25 to 29	133	111	84	Unemployed	140	119	131
30 to 34	172	126	101	Not in Labor Force	1,208	1,021	858
35 to 39	137	101	96	Employment Status Unknown	275	173	150
40 to 44	127	110	113	HOUSING / LIVING ARRANGEMENT			
45 to 49	143	133	92	Independent Living	852	756	661
50 to 54	148	125	119	Dependent Living	678	525	441
55 to 59	132	110	91	Homeless	26	32	11
60 and Over	155	135	109	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	288	175	152
GENDER				TREATMENT REFERRAL SOURCE			
Male	814	652	563	Self / Family / Friend	961	776	647
Female	1,030	836	702	School	60	31	22
Gender Unknown	0	0	0	Mental Health Provider	68	81	95
RACE / ETHNICITY				Health Care Provider	376	283	228
Caucasian	1,745	1,411	1,205	Court / Criminal Justice	146	120	116
African American	30	23	19	Other	226	190	150
Native American / Alaskan	*	*	*	Referral Source Unknown	7	7	7
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	28	26	21	Voluntary	1,835	1,477	1,255
Other Race	37	24	17	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	45	34	28	Commitment Type Unknown	7	7	7
Past or Current Military Service	46	29	26				

PSYCHIATRIC SERVICE AREA 14



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	14
POPULATION	
Census 2010	107,082
2016 Estimate	105,622

BIRTH RISK	2015	2014	2013
Resident Births	1,343	1,221	1,297
Mother Reported Smoking while Pregnant	274	250	309

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	4	1	5
Hepatitis B Chronic, Acute, Prenatal	6	5	1
Hepatitis C Chronic and Acute	61	66	37
Tuberculosis Infection Cases	23	31	22

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,244	1,226	1,149
Suicide	19	24	24
Homicide	2	2	4
Alcohol Induced Deaths	3	3	6
Drug Induced Deaths	20	11	15
Smoking Attributable Deaths	207	220	207
Self-inflicted Injuries *	112	132	131
Assault Injuries *	199	212	176

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	550	601	515
Mental Illness Secondary Diagnosis	2,050	1,799	1,958
Alcohol Principal Diagnosis	30	29	47
Alcohol Secondary Diagnosis	143	119	146
Drug Principal Diagnosis	22	25	22
Drug Secondary Diagnosis	101	78	95
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	136	181	155
Mental Illness Secondary Diagnosis	756	1,084	1,123
Alcohol Principal Diagnosis	18	27	31
Alcohol Secondary Diagnosis	67	134	105
Drug Principal Diagnosis	18	28	26
Drug Secondary Diagnosis	55	65	58
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	708	691	678
Mental Illness Secondary Diagnosis	1,656	1,489	1,201
Alcohol Principal Diagnosis	201	222	209
Alcohol Secondary Diagnosis	126	117	114
Drug Principal Diagnosis	125	133	96
Drug Secondary Diagnosis	118	82	76

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	148	145	149
Alcohol Package Carry-out Licenses	137	133	134

EMPLOYMENT	2016	2015	2014
Labor Force	51,086	51,422	50,918
Employed	48,584	48,801	47,938
Unemployed	2,502	2,621	2,980
Unemployment Rate	4.9%	5.1%	5.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	96	75	84
Fatal Crashes	4	3	0
Injury Crashes	38	29	35
Property Damage Crashes	54	43	49
Crash Fatalities	6	3	0
Crash Injuries		42	42
Drug Involved Crashes	18	15	28
Fatal Crashes	0	2	0
Injury Crashes	4	3	15
Property Damage Crashes	14	10	13
Crash Fatalities	0	2	0
Crash Injuries	5	6	20

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	448	428	447
Liquor Law Arrests	216	221	226
Drug Arrests	916	761	588
Methamphetamine Lab Seizures	16	33	70
Violent Offenses	220	246	222
Domestic Violence Reports	631	530	565
Property Offenses	2,206	2,169	2,355

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	4,635	4,726	4,796
Drop-outs	52	41	57
Drop-out Rate	1.1%	0.9%	1.2%
School Discipline Involving Alcohol	12	6	2
School Discipline Involving Drugs	10	15	8
School Discipline Involving Tobacco	0	0	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	89	73	113
Juvenile Alcohol Offenses	21	43	21
Juvenile Drug Offenses	15	27	17
School Truancy Status Offense	131	173	202
Absent from Home Status Offense	10	15	10
Beyond Parental Control Status Offense	88	96	97
Injurious Behavior Status Offense	274	301	335
Child Abuse	52	103	83
Child Neglect	365	514	420
Child Custody Issues	4	3	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	227	254	171
Parental Alcohol Use Related	12	18	5
Parental Drug Use Related	86	93	60
Parental Alcohol and Drug Use	10	14	3

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	159	147	139
Probation/Parole Admissions--Drug	380	335	331
Probation/Parole Admissions--DWI	37	42	54
Prison Admissions--Drug	241	176	183
Prison Admissions--DWI	12	16	21


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 14

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 107,082
2016 POPULATION ESTIMATE 105,933


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	96	65	55
Anxiety Disorder	743	597	538
Dementia	8	7	*
Developmental Disorder	82	74	63
Impulse Control Disorder	623	501	501
Mood Disorder	1,284	1,125	1,075
Personality Disorder	142	130	127
Psychotic Disorder	344	322	322
Sexual Disorder	7	5	*
Other Diagnosis	348	245	222
Diagnosis Unknown	71	74	127

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,960	1,705	1,677	Less than High School Diploma	850	745	701
AGE				High School Grad or G.E.D.	0	0	0
Under 6	23	8	6	Associate Degree or Some College	0	0	0
6 to 9	144	105	97	Bachelor or Advanced Degree	0	0	0
10 to 13	181	146	141	Education Level Unknown	1,110	960	976
14 to 17	207	185	169	EMPLOYMENT			
18 to 24	180	147	176	Employed	178	124	105
25 to 29	144	122	121	Unemployed	99	100	84
30 to 34	160	142	153	Not in Labor Force	1,424	1,270	1,237
35 to 39	167	152	151	Employment Status Unknown	259	211	251
40 to 44	120	139	147	HOUSING / LIVING ARRANGEMENT			
45 to 49	164	140	152	Independent Living	841	752	699
50 to 54	193	182	158	Dependent Living	789	682	636
55 to 59	144	129	97	Homeless	17	12	7
60 and Over	133	108	109	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	313	259	335
GENDER				TREATMENT REFERRAL SOURCE			
Male	964	821	818	Self / Family / Friend	450	411	447
Female	996	884	859	School	14	8	7
Gender Unknown	0	0	0	Mental Health Provider	104	76	83
RACE / ETHNICITY				Health Care Provider	250	210	189
Caucasian	1,697	1,487	1,449	Court / Criminal Justice	36	36	39
African American	172	143	151	Other	1,090	946	888
Native American / Alaskan	*	*	*	Referral Source Unknown	16	18	24
Asian / Pacific Islander	0	0	0	TYPE OF COMMITMENT			
Hispanic	19	23	33	Voluntary	1,923	1,666	1,631
Other Race	68	50	43	Civil	*	5	*
Race/Ethnicity Unknown	0	0	0	Criminal	15	11	14
TREATMENT ACCOMMODATION				Sexual Predatory	5	5	*
Hearing Impaired	28	25	21	Commitment Type Unknown	16	18	24
Past or Current Military Service	59	45	43				

PSYCHIATRIC SERVICE AREA 15



DBH REGION	Central
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	15
POPULATION	
Census 2010	119,620
2016 Estimate	119,939

BIRTH RISK	2015	2014	2013
Resident Births	1,381	1,413	1,368
Mother Reported Smoking while Pregnant	361	371	360

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	5	1	5
Hepatitis B Chronic, Acute, Prenatal	6	13	5
Hepatitis C Chronic and Acute	119	568	206
Tuberculosis Infection Cases	25	23	26

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,262	1,198	1,228
Suicide	16	17	19
Homicide	3	3	2
Alcohol Induced Deaths	3	8	6
Drug Induced Deaths	20	14	19
Smoking Attributable Deaths	231	239	227
Self-inflicted Injuries *	115	141	162
Assault Injuries *	444	398	432

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	622	537	601
Mental Illness Secondary Diagnosis	1,979	1,544	1,601
Alcohol Principal Diagnosis	49	23	38
Alcohol Secondary Diagnosis	137	125	116
Drug Principal Diagnosis	49	21	24
Drug Secondary Diagnosis	150	113	100
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	424	590	559
Mental Illness Secondary Diagnosis	1,496	1,829	1,862
Alcohol Principal Diagnosis	67	74	98
Alcohol Secondary Diagnosis	124	179	167
Drug Principal Diagnosis	39	91	65
Drug Secondary Diagnosis	102	131	105
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,014	1,019	1,000
Mental Illness Secondary Diagnosis	2,327	2,126	1,939
Alcohol Principal Diagnosis	186	145	131
Alcohol Secondary Diagnosis	215	216	211
Drug Principal Diagnosis	187	170	109
Drug Secondary Diagnosis	309	193	188

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	145	139	142
Alcohol Package Carry-out Licenses	142	142	140

EMPLOYMENT	2016	2015	2014
Labor Force	57,077	57,461	56,435
Employed	54,639	54,767	53,215
Unemployed	2,438	2,694	3,220
Unemployment Rate	4.3%	4.7%	5.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	101	108	107
Fatal Crashes	3	6	4
Injury Crashes	44	49	57
Property Damage Crashes	54	53	46
Crash Fatalities	5	9	4
Crash Injuries		72	80
Drug Involved Crashes	23	20	25
Fatal Crashes	1	1	1
Injury Crashes	3	8	10
Property Damage Crashes	19	11	14
Crash Fatalities	2	4	1
Crash Injuries	5	10	12

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	510	472	513
Liquor Law Arrests	44	81	105
Drug Arrests	844	778	633
Methamphetamine Lab Seizures	13	16	32
Violent Offenses	305	269	258
Domestic Violence Reports	1,220	1,248	1,179
Property Offenses	2,054	2,205	2,183

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	4,388	4,324	4,275
Drop-outs	94	86	111
Drop-out Rate	2.1%	2.0%	2.6%
School Discipline Involving Alcohol	15	7	12
School Discipline Involving Drugs	25	22	15
School Discipline Involving Tobacco	0	9	2

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	110	175	115
Juvenile Alcohol Offenses	27	40	21
Juvenile Drug Offenses	22	67	46
School Truancy Status Offense	73	166	116
Absent from Home Status Offense	25	35	20
Beyond Parental Control Status Offense	123	146	110
Injurious Behavior Status Offense	159	264	253
Child Abuse	41	52	56
Child Neglect	262	287	286
Child Custody Issues	20	19	27

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	225	193	201
Parental Alcohol Use Related	7	7	1
Parental Drug Use Related	106	77	66
Parental Alcohol and Drug Use	4	11	7

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	96	86	87
Probation/Parole Admissions--Drug	361	326	347
Probation/Parole Admissions--DWI	45	39	52
Prison Admissions--Drug	187	147	159
Prison Admissions--DWI	18	22	20


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 15

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 119,620
2016 POPULATION ESTIMATE 119,611


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	132	132	159
Anxiety Disorder	652	656	812
Dementia	6	5	10
Developmental Disorder	81	66	94
Impulse Control Disorder	506	463	626
Mood Disorder	1,087	1,077	1,339
Personality Disorder	134	170	192
Psychotic Disorder	273	259	305
Sexual Disorder	36	23	15
Other Diagnosis	264	183	228
Diagnosis Unknown	141	128	172

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,742	1,633	2,063	Less than High School Diploma	658	622	739
AGE				High School Grad or G.E.D.	0	0	0
Under 6	20	14	28	Associate Degree or Some College	0	0	0
6 to 9	137	122	140	Bachelor or Advanced Degree	0	0	0
10 to 13	185	130	190	Education Level Unknown	1,084	1,011	1,324
14 to 17	191	181	212	EMPLOYMENT			
18 to 24	166	137	197	Employed	174	116	153
25 to 29	137	130	148	Unemployed	130	107	171
30 to 34	109	125	182	Not in Labor Force	1,042	1,028	1,224
35 to 39	135	152	193	Employment Status Unknown	396	382	515
40 to 44	134	137	150	HOUSING / LIVING ARRANGEMENT			
45 to 49	125	135	189	Independent Living	616	575	677
50 to 54	164	151	186	Dependent Living	595	532	626
55 to 59	117	109	131	Homeless	19	25	18
60 and Over	122	110	117	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	512	501	742
GENDER				TREATMENT REFERRAL SOURCE			
Male	858	774	1,022	Self / Family / Friend	1,058	858	1,160
Female	884	859	1,041	School	21	21	25
Gender Unknown	0	0	0	Mental Health Provider	126	149	156
RACE / ETHNICITY				Health Care Provider	132	142	164
Caucasian	1,533	1,454	1,844	Court / Criminal Justice	73	64	78
African American	132	117	128	Other	330	397	478
Native American / Alaskan	*	5	5	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	19	16	22	Voluntary	1,671	1,580	2,021
Other Race	54	40	61	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	30	27	30
TREATMENT ACCOMMODATION				Sexual Predatory	36	23	8
Hearing Impaired	53	56	65	Commitment Type Unknown	*	*	*
Past or Current Military Service	39	40	45				

PSYCHIATRIC SERVICE AREA 16



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	16
POPULATION	
Census 2010	547,056
2016 Estimate	582,825

BIRTH RISK	2015	2014	2013
Resident Births	6,964	6,850	6,912
Mother Reported Smoking while Pregnant	903	894	1,060

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	21	24	14
Hepatitis B Chronic, Acute, Prenatal	25	40	30
Hepatitis C Chronic and Acute	305	396	307
Tuberculosis Infection Cases	98	87	111

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	4,558	4,313	4,093
Suicide	100	78	84
Homicide	18	10	9
Alcohol Induced Deaths	26	32	25
Drug Induced Deaths	115	112	105
Smoking Attributable Deaths	782	773	719
Self-inflicted Injuries *	530	598	555
Assault Injuries *	1,189	1,147	1,241

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	4,156	3,683	3,813
Mental Illness Secondary Diagnosis	8,511	5,954	6,704
Alcohol Principal Diagnosis	400	311	337
Alcohol Secondary Diagnosis	694	425	439
Drug Principal Diagnosis	478	303	299
Drug Secondary Diagnosis	524	365	364
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,595	3,058	2,660
Mental Illness Secondary Diagnosis	8,249	9,947	8,976
Alcohol Principal Diagnosis	200	264	244
Alcohol Secondary Diagnosis	899	1,040	907
Drug Principal Diagnosis	120	172	172
Drug Secondary Diagnosis	450	513	463
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,743	4,093	3,885
Mental Illness Secondary Diagnosis	19,168	19,206	20,259
Alcohol Principal Diagnosis	985	764	812
Alcohol Secondary Diagnosis	974	860	899
Drug Principal Diagnosis	1,020	893	758
Drug Secondary Diagnosis	1,115	1,132	1,326

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	694	675	671
Alcohol Package Carry-out Licenses	408	394	382

EMPLOYMENT	2016	2015	2014
Labor Force	318,053	315,127	304,893
Employed	306,017	301,830	288,607
Unemployed	12,036	13,297	16,286
Unemployment Rate	3.8%	4.2%	5.3%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	500	531	492
Fatal Crashes	15	17	17
Injury Crashes	198	174	163
Property Damage Crashes	287	340	312
Crash Fatalities	17	20	19
Crash Injuries		233	239
Drug Involved Crashes	125	123	106
Fatal Crashes	13	8	7
Injury Crashes	57	44	36
Property Damage Crashes	55	71	63
Crash Fatalities	13	9	7
Crash Injuries	97	58	53

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	2,241	2,290	2,680
Liquor Law Arrests	284	395	474
Drug Arrests	3,385	2,927	2,591
Methamphetamine Lab Seizures	10	40	155
Violent Offenses	1,029	940	891
Domestic Violence Reports	2,883	2,754	2,606
Property Offenses	9,065	9,051	9,089

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	27,093	26,845	26,950
Drop-outs	379	419	359
Drop-out Rate	1.4%	1.6%	1.3%
School Discipline Involving Alcohol	47	60	57
School Discipline Involving Drugs	212	228	195
School Discipline Involving Tobacco	5	4	5

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	420	444	424
Juvenile Alcohol Offenses	96	108	89
Juvenile Drug Offenses	189	223	213
School Truancy Status Offense	338	399	382
Absent from Home Status Offense	250	292	227
Beyond Parental Control Status Offense	49	59	56
Injurious Behavior Status Offense	222	201	226
Child Abuse	56	73	79
Child Neglect	659	676	684
Child Custody Issues	38	30	33

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	404	368	331
Parental Alcohol Use Related	2	21	9
Parental Drug Use Related	197	165	154
Parental Alcohol and Drug Use	18	5	7

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	538	592	517
Probation/Parole Admissions--Drug	1,059	934	933
Probation/Parole Admissions--DWI	199	258	229
Prison Admissions--Drug	514	447	454
Prison Admissions--DWI	76	86	87


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 16

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 547,056
2016 POPULATION ESTIMATE 575,773


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	120	122	83
Anxiety Disorder	3,030	3,142	2,592
Dementia	14	13	9
Developmental Disorder	187	208	176
Impulse Control Disorder	1,582	1,611	1,304
Mood Disorder	4,110	4,334	3,847
Personality Disorder	465	475	450
Psychotic Disorder	720	757	714
Sexual Disorder	16	12	10
Other Diagnosis	967	350	306
Diagnosis Unknown	849	238	214

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	6,327	6,001	5,333	Less than High School Diploma	2,101	2,091	1,920
AGE				High School Grad or G.E.D.	0	0	8
Under 6	36	22	34	Associate Degree or Some College	0	0	5
6 to 9	506	490	442	Bachelor or Advanced Degree	0	0	*
10 to 13	692	632	523	Education Level Unknown	4,226	3,910	3,397
14 to 17	731	690	556	EMPLOYMENT			
18 to 24	543	516	485	Employed	508	462	408
25 to 29	470	444	408	Unemployed	399	388	362
30 to 34	538	544	478	Not in Labor Force	3,357	3,318	2,994
35 to 39	502	451	414	Employment Status Unknown	2,063	1,833	1,569
40 to 44	443	439	399	HOUSING / LIVING ARRANGEMENT			
45 to 49	433	444	455	Independent Living	2,746	2,646	2,418
50 to 54	551	553	517	Dependent Living	1,404	1,423	1,240
55 to 59	454	415	339	Homeless	77	65	72
60 and Over	428	361	283	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	2,100	1,867	1,602
GENDER				TREATMENT REFERRAL SOURCE			
Male	2,927	2,783	2,541	Self / Family / Friend	2,089	2,104	1,701
Female	3,400	3,218	2,792	School	707	806	720
Gender Unknown	0	0	0	Mental Health Provider	290	293	323
RACE / ETHNICITY				Health Care Provider	1,005	967	738
Caucasian	5,546	5,271	4,711	Court / Criminal Justice	99	123	155
African American	376	365	311	Other	2,130	1,680	1,669
Native American / Alaskan	10	7	7	Referral Source Unknown	7	28	27
Asian / Pacific Islander	22	19	16	TYPE OF COMMITMENT			
Hispanic	126	112	97	Voluntary	6,272	5,928	5,262
Other Race	247	227	191	Civil	13	8	8
Race/Ethnicity Unknown	0	0	0	Criminal	25	31	28
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	211	213	169	Commitment Type Unknown	15	30	32
Past or Current Military Service	129	113	89				

PSYCHIATRIC SERVICE AREA 17A



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	17A
POPULATION	
Census 2010	109,907
2016 Estimate	107,963

BIRTH RISK	2015	2014	2013
Resident Births	1,294	1,201	1,267
Mother Reported Smoking while Pregnant	294	283	327

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	6	4	6
Hepatitis B Chronic, Acute, Prenatal	7	9	14
Hepatitis C Chronic and Acute	113	135	106
Tuberculosis Infection Cases	40	51	49

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,278	1,210	1,179
Suicide	21	25	18
Homicide	6	5	3
Alcohol Induced Deaths	7	7	5
Drug Induced Deaths	26	22	14
Smoking Attributable Deaths	234	217	211
Self-inflicted Injuries *	121	111	104
Assault Injuries *	311	371	376

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	839	692	755
Mental Illness Secondary Diagnosis	1,999	1,460	1,582
Alcohol Principal Diagnosis	52	23	40
Alcohol Secondary Diagnosis	154	108	108
Drug Principal Diagnosis	218	193	176
Drug Secondary Diagnosis	173	95	115
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	439	557	524
Mental Illness Secondary Diagnosis	1,578	1,780	1,761
Alcohol Principal Diagnosis	47	48	71
Alcohol Secondary Diagnosis	134	147	136
Drug Principal Diagnosis	47	48	69
Drug Secondary Diagnosis	105	113	87
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,136	1,189	1,124
Mental Illness Secondary Diagnosis	3,955	8,340	8,034
Alcohol Principal Diagnosis	268	264	229
Alcohol Secondary Diagnosis	188	160	187
Drug Principal Diagnosis	256	239	185
Drug Secondary Diagnosis	221	201	250

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	152	146	150
Alcohol Package Carry-out Licenses	112	111	112

EMPLOYMENT	2016	2015	2014
Labor Force	48,701	49,055	48,729
Employed	46,309	46,430	45,560
Unemployed	2,392	2,625	3,169
Unemployment Rate	4.9%	5.4%	6.5%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	111	113	118
Fatal Crashes	6	7	5
Injury Crashes	55	46	49
Property Damage Crashes	50	60	64
Crash Fatalities	6	7	5
Crash Injuries		61	75
Drug Involved Crashes	49	37	25
Fatal Crashes	4	3	4
Injury Crashes	18	15	10
Property Damage Crashes	27	19	11
Crash Fatalities	4	3	4
Crash Injuries	29	24	20

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	634	681	629
Liquor Law Arrests	79	90	94
Drug Arrests	1,255	1,184	759
Methamphetamine Lab Seizures	15	41	75
Violent Offenses	230	287	289
Domestic Violence Reports	534	485	451
Property Offenses	2,545	2,461	2,834

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	4,812	4,807	4,862
Drop-outs	90	88	92
Drop-out Rate	1.9%	1.8%	1.9%
School Discipline Involving Alcohol	14	16	7
School Discipline Involving Drugs	26	22	24
School Discipline Involving Tobacco	0	4	2

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	84	66	45
Juvenile Alcohol Offenses	19	9	16
Juvenile Drug Offenses	19	22	15
School Truancy Status Offense	109	102	145
Absent from Home Status Offense	17	11	15
Beyond Parental Control Status Offense	71	66	70
Injurious Behavior Status Offense	185	152	80
Child Abuse	131	140	192
Child Neglect	483	380	377
Child Custody Issues	27	30	17

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	278	199	214
Parental Alcohol Use Related	13	9	7
Parental Drug Use Related	158	69	105
Parental Alcohol and Drug Use	1	8	9

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	88	86	102
Probation/Parole Admissions--Drug	519	458	406
Probation/Parole Admissions--DWI	37	48	46
Prison Admissions--Drug	257	238	208
Prison Admissions--DWI	14	14	24


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 17A

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 109,907
2016 POPULATION ESTIMATE 108,497


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	84	72	55
Anxiety Disorder	842	863	868
Dementia	*	*	0
Developmental Disorder	32	23	19
Impulse Control Disorder	307	308	269
Mood Disorder	945	1,009	1,107
Personality Disorder	80	80	82
Psychotic Disorder	173	165	186
Sexual Disorder	0	0	0
Other Diagnosis	112	94	103
Diagnosis Unknown	48	55	86

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,371	1,441	1,567	Less than High School Diploma	484	544	553
AGE				High School Grad or G.E.D.	0	0	0
Under 6	18	27	21	Associate Degree or Some College	0	0	0
6 to 9	126	132	113	Bachelor or Advanced Degree	0	0	0
10 to 13	116	134	142	Education Level Unknown	887	897	1,014
14 to 17	124	115	133	EMPLOYMENT			
18 to 24	128	143	139	Employed	74	48	56
25 to 29	107	113	155	Unemployed	73	61	62
30 to 34	118	143	159	Not in Labor Force	817	905	924
35 to 39	126	108	119	Employment Status Unknown	407	427	525
40 to 44	108	110	141	HOUSING / LIVING ARRANGEMENT			
45 to 49	94	127	136	Independent Living	487	545	556
50 to 54	144	136	153	Dependent Living	461	485	457
55 to 59	101	86	82	Homeless	17	8	20
60 and Over	61	67	74	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	406	403	534
GENDER				TREATMENT REFERRAL SOURCE			
Male	606	618	680	Self / Family / Friend	1,039	1,102	1,144
Female	765	823	887	School	7	11	8
Gender Unknown	0	0	0	Mental Health Provider	18	18	19
RACE / ETHNICITY				Health Care Provider	174	148	155
Caucasian	1,299	1,370	1,506	Court / Criminal Justice	21	20	19
African American	33	28	24	Other	112	142	220
Native American / Alaskan	5	*	*	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	*	0	TYPE OF COMMITMENT			
Hispanic	14	18	20	Voluntary	1,359	1,437	1,560
Other Race	20	20	13	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	10	*	6
TREATMENT ACCOMMODATION				Sexual Predatory	0	0	0
Hearing Impaired	34	40	42	Commitment Type Unknown	*	0	0
Past or Current Military Service	26	25	32				

PSYCHIATRIC SERVICE AREA 17B



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	17B
POPULATION	
Census 2010	101,184
2016 Estimate	101,488

BIRTH RISK	2015	2014	2013
Resident Births	1,134	1,102	1,134
Mother Reported Smoking while Pregnant	319	345	368

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	1	4	3
Hepatitis B Chronic, Acute, Prenatal	15	10	8
Hepatitis C Chronic and Acute	135	524	209
Tuberculosis Infection Cases	36	28	13

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,235	1,238	1,168
Suicide	19	11	19
Homicide	6	7	4
Alcohol Induced Deaths	8	6	3
Drug Induced Deaths	31	42	34
Smoking Attributable Deaths	267	261	242
Self-inflicted Injuries *	154	179	245
Assault Injuries *	470	425	413

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,496	1,531	1,524
Mental Illness Secondary Diagnosis	2,606	2,654	2,664
Alcohol Principal Diagnosis	69	54	58
Alcohol Secondary Diagnosis	165	155	186
Drug Principal Diagnosis	133	139	122
Drug Secondary Diagnosis	233	219	186
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	276	336	232
Mental Illness Secondary Diagnosis	1,433	1,819	1,943
Alcohol Principal Diagnosis	28	30	28
Alcohol Secondary Diagnosis	105	159	125
Drug Principal Diagnosis	23	27	35
Drug Secondary Diagnosis	121	122	129
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,678	1,629	1,388
Mental Illness Secondary Diagnosis	6,477	5,730	7,781
Alcohol Principal Diagnosis	212	187	205
Alcohol Secondary Diagnosis	275	187	240
Drug Principal Diagnosis	326	277	314
Drug Secondary Diagnosis	474	352	420

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	91	90	91
Alcohol Package Carry-out Licenses	97	91	86

EMPLOYMENT	2016	2015	2014
Labor Force	40,666	41,315	40,525
Employed	38,284	38,672	37,262
Unemployed	2,382	2,643	3,263
Unemployment Rate	5.9%	6.4%	8.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	84	69	81
Fatal Crashes	3	2	3
Injury Crashes	42	31	38
Property Damage Crashes	39	36	40
Crash Fatalities	3	2	3
Crash Injuries		38	55
Drug Involved Crashes	24	27	39
Fatal Crashes	0	1	2
Injury Crashes	8	13	14
Property Damage Crashes	16	13	23
Crash Fatalities	0	1	4
Crash Injuries	11	19	22

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	256	308	395
Liquor Law Arrests	24	55	60
Drug Arrests	567	630	562
Methamphetamine Lab Seizures	11	18	33
Violent Offenses	324	319	300
Domestic Violence Reports	426	429	406
Property Offenses	2,227	2,414	2,466

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	4,656	4,649	4,585
Drop-outs	64	73	77
Drop-out Rate	1.4%	1.6%	1.7%
School Discipline Involving Alcohol	8	0	1
School Discipline Involving Drugs	22	30	32
School Discipline Involving Tobacco	1	1	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	332	319	271
Juvenile Alcohol Offenses	4	11	7
Juvenile Drug Offenses	29	31	13
School Truancy Status Offense	63	126	196
Absent from Home Status Offense	14	20	7
Beyond Parental Control Status Offense	58	82	60
Injurious Behavior Status Offense	88	112	76
Child Abuse	27	60	45
Child Neglect	134	169	131
Child Custody Issues	0	2	1

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	152	146	159
Parental Alcohol Use Related	0	2	4
Parental Drug Use Related	83	75	87
Parental Alcohol and Drug Use	0	3	4

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	71	74	64
Probation/Parole Admissions--Drug	396	321	317
Probation/Parole Admissions--DWI	38	41	40
Prison Admissions--Drug	251	225	208
Prison Admissions--DWI	17	20	24


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 17B

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17B
CENSUS 2010 101,184
2016 POPULATION ESTIMATE 101,340


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	10	11	15
Anxiety Disorder	340	360	347
Dementia	11	18	12
Developmental Disorder	28	30	29
Impulse Control Disorder	191	190	184
Mood Disorder	974	958	1,005
Personality Disorder	126	110	133
Psychotic Disorder	539	550	533
Sexual Disorder	141	132	133
Other Diagnosis	72	57	55
Diagnosis Unknown	187	286	211

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	2,152	2,256	2,210	Less than High School Diploma	530	481	501
AGE				High School Grad or G.E.D.	0	0	0
Under 6	6	9	15	Associate Degree or Some College	0	0	0
6 to 9	80	93	88	Bachelor or Advanced Degree	0	0	0
10 to 13	106	105	102	Education Level Unknown	1,622	1,775	1,709
14 to 17	125	142	131	EMPLOYMENT			
18 to 24	132	145	158	Employed	74	54	59
25 to 29	144	160	165	Unemployed	47	28	24
30 to 34	169	173	198	Not in Labor Force	1,073	989	986
35 to 39	204	205	184	Employment Status Unknown	958	1,185	1,141
40 to 44	213	220	233	HOUSING / LIVING ARRANGEMENT			
45 to 49	212	220	200	Independent Living	368	353	314
50 to 54	246	256	262	Dependent Living	756	699	740
55 to 59	224	228	208	Homeless	23	11	14
60 and Over	291	300	266	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,005	1,193	1,142
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,238	1,281	1,277	Self / Family / Friend	554	613	655
Female	914	975	933	School	17	28	22
Gender Unknown	0	0	0	Mental Health Provider	428	434	371
RACE / ETHNICITY				Health Care Provider	511	484	448
Caucasian	1,916	2,026	2,000	Court / Criminal Justice	286	316	313
African American	172	166	155	Other	350	370	392
Native American / Alaskan	*	*	*	Referral Source Unknown	6	11	9
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	17	19	15	Voluntary	1,841	1,961	1,913
Other Race	42	41	33	Civil	5	5	5
Race/Ethnicity Unknown	0	0	0	Criminal	153	150	149
TREATMENT ACCOMMODATION				Sexual Predatory	147	138	141
Hearing Impaired	113	119	112	Commitment Type Unknown	6	*	*
Past or Current Military Service	103	117	118				

PSYCHIATRIC SERVICE AREA 18



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	18
POPULATION	
Census 2010	127,952
2016 Estimate	125,823

BIRTH RISK	2015	2014	2013
Resident Births	1,465	1,533	1,493
Mother Reported Smoking while Pregnant	391	431	428

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	1	1
Hepatitis B Chronic, Acute, Prenatal	8	11	6
Hepatitis C Chronic and Acute	128	185	126
Tuberculosis Infection Cases	19	23	23

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,601	1,540	1,608
Suicide	28	23	29
Homicide	8	7	6
Alcohol Induced Deaths	8	8	7
Drug Induced Deaths	13	12	16
Smoking Attributable Deaths	284	269	310
Self-inflicted Injuries *	109	181	201
Assault Injuries *	190	238	246

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,172	1,157	1,165
Mental Illness Secondary Diagnosis	2,283	2,237	2,271
Alcohol Principal Diagnosis	130	131	128
Alcohol Secondary Diagnosis	187	151	168
Drug Principal Diagnosis	176	209	204
Drug Secondary Diagnosis	226	154	134
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	147	187	198
Mental Illness Secondary Diagnosis	1,063	1,294	1,229
Alcohol Principal Diagnosis	35	46	27
Alcohol Secondary Diagnosis	103	110	116
Drug Principal Diagnosis	23	34	38
Drug Secondary Diagnosis	88	111	88
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	766	1,052	964
Mental Illness Secondary Diagnosis	3,103	4,940	5,317
Alcohol Principal Diagnosis	154	171	148
Alcohol Secondary Diagnosis	163	207	217
Drug Principal Diagnosis	159	148	140
Drug Secondary Diagnosis	194	216	198

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	90	84	85
Alcohol Package Carry-out Licenses	137	135	144

EMPLOYMENT	2016	2015	2014
Labor Force	49,746	50,266	49,313
Employed	46,598	46,912	45,561
Unemployed	3,148	3,354	3,752
Unemployment Rate	6.3%	6.7%	7.6%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	126	123	144
Fatal Crashes	5	6	6
Injury Crashes	65	64	68
Property Damage Crashes	56	53	70
Crash Fatalities	5	6	6
Crash Injuries		90	106
Drug Involved Crashes	31	26	28
Fatal Crashes	3	1	4
Injury Crashes	18	15	14
Property Damage Crashes	10	10	10
Crash Fatalities	3	1	4
Crash Injuries	30	17	19

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	559	531	552
Liquor Law Arrests	96	133	140
Drug Arrests	1,130	1,185	1,080
Methamphetamine Lab Seizures	3	8	30
Violent Offenses	302	263	248
Domestic Violence Reports	557	779	726
Property Offenses	2,013	2,085	2,526

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	5,740	5,810	5,858
Drop-outs	44	34	32
Drop-out Rate	0.8%	0.6%	0.5%
School Discipline Involving Alcohol	3	8	5
School Discipline Involving Drugs	16	24	23
School Discipline Involving Tobacco	2	0	2

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	79	71	60
Juvenile Alcohol Offenses	13	34	30
Juvenile Drug Offenses	23	27	23
School Truancy Status Offense	144	295	202
Absent from Home Status Offense	39	42	28
Beyond Parental Control Status Offense	93	117	137
Injurious Behavior Status Offense	163	148	146
Child Abuse	120	240	199
Child Neglect	425	431	502
Child Custody Issues	84	50	65

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	168	166	247
Parental Alcohol Use Related	3	3	7
Parental Drug Use Related	69	69	114
Parental Alcohol and Drug Use	11	8	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	141	144	151
Probation/Parole Admissions--Drug	414	380	355
Probation/Parole Admissions--DWI	37	41	45
Prison Admissions--Drug	175	159	145
Prison Admissions--DWI	24	13	20


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 18

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 127,952
2016 POPULATION ESTIMATE 125,991


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	121	125	181
Anxiety Disorder	967	972	1,169
Dementia	7	7	9
Developmental Disorder	*	10	13
Impulse Control Disorder	290	287	312
Mood Disorder	1,151	1,261	1,630
Personality Disorder	87	102	121
Psychotic Disorder	161	175	203
Sexual Disorder	*	*	*
Other Diagnosis	118	104	107
Diagnosis Unknown	203	171	154

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	1,911	1,950	2,401	Less than High School Diploma	459	473	564
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	0	0	Associate Degree or Some College	0	0	0
6 to 9	96	76	82	Bachelor or Advanced Degree	0	0	0
10 to 13	101	105	109	Education Level Unknown	1,452	1,477	1,837
14 to 17	103	103	123	EMPLOYMENT			
18 to 24	210	221	284	Employed	225	239	258
25 to 29	200	228	281	Unemployed	113	124	274
30 to 34	210	215	264	Not in Labor Force	1,133	1,089	1,192
35 to 39	205	196	230	Employment Status Unknown	440	498	677
40 to 44	175	204	232	HOUSING / LIVING ARRANGEMENT			
45 to 49	207	208	236	Independent Living	896	910	1,110
50 to 54	177	183	275	Dependent Living	361	341	337
55 to 59	117	113	164	Homeless	48	91	85
60 and Over	107	98	121	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	606	608	869
GENDER				TREATMENT REFERRAL SOURCE			
Male	871	874	1,071	Self / Family / Friend	772	828	1,297
Female	1,040	1,076	1,330	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	47	57	47
RACE / ETHNICITY				Health Care Provider	886	750	753
Caucasian	1,836	1,870	2,323	Court / Criminal Justice	41	37	41
African American	10	7	13	Other	161	275	261
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	*	*	0	TYPE OF COMMITMENT			
Hispanic	22	25	31	Voluntary	1,901	1,940	2,394
Other Race	39	44	30	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	7	7	5
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	40	50	60	Commitment Type Unknown	0	0	0
Past or Current Military Service	79	67	58				

PSYCHIATRIC SERVICE AREA 19



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	19
POPULATION	
Census 2010	133,625
2016 Estimate	129,926

BIRTH RISK	2015	2014	2013
Resident Births	1,659	1,683	1,838
Mother Reported Smoking while Pregnant	479	473	522

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	7	3	5
Hepatitis B Chronic, Acute, Prenatal	10	11	6
Hepatitis C Chronic and Acute	168	243	207
Tuberculosis Infection Cases	32	30	41

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,874	1,798	1,830
Suicide	28	29	30
Homicide	13	6	6
Alcohol Induced Deaths	16	12	15
Drug Induced Deaths	24	39	30
Smoking Attributable Deaths	400	366	385
Self-inflicted Injuries *	210	236	285
Assault Injuries *	613	646	645

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,714	1,756	1,668
Mental Illness Secondary Diagnosis	3,449	2,991	3,033
Alcohol Principal Diagnosis	105	88	82
Alcohol Secondary Diagnosis	237	225	262
Drug Principal Diagnosis	188	197	137
Drug Secondary Diagnosis	262	195	180
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	359	432	435
Mental Illness Secondary Diagnosis	2,175	2,702	2,754
Alcohol Principal Diagnosis	45	57	40
Alcohol Secondary Diagnosis	164	168	155
Drug Principal Diagnosis	46	83	74
Drug Secondary Diagnosis	115	108	98
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,991	1,903	1,867
Mental Illness Secondary Diagnosis	3,592	3,193	3,721
Alcohol Principal Diagnosis	194	206	265
Alcohol Secondary Diagnosis	241	228	215
Drug Principal Diagnosis	315	300	249
Drug Secondary Diagnosis	373	281	273

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	143	144	143
Alcohol Package Carry-out Licenses	188	186	191

EMPLOYMENT	2016	2015	2014
Labor Force	55,595	56,347	55,171
Employed	51,768	52,298	50,747
Unemployed	3,827	4,049	4,424
Unemployment Rate	6.9%	7.2%	8.0%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	130	134	117
Fatal Crashes	7	7	10
Injury Crashes	59	62	55
Property Damage Crashes	64	65	52
Crash Fatalities	8	9	12
Crash Injuries		93	93
Drug Involved Crashes	49	66	47
Fatal Crashes	4	6	0
Injury Crashes	24	29	24
Property Damage Crashes	21	31	23
Crash Fatalities	4	6	0
Crash Injuries	33	50	33

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	533	647	606
Liquor Law Arrests	100	148	135
Drug Arrests	1,382	1,280	1,058
Methamphetamine Lab Seizures	1	10	9
Violent Offenses	670	696	620
Domestic Violence Reports	1,284	1,057	1,039
Property Offenses	3,980	4,013	4,971

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	6,348	6,190	6,233
Drop-outs	109	85	85
Drop-out Rate	1.7%	1.4%	1.4%
School Discipline Involving Alcohol	17	4	12
School Discipline Involving Drugs	41	49	79
School Discipline Involving Tobacco	6	2	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	199	189	205
Juvenile Alcohol Offenses	20	8	17
Juvenile Drug Offenses	37	43	35
School Truancy Status Offense	172	156	123
Absent from Home Status Offense	104	61	51
Beyond Parental Control Status Offense	178	121	146
Injurious Behavior Status Offense	90	30	35
Child Abuse	95	61	117
Child Neglect	1,090	735	916
Child Custody Issues	9	8	16

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	465	302	457
Parental Alcohol Use Related	6	6	8
Parental Drug Use Related	269	166	261
Parental Alcohol and Drug Use	3	3	4

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	302	265	237
Probation/Parole Admissions--Drug	755	616	519
Probation/Parole Admissions--DWI	53	74	59
Prison Admissions--Drug	386	290	293
Prison Admissions--DWI	31	25	28


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 19

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 133,625
2016 POPULATION ESTIMATE 131,030


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	76	88	107
Anxiety Disorder	348	294	288
Dementia	*	*	*
Developmental Disorder	*	5	6
Impulse Control Disorder	223	192	174
Mood Disorder	1,624	1,385	1,331
Personality Disorder	18	17	17
Psychotic Disorder	373	338	330
Sexual Disorder	6	7	6
Other Diagnosis	94	38	41
Diagnosis Unknown	154	175	282

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	2,713	2,361	2,394	Less than High School Diploma	1,067	952	701
AGE				High School Grad or G.E.D.	0	0	*
Under 6	11	9	11	Associate Degree or Some College	0	0	0
6 to 9	148	126	144	Bachelor or Advanced Degree	0	0	0
10 to 13	191	177	173	Education Level Unknown	1,646	1,409	1,692
14 to 17	189	149	151	EMPLOYMENT			
18 to 24	152	132	175	Employed	156	142	74
25 to 29	184	172	194	Unemployed	186	179	130
30 to 34	208	197	213	Not in Labor Force	1,846	1,585	1,256
35 to 39	270	245	248	Employment Status Unknown	525	455	934
40 to 44	254	248	223	HOUSING / LIVING ARRANGEMENT			
45 to 49	291	247	238	Independent Living	1,484	1,242	969
50 to 54	300	266	253	Dependent Living	614	579	421
55 to 59	222	179	170	Homeless	37	45	26
60 and Over	293	214	201	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	578	495	978
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,177	1,053	1,066	Self / Family / Friend	1,345	942	813
Female	1,536	1,308	1,328	School	24	32	56
Gender Unknown	0	0	0	Mental Health Provider	217	235	252
RACE / ETHNICITY				Health Care Provider	554	481	491
Caucasian	2,277	2,018	2,039	Court / Criminal Justice	223	284	358
African American	341	268	280	Other	341	377	412
Native American / Alaskan	6	*	*	Referral Source Unknown	9	10	12
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	29	17	31	Voluntary	2,662	2,313	2,347
Other Race	59	53	42	Civil	*	*	6
Race/Ethnicity Unknown	0	0	0	Criminal	32	30	25
TREATMENT ACCOMMODATION				Sexual Predatory	5	5	5
Hearing Impaired	109	86	84	Commitment Type Unknown	11	10	11
Past or Current Military Service	71	63	51				

PSYCHIATRIC SERVICE AREA 20



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	20
POPULATION	
Census 2010	102,473
2016 Estimate	100,047

BIRTH RISK	2015	2014	2013
Resident Births	1,185	1,261	1,317
Mother Reported Smoking while Pregnant	299	331	386

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	2	9	5
Hepatitis B Chronic, Acute, Prenatal	7	5	9
Hepatitis C Chronic and Acute	97	102	117
Tuberculosis Infection Cases	17	11	12

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,237	1,191	1,244
Suicide	17	14	17
Homicide	7	5	3
Alcohol Induced Deaths	9	1	5
Drug Induced Deaths	21	9	22
Smoking Attributable Deaths	240	242	262
Self-inflicted Injuries *	115	192	177
Assault Injuries *	365	363	409

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,192	1,209	1,230
Mental Illness Secondary Diagnosis	2,108	1,567	2,191
Alcohol Principal Diagnosis	52	19	31
Alcohol Secondary Diagnosis	194	116	179
Drug Principal Diagnosis	103	78	68
Drug Secondary Diagnosis	252	115	138
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	144	161	172
Mental Illness Secondary Diagnosis	1,601	2,217	1,636
Alcohol Principal Diagnosis	29	52	49
Alcohol Secondary Diagnosis	152	187	141
Drug Principal Diagnosis	36	29	31
Drug Secondary Diagnosis	124	156	103
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,119	1,068	1,084
Mental Illness Secondary Diagnosis	2,657	1,832	1,239
Alcohol Principal Diagnosis	126	124	154
Alcohol Secondary Diagnosis	186	183	144
Drug Principal Diagnosis	176	184	138
Drug Secondary Diagnosis	316	283	171

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	88	87	95
Alcohol Package Carry-out Licenses	108	106	108

EMPLOYMENT	2016	2015	2014
Labor Force	48,378	48,723	47,406
Employed	45,170	45,863	44,020
Unemployed	3,208	2,860	3,386
Unemployment Rate	6.6%	5.9%	7.1%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	63	93	96
Fatal Crashes	1	3	5
Injury Crashes	34	45	45
Property Damage Crashes	28	45	46
Crash Fatalities	1	4	5
Crash Injuries		57	66
Drug Involved Crashes	24	34	32
Fatal Crashes	2	3	1
Injury Crashes	8	18	17
Property Damage Crashes	14	13	14
Crash Fatalities	5	3	1
Crash Injuries	9	21	27

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	361	422	501
Liquor Law Arrests	56	40	44
Drug Arrests	774	571	626
Methamphetamine Lab Seizures	2	3	14
Violent Offenses	448	591	581
Domestic Violence Reports	832	867	970
Property Offenses	1,924	1,923	2,452

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	4,805	4,628	4,728
Drop-outs	37	55	39
Drop-out Rate	0.8%	1.2%	0.8%
School Discipline Involving Alcohol	9	10	1
School Discipline Involving Drugs	17	26	38
School Discipline Involving Tobacco	4	6	3

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	137	182	193
Juvenile Alcohol Offenses	17	10	15
Juvenile Drug Offenses	24	44	51
School Truancy Status Offense	153	240	255
Absent from Home Status Offense	30	29	41
Beyond Parental Control Status Offense	88	74	76
Injurious Behavior Status Offense	105	50	89
Child Abuse	149	57	103
Child Neglect	482	397	280
Child Custody Issues	173	133	132

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	345	308	235
Parental Alcohol Use Related	10	12	7
Parental Drug Use Related	213	147	84
Parental Alcohol and Drug Use	7	12	11

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	119	132	152
Probation/Parole Admissions--Drug	622	515	479
Probation/Parole Admissions--DWI	65	73	73
Prison Admissions--Drug	329	244	237
Prison Admissions--DWI	26	41	31


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 20

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 102,473
2016 POPULATION ESTIMATE 100,980


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	69	77	114
Anxiety Disorder	413	552	574
Dementia	5	5	7
Developmental Disorder	*	7	12
Impulse Control Disorder	294	346	307
Mood Disorder	1,283	1,504	1,420
Personality Disorder	48	106	148
Psychotic Disorder	381	369	344
Sexual Disorder	*	*	*
Other Diagnosis	137	124	173
Diagnosis Unknown	150	175	133

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	2,164	2,476	2,351	Less than High School Diploma	880	1,111	1,021
AGE				High School Grad or G.E.D.	0	0	0
Under 6	21	24	23	Associate Degree or Some College	0	0	0
6 to 9	125	137	126	Bachelor or Advanced Degree	0	0	0
10 to 13	183	209	192	Education Level Unknown	1,284	1,365	1,330
14 to 17	229	253	235	EMPLOYMENT			
18 to 24	162	216	197	Employed	111	168	135
25 to 29	137	184	217	Unemployed	108	206	175
30 to 34	165	221	218	Not in Labor Force	1,210	1,525	1,425
35 to 39	184	212	177	Employment Status Unknown	735	577	616
40 to 44	178	186	192	HOUSING / LIVING ARRANGEMENT			
45 to 49	174	202	205	Independent Living	1,066	1,350	1,241
50 to 54	216	262	248	Dependent Living	600	728	711
55 to 59	184	180	161	Homeless	10	26	27
60 and Over	206	190	160	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	488	372	372
GENDER				TREATMENT REFERRAL SOURCE			
Male	941	1,065	1,015	Self / Family / Friend	950	1,101	1,031
Female	1,223	1,411	1,336	School	42	55	39
Gender Unknown	0	0	0	Mental Health Provider	206	242	254
RACE / ETHNICITY				Health Care Provider	364	389	384
Caucasian	1,778	2,035	1,918	Court / Criminal Justice	160	179	147
African American	283	345	351	Other	439	506	492
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	27	23	23	Voluntary	2,142	2,457	2,330
Other Race	72	67	53	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	13	10	13
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	42	44	46	Commitment Type Unknown	5	5	*
Past or Current Military Service	37	44	35				

PSYCHIATRIC SERVICE AREA 21



DBH REGION	Southeast
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	21
POPULATION	
Census 2010	137,379
2016 Estimate	140,723

BIRTH RISK	2015	2014	2013
Resident Births	1,573	1,579	1,604
Mother Reported Smoking while Pregnant	295	351	357

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	5	2	7
Hepatitis B Chronic, Acute, Prenatal	7	5	6
Hepatitis C Chronic and Acute	79	100	106
Tuberculosis Infection Cases	29	36	66

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,470	1,441	1,426
Suicide	18	30	21
Homicide	4	5	7
Alcohol Induced Deaths	8	6	9
Drug Induced Deaths	15	18	18
Smoking Attributable Deaths	275	243	275
Self-inflicted Injuries *	113	133	152
Assault Injuries *	419	387	449

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,195	1,190	1,242
Mental Illness Secondary Diagnosis	2,453	2,019	2,801
Alcohol Principal Diagnosis	55	55	61
Alcohol Secondary Diagnosis	161	118	215
Drug Principal Diagnosis	61	79	57
Drug Secondary Diagnosis	213	104	129
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	191	222	129
Mental Illness Secondary Diagnosis	1,702	2,233	1,341
Alcohol Principal Diagnosis	40	73	57
Alcohol Secondary Diagnosis	148	189	141
Drug Principal Diagnosis	27	33	23
Drug Secondary Diagnosis	81	120	72
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,590	1,515	1,426
Mental Illness Secondary Diagnosis	6,200	3,755	3,303
Alcohol Principal Diagnosis	245	222	224
Alcohol Secondary Diagnosis	284	238	219
Drug Principal Diagnosis	214	221	201
Drug Secondary Diagnosis	618	374	323

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	226	210	215
Alcohol Package Carry-out Licenses	134	139	133

EMPLOYMENT	2016	2015	2014
Labor Force	71,549	71,994	71,249
Employed	68,399	68,660	67,117
Unemployed	3,150	3,334	4,132
Unemployment Rate	4.4%	4.6%	5.8%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	135	112	108
Fatal Crashes	3	8	2
Injury Crashes	49	38	52
Property Damage Crashes	83	66	54
Crash Fatalities	4	8	2
Crash Injuries		46	74
Drug Involved Crashes	38	32	33
Fatal Crashes	1	5	3
Injury Crashes	12	10	10
Property Damage Crashes	25	17	20
Crash Fatalities	2	5	4
Crash Injuries	14	14	18

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	626	730	685
Liquor Law Arrests	87	117	161
Drug Arrests	927	842	649
Methamphetamine Lab Seizures	0	4	13
Violent Offenses	544	481	451
Domestic Violence Reports	977	906	891
Property Offenses	2,782	3,400	3,179

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	5,380	5,260	6,964
Drop-outs	106	89	121
Drop-out Rate	2.0%	1.7%	1.7%
School Discipline Involving Alcohol	10	5	10
School Discipline Involving Drugs	33	38	44
School Discipline Involving Tobacco	2	2	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	173	219	175
Juvenile Alcohol Offenses	18	20	12
Juvenile Drug Offenses	33	54	54
School Truancy Status Offense	505	158	135
Absent from Home Status Offense	77	77	74
Beyond Parental Control Status Offense	59	54	60
Injurious Behavior Status Offense	352	347	307
Child Abuse	77	128	96
Child Neglect	477	544	456
Child Custody Issues	3	10	6

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	276	241	160
Parental Alcohol Use Related	7	5	4
Parental Drug Use Related	159	165	82
Parental Alcohol and Drug Use	11	2	10

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	87	90	96
Probation/Parole Admissions--Drug	525	461	353
Probation/Parole Admissions--DWI	57	61	71
Prison Admissions--Drug	237	212	156
Prison Admissions--DWI	16	31	22


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 21

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 137,379
2016 POPULATION ESTIMATE 140,132


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	235	292	402
Anxiety Disorder	644	587	631
Dementia	*	*	*
Developmental Disorder	14	6	7
Impulse Control Disorder	587	591	688
Mood Disorder	2,245	2,307	2,515
Personality Disorder	64	49	42
Psychotic Disorder	411	388	380
Sexual Disorder	6	*	*
Other Diagnosis	169	137	138
Diagnosis Unknown	544	251	278

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	4,033	3,905	4,439	Less than High School Diploma	576	464	495
AGE				High School Grad or G.E.D.	0	0	0
Under 6	15	8	10	Associate Degree or Some College	0	0	0
6 to 9	172	158	207	Bachelor or Advanced Degree	0	0	0
10 to 13	306	303	341	Education Level Unknown	3,457	3,441	3,944
14 to 17	390	369	380	EMPLOYMENT			
18 to 24	376	335	462	Employed	61	47	41
25 to 29	326	317	401	Unemployed	39	37	40
30 to 34	309	346	426	Not in Labor Force	1,202	1,038	996
35 to 39	362	375	401	Employment Status Unknown	2,731	2,783	3,362
40 to 44	321	337	382	HOUSING / LIVING ARRANGEMENT			
45 to 49	358	353	367	Independent Living	624	570	557
50 to 54	357	363	417	Dependent Living	663	564	540
55 to 59	347	322	308	Homeless	14	10	12
60 and Over	394	319	337	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	2,732	2,761	3,330
GENDER				TREATMENT REFERRAL SOURCE			
Male	1,734	1,722	1,963	Self / Family / Friend	2,754	2,652	2,724
Female	2,299	2,183	2,476	School	104	76	64
Gender Unknown	0	0	0	Mental Health Provider	144	191	325
RACE / ETHNICITY				Health Care Provider	455	390	519
Caucasian	3,447	3,348	3,828	Court / Criminal Justice	138	125	114
African American	260	264	259	Other	428	458	678
Native American / Alaskan	7	6	6	Referral Source Unknown	10	13	15
Asian / Pacific Islander	*	*	*	TYPE OF COMMITMENT			
Hispanic	131	149	215	Voluntary	3,994	3,874	4,403
Other Race	185	136	128	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	24	18	20
TREATMENT ACCOMMODATION				Sexual Predatory	0	*	*
Hearing Impaired	174	170	182	Commitment Type Unknown	12	10	13
Past or Current Military Service	124	110	102				

PSYCHIATRIC SERVICE AREA 22



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	22
POPULATION	
Census 2010	218,733
2016 Estimate	224,226

BIRTH RISK	2015	2014	2013
Resident Births	2,581	2,529	2,639
Mother Reported Smoking while Pregnant	511	497	561

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	6	6	4
Hepatitis B Chronic, Acute, Prenatal	12	12	9
Hepatitis C Chronic and Acute	197	248	145
Tuberculosis Infection Cases	46	34	45

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	1,980	1,954	1,834
Suicide	46	48	35
Homicide	9	3	3
Alcohol Induced Deaths	14	16	15
Drug Induced Deaths	65	73	63
Smoking Attributable Deaths	411	381	354
Self-inflicted Injuries *	165	234	208
Assault Injuries *	453	442	453

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	1,388	1,238	1,594
Mental Illness Secondary Diagnosis	3,007	2,042	2,267
Alcohol Principal Diagnosis	72	56	44
Alcohol Secondary Diagnosis	203	113	141
Drug Principal Diagnosis	148	98	96
Drug Secondary Diagnosis	219	129	148
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	1,294	1,445	984
Mental Illness Secondary Diagnosis	3,735	4,952	4,716
Alcohol Principal Diagnosis	90	138	103
Alcohol Secondary Diagnosis	375	477	411
Drug Principal Diagnosis	96	143	107
Drug Secondary Diagnosis	229	255	235
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	1,289	1,113	1,388
Mental Illness Secondary Diagnosis	9,771	9,019	6,371
Alcohol Principal Diagnosis	311	247	248
Alcohol Secondary Diagnosis	262	295	225
Drug Principal Diagnosis	523	399	356
Drug Secondary Diagnosis	407	504	370

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	184	176	177
Alcohol Package Carry-out Licenses	145	147	147

EMPLOYMENT	2016	2015	2014
Labor Force	118,727	118,671	115,975
Employed	113,646	112,917	108,717
Unemployed	5,081	5,754	7,258
Unemployment Rate	4.3%	4.8%	6.3%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	191	217	209
Fatal Crashes	7	7	9
Injury Crashes	73	81	87
Property Damage Crashes	111	129	113
Crash Fatalities	9	7	9
Crash Injuries		107	135
Drug Involved Crashes	53	50	46
Fatal Crashes	8	4	8
Injury Crashes	22	15	21
Property Damage Crashes	23	31	17
Crash Fatalities	11	4	9
Crash Injuries	38	17	36

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	854	952	1,096
Liquor Law Arrests	173	280	472
Drug Arrests	1,483	1,470	1,540
Methamphetamine Lab Seizures	51	127	205
Violent Offenses	372	450	485
Domestic Violence Reports	1,530	1,485	1,308
Property Offenses	4,010	3,904	3,745

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	10,629	10,624	10,646
Drop-outs	152	153	154
Drop-out Rate	1.4%	1.4%	1.4%
School Discipline Involving Alcohol	49	8	9
School Discipline Involving Drugs	80	86	94
School Discipline Involving Tobacco	5	1	0

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	317	317	402
Juvenile Alcohol Offenses	43	47	47
Juvenile Drug Offenses	91	99	111
School Truancy Status Offense	181	211	194
Absent from Home Status Offense	92	45	55
Beyond Parental Control Status Offense	48	53	50
Injurious Behavior Status Offense	139	97	78
Child Abuse	135	187	234
Child Neglect	499	538	578
Child Custody Issues	121	131	82

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	420	360	370
Parental Alcohol Use Related	21	24	10
Parental Drug Use Related	206	186	170
Parental Alcohol and Drug Use	18	4	8

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	68	90	106
Probation/Parole Admissions--Drug	573	449	471
Probation/Parole Admissions--DWI	124	122	122
Prison Admissions--Drug	269	249	255
Prison Admissions--DWI	38	46	37


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 22

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 22
CENSUS 2010 218,733
2016 POPULATION ESTIMATE 223,908


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	35	35	39
Anxiety Disorder	1,316	1,277	1,085
Dementia	17	12	12
Developmental Disorder	61	61	61
Impulse Control Disorder	344	353	340
Mood Disorder	1,672	1,697	1,575
Personality Disorder	317	341	365
Psychotic Disorder	309	315	312
Sexual Disorder	*	*	*
Other Diagnosis	223	164	174
Diagnosis Unknown	81	82	87

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	2,079	2,115	1,982	Less than High School Diploma	416	390	431
AGE				High School Grad or G.E.D.	0	0	0
Under 6	*	5	6	Associate Degree or Some College	0	0	0
6 to 9	34	23	34	Bachelor or Advanced Degree	0	0	0
10 to 13	67	75	71	Education Level Unknown	1,663	1,725	1,551
14 to 17	80	85	111	EMPLOYMENT			
18 to 24	174	158	164	Employed	233	208	213
25 to 29	169	195	195	Unemployed	117	144	151
30 to 34	226	253	252	Not in Labor Force	934	897	897
35 to 39	214	239	196	Employment Status Unknown	795	866	721
40 to 44	210	209	195	HOUSING / LIVING ARRANGEMENT			
45 to 49	225	234	219	Independent Living	1,012	958	890
50 to 54	275	270	240	Dependent Living	266	315	370
55 to 59	223	203	164	Homeless	16	16	18
60 and Over	179	166	135	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	785	826	704
GENDER				TREATMENT REFERRAL SOURCE			
Male	870	916	851	Self / Family / Friend	887	980	799
Female	1,209	1,199	1,131	School	8	7	8
Gender Unknown	0	0	0	Mental Health Provider	129	126	130
RACE / ETHNICITY				Health Care Provider	480	437	452
Caucasian	1,978	2,019	1,897	Court / Criminal Justice	82	83	96
African American	34	40	37	Other	474	462	476
Native American / Alaskan	*	*	*	Referral Source Unknown	19	20	21
Asian / Pacific Islander	10	9	8	TYPE OF COMMITMENT			
Hispanic	21	12	12	Voluntary	2,052	2,083	1,951
Other Race	33	34	26	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	8	9	8
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	14	15	14	Commitment Type Unknown	16	18	20
Past or Current Military Service	43	48	40				

PSYCHIATRIC SERVICE AREA 23



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	23
POPULATION	
Census 2010	998,954
2016 Estimate	998,581

BIRTH RISK	2015	2014	2013
Resident Births	11,676	11,706	11,510
Mother Reported Smoking while Pregnant	905	970	978

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	108	108	120
Hepatitis B Chronic, Acute, Prenatal	93	166	126
Hepatitis C Chronic and Acute	637	928	573
Tuberculosis Infection Cases	519	455	553

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	9,970	9,584	9,452
Suicide	129	150	133
Homicide	125	90	77
Alcohol Induced Deaths	74	58	53
Drug Induced Deaths	166	190	172
Smoking Attributable Deaths	1,459	1,474	1,439
Self-inflicted Injuries *	706	816	818
Assault Injuries *	3,426	2,913	3,347

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	5,961	4,510	5,138
Mental Illness Secondary Diagnosis	14,369	10,101	11,358
Alcohol Principal Diagnosis	600	331	421
Alcohol Secondary Diagnosis	1,279	712	943
Drug Principal Diagnosis	672	386	472
Drug Secondary Diagnosis	1,260	861	1,002
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	5,363	6,785	5,774
Mental Illness Secondary Diagnosis	17,506	21,920	20,100
Alcohol Principal Diagnosis	588	703	589
Alcohol Secondary Diagnosis	1,916	2,198	2,038
Drug Principal Diagnosis	353	396	380
Drug Secondary Diagnosis	1,410	1,528	1,292
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	8,608	7,090	7,697
Mental Illness Secondary Diagnosis	27,663	24,370	25,209
Alcohol Principal Diagnosis	1,997	1,638	1,740
Alcohol Secondary Diagnosis	1,793	1,548	1,595
Drug Principal Diagnosis	1,675	1,211	1,242
Drug Secondary Diagnosis	2,228	2,037	1,896

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	1,240	1,210	1,243
Alcohol Package Carry-out Licenses	659	650	648

EMPLOYMENT	2016	2015	2014
Labor Force	539,409	540,807	530,449
Employed	516,815	515,854	499,383
Unemployed	22,594	24,953	31,066
Unemployment Rate	4.2%	4.6%	5.9%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	703	657	683
Fatal Crashes	11	6	9
Injury Crashes	265	233	222
Property Damage Crashes	427	418	452
Crash Fatalities	14	7	9
Crash Injuries		342	303
Drug Involved Crashes	187	157	153
Fatal Crashes	7	2	2
Injury Crashes	95	75	67
Property Damage Crashes	85	80	84
Crash Fatalities	7	2	2
Crash Injuries	142	113	103

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	2,785	2,905	3,642
Liquor Law Arrests	534	736	977
Drug Arrests	6,873	5,930	6,312
Methamphetamine Lab Seizures	4	73	102
Violent Offenses	3,785	3,775	3,069
Domestic Violence Reports	4,413	4,195	3,788
Property Offenses	24,545	24,712	23,192

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	44,458	44,478	44,895
Drop-outs	818	861	979
Drop-out Rate	1.8%	1.9%	2.2%
School Discipline Involving Alcohol	69	37	62
School Discipline Involving Drugs	306	263	322
School Discipline Involving Tobacco	4	6	8

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	982	1,067	1,118
Juvenile Alcohol Offenses	120	104	127
Juvenile Drug Offenses	291	272	329
School Truancy Status Offense	299	315	367
Absent from Home Status Offense	811	786	829
Beyond Parental Control Status Offense	151	151	128
Injurious Behavior Status Offense	106	113	120
Child Abuse	371	534	426
Child Neglect	768	1,122	977
Child Custody Issues	176	190	152

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	470	533	466
Parental Alcohol Use Related	7	6	13
Parental Drug Use Related	115	152	119
Parental Alcohol and Drug Use	0	15	4

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	319	321	346
Probation/Parole Admissions--Drug	1,063	1,057	1,113
Probation/Parole Admissions--DWI	177	232	292
Prison Admissions--Drug	300	303	286
Prison Admissions--DWI	47	43	68


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREA 23

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 23
CENSUS 2010 998,954
2016 POPULATION ESTIMATE 1,001,705


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	34	37	37
Anxiety Disorder	841	838	756
Dementia	80	53	6
Developmental Disorder	40	39	36
Impulse Control Disorder	620	637	656
Mood Disorder	2,822	2,998	3,152
Personality Disorder	310	322	296
Psychotic Disorder	1,742	1,744	1,729
Sexual Disorder	6	7	7
Other Diagnosis	192	122	127
Diagnosis Unknown	446	499	419

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	5,257	5,552	5,674	Less than High School Diploma	1,162	1,068	1,152
AGE				High School Grad or G.E.D.	0	0	0
Under 6	12	16	27	Associate Degree or Some College	0	0	0
6 to 9	149	181	180	Bachelor or Advanced Degree	0	0	0
10 to 13	238	282	315	Education Level Unknown	4,095	4,484	4,522
14 to 17	372	420	429	EMPLOYMENT			
18 to 24	477	512	536	Employed	393	365	341
25 to 29	377	425	433	Unemployed	312	353	465
30 to 34	445	459	509	Not in Labor Force	2,750	2,648	2,626
35 to 39	437	440	431	Employment Status Unknown	1,802	2,186	2,242
40 to 44	395	417	490	HOUSING / LIVING ARRANGEMENT			
45 to 49	483	517	603	Independent Living	1,397	1,503	1,357
50 to 54	651	673	647	Dependent Living	1,884	1,710	1,874
55 to 59	579	572	530	Homeless	119	93	115
60 and Over	642	638	544	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	1,857	2,246	2,328
GENDER				TREATMENT REFERRAL SOURCE			
Male	2,589	2,670	2,747	Self / Family / Friend	1,257	1,209	1,208
Female	2,668	2,882	2,927	School	101	108	121
Gender Unknown	0	0	0	Mental Health Provider	652	690	749
RACE / ETHNICITY				Health Care Provider	1,150	1,119	999
Caucasian	2,395	2,532	2,681	Court / Criminal Justice	237	259	264
African American	2,542	2,712	2,677	Other	1,852	2,158	2,323
Native American / Alaskan	5	*	*	Referral Source Unknown	8	9	10
Asian / Pacific Islander	27	20	24	TYPE OF COMMITMENT			
Hispanic	66	84	77	Voluntary	5,149	5,451	5,579
Other Race	222	201	211	Civil	15	12	13
Race/Ethnicity Unknown	0	0	0	Criminal	78	71	66
TREATMENT ACCOMMODATION				Sexual Predatory	*	6	5
Hearing Impaired	152	181	194	Commitment Type Unknown	11	12	11
Past or Current Military Service	111	110	114				

PSYCHIATRIC SERVICE AREAS 24, 25



DBH REGION	Eastern
DBH SERVICE AREAS	
Substance Use	Not Applicable
Adult Psychiatric	24, 25
POPULATION	
Census 2010	319,294
2016 Estimate	311,404

BIRTH RISK	2015	2014	2013
Resident Births	4,581	4,689	4,694
Mother Reported Smoking while Pregnant	571	635	657

DISEASE INCIDENCE ¹	2016	2015	2014
HIV/AIDS Cases	121	102	90
Hepatitis B Chronic, Acute, Prenatal	86	92	79
Hepatitis C Chronic and Acute	705	1,015	774
Tuberculosis Infection Cases	368	436	583

DEATHS and INJURIES	2015	2014	2013
Resident Deaths	2,967	3,002	2,960
Suicide	36	37	38
Homicide	135	118	89
Alcohol Induced Deaths	52	43	57
Drug Induced Deaths	107	131	102
Smoking Attributable Deaths	430	461	467
Self-inflicted Injuries *	335	382	370
Assault Injuries *	2,552	2,244	2,800

HOSPITAL EPISODES ²	2015	2014	2013
Hospitalization, no Emergency Room:			
Mental Illness Principal Diagnosis	3,629	3,612	3,748
Mental Illness Secondary Diagnosis	4,970	4,949	5,749
Alcohol Principal Diagnosis	305	241	293
Alcohol Secondary Diagnosis	861	800	930
Drug Principal Diagnosis	587	392	543
Drug Secondary Diagnosis	1,229	1,117	1,339
Emergency Room + Hospitalization:			
Mental Illness Principal Diagnosis	2,684	2,704	2,080
Mental Illness Secondary Diagnosis	5,264	5,332	4,472
Alcohol Principal Diagnosis	404	342	276
Alcohol Secondary Diagnosis	1,205	1,044	850
Drug Principal Diagnosis	337	297	219
Drug Secondary Diagnosis	1,376	1,146	824
Emergency Room, no Hospitalization:			
Mental Illness Principal Diagnosis	4,667	4,013	4,156
Mental Illness Secondary Diagnosis	11,378	10,479	11,798
Alcohol Principal Diagnosis	2,167	1,630	1,811
Alcohol Secondary Diagnosis	1,721	1,254	1,410
Drug Principal Diagnosis	1,417	1,010	1,061
Drug Secondary Diagnosis	2,446	2,060	1,899

ALCOHOL OUTLETS	2016	2015	2014
Alcohol On-Premise Drink Licenses	798	786	790
Alcohol Package Carry-out Licenses	164	164	164

EMPLOYMENT	2016	2015	2014
Labor Force	161,047	163,003	161,200
Employed	152,364	153,141	148,789
Unemployed	8,683	9,862	12,411
Unemployment Rate	5.4%	6.1%	7.7%

IMPAIRED DRIVING	2016	2015	2014
Alcohol Involved Crashes	94	98	89
Fatal Crashes	2	0	2
Injury Crashes	39	31	31
Property Damage Crashes	53	67	56
Crash Fatalities	3	0	2
Crash Injuries		47	61
Drug Involved Crashes	26	18	17
Fatal Crashes	0	0	0
Injury Crashes	17	8	11
Property Damage Crashes	9	10	6
Crash Fatalities	0	0	0
Crash Injuries	22	12	17

POLICE REPORTS	2016	2015	2014
DUI Arrests, DWI Tracking System	197	198	218
Liquor Law Arrests	916	902	622
Drug Arrests	2,545	2,435	2,193
Methamphetamine Lab Seizures	6	9	23
Violent Offenses	6,018	5,764	5,352
Domestic Violence Reports	2,412	2,275	2,235
Property Offenses	18,982	20,347	20,187

SCHOOL REPORTS	2015-16	2014-15	2013-14
Enrollment Grades 9-12	8,293	7,664	8,066
Drop-outs	1,095	1,239	1,225
Drop-out Rate	13.2%	16.2%	15.2%
School Discipline Involving Alcohol	6	0	5
School Discipline Involving Drugs	95	133	123
School Discipline Involving Tobacco	0	5	1

JUVENILE COURT REFERRALS	2016	2015	2014
Juvenile Violent Offenses	290	329	413
Juvenile Alcohol Offenses	3	8	4
Juvenile Drug Offenses	58	66	79
School Truancy Status Offense	174	177	234
Absent from Home Status Offense	56	67	35
Beyond Parental Control Status Offense	45	60	53
Injurious Behavior Status Offense	3	1	6
Child Abuse	54	54	43
Child Neglect	637	761	596
Child Custody Issues	72	57	66

JUVENILE COURT PLACEMENTS	2016	2015	2014
Out-of-Home Placements--Total	285	329	283
Parental Alcohol Use Related	16	4	19
Parental Drug Use Related	84	93	59
Parental Alcohol and Drug Use	2	2	1

CRIMINAL JUSTICE	FY2017	FY2016	FY2015
Drug Court Participants	632	719	599
Probation/Parole Admissions--Drug	1,161	1,125	1,194
Probation/Parole Admissions--DWI	5	5	9
Prison Admissions--Drug	423	456	442
Prison Admissions--DWI	0	2	1


* A value of less than 5 for this indicator is suppressed and displayed with a zero (0) to prevent the disclosure of identifying information.

¹ All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.

² Hospital counts for alcohol, drug, and mental disorders are based on ICD-9 and ICD-10 diagnosis codes selected by the Healthcare Cost and Utilization Program. Due to implementation of ICD-10 coding in October 2015, hospital and E.R. counts beginning in 2015 may not be comparable to prior years.

PSYCHIATRIC SERVICE AREAS 24, 25

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 24, 25
CENSUS 2010 319,294
2016 POPULATION ESTIMATE 314,875

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2016	FY2015	FY2014
Adjustment Disorder	78	85	54
Anxiety Disorder	994	893	675
Dementia	448	352	10
Developmental Disorder	48	31	27
Impulse Control Disorder	916	819	699
Mood Disorder	3,681	3,676	3,440
Personality Disorder	421	387	322
Psychotic Disorder	2,758	2,736	2,521
Sexual Disorder	15	16	14
Other Diagnosis	363	279	186
Diagnosis Unknown	559	608	548

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2016	FY2015	FY2014	EDUCATION	FY2016	FY2015	FY2014
Total Individuals	6,852	6,921	6,797	Less than High School Diploma	1,643	1,880	1,803
AGE				High School Grad or G.E.D.	0	0	*
Under 6	10	7	17	Associate Degree or Some College	0	0	0
6 to 9	325	270	287	Bachelor or Advanced Degree	0	0	0
10 to 13	355	338	309	Education Level Unknown	5,209	5,041	4,993
14 to 17	335	334	357	EMPLOYMENT			
18 to 24	457	455	440	Employed	332	345	308
25 to 29	414	428	441	Unemployed	219	298	341
30 to 34	497	528	540	Not in Labor Force	3,236	3,710	3,538
35 to 39	529	533	490	Employment Status Unknown	3,065	2,568	2,610
40 to 44	515	592	622	HOUSING / LIVING ARRANGEMENT			
45 to 49	710	744	777	Independent Living	1,877	2,465	2,266
50 to 54	916	967	938	Dependent Living	1,529	1,493	1,509
55 to 59	898	882	866	Homeless	297	330	324
60 and Over	891	843	713	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	3,149	2,633	2,698
GENDER				TREATMENT REFERRAL SOURCE			
Male	3,552	3,555	3,478	Self / Family / Friend	2,487	2,410	2,383
Female	3,300	3,366	3,319	School	55	55	44
Gender Unknown	0	0	0	Mental Health Provider	641	687	739
RACE / ETHNICITY				Health Care Provider	1,253	1,168	1,049
Caucasian	1,649	1,711	1,675	Court / Criminal Justice	423	427	399
African American	4,874	4,895	4,833	Other	1,949	2,131	2,137
Native American / Alaskan	*	6	5	Referral Source Unknown	44	43	46
Asian / Pacific Islander	26	32	28	TYPE OF COMMITMENT			
Hispanic	59	59	58	Voluntary	6,593	6,666	6,539
Other Race	240	218	198	Civil	23	24	27
Race/Ethnicity Unknown	0	0	0	Criminal	191	186	181
TREATMENT ACCOMMODATION				Sexual Predatory	*	*	*
Hearing Impaired	187	193	201	Commitment Type Unknown	42	42	46
Past or Current Military Service	211	201	197				

MISSOURI: 2016 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

Age Group		All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	6,093,000	2,992,035	3,100,965	2,501,262	2,570,420	343,473	377,432	17,208	16,669	57,973	63,839	4,636	4,481	67,483	68,124
	0-4	373,958	191,393	182,565	147,711	140,664	27,495	26,389	1,375	1,308	3,878	3,725	534	387	10,400	10,092
	5-9	384,685	196,657	188,028	153,773	146,468	27,484	26,483	1,059	1,109	3,848	3,607	422	506	10,071	9,855
	10-14	389,087	199,168	189,919	158,717	150,169	26,624	26,029	1,074	1,038	3,786	3,902	430	397	8,537	8,384
	15-19	395,936	203,128	192,808	161,550	153,242	28,418	26,914	1,201	1,171	4,289	4,174	370	370	7,300	6,937
	20-24	421,888	216,321	205,567	170,165	162,208	31,805	29,985	1,380	1,375	6,083	5,641	339	304	6,549	6,054
	25-29	412,718	207,240	205,478	166,563	163,701	28,943	29,843	1,280	1,218	5,576	5,728	440	425	4,438	4,563
	30-34	400,150	199,986	200,164	166,555	163,482	23,123	25,558	1,182	1,061	5,298	5,948	442	449	3,386	3,666
	35-39	381,170	190,597	190,573	159,702	155,687	21,509	24,806	1,213	1,025	4,806	5,417	423	382	2,944	3,256
	40-44	349,868	173,123	176,745	145,246	144,633	19,454	22,836	1,032	935	4,625	5,409	311	300	2,455	2,632
	45-49	375,525	185,820	189,705	158,201	158,274	20,173	23,154	1,160	1,042	3,936	4,619	277	243	2,073	2,373
	50-54	414,234	203,753	210,481	175,902	178,999	21,288	24,192	1,159	1,155	3,174	3,708	187	201	2,043	2,226
	55-59	433,651	211,153	222,498	184,352	191,081	20,943	24,571	1,224	1,248	2,425	3,123	151	170	2,058	2,305
	60-64	382,109	182,977	199,132	161,663	172,835	16,478	20,471	989	1,077	1,913	2,763	128	131	1,806	1,855
	65-69	327,310	154,069	173,241	138,584	152,420	11,765	16,207	761	785	1,590	2,360	83	96	1,286	1,373
	70-74	232,663	107,493	125,170	97,417	111,568	7,546	10,670	463	436	1,138	1,521	49	56	880	919
	75-79	169,216	75,224	93,992	68,519	84,175	4,868	7,778	344	298	844	1,017	34	22	615	702
	80-84	120,535	50,312	70,223	46,244	63,314	3,045	5,592	191	201	442	624	11	16	379	476
	85+	128,297	43,621	84,676	40,398	77,500	2,512	5,954	121	187	322	553	5	26	263	456
Non-Hispanic	All Ages	5,842,524	2,862,352	2,980,172	2,390,378	2,467,547	336,892	371,052	13,167	12,975	56,698	62,546	3,864	3,789	61,353	62,263
	0-4	347,907	177,981	169,926	136,917	130,465	26,610	25,544	868	813	3,678	3,547	470	334	9,438	9,223
	5-9	357,686	182,991	174,695	142,441	135,462	26,723	25,724	679	729	3,704	3,462	335	421	9,109	8,897
	10-14	364,084	186,495	177,589	148,036	139,734	25,924	25,395	750	714	3,678	3,803	339	312	7,768	7,631
	15-19	373,347	191,349	181,998	151,561	144,137	27,770	26,299	899	859	4,199	4,093	308	309	6,612	6,301
	20-24	399,529	204,461	195,068	160,085	153,360	31,195	29,425	1,048	1,052	5,970	5,506	260	243	5,903	5,482
	25-29	392,901	196,601	196,300	157,551	155,893	28,261	29,299	919	938	5,481	5,603	359	388	4,030	4,179
	30-34	379,959	188,971	190,988	157,073	155,556	22,522	25,040	814	828	5,192	5,855	364	396	3,006	3,313
	35-39	362,237	180,445	181,792	150,847	148,128	21,094	24,344	851	772	4,704	5,321	375	313	2,574	2,914
	40-44	333,973	164,948	169,025	138,019	137,883	19,158	22,498	762	699	4,551	5,331	259	229	2,199	2,385
	45-49	362,484	179,006	183,478	152,150	152,852	19,951	22,865	943	826	3,869	4,545	223	195	1,870	2,195
	50-54	403,132	198,092	205,040	170,871	174,229	21,060	23,970	970	967	3,128	3,641	157	179	1,906	2,054
	55-59	424,627	206,562	218,065	180,304	187,227	20,739	24,372	1,070	1,074	2,383	3,083	135	149	1,931	2,160
	60-64	375,679	179,701	195,978	158,750	170,065	16,354	20,329	879	954	1,876	2,735	116	119	1,726	1,776
	65-69	322,467	151,713	170,754	136,458	150,161	11,694	16,134	688	719	1,575	2,337	75	92	1,223	1,311
	70-74	229,726	106,142	123,584	96,201	110,147	7,497	10,598	423	402	1,126	1,509	46	52	849	876
	75-79	167,106	74,287	92,819	67,687	83,108	4,847	7,748	308	266	828	1,003	29	18	588	676
	80-84	119,023	49,631	69,392	45,651	62,556	2,996	5,562	176	185	438	619	10	15	360	455
	85+	126,657	42,976	83,681	39,776	76,584	2,497	5,906	120	178	318	553	4	25	261	435
Hispanic	All Ages	250,476	129,683	120,793	110,884	102,873	6,581	6,380	4,041	3,694	1,275	1,293	772	692	6,130	5,861
	0-4	26,051	13,412	12,639	10,794	10,199	885	845	507	495	200	178	64	53	962	869
	5-9	26,999	13,666	13,333	11,332	11,006	761	759	380	380	144	145	87	85	962	958
	10-14	25,003	12,673	12,330	10,681	10,435	700	634	324	324	108	99	91	85	769	753
	15-19	22,589	11,779	10,810	9,989	9,105	648	615	302	312	90	81	62	61	688	636
	20-24	22,359	11,860	10,499	10,080	8,848	610	560	332	323	113	135	79	61	646	572
	25-29	19,817	10,639	9,178	9,012	7,808	682	544	361	280	95	125	81	37	408	384
	30-34	20,191	11,015	9,176	9,482	7,926	601	518	368	233	106	93	78	53	380	353
	35-39	18,933	10,152	8,781	8,855	7,559	415	462	362	253	102	96	48	69	370	342
	40-44	15,895	8,175	7,720	7,227	6,750	296	338	270	236	74	78	52	71	256	247
	45-49	13,041	6,814	6,227	6,051	5,422	222	289	217	216	67	74	54	48	203	178
	50-54	11,102	5,661	5,441	5,031	4,770	228	222	189	188	46	67	30	22	137	172
	55-59	9,024	4,591	4,433	4,048	3,854	204	199	154	174	42	40	16	21	127	145
	60-64	6,430	3,276	3,154	2,913	2,770	124	142	110	123	37	28	12	12	80	79
	65-69	4,843	2,356	2,487	2,126	2,259	71	73	73	66	15	23	8	4	63	62
	70-74	2,937	1,351	1,586	1,216	1,421	49	72	40	34	12	12	3	4	31	43
	75-79	2,110	937	1,173	832	1,067	21	30	36	32	16	14	5	4	27	26
	80-84	1,512	681	831	593	758	49	30	15	16	4	5	1	1	19	21
	85+	1,640	645	995	622	916	15	48	1	9	4	0	1	1	2	21

MISSOURI: 2015 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

Age Group		All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	6,083,672	2,985,045	3,098,627	2,497,853	2,571,257	342,338	376,180	17,051	16,448	57,738	63,668	4,410	4,447	65,655	66,627
	0-4	374,360	191,990	182,370	148,306	140,803	27,280	26,270	1,298	1,283	4,275	3,609	538	419	10,293	9,986
	5-9	387,978	198,041	189,937	155,178	148,284	27,406	26,479	1,051	1,099	3,890	3,720	372	469	10,144	9,886
	10-14	389,347	199,161	190,186	158,838	150,666	26,872	26,035	1,143	1,043	3,760	4,068	374	378	8,174	7,996
	15-19	397,021	203,875	193,146	162,435	153,825	28,596	27,046	1,214	1,200	4,159	3,984	333	354	7,138	6,737
	20-24	430,169	218,650	211,519	171,944	166,393	32,865	31,476	1,379	1,372	5,975	5,895	369	359	6,118	6,024
	25-29	405,591	202,897	202,694	164,284	162,356	27,322	28,632	1,248	1,162	5,587	5,914	402	361	4,054	4,269
	30-34	401,176	200,334	200,842	167,012	163,929	23,216	25,566	1,176	1,074	5,256	6,096	425	511	3,249	3,666
	35-39	371,574	185,816	185,758	155,183	151,665	21,151	24,185	1,175	998	4,997	5,429	418	384	2,892	3,097
	40-44	361,101	178,503	182,598	150,051	149,551	20,050	23,588	1,063	966	4,547	5,548	315	296	2,477	2,649
	45-49	374,058	185,040	189,018	157,647	157,965	20,246	23,141	1,127	1,049	3,790	4,348	249	240	1,981	2,275
	50-54	431,233	212,217	219,016	183,709	187,039	21,898	24,808	1,223	1,182	3,092	3,535	204	199	2,091	2,253
	55-59	430,236	209,639	220,597	182,841	189,438	20,895	24,443	1,232	1,212	2,409	3,046	144	180	2,118	2,278
	60-64	374,906	179,158	195,748	158,746	170,170	15,856	19,933	933	1,035	1,849	2,743	113	113	1,661	1,754
	65-69	312,664	147,471	165,193	132,751	145,772	11,137	15,167	737	729	1,533	2,188	74	70	1,239	1,267
	70-74	230,298	106,351	123,947	96,482	110,624	7,399	10,450	446	405	1,129	1,509	35	43	860	916
	75-79	165,083	73,445	91,638	67,011	82,187	4,697	7,533	318	294	828	928	33	28	558	668
	80-84	120,147	49,760	70,387	45,817	63,583	3,032	5,525	166	182	379	630	7	17	359	450
	85+	126,730	42,697	84,033	39,618	77,007	2,420	5,903	122	163	283	478	5	26	249	456
Non-Hispanic	All Ages	5,836,105	2,857,195	2,978,910	2,388,367	2,469,190	335,864	369,896	13,122	12,920	56,487	62,372	3,609	3,738	59,746	60,794
	0-4	347,720	178,556	169,164	137,484	130,082	26,389	25,436	847	832	4,039	3,403	441	332	9,356	9,079
	5-9	360,584	184,120	176,464	143,568	137,073	26,649	25,714	687	750	3,781	3,609	281	389	9,154	8,929
	10-14	365,184	186,812	178,372	148,424	140,685	26,199	25,430	814	720	3,671	3,977	296	302	7,408	7,258
	15-19	375,142	192,523	182,619	152,814	144,969	27,925	26,449	911	885	4,078	3,914	270	288	6,525	6,114
	20-24	408,101	206,981	201,120	161,932	157,648	32,259	30,927	1,063	1,058	5,868	5,730	273	293	5,586	5,464
	25-29	385,789	192,299	193,490	155,257	154,444	26,690	28,107	886	919	5,499	5,789	321	320	3,646	3,911
	30-34	380,682	189,194	191,488	157,381	155,842	22,661	25,056	802	838	5,131	6,001	359	453	2,860	3,298
	35-39	353,203	176,031	177,172	146,732	144,327	20,695	23,707	825	747	4,886	5,344	363	316	2,530	2,731
	40-44	345,145	170,233	174,912	142,701	142,796	19,771	23,257	816	739	4,482	5,460	262	236	2,201	2,424
	45-49	361,444	178,498	182,946	151,849	152,702	20,014	22,852	906	842	3,718	4,254	199	197	1,812	2,099
	50-54	420,357	206,688	213,669	178,812	182,348	21,673	24,580	1,028	994	3,048	3,481	175	180	1,952	2,086
	55-59	421,581	205,218	216,363	178,920	185,736	20,701	24,264	1,100	1,054	2,367	3,010	129	159	2,001	2,140
	60-64	368,676	175,950	192,726	155,886	167,527	15,745	19,792	815	914	1,818	2,714	105	105	1,581	1,674
	65-69	308,131	145,311	162,820	130,808	143,610	11,081	15,095	658	667	1,522	2,172	64	63	1,178	1,213
	70-74	227,419	105,008	122,411	95,277	109,252	7,346	10,379	410	374	1,110	1,494	32	41	833	871
	75-79	163,056	72,535	90,521	66,209	81,170	4,672	7,500	280	265	812	920	29	23	533	643
	80-84	118,686	49,127	69,559	45,253	62,833	2,991	5,490	155	166	377	623	6	16	345	431
	85+	125,205	42,111	83,094	39,060	76,146	2,403	5,861	119	156	280	477	4	25	245	429
Hispanic	All Ages	247,567	127,850	119,717	109,486	102,067	6,474	6,284	3,929	3,528	1,251	1,296	801	709	5,909	5,833
	0-4	26,640	13,434	13,206	10,822	10,721	891	834	451	451	236	206	97	87	937	907
	5-9	27,394	13,921	13,473	11,610	11,211	757	765	364	349	109	111	91	80	990	957
	10-14	24,163	12,349	11,814	10,414	9,981	673	605	329	323	89	91	78	76	766	738
	15-19	21,879	11,352	10,527	9,621	8,856	671	597	303	315	81	70	63	66	613	623
	20-24	22,068	11,669	10,399	10,012	8,745	606	549	316	314	107	165	96	66	532	560
	25-29	19,802	10,598	9,204	9,027	7,912	632	525	362	243	88	125	81	41	408	358
	30-34	20,494	11,140	9,354	9,631	8,087	555	510	374	236	125	95	66	58	389	368
	35-39	18,371	9,785	8,586	8,451	7,338	456	478	350	251	111	85	55	68	362	366
	40-44	15,956	8,270	7,686	7,350	6,755	279	331	247	227	65	88	53	60	276	225
	45-49	12,614	6,542	6,072	5,798	5,263	232	289	221	207	72	94	50	43	169	176
	50-54	10,876	5,529	5,347	4,897	4,691	225	228	195	188	44	54	29	19	139	167
	55-59	8,655	4,421	4,234	3,921	3,702	194	179	132	158	42	36	15	21	117	138
	60-64	6,230	3,208	3,022	2,860	2,643	111	141	118	121	31	29	8	8	80	80
	65-69	4,533	2,160	2,373	1,943	2,162	56	72	79	62	11	16	10	7	61	54
	70-74	2,879	1,343	1,536	1,205	1,372	53	71	36	31	19	15	3	2	27	45
	75-79	2,027	910	1,117	802	1,017	25	33	38	29	16	8	4	5	25	25
	80-84	1,461	633	828	564	750	41	35	11	16	2	7	1	1	14	19
	85+	1,525	586	939	558	861	17	42	3	7	3	1	1	1	4	27

MISSOURI: 2014 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

Age Group		All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	6,063,589	2,974,222	3,089,367	2,494,468	2,568,984	340,243	374,352	16,739	16,089	54,958	61,255	4,309	4,218	63,505	64,469
	0-4	374,318	192,214	182,104	148,950	141,153	27,241	25,887	1,256	1,187	4,100	3,630	444	419	10,223	9,828
	5-9	389,755	198,733	191,022	156,458	149,438	27,400	26,667	1,022	1,085	3,594	3,773	410	429	9,849	9,630
	10-14	391,633	200,250	191,383	160,069	152,110	27,300	26,443	1,085	1,069	3,547	3,784	342	372	7,907	7,605
	15-19	395,523	203,231	192,292	162,086	153,164	28,845	27,161	1,230	1,170	3,922	3,953	331	337	6,817	6,507
	20-24	435,252	220,620	214,632	173,807	169,254	33,256	32,252	1,377	1,341	5,873	5,699	383	352	5,924	5,734
	25-29	401,164	200,866	200,298	164,156	161,533	26,031	27,451	1,251	1,139	5,348	5,725	431	381	3,649	4,069
	30-34	401,388	200,097	201,291	167,144	164,504	23,050	25,979	1,141	1,035	5,125	5,783	433	430	3,204	3,560
	35-39	362,172	180,903	181,269	151,431	148,181	20,454	23,572	1,153	996	4,741	5,262	381	354	2,743	2,904
	40-44	369,354	182,978	186,376	154,061	153,210	20,549	24,026	1,080	1,000	4,507	5,238	323	289	2,450	2,613
	45-49	379,160	187,460	191,700	159,951	160,502	20,642	23,557	1,145	1,060	3,547	4,125	246	224	1,929	2,232
	50-54	441,126	216,993	224,133	188,284	191,880	22,329	25,042	1,258	1,223	2,788	3,476	189	188	2,145	2,324
	55-59	424,759	206,700	218,059	180,697	187,642	20,344	23,978	1,203	1,181	2,221	2,888	147	165	2,088	2,205
	60-64	365,770	174,640	191,130	155,173	166,361	15,201	19,392	885	977	1,732	2,659	107	101	1,542	1,640
	65-69	300,124	141,718	158,406	127,698	140,160	10,547	14,307	690	652	1,530	2,012	72	74	1,181	1,201
	70-74	225,369	104,007	121,362	94,521	108,614	7,145	10,092	431	387	1,087	1,338	31	35	792	896
	75-79	162,272	72,088	90,184	65,899	80,934	4,648	7,432	273	280	719	869	26	23	523	646
	80-84	119,445	49,011	70,434	45,233	63,833	2,978	5,399	147	165	328	579	8	21	317	437
	85+	125,005	41,713	83,292	38,842	76,511	2,283	5,715	112	142	249	462	5	24	222	438
Non-Hispanic	All Ages	5,823,367	2,849,877	2,973,490	2,387,884	2,470,156	334,033	368,234	12,907	12,668	53,771	60,041	3,524	3,526	57,758	58,865
	0-4	347,821	178,829	168,992	138,123	130,468	26,380	25,069	820	774	3,912	3,450	346	326	9,248	8,905
	5-9	362,986	185,150	177,836	145,032	138,421	26,674	25,904	691	763	3,485	3,673	312	357	8,956	8,718
	10-14	368,398	188,408	179,990	150,038	142,468	26,659	25,867	794	751	3,463	3,700	279	292	7,175	6,912
	15-19	374,782	192,343	182,439	152,882	144,929	28,230	26,591	922	856	3,830	3,876	257	275	6,222	5,912
	20-24	413,619	209,193	204,426	164,082	160,668	32,655	31,668	1,044	1,030	5,771	5,555	289	285	5,352	5,220
	25-29	381,303	189,987	191,316	154,900	153,837	25,383	26,954	869	889	5,238	5,610	349	330	3,248	3,696
	30-34	381,259	189,316	191,943	157,784	156,418	22,543	25,482	789	790	5,018	5,685	371	364	2,811	3,204
	35-39	344,384	171,374	173,010	143,127	141,096	20,051	23,129	820	740	4,648	5,181	331	300	2,397	2,564
	40-44	354,064	175,014	179,050	147,012	146,737	20,269	23,719	844	785	4,429	5,159	269	236	2,191	2,414
	45-49	367,074	181,226	185,848	154,415	155,426	20,414	23,274	928	862	3,492	4,045	202	186	1,775	2,055
	50-54	430,467	211,587	218,880	183,525	187,284	22,103	24,812	1,051	1,041	2,746	3,412	163	171	1,999	2,160
	55-59	416,528	202,491	214,037	176,965	184,124	20,167	23,805	1,072	1,026	2,174	2,855	130	147	1,983	2,080
	60-64	359,989	171,661	188,328	152,514	163,910	15,093	19,262	778	868	1,709	2,630	101	93	1,466	1,565
	65-69	296,046	139,760	156,286	125,948	138,227	10,492	14,244	606	601	1,518	2,000	63	65	1,133	1,149
	70-74	222,667	102,756	119,911	93,402	107,333	7,097	10,020	399	353	1,058	1,319	28	35	772	851
	75-79	160,339	71,201	89,138	65,107	79,982	4,618	7,395	244	255	709	860	23	21	500	625
	80-84	118,052	48,411	69,641	44,703	63,121	2,933	5,356	133	155	326	573	7	20	309	416
	85+	123,589	41,170	82,419	38,325	75,707	2,272	5,683	103	129	245	458	4	23	221	419
Hispanic	All Ages	240,222	124,345	115,877	106,584	98,828	6,210	6,118	3,832	3,421	1,187	1,214	785	692	5,747	5,604
	0-4	26,497	13,385	13,112	10,827	10,685	861	818	436	413	188	180	98	93	975	923
	5-9	26,769	13,583	13,186	11,426	11,017	726	763	331	322	109	100	98	72	893	912
	10-14	23,235	11,842	11,393	10,031	9,642	641	576	291	318	84	84	63	80	732	693
	15-19	20,741	10,888	9,853	9,204	8,235	615	570	308	314	92	77	74	62	595	595
	20-24	21,633	11,427	10,206	9,725	8,586	601	584	333	311	102	144	94	67	572	514
	25-29	19,861	10,879	8,982	9,256	7,696	648	497	382	250	110	115	82	51	401	373
	30-34	20,129	10,781	9,348	9,360	8,086	507	497	352	245	107	98	62	66	393	356
	35-39	17,788	9,529	8,259	8,304	7,085	403	443	333	256	93	81	50	54	346	340
	40-44	15,290	7,964	7,326	7,057	6,473	280	307	236	215	78	79	54	53	259	199
	45-49	12,086	6,234	5,852	5,536	5,076	228	283	217	198	55	80	44	38	154	177
	50-54	10,659	5,406	5,253	4,759	4,596	226	230	207	182	42	64	26	17	146	164
	55-59	8,231	4,209	4,022	3,732	3,518	177	173	131	155	47	33	17	18	105	125
	60-64	5,781	2,979	2,802	2,659	2,451	108	130	107	109	23	29	6	8	76	75
	65-69	4,078	1,958	2,120	1,750	1,933	55	63	84	51	12	12	9	9	48	52
	70-74	2,702	1,251	1,451	1,119	1,281	48	72	32	34	29	19	3	0	20	45
	75-79	1,933	887	1,046	792	952	30	37	29	25	10	9	3	2	23	21
	80-84	1,393	600	793	530	712	45	43	14	10	2	6	1	1	8	21
	85+	1,416	543	873	517	804	11	32	9	13	4	4	1	1	1	19

MISSOURI: 2013 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

		All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	6,044,171	2,963,957	3,080,214	2,492,169	2,567,238	337,660	372,487	16,414	15,797	52,332	58,130	4,057	4,044	61,325	62,518
	0-4	376,837	193,198	183,639	150,265	142,474	27,245	26,087	1,199	1,082	3,829	3,753	381	445	10,279	9,798
	5-9	391,986	199,991	191,995	158,123	150,588	27,364	26,880	1,028	1,127	3,659	3,793	402	406	9,415	9,201
	10-14	392,151	200,693	191,458	160,988	152,699	27,332	26,435	1,081	1,068	3,266	3,582	347	335	7,679	7,339
	15-19	398,256	204,558	193,698	163,144	154,180	29,645	28,001	1,237	1,154	3,787	3,686	330	332	6,415	6,345
	20-24	433,959	219,196	214,763	173,727	170,266	32,842	32,090	1,388	1,273	5,350	5,320	422	380	5,467	5,434
	25-29	398,319	199,456	198,863	164,286	161,727	24,997	26,587	1,199	1,101	5,066	5,121	411	387	3,497	3,940
	30-34	398,671	199,102	199,569	166,646	163,079	22,860	26,037	1,136	1,066	4,920	5,573	387	380	3,153	3,434
	35-39	354,935	176,826	178,109	148,128	145,589	20,038	23,284	1,097	976	4,620	5,154	321	328	2,622	2,778
	40-44	376,141	186,686	189,455	157,891	156,683	20,633	24,021	1,103	1,033	4,411	4,947	289	264	2,359	2,507
	45-49	391,507	193,421	198,086	165,523	166,620	21,189	24,100	1,139	1,101	3,403	3,810	207	218	1,960	2,237
	50-54	445,618	219,306	226,312	190,427	193,893	22,626	25,459	1,256	1,233	2,613	3,141	202	182	2,182	2,404
	55-59	419,604	203,790	215,814	178,644	186,213	19,784	23,358	1,164	1,163	2,088	2,840	135	152	1,975	2,088
	60-64	358,410	171,045	187,365	152,327	163,382	14,573	18,858	846	925	1,730	2,524	106	89	1,463	1,587
	65-69	288,577	136,472	152,105	123,231	135,023	10,032	13,417	627	584	1,408	1,882	56	59	1,118	1,140
	70-74	218,130	100,633	117,497	91,632	105,272	6,794	9,734	423	370	998	1,236	31	28	755	857
	75-79	158,759	70,287	88,472	64,250	79,470	4,629	7,321	265	249	640	819	21	19	482	594
	80-84	119,459	48,809	70,650	45,195	64,229	2,875	5,274	130	155	307	560	6	20	296	412
	85+	122,852	40,488	82,364	37,742	75,851	2,202	5,544	96	137	237	389	3	20	208	423
Non-Hispanic	All Ages	5,811,224	2,842,575	2,968,649	2,388,030	2,472,115	331,613	366,508	12,699	12,469	51,214	57,082	3,286	3,359	55,733	57,116
	0-4	350,635	179,867	170,768	139,362	131,917	26,441	25,308	782	731	3,671	3,595	290	353	9,321	8,864
	5-9	365,596	186,540	179,056	146,833	139,773	26,632	26,145	694	766	3,555	3,693	302	317	8,524	8,362
	10-14	369,844	189,198	180,646	151,190	143,604	26,746	25,869	808	748	3,187	3,494	285	263	6,982	6,668
	15-19	378,173	194,008	184,165	154,169	146,191	29,081	27,436	933	876	3,701	3,613	255	272	5,869	5,777
	20-24	412,960	207,810	205,150	164,158	162,149	32,167	31,543	1,033	983	5,239	5,206	334	315	4,879	4,954
	25-29	378,509	188,502	190,007	154,922	154,082	24,358	26,103	843	875	4,972	5,036	327	339	3,080	3,572
	30-34	378,937	188,399	190,538	157,363	155,351	22,353	25,502	778	793	4,812	5,494	320	313	2,773	3,085
	35-39	338,059	167,863	170,196	140,297	138,776	19,666	22,869	786	735	4,528	5,080	268	272	2,318	2,464
	40-44	361,602	179,074	182,528	151,141	150,619	20,364	23,711	883	799	4,340	4,872	236	213	2,110	2,314
	45-49	379,678	187,345	192,333	160,129	161,620	20,958	23,831	921	900	3,347	3,745	175	186	1,815	2,051
	50-54	435,449	214,095	221,354	185,845	189,566	22,398	25,231	1,075	1,054	2,569	3,103	174	163	2,034	2,237
	55-59	411,920	199,867	212,053	175,165	182,919	19,614	23,197	1,036	1,009	2,047	2,810	118	137	1,887	1,981
	60-64	353,016	168,276	184,740	149,859	161,061	14,467	18,738	748	835	1,712	2,498	99	82	1,391	1,526
	65-69	284,739	134,647	150,092	121,616	133,257	9,968	13,307	552	530	1,395	1,870	50	51	1,066	1,077
	70-74	215,517	99,400	116,117	90,533	104,040	6,758	9,681	381	333	970	1,221	26	27	732	815
	75-79	156,919	69,456	87,463	63,508	78,537	4,596	7,289	239	231	633	812	19	17	461	577
	80-84	118,129	48,242	69,887	44,671	63,544	2,853	5,233	119	144	305	556	6	20	288	390
	85+	121,542	39,986	81,556	37,269	75,109	2,193	5,515	88	127	231	384	2	19	203	402
Hispanic	All Ages	232,947	121,382	111,565	104,139	95,123	6,047	5,979	3,715	3,328	1,118	1,048	771	685	5,592	5,399
	0-4	26,202	13,331	12,871	10,903	10,557	804	779	417	351	158	158	91	92	958	933
	5-9	26,390	13,451	12,939	11,290	10,815	732	735	334	361	104	100	100	89	891	838
	10-14	22,307	11,495	10,812	9,798	9,095	586	566	273	320	79	88	62	72	697	671
	15-19	20,083	10,550	9,533	8,975	7,989	564	565	304	278	86	73	75	60	546	568
	20-24	20,999	11,386	9,613	9,569	8,117	675	547	355	290	111	114	88	65	588	480
	25-29	19,810	10,954	8,856	9,364	7,645	639	484	356	226	94	85	84	48	417	368
	30-34	19,734	10,703	9,031	9,283	7,728	507	535	358	273	108	79	67	67	380	348
	35-39	16,876	8,963	7,913	7,831	6,813	372	415	311	241	92	74	53	56	304	314
	40-44	14,539	7,612	6,927	6,750	6,064	269	310	220	234	71	75	53	51	249	193
	45-49	11,829	6,076	5,753	5,394	5,000	231	269	218	201	56	65	32	32	145	186
	50-54	10,169	5,211	4,958	4,582	4,327	228	228	181	179	44	38	28	19	148	167
	55-59	7,684	3,923	3,761	3,479	3,294	170	161	128	154	41	30	17	15	88	107
	60-64	5,394	2,769	2,625	2,468	2,321	106	120	98	90	18	26	7	7	72	61
	65-69	3,838	1,825	2,013	1,615	1,766	64	110	75	54	13	12	6	8	52	63
	70-74	2,613	1,233	1,380	1,099	1,232	36	53	42	37	28	15	5	1	23	42
	75-79	1,840	831	1,009	742	933	33	32	26	18	7	7	2	2	21	17
	80-84	1,330	567	763	524	685	22	41	11	11	2	4	0	0	8	22
	85+	1,310	502	808	473	742	9	29	8	10	6	5	1	1	5	21

MISSOURI: 2012 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

	Age Group	All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	6,021,988	2,951,036	3,070,952	2,485,574	2,564,030	335,461	370,618	16,060	15,571	50,761	56,331	3,963	3,858	59,217	60,544
	0-4	379,246	194,100	185,146	151,456	143,927	27,268	26,327	1,048	1,056	3,761	3,654	359	438	10,208	9,744
	5-9	390,989	199,842	191,147	158,466	150,535	27,275	26,520	1,086	1,066	3,653	3,884	412	367	8,950	8,775
	10-14	394,749	201,886	192,863	162,052	153,879	27,925	26,976	1,138	1,130	3,081	3,441	316	348	7,374	7,089
	15-19	403,441	207,196	196,245	164,945	155,858	30,809	29,171	1,282	1,190	3,653	3,566	344	303	6,163	6,157
	20-24	428,576	215,892	212,684	172,151	169,858	31,557	31,115	1,355	1,262	5,393	4,974	417	374	5,019	5,101
	25-29	401,037	200,562	200,475	166,523	163,628	24,201	26,332	1,106	1,086	4,859	5,258	452	385	3,421	3,786
	30-34	390,702	194,995	195,707	163,064	160,143	22,540	25,555	1,191	1,056	4,794	5,304	378	353	3,028	3,296
	35-39	351,524	174,932	176,592	146,286	144,215	20,120	23,282	1,080	970	4,611	5,168	297	297	2,538	2,660
	40-44	379,258	188,262	190,996	159,690	158,643	20,693	24,032	1,116	1,022	4,254	4,581	274	250	2,235	2,468
	45-49	408,739	202,212	206,527	173,608	174,453	21,958	24,719	1,150	1,165	3,214	3,685	196	207	2,086	2,298
	50-54	447,790	220,104	227,686	191,472	195,246	22,606	25,668	1,230	1,264	2,460	2,974	194	174	2,142	2,360
	55-59	410,651	199,130	211,521	174,909	182,644	19,091	22,705	1,093	1,123	1,949	2,842	131	150	1,957	2,057
	60-64	352,105	168,206	183,899	150,118	160,719	14,050	18,288	811	836	1,720	2,490	87	79	1,420	1,487
	65-69	279,973	132,115	147,858	119,543	131,750	9,588	12,663	541	530	1,360	1,769	47	52	1,036	1,094
	70-74	207,316	95,457	111,859	86,958	100,119	6,432	9,425	415	338	926	1,135	35	28	691	814
	75-79	156,707	69,006	87,701	63,246	78,892	4,497	7,264	217	217	575	753	15	17	456	558
	80-84	118,900	48,007	70,893	44,558	64,594	2,732	5,217	126	134	291	535	6	20	294	393
	85+	120,285	39,132	81,153	36,529	74,927	2,119	5,359	75	126	207	318	3	16	199	407
Non-Hispanic	All Ages	5,796,674	2,833,681	2,962,993	2,384,684	2,471,801	329,724	364,935	12,462	12,346	49,730	55,362	3,218	3,189	53,863	55,360
	0-4	353,376	180,938	172,438	140,567	133,459	26,517	25,564	714	755	3,655	3,533	267	345	9,218	8,782
	5-9	365,606	186,963	178,643	147,613	140,034	26,563	25,817	735	725	3,563	3,789	324	277	8,165	8,001
	10-14	373,361	190,825	182,536	152,638	145,218	27,364	26,429	849	806	2,995	3,363	254	276	6,725	6,444
	15-19	383,725	196,937	186,788	156,257	147,920	30,259	28,632	968	899	3,552	3,493	271	242	5,630	5,602
	20-24	407,970	204,660	203,310	162,709	161,956	30,897	30,556	995	952	5,281	4,880	331	315	4,447	4,651
	25-29	381,281	189,624	191,657	157,029	155,980	23,655	25,858	772	862	4,769	5,175	367	347	3,032	3,435
	30-34	371,952	184,944	187,008	154,377	152,648	22,065	25,088	823	791	4,690	5,223	316	284	2,673	2,974
	35-39	335,051	166,234	168,817	138,685	137,544	19,762	22,889	779	718	4,534	5,064	244	235	2,230	2,367
	40-44	365,432	180,943	184,489	153,230	152,955	20,422	23,742	888	805	4,180	4,518	219	205	2,004	2,264
	45-49	397,201	196,251	200,950	168,335	169,545	21,723	24,476	927	979	3,163	3,640	164	181	1,939	2,129
	50-54	438,094	215,116	222,978	187,047	191,157	22,392	25,457	1,081	1,074	2,419	2,937	171	151	2,006	2,202
	55-59	403,471	195,454	208,017	171,656	179,569	18,941	22,551	960	983	1,907	2,813	117	134	1,873	1,967
	60-64	346,970	165,612	181,358	147,806	158,463	13,946	18,170	727	760	1,704	2,470	79	74	1,350	1,421
	65-69	276,574	130,455	146,119	118,053	130,207	9,528	12,581	488	489	1,345	1,756	43	46	998	1,040
	70-74	204,886	94,356	110,530	85,971	98,920	6,402	9,377	373	307	917	1,118	29	27	664	781
	75-79	154,963	68,195	86,768	62,521	78,037	4,463	7,230	196	201	566	747	14	15	435	538
	80-84	117,651	47,500	70,151	44,089	63,918	2,716	5,187	118	123	287	529	6	20	284	374
	85+	119,110	38,674	80,436	36,101	74,271	2,109	5,331	69	117	203	314	2	15	190	388
Hispanic	All Ages	225,314	117,355	107,959	100,890	92,229	5,737	5,683	3,598	3,225	1,031	969	745	669	5,354	5,184
	0-4	25,870	13,162	12,708	10,889	10,468	751	763	334	301	106	121	92	93	990	962
	5-9	25,383	12,879	12,504	10,853	10,501	712	703	351	341	90	95	88	90	785	774
	10-14	21,388	11,061	10,327	9,414	8,661	561	547	289	324	86	78	62	72	649	645
	15-19	19,716	10,259	9,457	8,688	7,938	550	539	314	291	101	73	73	61	533	555
	20-24	20,606	11,232	9,374	9,442	7,902	660	559	360	310	112	94	86	59	572	450
	25-29	19,756	10,938	8,818	9,494	7,648	546	474	334	224	90	83	85	38	389	351
	30-34	18,750	10,051	8,699	8,687	7,495	475	467	368	265	104	81	62	69	355	322
	35-39	16,473	8,698	7,775	7,601	6,671	358	393	301	252	77	104	53	62	308	293
	40-44	13,826	7,319	6,507	6,460	5,688	271	290	228	217	74	63	55	45	231	204
	45-49	11,538	5,961	5,577	5,273	4,908	235	243	223	186	51	45	32	26	147	169
	50-54	9,696	4,988	4,708	4,425	4,089	214	211	149	190	41	37	23	23	136	158
	55-59	7,180	3,676	3,504	3,253	3,075	150	154	133	140	42	29	14	16	84	90
	60-64	5,135	2,594	2,541	2,312	2,256	104	118	84	76	16	20	8	5	70	66
	65-69	3,399	1,660	1,739	1,490	1,543	60	82	53	41	15	13	4	6	38	54
	70-74	2,430	1,101	1,329	987	1,199	30	48	42	31	9	17	6	1	27	33
	75-79	1,744	811	933	725	855	34	34	21	16	9	6	1	2	21	20
	80-84	1,249	507	742	469	676	16	30	8	11	4	6	0	0	10	19
	85+	1,175	458	717	428	656	10	28	6	9	4	4	1	1	9	19

MISSOURI: 2011 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

Age Group	All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female

Total	All Ages	6,010,688	2,944,434	3,066,254	2,484,400	2,564,022	334,302	369,652	15,883	15,390	48,646	54,459	3,698	3,624	57,505	59,107
	0-4	384,293	196,270	188,023	153,270	146,355	27,578	26,559	1,117	1,062	3,643	3,569	367	396	10,295	10,082
	5-9	388,699	198,931	189,768	158,673	150,177	26,815	26,174	1,068	1,020	3,484	3,817	371	339	8,520	8,241
	10-14	396,831	202,889	193,942	162,778	154,689	28,454	27,390	1,158	1,151	3,017	3,387	295	344	7,187	6,981
	15-19	413,892	212,356	201,536	168,940	159,861	32,175	30,703	1,365	1,244	3,570	3,383	346	310	5,960	6,035
	20-24	420,450	211,028	209,422	169,784	168,200	29,958	29,998	1,261	1,196	5,124	4,913	382	362	4,519	4,753
	25-29	403,360	201,833	201,527	168,165	164,788	24,034	26,361	1,116	1,094	4,751	5,239	402	365	3,365	3,680
	30-34	384,356	192,147	192,209	160,807	157,351	22,347	25,225	1,114	1,024	4,536	5,065	351	312	2,992	3,232
	35-39	354,174	176,073	178,101	147,237	145,611	20,456	23,676	1,051	967	4,543	4,994	291	276	2,495	2,577
	40-44	381,325	189,241	192,084	160,830	159,989	20,951	24,032	1,116	1,074	3,939	4,361	245	218	2,160	2,410
	45-49	425,748	210,763	214,985	181,596	182,583	22,519	25,282	1,229	1,184	3,072	3,475	184	190	2,163	2,271
	50-54	449,211	220,783	228,428	192,090	195,736	22,754	25,975	1,264	1,245	2,347	2,921	166	175	2,162	2,376
	55-59	401,084	194,310	206,774	171,126	178,934	18,290	21,885	1,019	1,118	1,875	2,784	126	130	1,874	1,923
	60-64	352,613	168,495	184,118	151,064	161,764	13,579	17,594	770	776	1,648	2,441	68	85	1,366	1,458
	65-69	261,825	123,508	138,317	111,714	123,203	9,103	12,033	494	471	1,210	1,565	42	45	945	1,000
	70-74	199,479	91,646	107,833	83,458	96,464	6,210	9,193	355	318	934	1,067	37	26	652	765
	75-79	156,364	68,544	87,820	63,020	79,028	4,397	7,295	206	204	494	722	14	24	413	547
	80-84	119,385	47,905	71,480	44,523	65,284	2,722	5,185	111	134	283	482	5	13	261	382
	85+	117,599	37,712	79,887	35,325	74,005	1,960	5,092	69	108	176	274	6	14	176	394

Non-Hispanic	All Ages	5,789,533	2,829,275	2,960,258	2,385,395	2,473,560	328,640	363,960	12,326	12,229	47,625	53,560	2,943	2,978	52,346	53,971
	0-4	357,451	182,591	174,860	142,028	135,505	26,750	25,743	728	761	3,527	3,455	264	303	9,294	9,093
	5-9	364,135	186,432	177,703	148,121	139,990	26,166	25,556	724	680	3,394	3,734	274	255	7,753	7,488
	10-14	376,159	192,193	183,966	153,677	146,404	27,939	26,786	869	839	2,926	3,316	234	271	6,548	6,350
	15-19	393,860	201,968	191,892	160,149	151,687	31,603	30,166	1,039	947	3,474	3,307	273	253	5,430	5,532
	20-24	400,373	200,045	200,328	160,399	160,552	29,361	29,428	909	908	5,020	4,828	293	312	4,063	4,300
	25-29	383,525	191,034	192,491	158,799	157,011	23,483	25,876	799	829	4,659	5,160	307	312	2,987	3,303
	30-34	365,951	182,204	183,747	152,248	150,126	21,846	24,732	782	764	4,420	4,993	292	253	2,616	2,879
	35-39	338,145	167,622	170,523	139,790	139,075	20,118	23,302	777	724	4,471	4,900	243	214	2,223	2,308
	40-44	368,002	182,194	185,808	154,630	154,488	20,685	23,757	859	864	3,872	4,300	196	184	1,952	2,215
	45-49	414,315	204,863	209,452	176,392	177,731	22,257	25,026	1,021	997	3,030	3,438	153	162	2,010	2,098
	50-54	439,969	215,991	223,978	187,869	191,886	22,556	25,770	1,097	1,073	2,298	2,887	145	149	2,026	2,213
	55-59	394,416	190,883	203,533	168,079	176,106	18,155	21,723	893	989	1,845	2,755	116	119	1,795	1,841
	60-64	347,735	166,101	181,634	148,926	159,530	13,482	17,498	702	712	1,629	2,421	60	78	1,302	1,395
	65-69	258,712	121,958	136,754	110,329	121,821	9,037	11,957	447	433	1,197	1,552	39	40	909	951
	70-74	197,258	90,630	106,628	82,550	95,362	6,180	9,159	322	294	923	1,052	31	24	624	737
	75-79	154,750	67,826	86,924	62,366	78,206	4,365	7,260	195	190	489	715	13	23	398	530
	80-84	118,199	47,416	70,783	44,078	64,652	2,703	5,157	102	124	278	476	5	12	250	362
	85+	116,578	37,324	79,254	34,965	73,428	1,954	5,064	61	101	173	271	5	14	166	376

Hispanic	All Ages	221,155	115,159	105,996	99,005	90,462	5,662	5,692	3,557	3,161	1,021	899	755	646	5,159	5,136
	0-4	26,842	13,679	13,163	11,242	10,850	828	816	389	301	116	114	103	93	1,001	989
	5-9	24,564	12,499	12,065	10,552	10,187	649	618	344	340	90	83	97	84	767	753
	10-14	20,672	10,696	9,976	9,101	8,285	515	604	289	312	91	71	61	73	639	631
	15-19	20,032	10,388	9,644	8,791	8,174	572	537	326	297	96	76	73	57	530	503
	20-24	20,077	10,983	9,094	9,385	7,648	597	570	352	288	104	85	89	50	456	453
	25-29	19,835	10,799	9,036	9,366	7,777	551	485	317	265	92	79	95	53	378	377
	30-34	18,405	9,943	8,462	8,559	7,225	501	493	332	260	116	72	59	59	376	353
	35-39	16,029	8,451	7,578	7,447	6,536	338	374	274	243	72	94	48	62	272	269
	40-44	13,323	7,047	6,276	6,200	5,501	266	275	257	210	67	61	49	34	208	195
	45-49	11,433	5,900	5,533	5,204	4,852	262	256	208	187	42	37	31	28	153	173
	50-54	9,242	4,792	4,450	4,221	3,850	198	205	167	172	49	34	21	26	136	163
	55-59	6,668	3,427	3,241	3,047	2,828	135	162	126	129	30	29	10	11	79	82
	60-64	4,878	2,394	2,484	2,138	2,234	97	96	68	64	19	20	8	7	64	63
	65-69	3,113	1,550	1,563	1,385	1,382	66	76	47	38	13	13	3	5	36	49
	70-74	2,221	1,016	1,205	908	1,102	30	34	33	24	11	15	6	2	28	28
	75-79	1,614	718	896	654	822	32	35	11	14	5	7	1	1	15	17
	80-84	1,186	489	697	445	632	19	28	9	10	5	6	0	1	11	20
	85+	1,021	388	633	360	577	6	28	8	7	3	3	1	0	10	18

MISSOURI: 2010 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

Age Group		All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	5,996,052	2,937,326	3,058,726	2,481,484	2,561,095	333,026	368,148	15,637	15,127	47,709	53,442	3,632	3,609	55,838	57,305
	0-4	389,536	199,232	190,304	156,238	148,555	27,885	26,942	1,036	1,064	3,503	3,473	359	395	10,211	9,875
	5-9	390,299	199,627	190,672	159,349	151,086	27,200	26,455	1,080	1,014	3,468	3,804	349	348	8,181	7,965
	10-14	397,105	203,215	193,890	163,431	154,946	28,383	27,459	1,159	1,134	2,965	3,249	292	342	6,985	6,760
	15-19	422,126	216,234	205,892	171,752	163,149	33,475	31,978	1,348	1,210	3,554	3,360	368	323	5,737	5,872
	20-24	414,671	208,373	206,298	168,964	166,667	28,510	28,708	1,267	1,156	5,071	4,998	390	373	4,171	4,396
	25-29	403,669	201,741	201,928	168,284	165,242	23,902	26,374	1,085	1,034	4,767	5,258	398	359	3,305	3,661
	30-34	375,000	187,708	187,292	156,922	153,166	21,842	24,698	1,126	1,033	4,587	5,001	343	337	2,888	3,057
	35-39	365,832	181,986	183,846	152,370	150,654	21,173	24,367	1,086	992	4,521	4,972	282	264	2,554	2,597
	40-44	380,685	188,949	191,736	160,761	160,010	21,073	23,964	1,114	1,086	3,720	4,151	221	222	2,060	2,303
	45-49	441,806	218,621	223,185	188,958	190,250	23,061	25,821	1,273	1,210	2,952	3,415	195	178	2,182	2,311
	50-54	444,911	218,609	226,302	190,284	193,889	22,449	25,712	1,255	1,234	2,279	2,947	160	170	2,182	2,350
	55-59	392,625	189,797	202,828	167,613	175,934	17,598	21,190	936	1,069	1,806	2,705	112	111	1,732	1,819
	60-64	336,662	161,109	175,553	144,677	154,642	12,754	16,497	720	737	1,586	2,248	79	72	1,293	1,357
	65-69	257,850	121,604	136,246	110,139	121,555	8,853	11,777	480	433	1,182	1,468	31	37	919	976
	70-74	194,427	89,254	105,173	81,404	94,191	6,004	8,927	327	308	876	1,005	30	28	613	714
	75-79	155,260	67,655	87,605	62,339	79,046	4,262	7,119	179	185	454	702	13	22	408	531
	80-84	119,067	47,418	71,649	44,141	65,555	2,679	5,130	100	130	245	441	4	14	249	379
	85+	114,521	36,194	78,327	33,858	72,558	1,923	5,030	66	98	173	245	6	14	168	382
Non-Hispanic	All Ages	5,781,964	2,825,759	2,956,205	2,385,413	2,473,431	327,620	362,687	12,205	12,049	46,695	52,551	2,915	2,980	50,911	52,507
	0-4	362,749	185,559	177,190	144,873	137,731	27,122	26,145	651	710	3,403	3,367	271	310	9,239	8,927
	5-9	366,724	187,599	179,125	149,201	141,371	26,580	25,837	749	684	3,372	3,710	264	264	7,433	7,259
	10-14	377,363	193,071	184,292	154,811	146,910	27,871	26,911	878	857	2,874	3,176	226	274	6,411	6,164
	15-19	402,755	206,122	196,633	163,196	155,355	32,915	31,441	1,034	921	3,455	3,270	285	257	5,237	5,389
	20-24	394,792	197,428	197,364	159,635	159,087	27,887	28,160	918	895	4,955	4,908	304	321	3,729	3,993
	25-29	384,296	191,231	193,065	159,166	157,606	23,385	25,881	768	794	4,666	5,187	318	301	2,928	3,296
	30-34	357,092	178,029	179,063	148,552	146,102	21,384	24,239	800	773	4,490	4,936	282	280	2,521	2,733
	35-39	350,235	173,721	176,514	145,076	144,268	20,858	24,028	816	751	4,448	4,892	235	209	2,288	2,366
	40-44	367,875	182,224	185,651	154,811	154,696	20,810	23,685	885	876	3,657	4,088	176	186	1,885	2,120
	45-49	430,836	212,971	217,865	183,985	185,587	22,826	25,573	1,060	1,025	2,906	3,379	165	156	2,029	2,145
	50-54	436,195	214,110	222,085	186,309	190,216	22,258	25,526	1,114	1,074	2,230	2,910	141	148	2,058	2,211
	55-59	386,333	186,555	199,778	164,722	173,274	17,472	21,042	823	943	1,775	2,677	104	103	1,659	1,739
	60-64	332,170	158,915	173,255	142,728	152,572	12,671	16,416	650	675	1,570	2,228	69	62	1,227	1,302
	65-69	254,930	120,148	134,782	108,833	120,252	8,792	11,713	440	399	1,169	1,453	28	35	886	930
	70-74	192,322	88,288	104,034	80,536	93,145	5,978	8,892	298	286	863	995	26	26	587	690
	75-79	153,719	66,967	86,752	61,709	78,265	4,234	7,086	167	171	451	695	12	21	394	514
	80-84	117,954	46,966	70,988	43,729	64,950	2,660	5,105	94	122	240	438	4	13	239	360
	85+	113,624	35,855	77,769	33,541	72,044	1,917	5,007	60	93	171	242	5	14	161	369
Hispanic	All Ages	214,088	111,567	102,521	96,071	87,664	5,406	5,461	3,432	3,078	1,014	891	717	629	4,927	4,798
	0-4	26,787	13,673	13,114	11,365	10,824	763	797	385	354	100	106	88	85	972	948
	5-9	23,575	12,028	11,547	10,148	9,715	620	618	331	330	96	94	85	84	748	706
	10-14	19,742	10,144	9,598	8,620	8,036	512	548	281	277	91	73	66	68	574	596
	15-19	19,371	10,112	9,259	8,556	7,794	560	537	314	289	99	90	83	66	500	483
	20-24	19,879	10,945	8,934	9,329	7,580	623	548	349	261	116	90	86	52	442	403
	25-29	19,373	10,510	8,863	9,118	7,636	517	493	317	240	101	71	80	58	377	365
	30-34	17,908	9,679	8,229	8,370	7,064	458	459	326	260	97	65	61	57	367	324
	35-39	15,597	8,265	7,332	7,294	6,386	315	339	270	241	73	80	47	55	266	231
	40-44	12,810	6,725	6,085	5,950	5,314	263	279	229	210	63	63	45	36	175	183
	45-49	10,970	5,650	5,320	4,973	4,663	235	248	213	185	46	36	30	22	153	166
	50-54	8,716	4,499	4,217	3,975	3,673	191	186	141	160	49	37	19	22	124	139
	55-59	6,292	3,242	3,050	2,891	2,660	126	148	113	126	31	28	8	8	73	80
	60-64	4,492	2,194	2,298	1,949	2,070	83	81	70	62	16	20	10	10	66	55
	65-69	2,920	1,456	1,464	1,306	1,303	61	64	40	34	13	15	3	2	33	46
	70-74	2,105	966	1,139	868	1,046	26	35	29	22	13	10	4	2	26	24
	75-79	1,541	688	853	630	781	28	33	12	14	3	7	1	1	14	17
	80-84	1,113	452	661	412	605	19	25	6	8	5	3	0	1	10	19
	85+	897	339	558	317	514	6	23	6	5	2	3	1	0	7	13

Prepared by the Missouri Department of Mental Health

Figures are mid-year (July 1) estimates released annually by the U.S. Department of Commerce, Bureau of the Census.
Data in these tables may not reflect the most recent estimates available for each year. For updates, visit www.census.gov.



Missouri Department of
MENTAL HEALTH

- [Online Services](#)

- [MO.gov](#)
- [Governor Parson](#)
- [Find an Agency](#)

Search



[You Tube](#)



[Follow Us](#)



[Like Us](#)

County Links


County:

- Select County -

MISSOURI DEPARTMENT OF MENTAL HEALTH
Division of Behavioral Health (DBH)

Missouri DBH Regions and Sub-regions Depicted in Status Report Trend Charts
Based on Estimates From the National Survey on Drug Use and Health

(NSDUH region estimates have been compiled for 2002-2004, 2004-2006, 2006-2008, 2008-2010, 2010-2012, and 2012-2014)



Legend

- Western Region Except Jackson County
- Jackson County
- Central Region
- Eastern Region Except Saint Louis City and County
- Saint Louis City and County
- Southwest Region
- Southeast Region

Source: ArcGIS\Smith\substanceuseservicearea.mxd/pdf ~ September 2015

Source: ArcGIS\Smith\adultmentalhealthservicearea.mxd/pdf ~ September 2015